Title: Qwen

URL: https://en.wikipedia.org/wiki/Qwen

PageID: 78475283

Categories: Category:2023 in artificial intelligence, Category:2023 software, Category:Alibaba Group, Category:Generative pre-trained transformers, Category:Large language models, Category:Open-source artificial intelligence, Category:Software using the Apache license

Source: Wikipedia (CC BY-SA 4.0).

Qwen (also called Tongyi Qianwen, Chinese: **IIIIII**) is a family of large language models developed by Chinese company Alibaba Cloud. In July 2024, it was ranked as the top Chinese language model in some benchmarks and third globally behind the top models of Anthropic and OpenAI. [1]

Models

Alibaba first launched a beta of Qwen in April 2023 under the name Tongyi Qianwen. [2] The model's architecture was based on the Llama architecture developed by Meta AI. [3][4] It was publicly released in September 2023 after receiving approval from the Chinese government. [5] In December 2023 it released its 72B and 1.8B models for download, while Qwen 7B weights were released in August. [6][7] Their models are sometimes described as open source, but the training code has not been released nor has the training data been documented, and they do not meet the terms of either the Open Source AI Definition or the Model Openness Framework from the Linux Foundation.

In June 2024 Alibaba launched Qwen2 and in September it released some of its models with open weights, while keeping its most advanced models proprietary. [8][9] Qwen2 contains both dense and sparse models. [10]

In November 2024, QwQ-32B-Preview, a model focusing on reasoning similar to OpenAl's o1 , was released under the Apache 2.0 License , although only the weights were released, not the dataset or training method. [11] [12] QwQ has a 32K token context length and performs better than o1 on some benchmarks. [13]

The Qwen-VL series is a line of visual language models that combines a vision transformer with a LLM. [3][14] Alibaba released Qwen2-VL with variants of 2 billion and 7 billion parameters. [15][16][17]

In January 2025, Qwen2.5-VL was released with variants of 3, 7, 32, and 72 billion parameters. [18] All models except the 72B variant are licensed under the Apache 2.0 license. [19] Qwen-VL-Max is Alibaba's flagship vision model as of 2024, and is sold by Alibaba Cloud at a cost of US\$0.00041 per thousand input tokens. [20]

Alibaba has released several other model types such as Qwen-Audio and Qwen2-Math. [21] In total, it has released more than 100 open weight models, with its models having been downloaded more than 40 million times. [9] [22] Fine-tuned versions of Qwen have been developed by enthusiasts, such as "Liberated Qwen", developed by San Francisco-based Abacus AI, which is a version that responds to any user request without content restrictions. [23]

On January 29, 2025, Alibaba launched Qwen2.5-Max. According to a blog post from Alibaba, Qwen2.5-Max outperforms other foundation models such as GPT-40, DeepSeek-V3, and Llama -3.1-405B in key benchmarks. [24] [25] In February 2025, Alibaba announced on their official X account that the 2.5-Max model would be opened up, however it has not been released. [26]

On March 24, 2025, Alibaba launched Qwen2.5-VL-32B-Instruct as a successor to the Qwen2.5-VL model. It was released under the Apache 2.0 license. [27] [28]

On March 26, 2025, Qwen2.5-Omni-7B was released under the Apache 2.0 license and made available through chat.qwen.ai, as well as platforms like Hugging Face, GitHub, and ModelScope.

[29] The Qwen2.5-Omni model accepts text, images, videos, and audio as input and can generate both text and audio as output, allowing it to be used for real-time voice chatting, similar to OpenAl's GPT-40. [29]

On April 28, 2025, the Qwen3 model family was released, [30] with all models licensed under the Apache 2.0 license. The Qwen3 model family includes both dense (0.6B, 1.7B, 4B, 8B, 14B, and 32B parameters) and sparse models (30B with 3B activated parameters, 235B with 22B activated parameters). They were trained on 36 trillion tokens in 119 languages and dialects. [31] All models except the 0.6B, 1.7B, and 4B variants have a 128K token context window . Like OpenAl's o1 and QwQ 32B, the Qwen3 models support reasoning , which can be enabled or disabled through the tokenizer. The Qwen3 models are available through chat.qwen.ai and can be downloaded via Hugging Face and ModelScope. [32]

On September 5, 2025, Alibaba launched Qwen3-Max. [33] According to Alibaba's official X account, it outperforms other foundation non-reasoning models such as Qwen3-235B-A22B-Instruct-2507, Kimi K2, Claude 4 Opus Non-thinking , and DeepSeek V3.1 . [34] There is no dedicated thinking mode for Qwen3-Max as of yet. [35]

On September 10, 2025, Qwen3-Next was released under the Apache 2.0 license and made available through chat.qwen.ai, as well as platforms like Hugging Face and Model Scope. Qwen3-Next includes two post-trained Instruct and Thinking models. Qwen3-Next was created with a new model-architecture called Qwen3-Next, in the belief that Context Length Scaling and Total Parameter Scaling are two major trends in the future of large models. Qwen3-Next introduces several key improvements over the Qwen3 architecture: a hybrid attention mechanism, a highly sparse Mixture-of-Experts (MoE) structure, training-stability-friendly optimizations, and a multi-token prediction mechanism for faster inference. Based on the Qwen3-Next architecture, a model with 80B total parameters and 3B active parameters was created. The Qwen3-Next model performs comparable to, or in some cases better than, Qwen3-32b while using less than 10% of its training cost (in GPU hours). In inference, especially with contexts greater than 32K tokens, it reaches greater than 10x higher throughput. Qwen3.5 will use a refined version of the Qwen3-Next architecture. [36]

See also

List of large language models

References

External links

Free and open-source software portal

China portal

Official website

Qwen on GitHub

Qwen on Hugging Face

٧

t

е

Alibaba Cloud

AliExpress

AliGenie

AliMusic

AliOS

Alipay

Qwen Taobao **Tmall Tmall Genie Tmall Genie** Xuexi Qiangguo Alibaba Health Alibaba Pictures Amblin Partners Amblin Entertainment Amblin Television DreamWorks Pictures Amblin Entertainment **Amblin Television DreamWorks Pictures** Ant Group Tianhong Asset Management Zhima Credit **Tianhong Asset Management** Zhima Credit AutoNavi Cainiao Ele.me Heyi Pictures Lazada Group Shenma South China Morning Post Tudou **UCWeb UC Browser UC** Browser World Electronic Sports Games Youku Zhejiang Hupan Entrepreneurship Research Center Jack Ma Daniel Zhang J. Michael Evans Peng Lei Jonathan Lu Joseph Tsai Wang Jian Maggie Wu Commons Category

е

LMArena

List of chatbots

List of LLMs

character.ai

ChatGPT

Claude

Command

Copilot

DeepSeek

Ernie

Gemini

 GLM

Grok

Hunyuan

Kimi

Llama

Mistral

Perplexity

Poe

Qwen

You.com

Category

٧

t

е

Autoencoder

Deep learning

Fine-tuning

Foundation model

Generative adversarial network

Generative pre-trained transformer

Large language model

Model Context Protocol

Neural network

Prompt engineering

Reinforcement learning from human feedback

Retrieval-augmented generation
Self-supervised learning
Stochastic parrot
Synthetic data
Top-p sampling
Transformer
Variational autoencoder
Vibe coding
Vision transformer
Waluigi effect
Word embedding
Character.ai
ChatGPT
DeepSeek
Ernie
Gemini
Grok
Copilot
Claude
Gemini
Gemma
GPT 1 2 3 J 4 4o 4.5 4.1 OSS 5
1
2
3
J
4
40
4.5
4.1
oss
5
Llama
o1
03
o4-mini
Qwen
Base44

Claude Code
Cursor
Devstral
GitHub Copilot
Kimi-Dev
Qwen3-Coder
Replit
Xcode
Aurora
Firefly
Flux
GPT Image 1
Ideogram
Imagen
Midjourney
Qwen-Image
Recraft
Seedream
Stable Diffusion
Dream Machine
Hailuo Al
Kling
Midjourney Video
Runway Gen
Seedance
Sora
Veo
Wan
15.ai
Eleven
MiniMax Speech 2.5
WaveNet
Eleven Music
Endel
Lyria
Riffusion
Suno Al
Udio

AutoGPT
ChatGPT Agent
Devin Al
Manus
OpenAl Codex
Operator
Replit Agent
01.AI
Aleph Alpha
Anthropic
Baichuan
Canva
Cognition AI
Cohere
Contextual AI
DeepSeek
ElevenLabs
Google DeepMind
HeyGen
Hugging Face
Inflection AI
Krikey Al
Kuaishou
Luma Labs
Meta Al
MiniMax
Mistral Al
Moonshot Al
OpenAl
Perplexity AI
Runway
Safe Superintelligence
Salesforce
Scale AI
SoundHound
Stability AI

Agentforce AutoGLM

Synthesia
Thinking Machines Lab
Upstage
xAI
Z.ai
Category
V
t
е
History timeline
timeline
Companies
Projects
Parameter Hyperparameter
Hyperparameter
Loss functions
Regression Bias-variance tradeoff Double descent Overfitting
Bias-variance tradeoff
Double descent
Overfitting
Clustering
Gradient descent SGD Quasi-Newton method Conjugate gradient method
SGD
Quasi-Newton method
Conjugate gradient method
Backpropagation
Attention
Convolution
Normalization Batchnorm
Batchnorm
Activation Softmax Sigmoid Rectifier
Softmax
Sigmoid
Rectifier
Gating
Weight initialization
Regularization
Datasets Augmentation

Augmentation Prompt engineering Reinforcement learning Q-learning SARSA Imitation Policy gradient Q-learning SARSA **Imitation** Policy gradient Diffusion Latent diffusion model Autoregression Adversary RAG Uncanny valley **RLHF** Self-supervised learning Reflection Recursive self-improvement Hallucination Word embedding Vibe coding Machine learning In-context learning In-context learning Artificial neural network Deep learning Deep learning Language model Large language model NMT Large language model NMT Reasoning language model Model Context Protocol Intelligent agent Artificial human companion Humanity's Last Exam Artificial general intelligence (AGI) AlexNet WaveNet Human image synthesis **HWR OCR**

GPT 1 2 3 J ChatGPT 4 4o o1 o3 4.5 4.1 o4-mini 5
1
2
3
J
ChatGPT
4
40
01
03
4.5
4.1
o4-mini
5
Claude
Gemini Gemini (language model) Gemma
Gemini (language model)
Gemma
Grok
LaMDA
BLOOM
DBRX
Project Debater
IBM Watson
IBM Watsonx
Granite
PanGu-Σ
DeepSeek
Qwen
AlphaGo
AlphaZero
OpenAl Five
Self-driving car
MuZero
Action selection AutoGPT
AutoGPT
Robot control

Alan Turing

John von Neumann Claude Shannon Shun'ichi Amari Kunihiko Fukushima Takeo Kanade Marvin Minsky John McCarthy Nathaniel Rochester Allen Newell Cliff Shaw Herbert A. Simon Oliver Selfridge Frank Rosenblatt **Bernard Widrow** Joseph Weizenbaum Seymour Papert Seppo Linnainmaa Paul Werbos Geoffrey Hinton John Hopfield Jürgen Schmidhuber Yann LeCun Yoshua Bengio Lotfi A. Zadeh Stephen Grossberg Alex Graves James Goodnight Andrew Ng Fei-Fei Li Alex Krizhevsky Ilya Sutskever Oriol Vinyals Quoc V. Le Ian Goodfellow **Demis Hassabis David Silver**

Warren Sturgis McCulloch

Walter Pitts

Andrej Karpathy

Ashish Vaswani

Noam Shazeer

Aidan Gomez

John Schulman

Mustafa Suleyman

Jan Leike

Daniel Kokotajlo

François Chollet

Neural Turing machine

Differentiable neural computer

Transformer Vision transformer (ViT)

Vision transformer (ViT)

Recurrent neural network (RNN)

Long short-term memory (LSTM)

Gated recurrent unit (GRU)

Echo state network

Multilayer perceptron (MLP)

Convolutional neural network (CNN)

Residual neural network (RNN)

Highway network

Mamba

Autoencoder

Variational autoencoder (VAE)

Generative adversarial network (GAN)

Graph neural network (GNN)

Category