

Title: Deeplearning4j

URL: <https://en.wikipedia.org/wiki/Deeplearning4j>

PageID: 43169442

Categories: Category:Cluster computing, Category:Deep learning software, Category:Free data analysis software, Category:Free science software, Category:Free software programmed in Java (programming language), Category:Free software programmed in Scala, Category:Free statistical software, Category:Hadoop, Category:Image processing, Category:Java (programming language) libraries, Category:Java (programming language) software, Category:Java platform, Category:Java programming language family, Category:Natural language processing, Category:Numerical programming languages, Category:Open-source artificial intelligence, Category:Scala (programming language), Category:Software using the Apache license

Source: Wikipedia (CC BY-SA 4.0).

-----

Supervised learning

Unsupervised learning

Semi-supervised learning

Self-supervised learning

Reinforcement learning

Meta-learning

Online learning

Batch learning

Curriculum learning

Rule-based learning

Neuro-symbolic AI

Neuromorphic engineering

Quantum machine learning

Classification

Generative modeling

Regression

Clustering

Dimensionality reduction

Density estimation

Anomaly detection

Data cleaning

AutoML

Association rules

Semantic analysis

Structured prediction

Feature engineering

Feature learning

Learning to rank  
Grammar induction  
Ontology learning  
Multimodal learning  
Apprenticeship learning  
Decision trees  
Ensembles Bagging Boosting Random forest  
Bagging  
Boosting  
Random forest  
k -NN  
Linear regression  
Naive Bayes  
Artificial neural networks  
Logistic regression  
Perceptron  
Relevance vector machine (RVM)  
Support vector machine (SVM)  
BIRCH  
CURE  
Hierarchical  
k -means  
Fuzzy  
Expectation–maximization (EM)  
DBSCAN  
OPTICS  
Mean shift  
Factor analysis  
CCA  
ICA  
LDA  
NMF  
PCA  
PGD  
t-SNE  
SDL  
Graphical models Bayes net Conditional random field Hidden Markov  
Bayes net

Conditional random field  
Hidden Markov  
RANSAC  
k -NN  
Local outlier factor  
Isolation forest  
Autoencoder  
Deep learning  
Feedforward neural network  
Recurrent neural network LSTM GRU ESN reservoir computing  
LSTM  
GRU  
ESN  
reservoir computing  
Boltzmann machine Restricted  
Restricted  
GAN  
Diffusion model  
SOM  
Convolutional neural network U-Net LeNet AlexNet DeepDream  
U-Net  
LeNet  
AlexNet  
DeepDream  
Neural field Neural radiance field Physics-informed neural networks  
Neural radiance field  
Physics-informed neural networks  
Transformer Vision  
Vision  
Mamba  
Spiking neural network  
Memtransistor  
Electrochemical RAM (ECRAM)  
Q-learning  
Policy gradient  
SARSA  
Temporal difference (TD)  
Multi-agent Self-play

Self-play  
Active learning  
Crowdsourcing  
Human-in-the-loop  
Mechanistic interpretability  
RLHF  
Coefficient of determination  
Confusion matrix  
Learning curve  
ROC curve  
Kernel machines  
Bias–variance tradeoff  
Computational learning theory  
Empirical risk minimization  
Occam learning  
PAC learning  
Statistical learning  
VC theory  
Topological deep learning  
AAAI  
ECML PKDD  
NeurIPS  
ICML  
ICLR  
IJCAI  
ML  
JMLR  
Glossary of artificial intelligence  
List of datasets for machine-learning research  
List of datasets in computer vision and image processing  
List of datasets in computer vision and image processing  
Outline of machine learning  
v  
t  
e

Eclipse Deeplearning4j is a programming library written in Java for the Java virtual machine (JVM). [ 2 ] [ 3 ] It is a framework with wide support for deep learning algorithms. [ 4 ] Deeplearning4j includes implementations of the restricted Boltzmann machine , deep belief net , deep autoencoder, stacked denoising autoencoder and recursive neural tensor network , word2vec , doc2vec, and

GloVe . These algorithms all include distributed parallel versions that integrate with Apache Hadoop and Spark . [ 5 ]

Deeplearning4j is open-source software released under Apache License 2.0 , [ 6 ] developed mainly by a machine learning group headquartered in San Francisco . [ 7 ] It is supported commercially by the startup Skymind, which bundles DL4J, TensorFlow , Keras and other deep learning libraries in an enterprise distribution called the Skymind Intelligence Layer. [ 8 ] Deeplearning4j was contributed to the Eclipse Foundation in October 2017. [ 9 ] [ 10 ]

## Introduction

Deeplearning4j relies on the widely used programming language Java , though it is compatible with Clojure and includes a Scala application programming interface (API). It is powered by its own open-source numerical computing library, ND4J , and works with both central processing units (CPUs) and graphics processing units (GPUs). [ 11 ] [ 12 ]

Deeplearning4j has been used in several commercial and academic applications. The code is hosted on GitHub . [ 13 ] A support forum is maintained on Gitter . [ 14 ]

The framework is composable, meaning shallow neural nets such as restricted Boltzmann machines, convolutional nets, autoencoders, and recurrent nets can be added to one another to create deep nets of varying types. It also has extensive visualization tools, [ 15 ] and a computation graph. [ 16 ]

## Distributed

Training with Deeplearning4j occurs in a cluster. Neural nets are trained in parallel via iterative reduce, which works on Hadoop -YARN and on Spark . [ 7 ] [ 17 ] Deeplearning4j also integrates with CUDA kernels to conduct pure GPU operations, and works with distributed GPUs.

## Scientific computing for the JVM

Deeplearning4j includes an n-dimensional array class using ND4J that allows scientific computing in Java and Scala, similar to the functions that NumPy provides to Python . It's effectively based on a library for linear algebra and matrix manipulation in a production environment.

## DataVec vectorization library for machine-learning

DataVec vectorizes various file formats and data types using an input/output format system similar to Hadoop's use of MapReduce; that is, it turns various data types into columns of scalars termed vectors . DataVec is designed to vectorize CSVs, images, sound, text, video, and time series. [ 18 ] [ 19 ]

## Text and NLP

Deeplearning4j includes a vector space modeling and topic modeling toolkit, implemented in Java and integrating with parallel GPUs for performance. It is designed to handle large text sets.

Deeplearning4j includes implementations of term frequency–inverse document frequency ( tf-idf ), deep learning , and Mikolov's word2vec algorithm, [ 20 ] doc2vec, and GloVe, reimplemented and optimized in Java. It relies on t-distributed stochastic neighbor embedding (t-SNE) for word-cloud visualizations.

## Real-world use cases and integrations

Real-world use cases for Deeplearning4j include network intrusion detection and cybersecurity, fraud detection for the financial sector, [ 21 ] [ 22 ] anomaly detection in industries such as manufacturing, recommender systems in e-commerce and advertising, [ 23 ] and image recognition. [ 24 ] Deeplearning4j has integrated with other machine-learning platforms such as RapidMiner, Prediction.io, [ 25 ] and Weka . [ 26 ]

## Machine Learning Model Server

Deeplearning4j serves machine-learning models for inference in production using the free developer edition of SKIL, the Skymind Intelligence Layer. [ 27 ] [ 28 ] A model server serves the parametric machine-learning models that makes decisions about data. It is used for the inference

stage of a machine-learning workflow, after data pipelines and model training. A model server is the tool that allows data science research to be deployed in a real-world production environment.

What a Web server is to the Internet, a model server is to AI. Where a Web server receives an HTTP request and returns data about a Web site, a model server receives data, and returns a decision or prediction about that data: e.g. sent an image, a model server might return a label for that image, identifying faces or animals in photographs.

The SKIL model server is able to import models from Python frameworks such as Tensorflow, Keras, Theano and CNTK, overcoming a major barrier in deploying deep learning models.

#### Benchmarks

Deeplearning4j is as fast as Caffe for non-trivial image recognition tasks using multiple GPUs. [ 29 ] For programmers unfamiliar with HPC on the JVM, there are several parameters that must be adjusted to optimize neural network training time. These include setting the heap space, the garbage collection algorithm, employing off-heap memory and pre-saving data (pickling) for faster ETL. [ 30 ] Together, these optimizations can lead to a 10x acceleration in performance with Deeplearning4j.

#### API Languages: Java, Scala, Python, Clojure & Kotlin

Deeplearning4j can be used via multiple API languages including Java, Scala, Python, Clojure and Kotlin. Its Scala API is called ScalNet. [ 31 ] Keras serves as its Python API. [ 32 ] And its Clojure wrapper is known as DL4CLJ. [ 33 ] The core languages performing the large-scale mathematical operations necessary for deep learning are C, C++ and CUDA C.

#### Tensorflow, Keras & Deeplearning4j

Tensorflow, Keras and Deeplearning4j work together. Deeplearning4j can import models from Tensorflow and other Python frameworks if they have been created with Keras. [ 34 ]

See also

Free and open-source software portal

Computer programming portal

Comparison of deep learning software

Artificial intelligence

Machine learning

Deep learning

References

v

t

e

Datasets

Digital geometry

Commercial systems

Feature detection

Geometry

Image sensor technology

Learning

Morphology

Motion analysis

Noise reduction techniques  
Recognition and categorization  
Research infrastructure  
Researchers  
Segmentation  
Software  
Computer stereo vision  
Motion capture  
Object recognition 3D object recognition  
3D object recognition  
3D reconstruction from multiple images  
2D to 3D conversion  
Gaussian splatting  
Neural radiance field  
Shape from focus  
Simultaneous localization and mapping  
Structure from motion  
View synthesis  
Visual hull  
4D reconstruction Free viewpoint television Volumetric capture  
Free viewpoint television  
Volumetric capture  
3D pose estimation  
Activity recognition  
Audio-visual speech recognition  
Automatic image annotation  
Automatic number-plate recognition  
Automated species identification  
Augmented reality  
Bioimage informatics  
Blob detection  
Computer-aided diagnosis  
Content-based image retrieval Reverse image search  
Reverse image search  
Eye tracking  
Face recognition  
Foreground detection  
Gesture recognition

Image denoising  
Image restoration  
Landmark detection  
Medical image computing  
Object detection Moving object detection Small object detection  
Moving object detection  
Small object detection  
Optical character recognition  
Pose tracking  
Remote sensing  
Robotic mapping  
Autonomous vehicles  
Video content analysis  
Video motion analysis  
Video surveillance  
Video tracking  
v  
t  
e  
Comparison  
Apache MXNet  
Apache SINGA  
Caffe  
Deeplearning4j  
DeepSpeed  
Dlib  
Keras  
Microsoft Cognitive Toolkit  
ML.NET  
OpenNN  
PyTorch  
TensorFlow  
Theano  
Torch  
ONNX  
OpenVINO  
MindSpore  
Apple Core ML



IBM Watson

Neural Designer

Wolfram Mathematica

MATLAB Deep Learning Toolbox

Category