Title: IBM Watsonx

URL: https://en.wikipedia.org/wiki/IBM_Watsonx

PageID: 74808104

Categories: Category:2023 in artificial intelligence, Category:2023 software, Category:Data mining and machine learning software, Category:IBM cloud services, Category:IBM products

---

Supervised learning

Unsupervised learning

Semi-supervised learning

Self-supervised learning

Reinforcement learning

Meta-learning

Online learning

Batch learning

Curriculum learning

Rule-based learning

Neuro-symbolic AI

Neuromorphic engineering

Quantum machine learning

Classification

Generative modeling

Regression

Clustering

Dimensionality reduction

Density estimation

Anomaly detection

Data cleaning

AutoML

Association rules

Semantic analysis

Structured prediction

Feature engineering

Feature learning

Learning to rank

Grammar induction

Ontology learning

Multimodal learning

Apprenticeship learning

Decision trees

Ensembles Bagging Boosting Random forest

Bagging

Boosting

Random forest

k -NN

Linear regression

Naive Bayes

Artificial neural networks

Logistic regression

Perceptron

Relevance vector machine (RVM)

Support vector machine (SVM)

BIRCH

CURE

Hierarchical

k -means

Fuzzy

Expectation–maximization (EM)

DBSCAN

OPTICS

Mean shift

Factor analysis

CCA

ICA

LDA

NMF

PCA

PGD

t-SNE

SDL

Graphical models Bayes net Conditional random field Hidden Markov

Bayes net

Conditional random field

Hidden Markov

RANSAC

k -NN

Local outlier factor

Isolation forest

Autoencoder

Deep learning

Feedforward neural network

Recurrent neural network LSTM GRU ESN reservoir computing

LSTM

GRU

ESN

reservoir computing

Boltzmann machine Restricted

Restricted

GAN

Diffusion model

SOM

Convolutional neural network U-Net LeNet AlexNet DeepDream

U-Net

LeNet

AlexNet

DeepDream

Neural field Neural radiance field Physics-informed neural networks

Neural radiance field

Physics-informed neural networks

Transformer Vision

Vision

Mamba

Spiking neural network

Memtransistor

Electrochemical RAM (ECRAM)

Q-learning

Policy gradient

SARSA

Temporal difference (TD)

Multi-agent Self-play

Self-play

Active learning

Crowdsourcing

Human-in-the-loop

Mechanistic interpretability

RLHF

Coefficient of determination

Confusion matrix

Learning curve

ROC curve

Kernel machines

Bias–variance tradeoff

Computational learning theory

Empirical risk minimization

Occam learning

PAC learning

Statistical learning

VC theory

Topological deep learning

AAAI

ECML PKDD

NeurIPS

ICML

ICLR

IJCAI

ML

JMLR

Glossary of artificial intelligence

List of datasets for machine-learning research List of datasets in computer vision and image processing

List of datasets in computer vision and image processing

Outline of machine learning

v

t

e

Watsonx is a platform by IBM for building and managing artificial intelligence (AI) applications for business use. [2] Announced on May 9, 2023, the platform provides software tools and infrastructure for companies to work with both IBM's own AI models and models from third-party sources. [1] [3]

The platform consists of three main components: watsonx.ai , a studio for training, validating, and deploying AI models; watsonx.data , a system for storing and managing data used by the models; and watsonx.governance , a toolkit to ensure AI applications are compliant with company policies and regulations. [4] A key feature is its ability to be trained on a company's private data to perform specialized tasks, a process known as fine-tuning . IBM states that this client-specific data is not used to train its own models. [5] Like the Watson computer, it is named after Thomas J. Watson ,

IBM's founder. [1]

History

Watsonx was revealed on May 9, 2023, at the annual Think conference of IBM as a platform that includes multiple services. [6] [7] Just like Watson AI computer with the similar name, Watsonx was named after Thomas J. Watson , IBM's founder and first CEO. [1]

On February 13, 2024, Anaconda partnered with IBM to embed its open-source Python packages into Watsonx. [8]

Watsonx is currently used at ESPN 's Fantasy Football App for managing players' performance. [9] It is also used by Italian telecommunications company Wind Tre . [10] Watsonx was used to generate editorial content around nominees during the 66th Annual Grammy Awards . [11]

2025 Wimbledon tapped into the power of generative AI, producing new digital experiences on the Wimbledon app and website using IBM watsonx. [12]

IBM watsonx has also been used in the banking sector to enhance fraud detection and Anti-Money Laundering (AML) systems by integrating with IBM Safer Payments, enabling improved detection and prevention strategies. [13]

Services

watsonx.ai

Watsonx.ai is a platform that allows AI developers to leverage a wide range of LLMs under IBM's own Granite series and others such as Facebook 's LLaMA-2 , free and open-source model Mistral and many others present in Hugging Face community for a diverse set of AI development tasks. [14] [15] These models come pre-trained and are designed to excel in various Natural Language Processing (NLP) applications, encompassing question answering, content generation, summarization, text classification, and data extraction. The platform allows fine-tuning with its Tuning Studio , allowing those models to learn the data provided by customers. [4]

watsonx.data

Watsonx.data is a platform designed to assist clients in addressing issues related to data volume, complexity, cost, and governance as they scale their AI workloads. [16] This platform facilitates seamless data access, whether the data is stored in the cloud or on-premises, through a single entry point, offering simple use for users who may not possess technical expertise. This approach prioritizes data security and compliance. [4]

watsonx.governance

Watsonx.governance is a platform that utilizes IBM's AI governance capabilities to support organizations in implementing comprehensive AI lifecycle governance. [17] This helps them manage risks and maintain compliance with evolving AI and industry regulations. The platform allows organizations to reduce AI bias by overseeing their AI initiatives, leveraging software automation to enhance risk mitigation, regulatory compliance, and ethical considerations. [4]

See also

IBM Watson

Generative AI

Large language model

ChatGPT

References

External links

Official webpage

Official introductory video for watsonx AI Prompt Lab

v

t

e

History World War II

World War II

Mergers and acquisitions PC business acquisition by Lenovo

PC business acquisition by Lenovo

Mainframe IBM Z

IBM Z

Power microprocessors

Power Systems

Storage FlashSystem DS8000

FlashSystem

DS8000

Quantum Q System One Q System Two Eagle Osprey Heron Condor

Q System One

Q System Two

Eagle

Osprey

Heron

Condor

Blue Gene

Cell microprocessors

PowerPC

Midrange computer

Personal Computer

Selectric

ThinkPad

Carbon Design System

Cloud Cloudant

Cloudant

Cognos Analytics

Connections

Criminal Reduction Utilising Statistical History

Fortran

ILOG

Information Management Software

Lotus Software

Mainframe operating systems
Mashup Center
Planning Analytics
PureQuery
Quantum Platform Qiskit OpenQASM
Qiskit
OpenQASM
Rational Software
SPSS
Tivoli Software Service Automation Manager
Service Automation Manager
Watson
Watsonx Granite
Granite
WebSphere
Apptio
Center for The Business of Government
Consulting Promontory
Promontory
Kenexa
International subsidiaries India
India
Press
Red Hat
Research
AdStar
AIM alliance Kaleida Labs Taligent
Kaleida Labs
Taligent
Ambra Computer
Cognos
EduQuest
Kyndryl
Lexmark
Merative
Microelectronics
Product Center
Science Research Associates

Service Bureau

The Weather Company (Weather Underground)

Towers 1250 René-Lévesque , Montreal, QC One Atlantic Center , Atlanta, GA

1250 René-Lévesque , Montreal, QC

One Atlantic Center , Atlanta, GA

Software Labs Rome Software Lab Toronto Software Lab

Rome Software Lab

Toronto Software Lab

IBM Buildings Chicago Honolulu New York Seattle

Chicago

Honolulu

New York

Seattle

Facilities Thomas J. Watson Research Center Hakozaki Facility Yamato Facility

Thomas J. Watson Research Center

Hakozaki Facility

Yamato Facility

Cambridge Scientific Center

IBM Hursley

Canada Head Office Building

IBM Rochester

Academy of Technology

Deep Thunder Develothon

Develothon

Fellow

The Great Mind Challenge

Linux Technology Center

SkillsBuild

Smarter Planet

Virtual Universe Community

World Community Grid

Think conference

Automated teller machine

Cynefin framework

DRAM

Electronic keypunch

Floppy disk

Hard disk drive

Magnetic stripe card
Relational model
Sabre airline reservation system
Scanning tunneling microscope
Financial swaps
Universal Product Code
Big Blue
Commercial Processing Workload
Customer engineer
Globally integrated enterprise
e-business
Think slogan
Thomas J. Watson (1914–1956)
Thomas Watson Jr. (1956–1971)
T. Vincent Learson (1971–1973)
Frank T. Cary (1973–1981)
John R. Opel (1981–1985)
John Fellows Akers (1985–1993)
Louis V. Gerstner Jr. (1993–2002)
Samuel J. Palmisano (2002–2011)
Ginni Rometty (2012–2020)
Arvind Krishna (since 2020)
Thomas Buberl
David Farr
Alex Gorsky
Michelle J. Howard
Arvind Krishna
Andrew Liveris
Martha E. Pollack
Joseph R. Swedish
Peter R. Voser
A Boy and His Atom
Big Blue sports teams American football Rugby union
American football
Rugby union
Common Public License / IBM Public License Wallace v. International Business Machines Corp.
Wallace v. International Business Machines Corp.
Deep Blue

Deep Thought

Dynamic infrastructure

GlobalFoundries

GUIDE International

IBM and the Holocaust

International chess tournament

Lucifer cipher

Mathematica

IBM Plex

SHARE computing

ScicomP

Unions

Commons

Category

Navigational boxes FOSS Midrange computers Operating systems Personal computers System/360 System/370 Typewriters Vacuum tube computers

FOSS

Midrange computers

Operating systems

Personal computers

System/360

System/370

Typewriters

Vacuum tube computers

v

t

e

History timeline

timeline

Companies

Projects

Parameter Hyperparameter

Hyperparameter

Loss functions

Regression Bias–variance tradeoff Double descent Overfitting

Bias–variance tradeoff

Double descent

Overfitting

Clustering

Gradient descent SGD Quasi-Newton method Conjugate gradient method

SGD

Quasi-Newton method

Conjugate gradient method

Backpropagation

Attention

Convolution

Normalization Batchnorm

Batchnorm

Activation Softmax Sigmoid Rectifier

Softmax

Sigmoid

Rectifier

Gating

Weight initialization

Regularization

Datasets Augmentation

Augmentation

Prompt engineering

Reinforcement learning Q-learning SARSA Imitation Policy gradient

Q-learning

SARSA

Imitation

Policy gradient

Diffusion

Latent diffusion model

Autoregression

Adversary

RAG

Uncanny valley

RLHF

Self-supervised learning

Reflection

Recursive self-improvement

Hallucination

Word embedding

Vibe coding

Machine learning In-context learning

In-context learning

Artificial neural network Deep learning

Deep learning

Language model Large language model NMT

Large language model

NMT

Reasoning language model

Model Context Protocol

Intelligent agent

Artificial human companion

Humanity's Last Exam

Artificial general intelligence (AGI)

AlexNet

WaveNet

Human image synthesis

HWR

OCR

Computer vision

Speech synthesis 15.ai ElevenLabs

15.ai

ElevenLabs

Speech recognition Whisper

Whisper

Facial recognition

AlphaFold

Text-to-image models Aurora DALL-E Firefly Flux Ideogram Imagen Midjourney Recraft Stable Diffusion

Aurora

DALL-E

Firefly

Flux

Ideogram

Imagen

Midjourney

Recraft

Stable Diffusion

Text-to-video models Dream Machine Runway Gen Hailuo AI Kling Sora Veo

Dream Machine

Runway Gen

Hailuo AI

Kling

Sora

Veo

Music generation Riffusion Suno AI Udio

Riffusion

Suno AI

Udio

Word2vec

Seq2seq

GloVe

BERT

T5

Llama

Chinchilla AI

PaLM

GPT 1 2 3 J ChatGPT 4 4o o1 o3 4.5 4.1 o4-mini 5

1

2

3

J

ChatGPT

4

4o

o1

o3

4.5

4.1

o4-mini

5

Claude

Gemini Gemini (language model) Gemma

Gemini (language model)

Gemma

Grok

LaMDA

BLOOM

DBRX

Project Debater

IBM Watson

IBM Watsonx

Granite

PanGu-Σ

DeepSeek

Qwen

AlphaGo

AlphaZero

OpenAI Five

Self-driving car

MuZero

Action selection AutoGPT

AutoGPT

Robot control

Alan Turing

Warren Sturgis McCulloch

Walter Pitts

John von Neumann

Claude Shannon

Shun'ichi Amari

Kunihiko Fukushima

Takeo Kanade

Marvin Minsky

John McCarthy

Nathaniel Rochester

Allen Newell

Cliff Shaw

Herbert A. Simon

Oliver Selfridge

Frank Rosenblatt

Bernard Widrow

Joseph Weizenbaum

Seymour Papert

Seppo Linnainmaa

Paul Werbos

Geoffrey Hinton

John Hopfield

Jürgen Schmidhuber

Yann LeCun

Yoshua Bengio

Lotfi A. Zadeh

Stephen Grossberg

Alex Graves

James Goodnight

Andrew Ng

Fei-Fei Li

Alex Krizhevsky

Ilya Sutskever

Oriol Vinyals

Quoc V. Le

Ian Goodfellow

Demis Hassabis

David Silver

Andrej Karpathy

Ashish Vaswani

Noam Shazeer

Aidan Gomez

John Schulman

Mustafa Suleyman

Jan Leike

Daniel Kokotajlo

François Chollet

Neural Turing machine

Differentiable neural computer

Transformer Vision transformer (ViT)

Vision transformer (ViT)

Recurrent neural network (RNN)

Long short-term memory (LSTM)

Gated recurrent unit (GRU)

Echo state network

Multilayer perceptron (MLP)

Convolutional neural network (CNN)

Residual neural network (RNN)

Highway network

Mamba

Autoencoder

Variational autoencoder (VAE)

Generative adversarial network (GAN)

Graph neural network (GNN)

Category