Business Requirements Document

PayTrack | Payment Reconciliation & Exception Management

SAMPLE ONLY — FICTIONAL PORTFOLIO CASE STUDY. All names, records, targets, dates and amounts are illustrative, not evidence of actual client work.

Document version 1.0 | Scenario: PayTrack payment reconciliation portal | Owner: Sample Business Analyst

1. Executive summary

PayTrack is a fictional internal operations portal concept intended to help an operations team compare internal payment records with payment-gateway events, identify unmatched or inconsistent records, assign exceptions, document resolutions and preserve an audit trail. This BRD frames the business need and desired outcomes before detailed solution design.

2. Business context and problem statement

In the illustrative current state, operations staff use separate gateway reports, internal transaction exports and manual trackers. The resulting workflow can create duplicated effort, delayed identification of mismatches, inconsistent ownership and limited visibility into why a transaction remains unresolved. These are scenario assumptions for this sample; a real engagement would validate them through interviews, observation and data assessment.

3. Objectives and proposed success measures

ID	Objective	Illustrative pilot measure / target
OBJ-01	Improve reconciliation visibility	At least 95% of eligible transactions matched automatically in pilot; validate baseline first.
OBJ-02	Make exception ownership explicit	100% of open exceptions have status, owner or queue, reason code and last-updated timestamp.
OBJ-03	Improve investigation consistency	At least 90% of sampled cases can be triaged by an analyst within two minutes; measure in UAT.
OBJ-04	Provide traceable actions	100% of resolution and reassignment actions create an audit event.

4. Stakeholders and user groups

Stakeholder / role	Interest / responsibility
Operations Analyst	Monitor exceptions, compare source values, add evidence and record permitted resolutions.
Operations Lead	Manage queue, reassign work, review escalations and approve controlled actions when policy requires.
Support / Read-only User	View transaction status and audit-relevant information without changing records.

Stakeholder / role	Interest / responsibility
Product Owner / Business Sponsor	Confirm business outcomes, policy rules, priorities and scope decisions.
Engineering / QA	Design the solution, implement controls and validate requirements against acceptance criteria.
Security / Platform Owner	Confirm access, logging, retention and operational requirements.

5. Scope

In scope

- Import or receive normalized internal transaction and gateway event data for a defined reconciliation window.
- Match records using agreed reference fields and configured matching rules.
- Show matched, pending, unmatched, duplicate and failed items with reason codes.
- Create and assign exception cases with comments/evidence references and controlled status changes.
- Record user actions, timestamps, status transitions and relevant before/after values in an audit history.
- Provide filters, search, summary counts and export of permitted operational views.

Out of scope for the sample

- Initiating refunds, payouts or payment capture from this portal.
- Making autonomous financial decisions or changing gateway records without authorization.
- Connecting to a real payment provider, production credentials or real customer information.
- Defining legal retention, PCI scope or regulated-data policies without stakeholder/security review.

6. High-level business requirements

ID	Business requirement	Priority
BR-01	The portal shall provide a single operational view of transaction and reconciliation status.	Must
BR-02	The portal shall identify unmatched or inconsistent records with an actionable reason code.	Must
BR-03	The portal shall enable authorised users to assign, comment on and resolve exception cases.	Must
BR-04	The portal shall preserve an audit history for material case and transaction actions.	Must
BR-05	The portal shall restrict actions based on a role and permission model.	Must
BR-06	The portal shall provide filters and search for operational triage.	Should
BR-07	The portal should allow permitted case/transaction results to be exported.	Could
BR-08	The portal shall surface failures in ingestion or reconciliation so the team can investigate.	Should

7. Assumptions, constraints and dependencies

- Source records contain a stable transaction reference or an agreed composite matching key.
- The gateway integration method, rate limits, event schema and retry behavior are to be confirmed.

- The first release is an operations-facing pilot; production scale and hosting are not specified here.
- Access roles, resolution authority, audit retention and export rules require sponsor/security approval.
- Illustrative merchant names, IDs, dates, amounts and success thresholds are invented for portfolio demonstration.

8. Risks and mitigations

Risk	Potential impact	Mitigation / discovery action
Inconsistent reference data	False unmatched or incorrect matches	Profile source records; agree deterministic match keys; maintain exception reasons.
Duplicate or delayed gateway events	Incorrect status or repeated work	Define idempotency key, event ordering, retry policy and duplicate handling.
Unclear resolution authority	Unauthorised changes or audit findings	Approve role matrix and escalation/approval rules before build.
Unclear baseline metrics	Targets cannot be assessed fairly	Capture current volumes, touch time, mismatch rates and reporting delays before pilot.

9. Acceptance and sign-off approach

Business sign-off would confirm the problem statement, scope, role model, priority requirements, baseline measurement plan and open policy decisions. This sample is not a signed or approved client BRD.

Role	Name / date	Status
Business Sponsor	To be completed	Pending
Operations Lead	To be completed	Pending
Product Owner	To be completed	Pending
Security / Platform	To be completed	Pending

Functional Requirements Document

PayTrack | Detailed behaviors, validations and controls

SAMPLE ONLY — FICTIONAL PORTFOLIO CASE STUDY. All names, records, targets, dates and amounts are illustrative, not evidence of actual client work.

Document version 1.0 | Scenario: PayTrack payment reconciliation portal | Owner: Sample Business Analyst

1. Purpose and relationship to BRD

This sample FRD translates BRD-PT-001 into observable system behaviors, business rules, data expectations and non-functional requirements. The functional design assumes a fictional internal operations portal and requires validation with a real product owner before implementation.

2. System context and actors

Actor / component	Primary interaction
Operations Analyst	Search transactions, open exceptions, add investigation notes and submit permitted resolutions.
Operations Lead	Review escalated cases, assign owners and approve controlled actions where configured.
Read-only Support	View permitted status and history.
Gateway Event Adapter	Receives / imports gateway events and normalizes source fields.
Reconciliation Service	Applies matching rules, writes reconciliation outcomes and creates exception cases.
Audit Service	Records actor, action, timestamp, target record and relevant change summary.

3. Functional requirements

ID	Area	Requirement / expected behavior	Priority	BRD trace
FR-001	Access control	The system shall require an authenticated user and enforce the assigned role permissions for each protected action.	Must	BR-05
FR-002	Overview metrics	The system shall show counts for received, matched, unmatched, pending and failed transactions for a selected time window.	Must	BR-01
FR-003	Transaction search	The system shall support search by payment ID, merchant reference and gateway reference.	Must	BR-06
FR-004	Transaction detail	The system shall show internal amount/currency/reference, gateway amount/currency/reference, current statuses and event timestamps when available.	Must	BR-01, BR-02
FR-005	Matching rule	The initial sample rule shall match on agreed reference plus amount and currency; exact key and tolerances require business approval.	Must	BR-02
FR-006	Reason codes	An unmatched record shall show a reason such as missing reference, amount mismatch, currency mismatch, duplicate event or timeout.	Must	BR-02

ID	Area	Requirement / expected behavior	Priority	BRD trace
FR-007	Exception creation	The system shall create or update one exception case per configured payment/reason combination and prevent duplicate open cases for the same key.	Must	BR-02
FR-008	Assignment	An authorised user shall assign a case to an eligible person or queue and the system shall record the change.	Must	BR-03, BR-04
FR-009	Investigation notes	An authorised user shall add a note or evidence reference without overwriting source transaction values.	Must	BR-03, BR-04
FR-010	Resolution	An authorised user shall select an allowed resolution type and provide a resolution reason before submitting.	Must	BR-03
FR-011	Approval / escalation	Configured high-risk or policy-defined resolutions shall require lead approval before status becomes resolved.	Should	BR-03, BR-05
FR-012	Audit trail	The system shall append an audit event for case creation, assignment, note, approval, resolution and status transition.	Must	BR-04
FR-013	Filtering	The system shall filter transaction and exception lists by status, date range, reason code and owner.	Should	BR-06
FR-014	Export	The system shall export currently filtered rows only to an approved format and omit fields the user is not authorised to view.	Could	BR-07
FR-015	Job status	The system shall expose ingestion and reconciliation job status, last-run time and a safe failure reason to authorised operations users.	Should	BR-08

4. Business rules and validations

Rule	Description
RULE-01	Amounts are compared using currency-aware decimal precision; no floating-point rounding rule is assumed.
RULE-02	A match is not inferred solely from amount. A stable agreed reference or composite key is required.
RULE-03	Duplicate events are idempotently ignored or linked to the existing transaction; behavior is configurable and must be confirmed.
RULE-04	Resolution submission requires resolution type, non-empty reason and the user permission to resolve.
RULE-05	Original gateway/internal values remain immutable in the evidence view; corrections are represented as new, auditable actions.
RULE-06	Status transitions must be valid: Open → In Review → Pending Approval (if required) → Resolved, or Escalated.
RULE-07	A resolved case may be reopened only by an authorised role and with a reason.
RULE-08	All timestamps are stored in a consistent standard and displayed in the configured user timezone.

5. Screen / interaction requirements

Screen	Required content	Primary actions
Reconciliation overview	Summary counts; trend visualization; exception categories; recent transactions; time-window filter.	Search, change time window, open transaction/case.
Transaction detail	Internal/gateway fields side by side; event chronology;	Open case, inspect event

Screen	Required content	Primary actions
	reconciliation outcome and reason.	references, copy identifiers.
Exception case detail	Case ID, status, owner, severity/reason, transaction comparison, notes, resolution form and audit history.	Assign, add note, resolve, escalate, request approval.
Exception queue	Case ID, payment ID, reason, age, owner, last update and status.	Filter, sort, assign, open case, export if permitted.

6. Data requirements

Entity	Sample key fields	Data notes
PaymentTransaction	paymentId, merchantReference, amount, currency, internalStatus, createdAt	Primary internal transaction record; source fields preserved.
GatewayEvent	eventId, paymentId, gatewayReference, eventType, receivedAt, payloadHash	One transaction may have multiple gateway events; sensitive raw payload access restricted.
ReconciliationResult	resultId, paymentId, matchStatus, mismatchCode, comparedAt, ruleVersion	Stores outcome of a comparison and the rule/version used.
ExceptionCase	caseId, paymentId, reasonCode, caseStatus, assignedTo, resolutionType, updatedAt	Open case deduplication depends on agreed uniqueness rule.
AuditEvent	auditId, targetType, targetId, actorId, action, timestamp, changeSummary	Append-only log; retention and export must follow approved policy.

7. Non-functional requirements (proposed)

ID	Requirement	Validation approach
NFR-01	Performance: key overview and queue views should render within 3 seconds at the 95th percentile under the agreed pilot load.	Performance test using agreed synthetic dataset and environment.
NFR-02	Availability: pilot target 99.5% monthly availability, excluding planned maintenance, pending platform confirmation.	Monitor availability and define outage calculation.
NFR-03	Security: least-privilege role access; secrets are not stored in the browser; audit-sensitive actions are server-authorized.	Role-based negative and positive tests; security review.
NFR-04	Reliability: repeated gateway events do not create duplicate financial actions or duplicate open cases.	Replay/idempotency tests.
NFR-05	Accessibility: core flows are keyboard reachable, labels are associated with fields, and status is not conveyed by color alone.	Keyboard walkthrough and automated/manual accessibility checks.
NFR-06	Privacy: use synthetic or masked information in non-production environments; define retention/export policy before live deployment.	Data review and security sign-off.

8. Error states and messages

- Source feed unavailable: show the latest successful run and a safe retry/escalation action.
- Required resolution reason missing: keep the case open and highlight the field; do not silently submit.

- Insufficient permission: deny server-side action and display a non-sensitive explanation.
- Duplicate or out-of-order event: retain an operationally useful reason/status without creating a duplicate financial record.
- Export failure: show a recoverable message and do not report a file as ready until generation succeeds.

9. Open decisions before build

Decision	Owner to confirm	Status
Authoritative matching key and amount tolerance	Product Owner + Finance/Ops	Open
Role-to-action matrix and approval thresholds	Operations Lead + Security	Open
Gateway source, event schema, retry strategy	Engineering	Open
Audit retention and permitted exports	Security / Compliance	Open
Pilot volume, load profile and performance target	Platform Owner	Open

10. Design references

Editable low-fidelity screens: https://www.figma.com/design/qt1PFmcQNvtaJnLnrWxPKD

Editable FigJam business process, API sequence and data model diagrams: https://www.figma.com/board/N90uAbHaqe4OkCOUkNfNxX

User Stories & Acceptance Criteria

PayTrack | Prioritised backlog examples using testable outcomes

SAMPLE ONLY — FICTIONAL PORTFOLIO CASE STUDY. All names, records, targets, dates and amounts are illustrative, not evidence of actual client work.

Document version 1.0 | Scenario: PayTrack payment reconciliation portal | Owner: Sample Business Analyst

1. How to use this sample backlog

Stories are grouped around a minimal pilot increment. Acceptance criteria use Given / When / Then to make behavior observable and support QA traceability. Estimates, sprint assignment and final priority would be agreed with the delivery team.

US-01 | As an Operations Analyst, I want a consolidated reconciliation overview so that I can understand the current workload.

Priority Must | Trace: BR-01 / FR-002

- Given a selected time window, when the overview loads, then summary counts reflect records in that window.
- Given the source job failed, when the view opens, then the latest run status and last successful timestamp are visible.
- Given the user can access only a subset of records, when metrics are displayed, then they respect the same access scope.

US-02 | As an Operations Analyst, I want to search a payment by reference so that I can investigate a specific customer report.

Priority Must | Trace: BR-01 / FR-003

- Given a valid payment ID or reference, when I search, then matching permitted records are returned.
- Given no match exists, when the search completes, then a clear empty state appears.
- Given a malformed query, when submitted, then the input is handled safely without exposing a stack trace.

US-03 | As an Operations Analyst, I want to compare internal and gateway fields so that I can understand the reconciliation outcome.

Priority Must | Trace: BR-02 / FR-004–006

- Given a transaction has both source values, when details are opened, then amount, currency, reference and status are shown side by side.
- Given a mismatch exists, then the reason code and compared values are visible.
- Given source data is missing, then the UI shows “Unavailable” rather than substituting a guessed value.

US-04 | As an Operations Analyst, I want exceptions created for unmatched records so that work is not lost in manual trackers.

Priority Must | Trace: BR-02 / FR-007

- Given an eligible unmatched transaction, when the reconciliation run completes, then an exception case exists with a reason code.

- Given the same event is replayed, then no duplicate open case is created for the configured uniqueness key.
- Given a match becomes valid after a new event, then the case follows the approved status transition rule.

US-05 | As an Operations Analyst, I want to assign and comment on a case so that work has a clear owner and investigation history.

Priority Must | Trace: BR-03 / FR-008–009

- Given I have assignment permission, when I assign an eligible owner, then case ownership updates and an audit event is recorded.
- Given I add a note, when it is saved, then the note appears with actor and timestamp.
- Given I lack permission, when I attempt either action, then the server rejects it and the record remains unchanged.

US-06 | As an authorised user, I want to resolve a case with a reason so that the outcome is clear and auditable.

Priority Must | Trace: BR-03 / FR-010–012

- Given required resolution type or reason is missing, when I submit, then field validation prevents submission.
- Given the role is authorised and policy does not require approval, when I submit a valid resolution, then the case status becomes Resolved and an audit record is added.
- Given approval is required, when I submit, then the case moves to Pending Approval and does not become Resolved until approval.

US-07 | As an Operations Lead, I want to review and approve escalated resolutions so that controlled actions follow policy.

Priority Should | Trace: BR-03 / FR-011

- Given a case requires approval, when an authorised lead opens it, then requested action and supporting reason are visible.
- Given approval is granted or rejected, when a decision is saved, then actor, timestamp and decision are recorded.
- Given the same decision is submitted twice, then duplicate transitions are prevented.

US-08 | As a Support user, I want read-only transaction status so that I can answer operational questions without changing records.

Priority Must | Trace: BR-05 / FR-001, FR-004

- Given a Read-only role, when transaction details are opened, then permitted fields are visible.
- Given a read-only user attempts to resolve, assign or edit, then the action is unavailable in the UI and denied by the server.
- Given sensitive fields are restricted, then they are omitted or masked according to policy.

US-09 | As an Operations Analyst, I want to filter the exception queue so that I can work the most urgent cases first.

Priority Should | Trace: BR-06 / FR-013

- Given status, reason, owner and date filters, when applied, then results satisfy all selected filters.
- Given a filter returns no cases, then the page presents an empty state and a way to clear filters.
- Given filters are changed, then count and displayed rows remain consistent.

US-10 | As a Platform Operator, I want ingestion and reconciliation job status so that I can detect source-feed issues.

Priority Should | Trace: BR-08 / FR-015

- Given a job completed, then status and last-run time are displayed.
- Given a job failed, then a safe error summary and next action are shown.
- Given a retry is initiated, then duplicate processing is prevented by idempotency controls.

2. Definition of Ready (sample)

- Business outcome and actor are clear.
- Acceptance criteria are testable and cover validation/permission edges.
- Dependencies, source fields and unresolved policy decisions are recorded.
- Required design or process reference is linked.
- Data privacy and audit implications are reviewed for the story.

3. Definition of Done (sample)

- Acceptance criteria pass in the agreed test environment.
- Unit/integration/regression evidence is recorded where applicable.
- Access-control and audit assertions are tested for relevant actions.
- User-facing error and empty states are verified.
- Requirements traceability and release notes are updated; no unresolved critical defect remains.

Traceability, Test Cases & UAT Plan

PayTrack | Connecting business requirements to evidence

SAMPLE ONLY — FICTIONAL PORTFOLIO CASE STUDY. All names, records, targets, dates and amounts are illustrative, not evidence of actual client work.

Document version 1.0 | Scenario: PayTrack payment reconciliation portal | Owner: Sample Business Analyst

1. Test approach

Testing is risk-based and traceable from business requirements (BR), through functional requirements (FR), stories, test cases and UAT evidence. Test records below are examples for a fictional portal. Test execution status remains “Not Run” because these are template cases, not executed results.

2. Traceability matrix (selected requirements)

BR ID	Business requirement	FR IDs	Story IDs	Test IDs	Priority
BR-01	Single operational view	FR-002, FR-004	US-01, US-03	TC-001, TC-002	Must
BR-02	Identify mismatches and reasons	FR-005, FR-006, FR-007	US-03, US-04	TC-003, TC-004, TC-005	Must
BR-03	Assign/comment/resolve cases	FR-008, FR-009, FR-010, FR-011	US-05, US-06, US-07	TC-006, TC-007, TC-008	Must
BR-04	Auditable material actions	FR-012	US-05, US-06, US-07	TC-006, TC-008, TC-009	Must
BR-05	Role-based permissions	FR-001	US-08	TC-010, TC-011	Must
BR-06	Search and filtering	FR-003, FR-013	US-02, US-09	TC-012, TC-013	Should
BR-07	Permitted export	FR-014	Future backlog	TC-014	Could
BR-08	Job status visibility	FR-015	US-10	TC-015	Should

3. Test case catalogue

ID	Scenario	Precondition	Steps (summary)	Expected result	Trace	Status
TC-001	Overview metrics	Valid authorised user and sample dataset	Open overview for date window	Counts and trend reflect the selected time window; source/job status visible.	BR-01 / FR-002	Not Run
TC-002	Transaction details	Transaction has internal and gateway fields	Open transaction detail	Required source values, statuses, timestamps and reconciliation status display.	BR-01 / FR-004	Not Run
TC-003	Exact match	Reference, amount and currency align	Run reconciliation	Record marked matched; no exception created.	BR-02 / FR-005	Not Run
TC-004	Amount mismatch	Same agreed reference, different amount	Run reconciliation	Record unmatched; amount-mismatch reason and compared values visible.	BR-02 / FR-006	Not Run
TC-005	Duplicate event replay	Previously processed event ID supplied again	Replay event	Existing transaction remains unique; duplicate event handled according to policy.	BR-02 / FR-007	Not Run

ID	Scenario	Precondition	Steps (summary)	Expected result	Trace	Status
TC-006	Assign case and audit	Analyst has assignment permission	Assign case to queue/user	Owner updates; audit event records actor, timestamp and change.	BR-03 / BR-04	Not Run
TC-007	Resolve missing reason	Case open; required resolution reason omitted	Submit resolution	Submission blocked; validation is visible; case status unchanged.	BR-03 / FR-010	Not Run
TC-008	Approved resolution	Authorised user; valid resolution data	Submit valid permitted resolution	Status follows configured path; resolution details and audit event persist.	BR-03 / BR-04	Not Run
TC-009	Reopen case	Resolved case; user has reopen permission	Reopen with no reason, then with reason	First attempt rejected; second succeeds with audit event if policy permits.	BR-04 / FR-012	Not Run
TC-010	Read-only access	User has read-only role	Attempt assignment/resolution	Server denies mutation; record remains unchanged.	BR-05 / FR-001	Not Run
TC-011	Restricted field masking	Field is configured as restricted	Open record and export view	Restricted field is masked/omitted consistently based on policy.	BR-05 / FR-001, FR-014	Not Run
TC-012	Search by reference	Known permitted record exists	Search merchant or gateway reference	Matching record(s) return; invalid/no-result state is handled safely.	BR-06 / FR-003	Not Run
TC-013	Filter queue	Cases exist across statuses/reasons/owners	Apply multiple filters	Rows and counts match all applied filters; clear filters resets view.	BR-06 / FR-013	Not Run
TC-014	Export filter and permissions	Authorised exporter; filtered result set	Export rows	Only permitted filtered fields/records included; error displayed if export fails.	BR-07 / FR-014	Not Run
TC-015	Ingestion failure visibility	One source job has failed	Open operations status	Failure status, last successful run and safe error summary are displayed.	BR-08 / FR-015	Not Run

4. UAT plan

Purpose and participants

Confirm that operations users can locate a payment, interpret a mismatch, assign and resolve a case according to approved policy, and trace material actions. Suggested participants: one Operations Analyst, one Operations Lead, Product Owner and QA facilitator. Actual names and schedule remain to be agreed.

Entry criteria

- Business requirements and role/action matrix are reviewed.
- UAT environment is available with synthetic, resettable transactions and gateway events.
- Critical integrations or representative mocks are stable enough to run the scenarios.
- Test accounts and expected result data are prepared.

Exit criteria

- All Must-priority UAT scenarios executed with actual evidence attached.
- No open critical defects; high-severity defects have an agreed disposition and owner.
- Role controls, required resolution validation and audit history pass.
- Business owner records accept/reject decision and known limitations.

UAT execution log template

Test ID	Tester	Executed on	Actual result / evidence link	Pass / Fail / Blocked	Defect ID	Notes
TC-001	To complete	YYYY-MM-DD	Link or evidence reference	Not Run	—	
TC-004	To complete	YYYY-MM-DD	Link or evidence reference	Not Run	—	
TC-008	To complete	YYYY-MM-DD	Link or evidence reference	Not Run	—	
TC-010	To complete	YYYY-MM-DD	Link or evidence reference	Not Run	—	

5. Defect severity guidance (sample)

Severity	Definition	Example
Critical	Data integrity, access-control or financial correctness failure with no safe workaround.	Unauthorised user can resolve a case; records are silently mis-matched.
High	Core Must workflow unavailable or audit evidence missing, workaround is limited.	Valid exception cannot be resolved; resolution audit event not written.
Medium	Functionality impaired but alternative path exists.	A specific filter fails while search remains available.
Low	Cosmetic or minor usability issue without material workflow impact.	Misaligned secondary label.

6. Sign-off record

Decision owner	Decision	Date	Open conditions
Operations Lead	Pending	YYYY-MM-DD	To complete
Product Owner	Pending	YYYY-MM-DD	To complete
QA Lead	Pending	YYYY-MM-DD	To complete

Discovery Workshop MoM & Decision Log

PayTrack | Sample stakeholder workshop record

SAMPLE ONLY — FICTIONAL PORTFOLIO CASE STUDY. All names, records, targets, dates and amounts are illustrative, not evidence of actual client work.

Document version 1.0 | Scenario: PayTrack payment reconciliation portal | Owner: Sample Business Analyst

1. Meeting details

Field	Sample value
Meeting purpose	Discover current payment reconciliation workflow and agree the problem boundary.
Date / time	15 October 2026 · 10:00–11:00 (illustrative)
Format	Remote workshop (illustrative)
Facilitator / scribe	Business Analyst (role-based placeholder)
Participants	Business Sponsor, Operations Lead, Operations Analyst, Product Owner, Engineering representative, QA representative
Status	Draft sample minutes — not an actual meeting record

2. Agenda

- Understand the current reconciliation and exception-handling workflow.
- Identify users, decisions, pain points and hand-offs.
- Agree high-level in-scope capabilities and out-of-scope actions.
- Surface data, control, audit and integration questions.
- Confirm actions, owners and follow-up decisions.

3. Discussion summary

Topic	Summary (illustrative)
Current workflow	Internal transaction data and gateway results are compared; unmatched records need an investigation path and clear owner.
Exception handling	The sample portal should make reason, owner, status, evidence note and audit timeline visible.
Matching rules	The group has not approved an exact match key or tolerance. Stable reference, amount and currency are candidates for discovery.
Controls	Resolution authority, escalation thresholds, reopen rules and audit retention are open decisions.
Reporting	Operations would like status counts, queue filters and a view of source-feed / reconciliation job health.

4. Decisions and unresolved questions

ID	Decision / question	Disposition	Owner
DEC-01	Use a single transaction + exception queue concept for the sample prototype.	Working assumption only	Product Owner
DEC-02	Should exact matching require reference + amount + currency?	Open — validate with Finance/Ops	Operations Lead
DEC-03	Which resolution types require lead approval?	Open — policy decision	Business Sponsor
DEC-04	What is the authorised retention period for audit and evidence?	Open — security/compliance input	Security / Compliance
DEC-05	Which gateway source and event contract will be supported first?	Open — technical discovery	Engineering

5. Action log

Action ID	Action	Owner role	Target date	Status
ACT-01	Provide redacted examples of matched and mismatched transactions.	Operations Analyst	TBD	Open
ACT-02	Document proposed matching fields and currency/amount precision.	Product Owner + Finance	TBD	Open
ACT-03	Draft role-to-action matrix including reopen and approval rights.	Operations Lead + Security	TBD	Open
ACT-04	Confirm gateway event schema, duplicate behavior and retry strategy.	Engineering	TBD	Open
ACT-05	Agree pilot volume, baseline measures and performance assumptions.	Platform Owner	TBD	Open

6. RAID log (sample)

ID / type	Description	Impact	Mitigation / response	Owner
R-01 / Risk	Reference data may be missing or inconsistent.	False unmatched results	Profile samples and validate match keys before build.	Product + Data
R-02 / Risk	Duplicate or out-of-order gateway events.	Repeated or incorrect status	Define idempotency, ordering and replay tests.	Engineering
A-01 / Assumption	A stable reference exists for most eligible records.	Matching design depends on it	Verify through sample-data profiling.	Operations
D-01 / Dependency	Gateway access and event schema must be available.	Integration timeline risk	Agree contract, sandbox and test events.	Engineering
I-01 / Issue	Approval and retention policies have not been confirmed.	Controls cannot be finalised	Assign policy owners before sprint commitment.	Sponsor / Security

7. Next workshop / expected outputs

- Walk through 5–10 redacted/synthetic examples across matched, amount mismatch, missing reference, duplicate event and delayed status.
- Confirm status lifecycle and role-to-action matrix.
- Approve business definitions for each target metric and capture the current baseline.
- Update BRD/FRD, RTM and test scenarios based on decisions.

8. Record handling note

This is a fictional template intended to demonstrate BA facilitation and documentation. It is not minutes from a real stakeholder meeting. Replace participant roles, dates, actions and decisions only after an actual workshop, and avoid putting payment secrets or personal data into public portfolio artifacts.