Traceability, Test Cases & UAT Plan

PayTrack | Connecting business requirements to evidence

SAMPLE ONLY — FICTIONAL PORTFOLIO CASE STUDY. All names, records, targets, dates and amounts are illustrative, not evidence of actual client work.

Document version 1.0 | Scenario: PayTrack payment reconciliation portal | Owner: Sample Business Analyst

1. Test approach

Testing is risk-based and traceable from business requirements (BR), through functional requirements (FR), stories, test cases and UAT evidence. Test records below are examples for a fictional portal. Test execution status remains “Not Run” because these are template cases, not executed results.

2. Traceability matrix (selected requirements)

BR ID	Business requirement	FR IDs	Story IDs	Test IDs	Priority
BR-01	Single operational view	FR-002, FR-004	US-01, US-03	TC-001, TC-002	Must
BR-02	Identify mismatches and reasons	FR-005, FR-006, FR-007	US-03, US-04	TC-003, TC-004, TC-005	Must
BR-03	Assign/comment/resolve cases	FR-008, FR-009, FR-010, FR-011	US-05, US-06, US-07	TC-006, TC-007, TC-008	Must
BR-04	Auditable material actions	FR-012	US-05, US-06, US-07	TC-006, TC-008, TC-009	Must
BR-05	Role-based permissions	FR-001	US-08	TC-010, TC-011	Must
BR-06	Search and filtering	FR-003, FR-013	US-02, US-09	TC-012, TC-013	Should
BR-07	Permitted export	FR-014	Future backlog	TC-014	Could
BR-08	Job status visibility	FR-015	US-10	TC-015	Should

3. Test case catalogue

ID	Scenario	Precondition	Steps (summary)	Expected result	Trace	Status
TC-001	Overview metrics	Valid authorised user and sample dataset	Open overview for date window	Counts and trend reflect the selected time window; source/job status visible.	BR-01 / FR-002	Not Run
TC-002	Transaction details	Transaction has internal and gateway fields	Open transaction detail	Required source values, statuses, timestamps and reconciliation status display.	BR-01 / FR-004	Not Run
TC-003	Exact match	Reference, amount and currency align	Run reconciliation	Record marked matched; no exception created.	BR-02 / FR-005	Not Run
TC-004	Amount mismatch	Same agreed reference, different amount	Run reconciliation	Record unmatched; amount-mismatch reason and compared values visible.	BR-02 / FR-006	Not Run
TC-005	Duplicate event replay	Previously processed event ID supplied again	Replay event	Existing transaction remains unique; duplicate event handled according to policy.	BR-02 / FR-007	Not Run

ID	Scenario	Precondition	Steps (summary)	Expected result	Trace	Status
TC-006	Assign case and audit	Analyst has assignment permission	Assign case to queue/user	Owner updates; audit event records actor, timestamp and change.	BR-03 / BR-04	Not Run
TC-007	Resolve missing reason	Case open; required resolution reason omitted	Submit resolution	Submission blocked; validation is visible; case status unchanged.	BR-03 / FR-010	Not Run
TC-008	Approved resolution	Authorised user; valid resolution data	Submit valid permitted resolution	Status follows configured path; resolution details and audit event persist.	BR-03 / BR-04	Not Run
TC-009	Reopen case	Resolved case; user has reopen permission	Reopen with no reason, then with reason	First attempt rejected; second succeeds with audit event if policy permits.	BR-04 / FR-012	Not Run
TC-010	Read-only access	User has read-only role	Attempt assignment/resolution	Server denies mutation; record remains unchanged.	BR-05 / FR-001	Not Run
TC-011	Restricted field masking	Field is configured as restricted	Open record and export view	Restricted field is masked/omitted consistently based on policy.	BR-05 / FR-001, FR-014	Not Run
TC-012	Search by reference	Known permitted record exists	Search merchant or gateway reference	Matching record(s) return; invalid/no-result state is handled safely.	BR-06 / FR-003	Not Run
TC-013	Filter queue	Cases exist across statuses/reasons/owners	Apply multiple filters	Rows and counts match all applied filters; clear filters resets view.	BR-06 / FR-013	Not Run
TC-014	Export filter and permissions	Authorised exporter; filtered result set	Export rows	Only permitted filtered fields/records included; error displayed if export fails.	BR-07 / FR-014	Not Run
TC-015	Ingestion failure visibility	One source job has failed	Open operations status	Failure status, last successful run and safe error summary are displayed.	BR-08 / FR-015	Not Run

4. UAT plan

Purpose and participants

Confirm that operations users can locate a payment, interpret a mismatch, assign and resolve a case according to approved policy, and trace material actions. Suggested participants: one Operations Analyst, one Operations Lead, Product Owner and QA facilitator. Actual names and schedule remain to be agreed.

Entry criteria

- Business requirements and role/action matrix are reviewed.
- UAT environment is available with synthetic, resettable transactions and gateway events.
- Critical integrations or representative mocks are stable enough to run the scenarios.
- Test accounts and expected result data are prepared.

Exit criteria

- All Must-priority UAT scenarios executed with actual evidence attached.
- No open critical defects; high-severity defects have an agreed disposition and owner.
- Role controls, required resolution validation and audit history pass.
- Business owner records accept/reject decision and known limitations.

UAT execution log template

Test ID	Tester	Executed on	Actual result / evidence link	Pass / Fail / Blocked	Defect ID	Notes
TC-001	To complete	YYYY-MM-DD	Link or evidence reference	Not Run	—	
TC-004	To complete	YYYY-MM-DD	Link or evidence reference	Not Run	—	
TC-008	To complete	YYYY-MM-DD	Link or evidence reference	Not Run	—	
TC-010	To complete	YYYY-MM-DD	Link or evidence reference	Not Run	—	

5. Defect severity guidance (sample)

Severity	Definition	Example
Critical	Data integrity, access-control or financial correctness failure with no safe workaround.	Unauthorised user can resolve a case; records are silently mis-matched.
High	Core Must workflow unavailable or audit evidence missing, workaround is limited.	Valid exception cannot be resolved; resolution audit event not written.
Medium	Functionality impaired but alternative path exists.	A specific filter fails while search remains available.
Low	Cosmetic or minor usability issue without material workflow impact.	Misaligned secondary label.

6. Sign-off record

Decision owner	Decision	Date	Open conditions
Operations Lead	Pending	YYYY-MM-DD	To complete
Product Owner	Pending	YYYY-MM-DD	To complete
QA Lead	Pending	YYYY-MM-DD	To complete