

Wisdom & Chance Mobile

v2.5.0 Mobile Sync Implementation Guide

For Web Agent Reference — Complete API & Feature Spec

Generated: April 3, 2026

Remote Server:	https://wisdom-and-chance.replit.app
GitHub Repo:	https://github.com/redeagle28089-maker/wisdom-and-chance-mobile
Architecture:	THIN CLIENT — all game data from remote server
Local Server:	Express on port 5000 serves landing page only

Table of Contents

- Task 1:** Feature Flags & Server Config
- Task 2:** Economy, Collection & Crafting
- Task 3:** Shop & Daily Deals
- Task 4:** Premium Store & Payments
- Task 5:** Battle Pass & Ranked Seasons
- Fix:** Shop Always Accessible
- Reference:** Complete API Endpoint Reference
- Reference:** Navigation Structure
- Reference:** Key Files Index

TASK 1: Feature Flags & Server Config '

What Was Built

- Feature flags system fetching config from GET /api/config on the remote server
- All UI sections gated behind flags with isLoading guard to prevent flash

Feature Flags Supported

Flag	Controls
economy_enabled	Gold/Gems/Dust currency system, Collection screen
shop_enabled	No longer gates Shop UI (see Shop Fix section)
daily_challenges	Daily challenge cards on Home screen
multiplayer	Game rooms, friends, live matches
ranked_seasons	ELO rating card, leaderboard, ranked screen
battle_pass	Battle Pass screen and XP progression
weekly_challenges	Weekly challenges screen
achievements	Achievements tab in More screen

Key Files

lib/feature-flags-context.tsx – FeatureFlagsProvider, useFeatureFlags() hook
lib/api.ts – api.getConfig() !' GET /api/config

TASK 2: Economy, Collection & Crafting '

What Was Built

- Three-currency economy: Gold, Gems, Dust
- CurrencyBar component shown on most screens (top-right)
- Collection screen with filtering by element/rarity, search
- Crafting system: spend Dust to craft cards
- Disenchancing system: break down cards for Dust

API Endpoints

Endpoint	Method	Purpose
/api/economy/currencies	GET	Fetch Gold, Gems, Dust balances
/api/collection	GET	Fetch player card collection
/api/collection/craft	POST	Craft a card (costs Dust)
/api/collection/disenchant	POST	Disenchant a card (yields Dust)
/api/collection/starter	POST	Claim starter collection

Key Files

components/CurrencyBar.tsx – Displays Gold/Gems/Dust
app/collection.tsx – Collection screen with craft/disenchant

TASK 3: Shop & Daily Deals '

What Was Built

- Pack catalog with element-themed packs (Fire, Water, Earth, Air, Nature)
- Daily deals section with countdown timer to next refresh
- Animated pack opening experience with card reveal
- Purchase with Gold or Gems
- Tab bar integration — Shop is always visible

API Endpoints

Endpoint	Method	Purpose
/api/shop/catalog	GET	Available packs with prices
/api/shop/daily-deals	GET	Daily deal items + expiry time
/api/shop/purchase	POST	Buy a pack (returns cards)
/api/shop/purchase-deal	POST	Buy a daily deal item

Key Files

components/ShopScreen.tsx – Full shop UI with pack opening animation
app/(tabs)/shop.tsx – Tab entry point

TASK 4: Premium Store & Payments '

What Was Built

- Premium Store with products grouped by: Gem Packs, Pack Bundles, Battle Pass, Special
- Three purchase methods: Currency (Gold/Gems), Stripe, PayPal
- One-time purchase tracking ("Already Owned" badge)
- Animated success modal after purchase
- Purchase History screen with transaction list
- Error handling maps HTTP codes to user-friendly messages

API Endpoints

Endpoint	Method	Purpose
/api/payments/products	GET	Premium product catalog
/api/payments/check-purchased	POST	Check owned one-time items
/api/payments/purchase-currency	POST	Buy with Gold or Gems
/api/payments/stripe/create-checkout	POST	Create Stripe checkout session
/api/payments/stripe/verify	POST	Verify Stripe session
/api/payments/paypal/create-order	POST	Create PayPal order
/api/payments/paypal/capture	POST	Capture PayPal order
/api/payments/history	GET	Purchase transaction history
/api/payments/config	GET	Payment method availability

Payment Flow Details

Stripe: Server returns checkout URL !' in-app browser !' user pays !' redirect with session_id !' verify endpoint

PayPal: Server returns approval URL + orderId !' browser !' user approves !' redirect !' capture with orderId

Currency: Check balance !' confirmation dialog !' POST !' invalidate currencies + purchased-status queries

Key Files

components/PremiumStoreScreen.tsx – Product cards, purchase flows, success modal

components/PurchaseHistoryScreen.tsx – Transaction history list

lib/payment-config-context.tsx –

PaymentConfigProvider (Stripe/PayPal availability)

TASK 5: Battle Pass & Ranked Seasons '

Battle Pass Screen

- 50-level scrollable list with auto-scroll to current level
- XP progress bar showing current level and XP toward next
- Free-track levels: normal display with Claim buttons when unlocked
- Premium-track levels (10, 20, 25, 30, 35, 40, 45, 50):
 - If premiumUnlocked=false: dimmed with lock icon, full row tappable !' upgrade prompt
 - If premiumUnlocked=true: gold/amber accent, normal claim flow
- Season info banner: season name, number, days remaining, end date
- Claiming rewards invalidates currencies + battlepass queries

Ranked Seasons Screen (3 Tabs)

- My Rank: ELO rating, tier badge with color, win/loss/streak, peak rating
- Season Rewards: per-tier reward table (Gold, Gems, Dust, Packs)
- History: past season records with final tier, rating, rank, W/L

Tier Colors

Tier	Color	Min ELO
Bronze	#CD7F32	0
Silver	#C0C0C0	800
Gold	#FFD700	1000
Platinum	#06b6d4	1200
Diamond	#3b82f6	1400
Master	#9333ea	1600

Weekly Challenges Screen

- Challenge cards with name, description, progress bar, countdown timer
- XP + Gold reward display per challenge
- Claim button for completed challenges
- Claiming invalidates weekly-challenges + currencies + battlepass queries

Season Info Banner (Shared Component)

- Shows season name, number, days remaining, and end date
- Used on both Home screen and Battle Pass screen
- Tappable on Home !' navigates to Battle Pass (or Ranked if BP flag off)

API Endpoints

Endpoint	Method	Purpose
/api/battlepass	GET	BP levels, XP, premium status
/api/battlepass/claim	POST	Claim level reward
/api/season/current	GET	Current season info (name, dates)
/api/season/player-rank	GET	Player ELO, tier, W/L/streak
/api/season/rewards	GET	Season end reward tiers
/api/season/history	GET	Past season records
/api/weekly-challenges	GET	Active weekly challenges
/api/weekly-challenges/:id/claim	POST	Claim challenge reward

Key Files

app/battle-pass.tsx – Battle Pass screen
app/ranked.tsx – Ranked Seasons screen (rank/
rewards/history tabs)
app/weekly-challenges.tsx – Weekly Challenges
screen
components/SeasonInfoBanner.tsx – Reusable season
banner

SHOP FIX (Applied Post-Task 5)

Issue: Pack Shop was gated behind shop_enabled flag — inaccessible when server returned false.

Fix: Removed gating from tab bar, Home quick actions, More links, and ShopScreen component.

Result: The Shop is now ALWAYS accessible to all players.

COMPLETE API ENDPOINT REFERENCE

Config & Auth

Endpoint	Method	Auth	Purpose
/api/config	GET	No	Feature flags + server config
/api/auth/register	POST	No	Create account
/api/auth/login	POST	No	Login, returns JWT

Economy & Collection

Endpoint	Method	Auth	Purpose
/api/economy/currencies	GET	Yes	Gold, Gems, Dust balances
/api/collection	GET	Yes	Player card collection
/api/collection/craft	POST	Yes	Craft card with Dust
/api/collection/disenchant	POST	Yes	Disenchant for Dust
/api/collection/starter	POST	Yes	Claim starter collection

Shop

Endpoint	Method	Auth	Purpose
/api/shop/catalog	GET	Yes	Pack catalog
/api/shop/daily-deals	GET	Yes	Daily deal items
/api/shop/purchase	POST	Yes	Buy a pack
/api/shop/purchase-deal	POST	Yes	Buy a daily deal

Payments

Endpoint	Method	Auth	Purpose
/api/payments/config	GET	Yes	Stripe/PayPal availability
/api/payments/products	GET	Yes	Premium product catalog
/api/payments/check-purchased	POST	Yes	Check owned items
/api/payments/purchase-currency	POST	Yes	Buy with Gold/Gems
/api/payments/stripe/create-checkout	POST	Yes	Start Stripe flow
/api/payments/stripe/verify	POST	Yes	Verify Stripe session
/api/payments/paypal/create-order	POST	Yes	Start PayPal flow
/api/payments/paypal/capture	POST	Yes	Capture PayPal order
/api/payments/history	GET	Yes	Purchase history

Battle Pass & Seasons

Endpoint	Method	Auth	Purpose
/api/battlepass	GET	Yes	BP levels + XP + premium
/api/battlepass/claim	POST	Yes	Claim level reward
/api/season/current	GET	Yes	Current season info
/api/season/player-rank	GET	Yes	Player rank data
/api/season/rewards	GET	Yes	Season end reward tiers
/api/season/history	GET	Yes	Past season records
/api/weekly-challenges	GET	Yes	Active challenges
/api/weekly-challenges/:id/claim	POST	Yes	Claim challenge reward

Game & Social (Pre-existing)

Endpoint	Method	Auth	Purpose
/api/cards	GET	Yes	All card definitions
/api/commanders	GET	Yes	All commanders
/api/decks	GET/POST	Yes	User decks
/api/stats	GET	Yes	Player game stats
/api/rating	GET	Yes	Player ELO rating
/api/achievements	GET	Yes	Achievement definitions
/api/achievements/player	GET	Yes	Player achievement progress
/api/leaderboard	GET	Yes	Ranked leaderboard
/api/daily-challenges	GET	Yes	Daily challenge defs
/api/daily-challenges/player	GET	Yes	Player challenge progress

NAVIGATION STRUCTURE

Tab Bar (Always Visible)

- Home — Dashboard with stats, season banner, quick actions
- Cards — Card browser with filters
- Shop — Pack store (ALWAYS accessible)
- Decks — Deck management
- Social — Friends, rooms (gated by multiplayer flag)
- More — Achievements, leaderboard, profile, links

Stack Screens (Accessible from Home/More)

Route	Screen	Gated By
/battle-pass	Battle Pass	battle_pass flag
/ranked	Ranked Seasons	ranked_seasons flag
/weekly-challenges	Weekly Challenges	weekly_challenges flag
/premium-store	Premium Store	Always accessible
/purchase-history	Purchase History	Always accessible
/collection	Card Collection	economy_enabled flag
/challenges	Daily Challenges	daily_challenges flag

KEY FILES INDEX

Core / Config

lib/api.ts — All API functions (auth, economy, shop, payments, etc.)
lib/feature-flags-context.tsx — Feature flag provider & hook
lib/payment-config-context.tsx — Payment config provider
server/index.ts — Local Express server (landing page)

Screens

app/(tabs)/index.tsx — Home dashboard
app/(tabs)/cards.tsx — Card browser
app/(tabs)/shop.tsx — Shop tab entry
app/(tabs)/decks.tsx — Deck management
app/(tabs)/social.tsx — Friends & rooms
app/(tabs)/more.tsx — Profile, links, settings
app/battle-pass.tsx — Battle Pass (50 levels)
app/ranked.tsx — Ranked Seasons (3 tabs)
app/weekly-challenges.tsx — Weekly Challenges
app/collection.tsx — Card Collection & crafting

Components

components/ShopScreen.tsx — Pack store with animated opening
components/PremiumStoreScreen.tsx — Premium products + payments
components/PurchaseHistoryScreen.tsx — Transaction history
components/CurrencyBar.tsx — Gold/Gems/Dust display
components/SeasonInfoBanner.tsx — Season name/days/end date

IMPLEMENTATION NOTES

Architecture Rules

- THIN CLIENT: No local game state — everything comes from the remote server
- All authenticated requests use JWT Bearer token in Authorization header
- React Query (TanStack) for data fetching, caching, and invalidation
- Currency balances cached globally, invalidated on any purchase/claim

Error Handling Pattern

- Check domain-specific errors first (already purchased, insufficient funds)
- Then check HTTP status codes (401 != login, 400 != bad request, etc.)
- Map to user-friendly messages, never show raw server errors

Payment Redirect Pattern (Mobile)

`WebBrowser.openAuthSessionAsync(checkoutUrl, Linking.createURL("payment-callback"))`

- This opens an in-app browser that returns control after redirect

XP Progress Guard

`const percent = xpToNextLevel > 0 ? (currentXp / xpToNextLevel) * 100 : 100;`

- Prevents division by zero at max level