



Order No: **2718363 / 17.01.2022 10:10** Execution time: 18.01.2022 00:10  
Patient: **KOMORNA YEVA GA360451** Date of birth: **28.09.2000** Sex: **F**

Л: 22372

### Results №2718363

#### Your COVID-19 test result

**NEGATIVE**

A negative result for this test means that SARS-CoV-2 RNA (the cause of COVID-19) was not detected in the collection sample.

#### What does it mean to have a **negative** test result?

A negative test result does not completely rule out being infected with COVID-19.

If your test negative for COVID-19, this means the virus was not detected at the time your specimen was collected. It is still possible that you were very early in your infection at the time of your specimen collection and that you could test positive later.

Also, you could be exposed later and still develop the illness. For all these reasons, it is important to follow the Ministry of Healthcare of Ukraine guidance, included but not limited to frequent hand washing, social distancing, wearing a face covering, covering coughs and sneezes, monitoring symptoms, and cleaning and disinfecting frequently touched surfaces – even after a negative test result.

#### Test information:

##### Test name

Detection of SARS-CoV-2 RNA (COVID-19)

##### Test-system manufacturer

Phoenix (Austria)

##### Method

Polymerase-chain reaction (PCR), Real time

##### Test-system analytical sensitivity

50 copies/ reaction

##### Detection type

Qualitative detection

##### Analyzer

RotorGene (Australia)

Collection point: m.L'viv, vul.Horodoc'ka, 35

