

Index

The page numbers in **boldface** type indicate the pages where the terms are defined. Terms that occur in Sample Problems (*SP*), Investigations (*inv*), ExpressLabs (*EL*), and ThoughtLabs (*TL*) are also indicated.

- 2,2,4-trimethylpentane, 549
 - incomplete combustion, 582–584*SP*
- 2,2-dimethylbutane, 543
- 2,3-dimethylbutane, 543
- 2-ethyl-1-butene, 556–557
- 2-methylpentane, 547

- 3-ethyl-2,2-dimethylpentane, 549
- 3-ethyl-2,4-dimethylpentane, 549
- 3-methylpentane, 543

- Abiogenic theory, 537
- Absolute zero, **440**
- Academies, 471
- Accuracy, **18**
- Acetic acid, 161, 370
 - concentration, 402–403*inv*
 - empirical formula, 215
- Acetylsalicylic acid, 533, 534
- Acetylene, 207, 560, 580
 - combustion, 581–582*SP*, 585–586*inv*, 590–591*SP*
 - chemical formula, 207, 216
 - thermochemical equation, 590–591*SP*
- Acid rain, 5, 358, 623
- Acid-base indicator, **395**
- Acidity, 280
- Acids, 369
 - Arrhenius theory, 373
 - Brønsted-Lowry theory, **375**, 376
 - binary, 384
 - cleaners, 373*EL*
 - diluting, 324
 - diprotic, 383
 - monoprotic, 382
 - pH, 390–391*inv*
 - properties of, 370
 - strength, 385
 - strong, 381
 - triprotic, 383
 - weak, 381
- Activity series, **127**
- Activity series for halogens, **131**
- Actual yield, **260**
 - percentage yield, 263–264*SP*
- Aerial fluids, 114
- Agitation and rate of dissolving, 290
- Air bags, 506
- Air pollution and gases, 515–520
- Aliphatic hydrocarbons, **544**
 - alkanes, 547–550
 - properties, 564*inv*
 - structures, 564*inv*
- Alkali, 370
- Alkali metals, 41, 383
 - bases, 383
 - compound solubility, 330
- Alkaline earth metals, 41
 - bases, 383
- Alkanes, **544**
 - aliphatic compounds, 547–550
 - boiling points, 545–546
 - branched-chain, 547
 - drawing, 550–551, 565
 - naming, 546–549, 565
 - properties of, 545
 - reactivity, 554–555*inv*
 - rules for naming, 547–550
 - side-chain, 547
 - solubility, 552
 - straight chain, 546
 - structural diagrams, 550–551
- Alkenes, 552
 - chemical reactivity, 553
 - drawing, 557–558, 565
 - naming, 556–557, 565
 - properties of, 553
 - reactivity, 554–555*inv*
 - solubility, 553
- Alkynes, **560**, 580
 - drawing, 560, 565
 - naming, 560, 565
- Alloys, 83, 130, **286**
 - composition, 306
- Alpha particle emission, **142**
- Alumina, 102
- Aluminum, specific heat capacity, 595
- Aluminum oxide, 102
- Amalgam, 286, 306
- Ammonia, 235–236, 280, 370, 539
 - empirical formula, 207
 - molecular formula, 207
 - polar molecule, 91
 - specific heat capacity, 595
- Ammonium chloride, 101, 104
 - solubility, 334
- Ammonium cyanate, 534
- Ammonium nitrate, 104
- Analytical chemistry
 - applications of, 216
 - doping control laboratory, 216
- Anhydrous, **223**
- Aniline, 207
- Anion, **53**, 54
- Apollo 11, 233
- Aqueous solutions, **286**, 329, 344
 - colour of, 344
 - flame test, 344
 - identifying ions in, 344
 - ions in, 344
 - limiting reactant problems, 353–354
- minimum volume to precipitate, 351–352
- qualitative analysis, 345–346*inv*
- reactions in, 337
- solubility, 330
- stoichiometry, 348–355
- water quality, 357–364
- Argon, average atomic mass, 180
- Ariya, Dr. Parisa, 520
- Aromatic compounds, 571
- Arrhenius theory of acids and bases, **374**
 - limitations of, 374–375
- Arrhenius, Svanté, 373, 374
- Arson, 222
- Aspirin™, 533, 534
- Atmosphere, 485
 - formation of, 458
- Atmospheres (atm), **428**
- Atmospheric reactions, 515–520
- Atomic mass
 - average. *See* Average atomic mass
 - isotopes, 37
- Atomic mass unit (u), **35**
- Atomic number (*Z*), **36**, 37
- Atomic symbol, **36**
- Atomic theory of matter, 34, 35, 38
- Atoms, **34**, **35**
 - bonding, 70
 - chemical equations, **112**, 235
 - electron affinity, 57
 - electronegativity, 70
 - electrons, 38, 40–47
 - energy levels, 49–55
 - ionization energy, 53–55
 - moles, 176*SP*
 - nucleus of, 36
 - periodic trends, 49–55
 - radius, 49, 50–51*inv*, 52
 - valence electrons, 70
- Average atomic mass, **162**, **164**, 167*SP*, 189–190*SP*
 - argon, 180
 - Avogadro constant, 171
 - hydrogen, 180
 - isotopes, 162, 163, 164, 165
 - oxygen, 180
 - periodic table, 165
 - sodium, 180
- Avogadro constant, 36, **172**, 173, 177, 178
 - average atomic mass, 171
 - conversion, 175
 - magnitude, 175
 - mole, 171
 - using, 174*SP*
- Avogadro's hypothesis, **473**, 474

- Avogadro's law, **474**, 478, 479–482SP, 484
- Avogadro, Amadeo, 178, 472, 473
- Ayotte, Dr. Christiane, 216
- Baking soda, 102, 161, 370, 394, 534
- Balanced chemical equation, **114**
- Ball-and-stick model, 87, 540
- Barium chloride, solubility, 334
- Barium hydroxide, 383
- hydrate, 224–225
- octahydrate, 223
- solubility, 334
- Barium oxide, solubility, 334
- Barium sulfate, 175
- Barometer, 426
- Bartlett, Neil, 244
- Bases, 369
- alkali metals, 383
- alkaline earth metals, 383
- Arrhenius theory, 373
- cleaners, 373EL
- properties of, 370
- strength, 385
- Bayer, Frederick, 534
- Beauchamp, Dr. Stephen, 246
- Bends, 466
- Benefit, **620**
- Benzene, 199, 207
- empirical formula, 207
- molecular formula, 216
- Beryllium oxide, 181
- Berzelius, Jons Jakob, 534
- Beta particle, **143**
- Beta particle emission, 143
- Beta radiation, **143**
- Big Bang theory, 458
- Binary acid, **384**
- Binary compounds, **102**, 105
- Biogenic theory, 537
- Black, Joseph, 603
- Blanketing, 465
- Bohr-Rutherford diagram, 44, 46
- Boiling point, 12
- Bomb calorimeter, **602**, 610
- Bond/Bonding, **70**, 589
- ionic and covalent, 70
- Lewis structure, 96
- octet rule, 96
- stable octet, 96
- valence, 96
- Bond energy, 539, **589**, 590–591SP
- Bonding pairs, **88**
- Boron, 169
- Boyle's law, **432**, 433–435SP, 453, 489
- Boyle, Robert, 429, 432, 452
- Brass, 306
- Brittleness, 12
- Brønsted, Johannes, 375
- Brønsted-Lowry theory of acids and bases, **375**, 376
- Bronze, 83, 306
- Brooks, Harriet, 145
- Burette, 401
- Burning. *See* Combustion
- Butane
- heat combustion, 615
- molecular formula, 546
- Calcium carbonate, 102, 188, 360, 539
- Calcium chlorate, solubility, 334
- Calcium chloride, 307
- dihydrate, 223
- Calcium gluconate, 188
- Calcium hydroxide, 383
- Calcium oxide, 102
- Calcium phosphate, 181
- Calcium sulfate, dihydrate, 223
- Calories, 603, **612**
- Calorimeter, **602**, 603, 604–605SP
- heat capacity, 610–611SP
- Calorimetry, 601, **602**
- Candle wax, 615
- Carbides, 534
- Carbohydrates, 217, 534
- energy, 613
- Carbon
- bonding, 539
- bonding electrons, 538
- geometrical structures of, 538
- properties of, 538
- radioactive isotope, 144
- specific heat capacity, 595
- structures, 539
- Carbon dioxide, 6, 69, 184, 199, 200, 420, 491
- conductivity, 69
- melting point, 69
- molecular shape, 88
- non-polar molecule, 91
- Carbon monoxide, 199, 200
- Carbon tetrafluoride as non-polar molecule, 91
- Carbon-12, 167
- Carbon-14, 164
- Carbon-hydrogen combustion
- analyzer, **219**
- calculations, 220–221SP
- Carbonates, 534
- Carbonic acid, 370
- Cation, **53**, 54
- Cellulose, 536
- Celsius, 14
- Centimetres, 14
- Charles' law, **440**, 441, 442–443SP, 444–446SP, 453
- Charles, Jacques, 436, 440, 452
- Chemical bonds, **70**, 589
- Chemical changes, **25**
- Chemical compounds
- classifying, 66
- common names, 101
- naming, 101
- trivial names, 101
- Chemical engineer, 265
- Chemical equations, **112**, 235EL
- atoms, 235
- balanced, 114, 234, 235EL, 236–249
- balancing, 116–118SP
- coefficients, 115
- mass, 241
- molecules, 235
- moles, 237–238
- reactants, 239
- yield, 260
- Chemical formula, **95**
- calculating percentage composition, 202
- Lewis structure, 95
- octet rule, 95
- percentage composition, 203–204SP
- representation, 96
- valence, 98–100
- Chemical nomenclature, **101**
- Chemical properties, **12**
- periodic table, 40
- Chemical proportions in compounds, 197
- Chemical reactions, **112**
- classification of, 111, 119
- law of conservation of mass, 113
- Chemistry, **6**
- matter, 6–16
- technology, 7, 8
- Chlorine, 280
- Chlorofluorocarbons (CFCs), 516, **517–519**
- Chlorophyll, 309
- Cholesterol, 539, 561
- Cinnabar, 203
- Cinnamaldehyde, 203
- Cis-trans isomer, **558**
- Citric acid, 370
- Closed system, **424**
- Coal, 537
- Cobalt(II) chloride, 189
- Cochineal, 361
- Codeine, 158, 218
- Coefficients, **115**
- Combined gas law, **453**, 453–454SP, 455–457SP, 484
- Combustibility, 12
- Combustion, **577**
- acetylene, 581–582SP, 585–586inv, 590–591SP
- candles, 615
- complete, 580
- heat of, 606
- incomplete, 580
- oxygen, 464
- propane, 580
- Combustion equations, 580–581
- Combustion reactions, **123**, 578

- Competing reaction, **260**
 Complete combustion, **580**
 Complete structural diagram, 541
 Composition of alloys, 306
 Compounds, **26**, *67EL*
 binary, 105
 chemical proportions in, 197
 covalent, 67, 294
 empirical formula of, 208
 hydrogen, 104
 ideal gas law, *498–500SP*
 ionic, 67
 molar mass, *181SP*, 197, 198–205, 216
 molecular formula of, 215–218
 percentage composition of, 200
 polyatomic ions, 104
 solubility, 330, 331, *332–333inv*
 tertiary, 104
 Compressed gases, 450
 Concentration, **302**
 acetic acid, *402–403inv*
 finding, *396–397SP*
 mass volume, *304–305SP*
 mass/volume percent, 302
 mass/mass percent, 306
 parts per billion, 311
 parts per million, 311
 solution, 283, 302–318, *317inv*, *322–323inv*
 vinegar, *402–403inv*
 volume/volume percent, 309
 Condensation, **419**
 Condensed structural diagram, 541
 Conductivity
 carbon dioxide, 69
 covalent bonds/compounds, 67, 82
 ionic compound, 67, 78–79
 sodium chloride, 69, 78–79
 solubility, 70
 Conjugate acid, **376**
 Conjugate acid-base pair, **376**, *377–379SP*
 Conjugate base, **376**
 Copper
 decomposition reaction, *138–139inv*
 double displacement reaction, *138–139inv*
 single displacement reaction, *138–139inv*
 specific heat capacity, 595
 synthesis reaction, *138–139inv*
 Copper oxide, 211
 Copper(II) carbonate, 198
 Copper(II) chloride, *255inv*
 anhydrous, 223
 dihydrate, 223
 Copper(II) nitrate, 117
 Copper(II) sulfate, *322–323inv*
 anhydrous, *226–227inv*
 hydrate and hydrated, *226–227inv*
 Cortisol, 221
 Covalent bonds, **70**
 conductivity, 82
 double bond, 82
 electronegativity, 81
 Lewis structure, 81, 82
 multiple, 82
 octet rule, 75
 polar, 86
 pure, 81
 triple bond, 82
 Covalent compound, 67, 68, 69
 conductivity, 67
 melting point, 67
 miscible, 294
 solubility, 67, 294
 Cracking, **570**
 Crosslinked, 559
 Crude oil, 537
 Cryogenics, 437
 Cryosurgery, 465
 Crystal lattice/shape, 12, 418
 Cupronickel, 306
 Curie, Marie, 143, 145
 Cyanides, 534
 Cyclic hydrocarbons, **561**
 drawing/naming, 562–563
 Cycloalkanes, drawing/naming, 566
 Cycloalkenes, 562
 drawing/naming, 566
 Cycloalkynes, drawing, 566
 Cyclohexane, 219, 562
 Czyzewska, Dr. Eva, 361

 d-limonene, 313
 Dalton's law of partial pressures, **459**, *460–461SP*, 507
 Dalton, John, 34, 38, 207, 459, 472, 473
 Davy, Sir Humphrey, 121
 Decaffeination, 300
 Decane, molecular formula, 546
 Decomposition, 12
 Decomposition reaction, 119, **122**
 copper, *138–139inv*
 Degrees, 14
 Density, 12, 14
 gases, 490, 491, *492–493SP*
 ideal gas law, 489, 490
 Diatomic elements, **81**
 Dickson, Alison, 77
 Diffraction grating, *43EL*
 Dihydrogen monoxide. *See* Water
 Dinitrogen monoxide, 102
 Dinitrogen tetroxide, 233
 Diphosphorus pentoxide, 105
 Dipole-dipole, 420
 Dipole-dipole attraction, **292**
 Dipoles, **91**, **292**, 420
 Diprotic acids, 383

 Dispersing agent, 624
 Distillation, 284
 Double bond, **82**
 Double displacement reaction, **132–133**, 337
 copper, *138–139inv*
 gas producing, 340
 gases, 134
 neutralization reaction, 135
 observing, *136–137inv*
 precipitate, 132–133
 sulfur dioxide gas, 340
 water producing, 341
 Double replacement reaction. *See* Double displacement reaction
 Dry ice. *See* Carbon dioxide
 Ductility, 12
 Duralumin, 306

 Elastin, 559
 Elastomer, 559
 Electrical conductivity, 12
 Electrolyte, **293**
 Electron affinity, **57**
 Electron energy levels, 71
 Electronegativity, **70**
 atomic size, 71
 bond type, 72
 covalent bonds, 81
 range of differences, 73
 solubility, 293
 table of, 71
 trend for, 71
 Electrons, 35, *43EL*, 46
 in atoms, 38, 40–47
 energy levels, 43
 periodic table, 42
 spectra of, *43EL*
 transferring multiple, 76
 valence, 45, 46
 Electrostatic attraction, 419
 Element symbol, 36
 Elements, **26**, 34
 compounds, 199, 200
 specific heat capacity, 595
 synthesis reactions, 120
 Empirical formula, **207**
 determining by experiment, 211
 experiments, 219–228
 finding by experiment, 219–228
 magnesium oxide, *212–213inv*
 molar mass, 208, 216
 percentage composition, 208, *210–211SP*
 solving problems using, 209–211
 End-point, **399**
 Endothermic, **588**, 603
 Energy, 14, 577
 carbohydrates, 613
 fat, 613
 fatty acids, 613

- foods, 613
- glucose, 613
- measurement factors, 593
- Energy levels, **43**, 44–47
 - atoms, 49–55
 - electron arrangements, 45
 - electrons, 43
 - full, 47
 - ionization energy, 53, 54
 - Lewis structures, 46
 - patterns, 45
 - valence electrons, 45
- Energy shells. *See* Energy levels
- Environmental problems with
 - fossil fuels, 625
- Enzymes, 534
 - ripening, 552
- Epsom salts, 223
- Equivalence point, **399**
- Erlenmeyer flask, 401
- Erlenmeyer, Richard E.A.C., 123
- Estrone, 561
- Ethane, molecular formula, 546
- Ethanoic acid, 544
- Ethanol, 420, 535, 539
 - combustion, 123
 - solubility, 294
 - specific heat capacity, 595
- Ethene, 553, 568
- Ethyne, 207, 560, 580
 - empirical/molecular formula, 207
- Ettinger, Robert C.W., 437
- Eutrophication, 8
- Exact numbers and measurement, 15, 17
- Excess reactant, **252**, 255*inv*
- Exothermic, **588**, 603
 - reaction, 324
- Expanded molecular formula, **539**

- Fahrenheit degrees, 26
- Fats, 534
 - energy, 613
- Fatty acids and energy, 613
- Fermi problems, 175
- Fermi, Enrico, 175
- First ionization energy, 54
- Fission. *See* Nuclear fission
- Fixed air, 121
- Flammability. *See* Combustibility
- Flotation, 77
- Food chemist, 114
- Fool's gold, 66
- Forensic scientists, **215**, 222
- Formula, calculating percentage composition, 202
- Fossil fuels, 537, **577**, 578–586
 - environmental problems, 625
- Fractional distillation, **569**
- Freon, 517
- Fructose, formula, 217

- Fuel cell, **464**
- Fusible plugs, **451**
- Fusion. *See* Nuclear fusion

- Galactose, formula, 217
- Galilei, Galileo, 426
- Gamma radiation, **145**
- Gas chromatography, 222
- Gases
 - air pollution, 515–520
 - behaviour of, 417
 - boiling point, 461
 - combined laws, 452–453
 - compressed, 450, 451
 - density, 490, 491, 492–493*SP*
 - produced in double displacement reactions, 134
 - hydrogen, production of, 512–513*inv*
 - inert, 244
 - kinetic molecular theory, 418
 - mass, 422*EL*
 - molar mass, 490, 494–495*SP*, 496–497*inv*
 - molar volume, 474–477*SP*, 478, 479–482*SP*, 480–482*SP*, 490
 - molecular mass, 490
 - moles, 482*SP*
 - noble, 244
 - particle theory, 419
 - pressure, 424, 430–431*inv*, 432–435
 - pressure, volume, and temperature, 447–450
 - solubility, 298
 - temperature, 298, 436, 438–439*inv*, 440–441, 444–446
 - using, 462
 - volume, 422*EL*, 424, 430–431*inv*, 432–435, 436, 438–439*inv*, 440–441
- Gasoline, 579
- Gay-Lussac's law, **447**, 448–449*SP*, 453
- Gay-Lussac, Joseph Louis, 440, 447, 452, 472, 473, 501
- Gelling agent, 624
- General solubility guidelines, **334**
- Geometric isomer, **558**
- Gesner, Abraham, 579
- Global warming, **623**
- Glucose, 207, 536
 - empirical formula, 207, 217
 - energy, 613
 - molecular formula, 217
- Gold, 65
 - specific heat capacity, 595
- Grams, 14
- Greenhouse effect, 5, 458, 517, 623
- Greenhouse gases, **623**
- Ground water, 360
- Gypsum, 223

- Haber Process, 236
- Halogens, 41
 - single displacement reaction, 131
- Hard water, **360**
 - testing, 363
- Hardness, 12
- Heat, **593**
 - transfer, factors in, 594
- Heat capacity, **609**, 610
 - calorimeter, 610–611*SP*
- Heat combustion
 - butane, 615
 - propane, 615
- Heat measurement, technology of, 601
- Heat of combustion, **606**
 - candle, 616–617*inv*
- Heat of formation, 589
- Heat of solution, **608**
 - measuring, 608*EL*
- Heat transfer, 594
 - mass, 595
 - water, 596–597*SP*
- Heptane
 - combustion, 124
 - molecular formula, 546
- Heroin, 158
- Heterogenous mixture, 26
- Hexane, 543
 - chemical formula, 539
 - molecular formula, 539, 546
- High pressure injectors, 427
- High-performance liquid chromatography (HPLC), 188
- Higson, Dr. Robert, 427
- Homogeneous mixtures, 26, 283, 284
- Homologous series, **544**
- Humidity, 459
- Hydrate, **223**
 - barium hydroxide, 224–225
 - determining the formula of, 224–225
 - molecular formula, 225, 226–227*inv*
 - naming, 103
- Hydrated, **293**
- Hydrazine, 233
- Hydrides, 340
- Hydrobromic acid, 381, 382
- Hydrocarbons, **533**, 577, 578–586
 - classifying, 544–566
 - compounds, representation of, 538–543
 - cyclic, 561
 - modelling, 542*inv*
 - origins of, 536
 - refining, 568
 - risk, 622–623
 - sources of, 537
 - structural diagrams/model, 540, 541
 - unsaturated, 553

- using, 568
- Hydrochloric acid, 102, 235EL, 381, 382, 384
 - boiling point, 70
 - electronegativity, difference of bond 73
 - melting point, 70
 - polar molecule, 91
- Hydrodynamics, 428
- Hydrofluoric acid, 382, 384
- Hydrogen
 - average atomic mass, 180
 - compounds, 104
 - double displacement reaction, 340
 - molar mass, 180
 - specific heat capacity, 595
- Hydrogen bonding, **292**
- Hydrogen chloride. *See* Hydrochloric acid
- Hydrogen gas, production of, 512–513*inv*
- Hydroiodic acid, 381, 382
- Hydronium ion, **374**
- Hydrophobic, 77
- Hydrosulfuric acid, 384
- Hyperbaric oxygen chamber, 462
- Hypo, 102
- Hypospray, 427
- Ideal gas, **421**
- Ideal gas law, 472, **484**
 - application of, 489–500
 - density, 489, 490
 - kelvins, 484
 - kilopascals, 484
 - molar mass, 489, 490
 - molar volume, 485–486SP, 490
 - molecular mass, 490
 - moles, 484
 - product, 509
 - production of hydrogen gas, 512–513*inv*
 - reactant, 509
 - stoichiometry, 501–507
- Immiscible, **286**
- Incomplete combustion, **124, 580**
 - 2,2,4-trimethylpentane, 582–584SP
- Inert gases, 244, 465
- Inner transition elements, 41
- Intermolecular forces, **83**, 420
 - solubility, 292
- International System of Units (SI), 14, 178
- International Union of Pure and Applied Chemistry (IUPAC), 102, 544
- Intramolecular forces, **83**
- Ion charge, solubility, 330
- Ion exchange, **361**
- Ion size, solubility, 331
- Ion-dipole attraction, **293**
- Ionic bonding, 419
- Ionic bonds, **70**
 - more than two ions, 77
 - octet rule, 75
- Ionic compound, 67, 68, 69
 - conductivity, 67, 78–79
 - double displacement reactions, 132–133
 - insoluble, 293
 - magnetism, 67
 - melting point, 67
 - neutralization reaction, 394–396
 - polar solvent, 293
 - solubility, 67, 293, 330, 332–333*inv*
- Ionic crystal, preparing, 80*inv*
- Ionic equation, 337
- Ionization energy, **54**
 - atoms, 53–55
 - energy levels, 53, 54
 - trends, 55
- Ions, **53**
 - concentration of, calculation of, 348–349
 - flame test, 344
 - mass percent of, 350–351
 - polyatomic, 97
- Iron, specific heat capacity, 595
- Iron oxide, 67, 201
- Isoelectric, **75**
- Isolated system, **602**
- Isomers, **539**, 540, 543, 558
 - cis-trans, 558
 - geometric, 558
 - modelling, 542*inv*
- Isopropanol, 124, 309
- Isotopes, **37**, 38, 168EL
 - abundance, 163, 165, 169SP, 170
 - atomic mass/number, 37
 - average atomic mass, 162, 163, 164, 165
- Isotopic abundance, **163**
- Jet injectors, 427
- Joules, 14, 603
 - specific heat capacity, 595
- Kelvin scale, **440**, 441TL
- Kelvin, Lord, 440
- Kelvins, 14, 484
 - ideal gas law, 484
- Kerosene, 568, 579
- Kevlar, 572
- Kilojoule (kJ), 54
- Kilopascal (kPa), **424**, 484
 - ideal gas law, 484
- Kinetic energy, 421
- Kinetic molecular theory, **421**, 483
 - gases, 418
 - states of matter, 418
- Kirumira, Dr. Abdullah, 463
- Kwolek, Stephanie, 572
- Lactic acid, 370
 - empirical formula, 215
- Lamp oil, 579
- Landfill leachates, 358
- Laplace, Pierre, 603
- Laughing gas, 102, 486–488
- Lavoisier, Antoine, 472, 484, 603
- Law of combining volumes, **472**
- Law of conservation of energy, 602
- Law of conservation of mass, 35, **113**, 115, 241
- Law of definite composition, 35
- Law of definite proportions, **198**
- Law of multiple proportions, **473**
- Lead(II) nitrate, 337
 - solubility, 338
- Lemieux, Dr. Raymond, 536
- Lewis structure, **46**, 76, 87, 88–89, 449
 - bond, 96
 - chemical formula, 95
 - covalent bonds, 81, 82
- Lime, 102
- Limestone, 102, 360
- Limiting reactant, **252**
 - identifying, 253–254SP
 - stoichiometry, 256–257SP
- Line structural diagram, 541
- Liquids, 418
- Lithium, 165
- Lithium chloride tetrahydrate, 223
- Lithium hydride, 340
- Lithium hydroxide, 242, 243–244SP
- Litre, 14
- Lone pairs, **88**
- Lowry, Thomas, 375
- Lunar module, 233
- Lye, 102
- Magma, 458, 491
- Magnesium hydroxide, 102, 383
- Magnesium oxide, 383
 - empirical formula, 212–213*inv*
- Magnesium sulfate
 - heptahydrate, 223
 - hydrate, 223
- Magnetism of ionic compound, 67
- Main-group elements, 41
 - electron affinity, 57
- Malleability, 12
- Mannose, formula, 217
- Marble, 102
- Mariotte, Edmé, 433
- Mass
 - chemical equations, 241

- gases, *422EL*
- heat transfer, 595
- law of conservation of, 113
- matter, 14
- molar concentration, *315–316SP*
- mole, 180
- molecules, *190–191SP*
- moles, 185, 186, *187SP*, 189
- percentage composition, *200–201SP*
- precipitate, *353–354SP*
- products, *245–246SP*
- reactants, *243–244SP*, *245–246SP*
- significant digits, *21–22SP*
- stoichiometry, 241, *247–248SP*
- subatomic particles, 35
- Mass number, **36**, 37
- Mass percent, **199**
- Mass spectrometer, **164**, 166, 216, 344
- Mass/mass percent, **306**
 - concentration, 306
 - solving for, *307–308SP*
- Mass/volume percent, **302**
 - solving for, *303–304SP*
- Material Safety Data Sheets, 451
- Matter, **5**, **11**
 - atomic theory of, 34, 35
 - chemical changes, 25
 - chemistry, 6–16
 - classification of, 25, 26
 - describing, 11
 - mass, 14
 - measurement, 14
 - measuring, 11
 - physical changes, 25
 - properties, 11
 - states of, 418
 - temperature, 14
 - volume, 14
- Measurement, *13inv*, 14
 - exact numbers, 15, 17
 - matter, 14
 - significant digits, 17
 - uncertainty, 15, 17
- Melting point, 12
 - covalent and ionic compounds, 67
- Mendeleev, Dmitri, 40, 42
- Mercury(II) sulfide, 202, 203, 353–354
- Metal, 41, 65, *67EL*, 286
 - alloys, 286
 - bond, 83
 - electron affinity, 57
 - precious, 66
- Metal activity series
 - creating, *128–129inv*
 - single displacement reaction, 126–127, 130–131
- Metal ions, flame test, 344
- Metallic bond, **83**
- Metalloids, 41
- Metathesis reactions, 337
- Methane, 420, 535, 539, 544
 - combustion, 123
 - identification of, *498–500SP*
 - molecular formula, 546
- Methanol, solubility, 294
- Midgley, Thomas, 517
- Milk of magnesia, 102
- Millilitre, 14
- Minerals, 188
- Miscible, **286**
 - covalent compound, 294
- Mixture, **26**, 27
 - analyzing, *274–275inv*
- mm Hg, **428**
- Molar concentration, **313**
 - calculating, *314SP*
 - mass, *315–316SP*
- Molar mass, **180**
 - compound, *181SP*, 197, 198–205, 216
 - empirical formula, 208, 216
 - finding, 53, 181
 - gases, 490, *494–495SP*, *496–497inv*
 - ideal gas law, 489, 490
 - mole, *182–183inv*, 185
 - percentage composition, 202
 - periodic table, 184
- Molar volume
 - calculating, *485–486SP*
 - gases, *474–477SP*, 478, *479–482SP*, 490
 - ideal gas law, *485–486SP*, 490
- Mole ratios, **237**
 - reactants, *239–240SP*
- Molecular compounds, **82**
- Molecular formula, 201, 203
 - compounds, 215–218
 - decane, 546
 - determining, 215, *217–218SP*
 - expanded, 539
 - experiments, 219–228
 - finding by experiment, 219–228
- Molecular mass
 - gases, 490
 - ideal gas law, 490
- Molecular models, comparing, 87
- Molecule size, solubility, 295
- Molecules
 - chemical equations, 235
 - mass, *190–191SP*
 - modelling, 85, *92inv*
 - moles, *178SP*
- Moles, 14, 54, 161, **172**, 173, 484
 - atoms, *176SP*
 - Avogadro constant, 171
 - chemical equations, 237–238
 - conversion, 177
 - gases, *482SP*
 - ideal gas law, 484
 - mass, 180, 185, 186, *187SP*, 189
 - molar mass, *182–183inv*, 185
 - molecules, *178SP*
 - periodic table, 184
- Molina, Mario, 518
- Monoprotic acids, 382
- Montréal Protocol, **519**
- Morphine, 158
- Mount St. Helens, 458
- Muriatic acid, 102
- Naphtha, 571
- Natural gas, 537
- Net ionic equation, 341, **342**
 - writing, *342–343SP*
- Neutralization reaction, **135**, 341, **394**
 - calculations, 396
 - ionic compound, 394–396
- Neutrons, 35
- Nickel sulfate, 104
- Nitric acid, 381
- Nitrogen, uses for, 465
- Nitrogen narcosis, 465
- Nitroglycerine, 123
- Noble gases, 41, 47, 244
- Non-electrolyte, **294**
- Non-metals, 41
- Non-polar molecules/compounds, **91**, 291, 553
 - alkanes, 545
 - properties of, 93
- Nonane, molecular formula, 546
- Nuclear equation, **142**, 143–147
- Nuclear fission, 145, **146**
- Nuclear fusion, **145**, **146**
- Nuclear reactions, **111**, **142**
- Octane, 199, 614
 - molecular formula, 546
- Octet, **47**
- Octet rule, **75**
 - bonding, 96
 - chemical formula, 95
 - covalent bonds, 75
 - ionic bonds, 75
- Odour, 12
- Oehlschlager, Dr. Cam, 361
- Oil spill, 623
 - advisor, 624
- Old Faithful, 458
- Oleic acid, 614
- Opium, 158
- Order of magnitude, 176
- Organic compound, **533**, 534
 - modelling, *542inv*
 - natural, 534
 - origins of, 536
 - synthetic, 534
- Oxoacid, **384**
- Oxyacetylene, 580
- Oxyacids, 384

- Oxygen
 - average atomic mass, 180
 - combustion, 464
 - electronegativity, 73
 - molar mass, 180
 - uses of, 462–464
- Ozin, Dr. Geoffrey, 89
- Ozone cycle, 516
- Ozone depletion, 515–520

- Paraffin, 568, 615
- Particle, stoichiometry, *247–248SP*
- Parts per billion (ppb), **311**, *311–312SP*
- Parts per million (ppm), **311**
- Pascal (Pa), **424**
- Pascal, Blaise, 428
- Pentane, 420
 - combustion, 124
 - molecular formula, 546
- Percentage composition, 200
 - calculating from chemical formula, 202, *203–204SP*
 - empirical formula, 208, *210–211SP*
 - mass, *200–201SP*
 - molar mass, 202
 - using, 205
- Percentage purity, **268**
 - finding, *268–269SP*
- Percentage yield, 260, **261**
 - actual yield, *263–264SP*
 - application of, 264
 - calculating, *261–262SP*
 - determining, *266–267inv*
 - purity, 265
- Perchloric acid, 381
- Periodic law, **44**
- Periodic table, 38, 40
 - annotated, 59
 - average atomic mass, 165
 - chemical properties, 40
 - electrons, 42
 - molar mass, 184
 - mole, 184
 - physical properties, 40
- Periodic trends, **44**, 49–55
- Pesticides and pollution, *408–409inv*
- Petrochemicals, **568**
- Petroleum, **537**, 568
- Petroleum age, 579
- Petroleum products, 619–626
- Pewter, 306
- pH, 385, **386**, 387–388
 - acid, *390–391inv*
 - calculating, *389SP*
- Phenolphthalein, 395
- Phosgene, 492
- Phosphates, 8
- Phosphoric acid, 383
- Phosphorus tribromide, 105

- Physical changes, **25**
- Physical property, **12**
 - periodic table, 40
- Pipette, 399–401
- Plasma, 418
- Plastics, 535
- Polar bonds, 90
- Polar covalent bonds, **86**
- Polar molecules, **91**, 420, 421
 - properties of, 93
 - water, 90
- Polar solvent, 293
- Polar substance, 291
- Pollution, 5, 515–520, 623, 624
 - pesticides, *408–409inv*
 - phosphate, 8
 - water quality, 358
- Polonium, 143
- Polanyi, Dr. John Charles, 9
- Polyatomic ions, **97**
 - compounds, 104
- Polyisobutylene, 559
- Polymer, 559
- Polymer chemist, 572
- Polymerization, 553
- Polymers, **535**
- Polystyrene, 535
- Polywater, 329
- Potassium aluminum sulfate
 - dodecahydrate, 223
- Potassium fluoride,
 - electronegativity, 72
- Potassium hydroxide, 117, 383, 392
- Potassium iodide, 337
 - solubility, 338
- Potassium nitrate, 204
 - products of decomposition, 204
- Potential energy, **615**
- Precious metal, 66
- Precipitates, **132, 332**
 - double displacement reactions, 132–133
 - mass, *353–354SP*, 354–355
 - predicting formation of, 338–339
 - silver chromate, 354–355
 - solubility, *332–333inv*
- Precipitation reaction, 338
 - solubility, 338
- Precision, **18**
- Pressure, **424**
 - atmosphere, *427EL*, 428
 - atmospheric, 425
 - gases, 424, *430–431inv*, 432–435
 - solubility, 299
 - standard atmospheric, 428
 - torr, 428
 - units of, 428
 - volume, 428, *430–431inv*
- Pressure relief valve, **450**
- Priestly, Joseph, 472
- Product, **112**
 - ideal gas law, 509
 - mass, *245–246SP*
- Product development chemist, 313
- Propane
 - chemical formula, 539
 - combustion, 580
 - heat of combustion, 615
 - molecular formula, 539, 546
- Propene, 553, 568
- Property, **11**
 - aliphatic compounds, *564inv*
 - chemical, 12
 - physical, 12
 - qualitative, 12
 - quantitative, 12
- Propyne, 560
- Proteins, 534
- Proton acceptors, 376
- Proton donors, 376
- Protons, 35
- Proust, Joseph Louis, 198
- Pure covalent bonds, **81**
- Pure substance, **26**, 27
- Purity, 268
 - percentage yield, 265
- Puskas, Dr. Judit, 559
- Pyrite, 66

- Qualitative analysis, *274–275inv*, **344**
 - aqueous solutions, *345–346inv*
- Quality control (QC), 188
- Quantitative analysis, *274–275inv*
- Quartz, 102

- Radioactive isotope of carbon, 144
- Radioactivity, **38**, 142–147
- Radioisotopes, **38**
- Radium, 143
- Radon, 143
- Rare metals, 56
- Rate of dissolving, **290**
- Reactants, **112**
 - chemical equations, 239
 - excess, 252, *255inv*
 - ideal gas law, 509
 - limiting, 251–253, *253–254SP*, *255inv*
 - mass, *243–244SSP*, *245–246SP*
 - mole ratios, *239–240SP*
- Reactivity, 12
- Recommended Nutrient Intake, 188
- Reforming, **571**
- Respiration, 111
- Richter, Jeremias Benjamin, 242
- Ripening and enzymes, 552
- Risk, **620**
 - hydrocarbons, 622–623
- Risk-benefit analysis, **620**
 - smoking, *620–622SP*

- Rotational motion, 418
- Rowland, F. Sherwood, 518
- Rutherford, Ernest, 145

- Sal ammoniac, 101
- Salt, **394**
- Saturated fat, 614
- Saturated hydrocarbons, 544
- Saturated solution, **286**
- Saturation of solution, 286
- Science societies, 471
- Science, technology, society and the environment (STSE), 8
- Second ionization energy, 54
- Sewage, 362
- Shells. *See* Energy levels
- SI units, 428
 - See also* International System of Units
- Significant digits, **17**, *19EL*
 - calculating with, 20
 - mass, *21–22SP*
 - measurement, 17
 - rounding, 20
 - rules for, 17
 - volume, *20–21SP*
- Silicic acid, 329
- Silicon dioxide, 102
- Silver chloride, 341
- Silver chromate
 - precipitates, 354–355
 - solubility, 354–355
- Single displacement reaction, **126**
 - copper, *138–139inv*
 - halogens, 131
 - metal activity series, 126–127, 130–131
- Skeleton equation, **113**
- Slag, 77
- Smog, 516
- Smoking, risk-benefit analysis, *620–622SP*
- Sniffers, 222
- Soap, 360, 369
- Sodium bicarbonate, 136, 394
- Sodium carbonate, 102, 370
 - decahydrate, 223, 361
- Sodium chloride, 66, 69, 101, 102
 - bonding, 75
 - conductivity, 69, 78–79
 - electronegativity, 75
 - melting point, 69
 - solubility, 69, 334
- Sodium hydrogen carbonate, 102, *235EL*, 370, 394, 534
- Sodium hydroxide, 102, 369, 370, 383
- Sodium stearate, 360
- Sodium sulfate, 104
- Sodium sulfite, 340
- Sodium thiosulfate, 102

- Sodium tripolyphosphate, 8
- Soft water, **360**
 - testing, 363
- Soil erosion, 5
- Solids, 418
- Solubility, **12**, **286**
 - alkanes, 552
 - alkenes, 553
 - aqueous solutions, 330
 - compounds, 330, 331, *332–333inv*
 - covalent compound, 67, 294
 - curves, plotting, *296–297inv*
 - electronegativity, 293
 - factors affecting, 290–301
 - gases, 298
 - general guidelines, 334
 - insoluble, 287
 - intermolecular forces, 292
 - ion charge, 330
 - ion size, 331
 - ionic compound, 67, 293, 330, *332–333inv*
 - making predictions, 331
 - molecule size, 295
 - particle attraction, 291
 - precipitates, *332–333inv*
 - precipitation reaction, 338
 - predicting, 293
 - pressure, 299
 - slightly soluble, 287
 - solution, 286
 - sparingly soluble, 287
 - temperature, 290, 295, *298EL*
- Solute, **284**, 288
- Solution, **284**
 - concentration, 283, 302–318, *317inv*, *322–323inv*
 - diluting, 320
 - gases, *298EL*
 - heat of, 608
 - measuring heat of, *608EL*
 - preparing, 319–324
 - saturation, 286
 - solubility, 286
 - standard, 319
 - type of, 284–286
- Solvent, **284**
 - coffee, 300
 - identifying, 287
 - solute, 288
- Sørensen, Søren, 386
- Sour gas, 580
- Space-filling model, 87, 540
- Specific heat capacity, **595**, 610
 - calculating, *598–599SP*
 - compounds, 595
 - determining, *604–605SP*
 - elements, 595
 - joules, 595
 - water, 595
- Spectator ions, **341**

- Stable octet, **47**
 - bond, 96
- Standard ambient temperature and pressure (SATP), **452**, 485
- Standard atmospheric pressure, **428**
- Standard solution, **319**, 399
 - diluting, *320–321SP*
- Standard temperature, **452**
- Standard temperature and pressure (STP), **452**
- Starches, 534
- Steroid, 561
- Stock system, **102**, 103
- Stock, Alfred, 102
- Stoichiometric amounts, **251**
- Stoichiometric coefficients, **251**
- Stoichiometry, 234, **242**, 501–514
 - aqueous solutions, 348–355
 - ideal gas law, 511–507
 - limiting reactant, *256–257SP*
 - mass, 241, *247–248SP*
 - mass to volume, 504–507
 - particle, *247–248SP*
 - process for solving problems, 247
 - using, *274–275inv*
 - volume to volume, 501–503
 - water vapour pressure, 507–509
- Strong acid, **381**
- Strong base, **383**
- Strontium hydroxide, 383
- Structural diagrams, 87, **541**
 - alkanes, 550–551
- Structural model, **540**
- Structures of aliphatic compounds, *564inv*
- Subatomic particles, 35
- Sucrose, 536
 - solubility, 294
- Sugars, 534
- Sulfur dioxide, 420
 - double displacement reaction, 340
- Sulfuric acid, 381
- Superconductors, 437
- Superfluid, 442
- Surface water, 360
- Sustainable development, **625**
- Swiss Water Process, 300
- Symposium, 473
- Synthesis reactions, 119, **120**
 - compounds, 120, 121
 - copper, *138–139inv*
 - elements, 120
- Synthesized, 533
- Systematic names, 544

- Table salt, 69, 101, 102
- Technology and chemistry, 7, 8
- Temperature, **593**
 - change in, 594–595

gases, 298, 436, *438–439inv*,
 440–441, 444–446
 matter, 14
 rate of dissolving, 290
 solubility, 290, 295, *298EL*
 volume, *438–439inv*
 Tertiary compounds, 104
 Testosterone, 561
 Theoretical yield, 260
 Thermal conductivity, 12
 Thermal energy, **593**
 calculating, *606–607SP*
 Thermal equilibrium, **605**
 Thermochemical equation, 588
 acetylene, *590–591SP*
 Third ionization energy, 54
 Titration, **399**
 step-by-step, 399–401
 Torr, **428**
 conversion, 485
 Torricelli, Evangelista, 426, 428
 Total ionic equation, **341**
 Toxicity, 12
 Transition elements, 41
 Translational motion, 419
 Triple bond, **82**
 Triprotic acids, 383
 Troposphere, 516
 Typhoid, 364

 Ultraviolet radiation, 516, 519
 Uncertainty in measurement, 15, 17
 Universal gas constant, 484, 485
 Unsaturated fat, 614
 Unsaturated hydrocarbons, 553
 Unsaturated solution, **286**
 Urea, 534

 Valence, **96**
 bond, 96
 chemical formula, 98–100
 polyatomic, 97, 98
 Valence electrons, **45**
 atoms, 70
 Van der Waals equation, 483
 van Helmont, Jan Baptista, 114
 Vanillin, 200
 Variable composition, **284**
 Vibrational motion, 418
 Vinegar, 369, 544
 concentration, *402–403inv*
 Vital force, 534
 Vitamins, 188
 Volcanoes, 458
 Volume
 finding, *397–398SP*
 gases, *422EL*, 424, *430–431inv*,
 432–435, 436, *438–439inv*, 440–441
 matter, 14
 pressure, 428, *430–431inv*
 significant digits, *20–21SP*
 temperature, *438–439inv*
 Volume/volume percent, **309**
 concentration, 309
 solving for, *309–310SP*
 Volumetric flask, **319**

 Washing soda, 102, 361, 370
 Waste water, 362
 Water, 199, 207
 double displacement reactions, 341
 chemical formula, 207
 heat transfer, *596–597SP*
 molecular shape, 88
 polar bonds, 90
 polar molecule, 90
 solubility, 330
 solutions, 329
 specific heat capacity, 595
 Water cycle, 357
 Water quality
 aqueous solutions, 357–364
 health concerns, 358, 364
 pollution, 358
 Water softener, 361
 Water treatment, **359**
 Weak acid, **381**
 Weak base, **383**
 Weak dispersion forces, 420
 Weighted average, **165**
 Wet chemical techniques, 344
 WHMIS, 451
 Wohler, Friedrich, 534
 Word equation, **112**
 Wu, Dr. Jiangning, 363

 X-ray fluorescence, 58

 Zero sum rule, **98**