

Index

The page numbers in **boldface** type indicate the pages where the terms are defined. Terms that occur in Sample Problems (*SP*), Investigations (*inv*), ExpressLabs (*EL*), and ThoughtLabs (*TL*) are also indicated.

- 2,2,4-trimethylpentane, 549
 - incomplete combustion, 582–584*SP*
- 2,2-dimethylbutane, 543
- 2,3-dimethylbutane, 543
- 2-ethyl-1-butene, 556–557
- 2-methylpentane, 547

- 3-ethyl-2,2-dimethylpentane, 549
- 3-ethyl-2,4-dimethylpentane, 549
- 3-methylpentane, 543

- Abiogenic theory, 537
- Absolute zero, **440**
- Academies, 471
- Accuracy, **18**
- Acetic acid, 161, 370
 - concentration, 402–403*inv*
 - empirical formula, 215
- Acetylsalicylic acid, 533, 534
- Acetylene, 207, 560, 580
 - combustion, 581–582*SP*, 585–586*inv*, 590–591*SP*
 - chemical formula, 207, 216
 - thermochemical equation, 590–591*SP*
- Acid rain, 5, 358, 623
- Acid-base indicator, **395**
- Acidity, 280
- Acids, 369
 - Arrhenius theory, 373
 - Brønsted-Lowry theory, **375**, 376
 - binary, 384
 - cleaners, 373*EL*
 - diluting, 324
 - diprotic, 383
 - monoprotic, 382
 - pH, 390–391*inv*
 - properties of, 370
 - strength, 385
 - strong, 381
 - triprotic, 383
 - weak, 381
- Activity series, **127**
- Activity series for halogens, **131**
- Actual yield, **260**
 - percentage yield, 263–264*SP*
- Aerial fluids, 114
- Agitation and rate of dissolving, 290
- Air bags, 506
- Air pollution and gases, 515–520
- Aliphatic hydrocarbons, **544**
 - alkanes, 547–550
 - properties, 564*inv*
 - structures, 564*inv*
- Alkali, 370
- Alkali metals, 41, 383
 - bases, 383
 - compound solubility, 330
- Alkaline earth metals, 41
 - bases, 383
- Alkanes, **544**
 - aliphatic compounds, 547–550
 - boiling points, 545–546
 - branched-chain, 547
 - drawing, 550–551, 565
 - naming, 546–549, 565
 - properties of, 545
 - reactivity, 554–555*inv*
 - rules for naming, 547–550
 - side-chain, 547
 - solubility, 552
 - straight chain, 546
 - structural diagrams, 550–551
- Alkenes, 552
 - chemical reactivity, 553
 - drawing, 557–558, 565
 - naming, 556–557, 565
 - properties of, 553
 - reactivity, 554–555*inv*
 - solubility, 553
- Alkynes, **560**, 580
 - drawing, 560, 565
 - naming, 560, 565
- Alloys, 83, 130, **286**
 - composition, 306
- Alpha particle emission, **142**
- Alumina, 102
- Aluminum, specific heat capacity, 595
- Aluminum oxide, 102
- Amalgam, 286, 306
- Ammonia, 235–236, 280, 370, 539
 - empirical formula, 207
 - molecular formula, 207
 - polar molecule, 91
 - specific heat capacity, 595
- Ammonium chloride, 101, 104
 - solubility, 334
- Ammonium cyanate, 534
- Ammonium nitrate, 104
- Analytical chemistry
 - applications of, 216
 - doping control laboratory, 216
- Anhydrous, **223**
- Aniline, 207
- Anion, **53**, 54
- Apollo 11, 233
- Aqueous solutions, **286**, 329, 344
 - colour of, 344
 - flame test, 344
 - identifying ions in, 344
 - ions in, 344
 - limiting reactant problems, 353–354
 - minimum volume to precipitate, 351–352
 - qualitative analysis, 345–346*inv*
 - reactions in, 337
 - solubility, 330
 - stoichiometry, 348–355
 - water quality, 357–364
- Argon, average atomic mass, 180
- Ariya, Dr. Parisa, 520
- Aromatic compounds, 571
- Arrhenius theory of acids and bases, **374**
 - limitations of, 374–375
- Arrhenius, Svante, 373, 374
- Arson, 222
- AspirinTM, 533, 534
- Atmosphere, 485
 - formation of, 458
- Atmospheres (atm), **428**
- Atmospheric reactions, 515–520
- Atomic mass
 - average. *See* Average atomic mass
 - isotopes, 37
- Atomic mass unit (u), **35**
- Atomic number (Z), **36**, 37
- Atomic symbol, **36**
- Atomic theory of matter, 34, 35, 38
- Atoms, 34, **35**
 - bonding, 70
 - chemical equations, **112**, 235
 - electron affinity, 57
 - electronegativity, 70
 - electrons, 38, 40–47
 - energy levels, 49–55
 - ionization energy, 53–55
 - moles, 176*SP*
 - nucleus of, 36
 - periodic trends, 49–55
 - radius, 49, 50–51*inv*, 52
 - valence electrons, 70
- Average atomic mass, 162, **164**, 167*SP*, 189–190*SP*
 - argon, 180
 - Avogadro constant, 171
 - hydrogen, 180
 - isotopes, 162, 163, 164, 165
 - oxygen, 180
 - periodic table, 165
 - sodium, 180
- Avogadro constant, 36, **172**, 173, 177, 178
 - average atomic mass, 171
 - conversion, 175
 - magnitude, 175
 - mole, 171
 - using, 174*SP*
- Avogadro's hypothesis, **473**, 474

- Avogadro's law, **474**, 478, 479–482SP, 484
 Avogadro, Amadeo, 178, 472, 473
 Ayotte, Dr. Christiane, 216
- Baking soda, 102, 161, 370, 394, 534
 Balanced chemical equation, **114**
 Ball-and-stick model, 87, 540
 Barium chloride, solubility, 334
 Barium hydroxide, 383
 hydrate, 224–225
 octahydrate, 223
 solubility, 334
 Barium oxide, solubility, 334
 Barium sulfate, 175
 Barometer, 426
 Bartlett, Neil, 244
 Bases, 369
 alkali metals, 383
 alkaline earth metals, 383
 Arrhenius theory, 373
 cleaners, 373EL
 properties of, 370
 strength, 385
 Bayer, Frederick, 534
 Beauchamp, Dr. Stephen, 246
 Bends, 466
 Benefit, **620**
 Benzene, 199, 207
 empirical formula, 207
 molecular formula, 216
 Beryllium oxide, 181
 Berzelius, Jons Jakob, 534
 Beta particle, **143**
 Beta particle emission, 143
 Beta radiation, **143**
 Big Bang theory, 458
 Binary acid, **384**
 Binary compounds, **102**, 105
 Biogenic theory, 537
 Black, Joseph, 603
 Blanketing, 465
 Bohr-Rutherford diagram, 44, 46
 Boiling point, 12
 Bomb calorimeter, **602**, 610
 Bond/Bonding, **70**, 589
 ionic and covalent, 70
 Lewis structure, 96
 octet rule, 96
 stable octet, 96
 valence, 96
 Bond energy, 539, **589**, 590–591SP
 Bonding pairs, **88**
 Boron, 169
 Boyle's law, **432**, 433–435SP, 453, 489
 Boyle, Robert, 429, 432, 452
 Brass, 306
 Brittleness, 12
 Brønsted, Johannes, 375
 Brønsted-Lowry theory of acids and bases, **375**, 376
- Bronze, 83, 306
 Brooks, Harriet, 145
 Burette, 401
 Burning. *See* Combustion
 Butane
 heat combustion, 615
 molecular formula, 546
- Calcium carbonate, 102, 188, 360, 539
 Calcium chlorate, solubility, 334
 Calcium chloride, 307
 dihydrate, 223
 Calcium gluconate, 188
 Calcium hydroxide, 383
 Calcium oxide, 102
 Calcium phosphate, 181
 Calcium sulfate, dihydrate, 223
 Calories, 603, **612**
 Calorimeter, **602**, 603, 604–605SP
 heat capacity, 610–611SP
 Calorimetry, 601, **602**
 Candle wax, 615
 Carbides, 534
 Carbohydrates, 217, 534
 energy, 613
 Carbon
 bonding, 539
 bonding electrons, 538
 geometrical structures of, 538
 properties of, 538
 radioactive isotope, 144
 specific heat capacity, 595
 structures, 539
 Carbon dioxide, 6, 69, 184, 199, 200, 420, 491
 conductivity, 69
 melting point, 69
 molecular shape, 88
 non-polar molecule, 91
 Carbon monoxide, 199, 200
 Carbon tetrafluoride as non-polar molecule, 91
 Carbon-12, 167
 Carbon-14, 164
 Carbon-hydrogen combustion analyzer, **219**
 calculations, 220–221SP
 Carbonates, 534
 Carbonic acid, 370
 Cation, **53**, 54
 Cellulose, 536
 Celsius, 14
 Centimetres, 14
 Charles' law, **440**, 441, 442–443SP, 444–446SP, 453
 Charles, Jacques, 436, 440, 452
 Chemical bonds, **70**, 589
 Chemical changes, **25**
 Chemical compounds
 classifying, 66
 common names, 101
 naming, 101
 trivial names, 101
 Chemical engineer, 265
 Chemical equations, **112**, 235EL
 atoms, 235
 balanced, 114, 234, 235EL, 236–249
 balancing, 116–118SP
 coefficients, 115
 mass, 241
 molecules, 235
 moles, 237–238
 reactants, 239
 yield, 260
 Chemical formula, **95**
 calculating percentage composition, 202
 Lewis structure, 95
 octet rule, 95
 percentage composition, 203–204SP
 representation, 96
 valence, 98–100
 Chemical nomenclature, **101**
 Chemical properties, **12**
 periodic table, 40
 Chemical proportions in compounds, 197
 Chemical reactions, **112**
 classification of, 111, 119
 law of conservation of mass, 113
 Chemistry, **6**
 matter, 6–16
 technology, 7, 8
 Chlorine, 280
 Chlorofluorocarbons (CFCs), 516, 517–519
 Chlorophyll, 309
 Cholesterol, 539, 561
 Cinnabar, 203
 Cinnamaldehyde, 203
 Cis-trans isomer, **558**
 Citric acid, 370
 Closed system, **424**
 Coal, 537
 Cobalt(II) chloride, 189
 Cochineal, 361
 Codeine, 158, 218
 Coefficients, **115**
 Combined gas law, **453**, 453–454SP, 455–457SP, 484
 Combustibility, 12
 Combustion, **577**
 acetylene, 581–582SP, 585–586inv, 590–591SP
 candles, 615
 complete, 580
 heat of, 606
 incomplete, 580
 oxygen, 464
 propane, 580
 Combustion equations, 580–581
 Combustion reactions, **123**, 578

- Competing reaction, **260**
 Complete combustion, **580**
 Complete structural diagram, 541
 Composition of alloys, 306
 Compounds, **26**, *67EL*
 binary, 105
 chemical proportions in, 197
 covalent, 67, 294
 empirical formula of, 208
 hydrogen, 104
 ideal gas law, *498–500SP*
 ionic, 67
 molar mass, *181SP*, 197, 198–205, 216
 molecular formula of, 215–218
 percentage composition of, 200
 polyatomic ions, 104
 solubility, 330, 331, *332–333inv*
 tertiary, 104
 Compressed gases, 450
 Concentration, **302**
 acetic acid, *402–403inv*
 finding, *396–397SP*
 mass volume, *304–305SP*
 mass/volume percent, 302
 mass/mass percent, 306
 parts per billion, 311
 parts per million, 311
 solution, 283, 302–318, *317inv*, *322–323inv*
 vinegar, *402–403inv*
 volume/volume percent, 309
 Condensation, **419**
 Condensed structural diagram, 541
 Conductivity
 carbon dioxide, 69
 covalent bonds/compounds, 67, 82
 ionic compound, 67, 78–79
 sodium chloride, 69, 78–79
 solubility, 70
 Conjugate acid, **376**
 Conjugate acid-base pair, **376**, *377–379SP*
 Conjugate base, **376**
 Copper
 decomposition reaction, *138–139inv*
 double displacement reaction, *138–139inv*
 single displacement reaction, *138–139inv*
 specific heat capacity, 595
 synthesis reaction, *138–139inv*
 Copper oxide, 211
 Copper(II) carbonate, 198
 Copper(II) chloride, *255inv*
 anhydrous, 223
 dihydrate, 223
 Copper(II) nitrate, 117
 Copper(II) sulfate, *322–323inv*
 anhydrous, *226–227inv*
 hydrate and hydrated, *226–227inv*
 Cortisol, 221
 Covalent bonds, **70**
 conductivity, 82
 double bond, 82
 electronegativity, 81
 Lewis structure, 81, 82
 multiple, 82
 octet rule, 75
 polar, 86
 pure, 81
 triple bond, 82
 Covalent compound, 67, 68, 69
 conductivity, 67
 melting point, 67
 miscible, 294
 solubility, 67, 294
 Cracking, **570**
 Crosslinked, 559
 Crude oil, 537
 Cryogenics, 437
 Cryosurgery, 465
 Crystal lattice/shape, 12, 418
 Cupronickel, 306
 Curie, Marie, 143, 145
 Cyanides, 534
 Cyclic hydrocarbons, **561**
 drawing/naming, 562–563
 Cycloalkanes, drawing/naming, 566
 Cycloalkenes, 562
 drawing/naming, 566
 Cycloalkynes, drawing, 566
 Cyclohexane, 219, 562
 Czyniewska, Dr. Eva, 361
 d-limonene, 313
 Dalton's law of partial pressures, **459**, *460–461SP*, 507
 Dalton, John, 34, 38, 207, 459, 472, 473
 Davy, Sir Humphrey, 121
 Decaffeination, 300
 Decane, molecular formula, 546
 Decomposition, 12
 Decomposition reaction, 119, **122**
 copper, *138–139inv*
 Degrees, 14
 Density, 12, 14
 gases, 490, 491, *492–493SP*
 ideal gas law, 489, 490
 Diatomic elements, **81**
 Dickson, Alison, 77
 Diffraction grating, *43EL*
 Dihydrogen monoxide. *See* Water
 Dinitrogen monoxide, 102
 Dinitrogen tetroxide, 233
 Diphosphorus pentoxide, 105
 Dipole-dipole, 420
 Dipole-dipole attraction, **292**
 Dipoles, **91**, **292**, 420
 Diprotic acids, 383
 Dispersing agent, 624
 Distillation, 284
 Double bond, **82**
 Double displacement reaction, **132–133**, 337
 copper, *138–139inv*
 gas producing, 340
 gases, 134
 neutralization reaction, 135
 observing, *136–137inv*
 precipitate, 132–133
 sulfur dioxide gas, 340
 water producing, 341
 Double replacement reaction. *See* Double displacement reaction
 Dry ice. *See* Carbon dioxide
 Ductility, 12
 Duralumin, 306
 Elastin, 559
 Elastomer, 559
 Electrical conductivity, 12
 Electrolyte, **293**
 Electron affinity, **57**
 Electron energy levels, 71
 Electronegativity, **70**
 atomic size, 71
 bond type, 72
 covalent bonds, 81
 range of differences, 73
 solubility, 293
 table of, 71
 trend for, 71
 Electrons, 35, *43EL*, 46
 in atoms, 38, 40–47
 energy levels, 43
 periodic table, 42
 spectra of, *43EL*
 transferring multiple, 76
 valence, 45, 46
 Electrostatic attraction, 419
 Element symbol, 36
 Elements, **26**, 34
 compounds, 199, 200
 specific heat capacity, 595
 synthesis reactions, 120
 Empirical formula, **207**
 determining by experiment, 211
 experiments, 219–228
 finding by experiment, 219–228
 magnesium oxide, *212–213inv*
 molar mass, 208, 216
 percentage composition, 208, *210–211SP*
 solving problems using, 209–211
 End-point, **399**
 Endothermic, **588**, 603
 Energy, 14, 577
 carbohydrates, 613
 fat, 613
 fatty acids, 613

- foods, 613
- glucose, 613
- measurement factors, 593
- Energy levels, **43**, 44–47
 - atoms, 49–55
 - electron arrangements, 45
 - electrons, 43
 - full, 47
 - ionization energy, 53, 54
 - Lewis structures, 46
 - patterns, 45
 - valence electrons, 45
- Energy shells. *See* Energy levels
- Environmental problems with
 - fossil fuels, 625
- Enzymes, 534
 - ripening, 552
- Epsom salts, 223
- Equivalence point, **399**
- Erlenmeyer flask, 401
- Erlenmeyer, Richard E.A.C., 123
- Estrone, 561
- Ethane, molecular formula, 546
- Ethanoic acid, 544
- Ethanol, 420, 535, 539
 - combustion, 123
 - solubility, 294
 - specific heat capacity, 595
- Ethene, 553, 568
- Ethyne, 207, 560, 580
 - empirical/molecular formula, 207
- Ettinger, Robert C.W., 437
- Eutrophication, 8
- Exact numbers and measurement, 15, 17
- Excess reactant, **252**, *255inv*
- Exothermic, **588**, 603
 - reaction, 324
- Expanded molecular formula, **539**

- Fahrenheit degrees, 26
- Fats, 534
 - energy, 613
- Fatty acids and energy, 613
- Fermi problems, 175
- Fermi, Enrico, 175
- First ionization energy, 54
- Fission. *See* Nuclear fission
- Fixed air, 121
- Flammability. *See* Combustibility
- Flotation, 77
- Food chemist, 114
- Fool's gold, 66
- Forensic scientists, **215**, 222
- Formula, calculating percentage
 - composition, 202
- Fossil fuels, 537, **577**, 578–586
 - environmental problems, 625
- Fractional distillation, **569**
- Freon, 517
- Fructose, formula, 217

- Fuel cell, **464**
- Fusible plugs, **451**
- Fusion. *See* Nuclear fusion

- Galactose, formula, 217
- Galilei, Galileo, 426
- Gamma radiation, **145**
- Gas chromatography, 222
- Gases
 - air pollution, 515–520
 - behaviour of, 417
 - boiling point, 461
 - combined laws, 452–453
 - compressed, 450, 451
 - density, 490, 491, *492–493SP*
 - produced in double displacement reactions, 134
 - hydrogen, production of, *512–513inv*
 - inert, 244
 - kinetic molecular theory, 418
 - mass, *422EL*
 - molar mass, 490, *494–495SP*, *496–497inv*
 - molar volume, *474–477SP*, 478, *479–482SP*, *480–482SP*, 490
 - molecular mass, 490
 - moles, *482SP*
 - noble, 244
 - particle theory, 419
 - pressure, 424, *430–431inv*, 432–435
 - pressure, volume, and temperature, 447–450
 - solubility, 298
 - temperature, 298, 436, *438–439inv*, 440–441, 444–446
 - using, 462
 - volume, *422EL*, 424, *430–431inv*, 432–435, 436, *438–439inv*, 440–441
- Gasoline, 579
- Gay-Lussac's law, **447**, *448–449SP*, 453
- Gay-Lussac, Joseph Louis, 440, 447, 452, 472, 473, 501
- Gelling agent, 624
- General solubility guidelines, **334**
- Geometric isomer, **558**
- Gesner, Abraham, 579
- Global warming, **623**
- Glucose, 207, 536
 - empirical formula, 207, 217
 - energy, 613
 - molecular formula, 217
- Gold, 65
 - specific heat capacity, 595
- Grams, 14
- Greenhouse effect, 5, 458, 517, 623
- Greenhouse gases, **623**
- Ground water, 360
- Gypsum, 223

- Haber Process, 236
- Halogens, 41
 - single displacement reaction, 131
- Hard water, **360**
 - testing, 363
- Hardness, 12
- Heat, **593**
 - transfer, factors in, 594
- Heat capacity, **609**, 610
 - calorimeter, *610–611SP*
- Heat combustion
 - butane, 615
 - propane, 615
- Heat measurement, technology of, 601
- Heat of combustion, **606**
 - candle, *616–617inv*
- Heat of formation, 589
- Heat of solution, **608**
 - measuring, *608EL*
- Heat transfer, 594
 - mass, 595
 - water, *596–597SP*
- Heptane
 - combustion, 124
 - molecular formula, 546
- Heroin, 158
- Heterogenous mixture, 26
- Hexane, 543
 - chemical formula, 539
 - molecular formula, 539, 546
- High pressure injectors, 427
- High-performance liquid chromatography (HPLC), 188
- Higson, Dr. Robert, 427
- Homogeneous mixtures, 26, 283, 284
- Homologous series, **544**
- Humidity, 459
- Hydrate, **223**
 - barium hydroxide, 224–225
 - determining the formula of, 224–225
 - molecular formula, 225, *226–227inv*
 - naming, 103
- Hydrated, **293**
- Hydrazine, 233
- Hydrides, 340
- Hydrobromic acid, 381, 382
- Hydrocarbons, **533**, 577, 578–586
 - classifying, 544–566
 - compounds, representation of, 538–543
 - cyclic, 561
 - modelling, *542inv*
 - origins of, 536
 - refining, 568
 - risk, 622–623
 - sources of, 537
 - structural diagrams/model, 540, 541
 - unsaturated, 553

- using, 568
- Hydrochloric acid, 102, 235EL, 381, 382, 384
 - boiling point, 70
 - electronegativity, difference of bond 73
 - melting point, 70
 - polar molecule, 91
- Hydrodynamics, 428
- Hydrofluoric acid, 382, 384
- Hydrogen
 - average atomic mass, 180
 - compounds, 104
 - double displacement reaction, 340
 - molar mass, 180
 - specific heat capacity, 595
- Hydrogen bonding, **292**
- Hydrogen chloride. *See* Hydrochloric acid
- Hydrogen gas, production of, *512–513inv*
- Hydroiodic acid, 381, 382
- Hydronium ion, **374**
- Hydrophobic, 77
- Hydrosulfuric acid, 384
- Hyperbaric oxygen chamber, 462
- Hypo, 102
- Hypospray, 427

- Ideal gas, **421**
- Ideal gas law, 472, **484**
 - application of, 489–500
 - density, 489, 490
 - kelvins, 484
 - kilopascals, 484
 - molar mass, 489, 490
 - molar volume, *485–486SP*, 490
 - molecular mass, 490
 - moles, 484
 - product, 509
 - production of hydrogen gas, *512–513inv*
 - reactant, 509
 - stoichiometry, 501–507
- Immiscible, **286**
- Incomplete combustion, **124, 580**
 - 2,2,4-trimethylpentane, *582–584SP*
- Inert gases, 244, 465
- Inner transition elements, 41
- Intermolecular forces, **83**, 420
 - solubility, 292
- International System of Units (SI), 14, 178
- International Union of Pure and Applied Chemistry (IUPAC), 102, 544
- Intramolecular forces, **83**
- Ion charge, solubility, 330
- Ion exchange, **361**
- Ion size, solubility, 331
- Ion-dipole attraction, **293**
- Ionic bonding, 419
- Ionic bonds, **70**
 - more than two ions, 77
 - octet rule, 75
- Ionic compound, 67, 68, 69
 - conductivity, 67, 78–79
 - double displacement reactions, 132–133
 - insoluble, 293
 - magnetism, 67
 - melting point, 67
 - neutralization reaction, 394–396
 - polar solvent, 293
 - solubility, 67, 293, 330, *332–333inv*
- Ionic crystal, preparing, *80inv*
- Ionic equation, 337
- Ionization energy, **54**
 - atoms, 53–55
 - energy levels, 53, 54
 - trends, 55
- Ions, **53**
 - concentration of, calculation of, 348–349
 - flame test, 344
 - mass percent of, 350–351
 - polyatomic, 97
- Iron, specific heat capacity, 595
- Iron oxide, 67, 201
- Isoelectric, **75**
- Isolated system, **602**
- Isomers, **539**, 540, 543, 558
 - cis-trans, 558
 - geometric, 558
 - modelling, *542inv*
- Isopropanol, 124, 309
- Isotopes, **37, 38, 168EL**
 - abundance, 163, 165, *169SP*, 170
 - atomic mass/number, 37
 - average atomic mass, 162, 163, 164, 165
- Isotopic abundance, **163**

- Jet injectors, 427
- Joules, 14, 603
 - specific heat capacity, 595

- Kelvin scale, **440, 441TL**
- Kelvin, Lord, 440
- Kelvins, 14, 484
 - ideal gas law, 484
- Kerosene, 568, 579
- Kevlar, 572
- Kilojoule (kJ), 54
- Kilopascal (kPa), **424**, 484
 - ideal gas law, 484
- Kinetic energy, 421
- Kinetic molecular theory, **421**, 483
 - gases, 418
 - states of matter, 418
- Kirumira, Dr. Abdullah, 463
- Kwolek, Stephanie, 572

- Lactic acid, 370
 - empirical formula, 215
- Lamp oil, 579
- Landfill leachates, 358
- Laplace, Pierre, 603
- Laughing gas, 102, 486–488
- Lavoisier, Antoine, 472, 484, 603
- Law of combining volumes, **472**
- Law of conservation of energy, 602
- Law of conservation of mass, 35, **113**, 115, 241
- Law of definite composition, 35
- Law of definite proportions, **198**
- Law of multiple proportions, **473**
- Lead(II) nitrate, 337
 - solubility, 338
- Lemieux, Dr. Raymond, 536
- Lewis structure, **46**, 76, 87, 88–89, 449
 - bond, 96
 - chemical formula, 95
 - covalent bonds, 81, 82
- Lime, 102
- Limestone, 102, 360
- Limiting reactant, **252**
 - identifying, *253–254SP*
 - stoichiometry, *256–257SP*
- Line structural diagram, 541
- Liquids, 418
- Lithium, 165
- Lithium chloride tetrahydrate, 223
- Lithium hydride, 340
- Lithium hydroxide, 242, *243–244SP*
- Litre, 14
- Lone pairs, **88**
- Lowry, Thomas, 375
- Lunar module, 233
- Lye, 102

- Magma, 458, 491
- Magnesium hydroxide, 102, 383
- Magnesium oxide, 383
 - empirical formula, *212–213inv*
- Magnesium sulfate
 - heptahydrate, 223
 - hydrate, 223
- Magnetism of ionic compound, 67
- Main-group elements, 41
 - electron affinity, 57
- Malleability, 12
- Mannose, formula, 217
- Marble, 102
- Mariotte, Edmé, 433
- Mass
 - chemical equations, 241

- gases, *422EL*
- heat transfer, 595
- law of conservation of, 113
- matter, 14
- molar concentration, *315–316SP*
- mole, 180
- molecules, *190–191SP*
- moles, 185, 186, *187SP*, 189
- percentage composition, *200–201SP*
- precipitate, *353–354SP*
- products, *245–246SP*
- reactants, *243–244SP*, *245–246SP*
- significant digits, *21–22SP*
- stoichiometry, 241, *247–248SP*
- subatomic particles, 35
- Mass number, **36**, 37
- Mass percent, **199**
- Mass spectrometer, **164**, 166, 216, 344
- Mass/mass percent, **306**
 - concentration, 306
 - solving for, *307–308SP*
- Mass/volume percent, **302**
 - solving for, *303–304SP*
- Material Safety Data Sheets, 451
- Matter, **5**, **11**
 - atomic theory of, 34, 35
 - chemical changes, 25
 - chemistry, 6–16
 - classification of, 25, 26
 - describing, 11
 - mass, 14
 - measurement, 14
 - measuring, 11
 - physical changes, 25
 - properties, 11
 - states of, 418
 - temperature, 14
 - volume, 14
- Measurement, *13inv*, 14
 - exact numbers, 15, 17
 - matter, 14
 - significant digits, 17
 - uncertainty, 15, 17
- Melting point, 12
 - covalent and ionic compounds, 67
- Mendeleev, Dmitri, 40, 42
- Mercury(II) sulfide, 202, 203, *353–354*
- Metal, 41, 65, *67EL*, 286
 - alloys, 286
 - bond, 83
 - electron affinity, 57
 - precious, 66
- Metal activity series
 - creating, *128–129inv*
 - single displacement reaction, 126–127, 130–131
- Metal ions, flame test, 344
- Metallic bond, **83**
- Metalloids, 41
- Metathesis reactions, 337
- Methane, 420, 535, 539, 544
 - combustion, 123
 - identification of, *498–500SP*
 - molecular formula, 546
- Methanol, solubility, 294
- Midgley, Thomas, 517
- Milk of magnesia, 102
- Millilitre, 14
- Minerals, 188
- Miscible, **286**
 - covalent compound, 294
- Mixture, **26**, 27
 - analyzing, *274–275inv*
- mm Hg, **428**
- Molar concentration, **313**
 - calculating, *314SP*
 - mass, *315–316SP*
- Molar mass, **180**
 - compound, *181SP*, 197, 198–205, 216
 - empirical formula, 208, 216
 - finding, 53, 181
 - gases, 490, *494–495SP*, *496–497inv*
 - ideal gas law, 489, 490
 - mole, *182–183inv*, 185
 - percentage composition, 202
 - periodic table, 184
- Molar volume
 - calculating, *485–486SP*
 - gases, *474–477SP*, 478, *479–482SP*, 490
 - ideal gas law, *485–486SP*, 490
- Mole ratios, **237**
 - reactants, *239–240SP*
- Molecular compounds, **82**
- Molecular formula, 201, 203
 - compounds, 215–218
 - decane, 546
 - determining, 215, *217–218SP*
 - expanded, 539
 - experiments, 219–228
 - finding by experiment, 219–228
- Molecular mass
 - gases, 490
 - ideal gas law, 490
- Molecular models, comparing, 87
- Molecule size, solubility, 295
- Molecules
 - chemical equations, 235
 - mass, *190–191SP*
 - modelling, 85, *92inv*
 - moles, *178SP*
- Moles, 14, 54, 161, **172**, 173, 484
 - atoms, *176SP*
 - Avogadro constant, 171
 - chemical equations, 237–238
 - conversion, 177
 - gases, *482SP*
 - ideal gas law, 484
 - mass, 180, 185, 186, *187SP*, 189
 - molar mass, *182–183inv*, 185
- molecules, *178SP*
 - periodic table, 184
- Molina, Mario, 518
- Monoprotic acids, 382
- Montréal Protocol, **519**
- Morphine, 158
- Mount St. Helens, 458
- Muriatic acid, 102
- Naphtha, 571
- Natural gas, 537
- Net ionic equation, 341, **342**
 - writing, *342–343SP*
- Neutralization reaction, **135**, 341, **394**
 - calculations, 396
 - ionic compound, 394–396
- Neutrons, 35
- Nickel sulfate, 104
- Nitric acid, 381
- Nitrogen, uses for, 465
- Nitrogen narcosis, 465
- Nitroglycerine, 123
- Noble gases, 41, 47, 244
- Non-electrolyte, **294**
- Non-metals, 41
- Non-polar molecules/compounds, **91**, 291, 553
 - alkanes, 545
 - properties of, 93
- Nonane, molecular formula, 546
- Nuclear equation, **142**, 143–147
- Nuclear fission, 145, **146**
- Nuclear fusion, **145**, **146**
- Nuclear reactions, **111**, **142**
- Octane, 199, 614
 - molecular formula, 546
- Octet, **47**
- Octet rule, **75**
 - bonding, 96
 - chemical formula, 95
 - covalent bonds, 75
 - ionic bonds, 75
- Odour, 12
- Oehlschlager, Dr. Cam, 361
- Oil spill, 623
 - advisor, 624
- Old Faithful, 458
- Oleic acid, 614
- Opium, 158
- Order of magnitude, 176
- Organic compound, **533**, 534
 - modelling, *542inv*
 - natural, 534
 - origins of, 536
 - synthetic, 534
- Oxoacid, **384**
- Oxyacetylene, 580
- Oxyacids, 384

- Oxygen
 average atomic mass, 180
 combustion, 464
 electronegativity, 73
 molar mass, 180
 uses of, 462–464
- Ozin, Dr. Geoffrey, 89
- Ozone cycle, 516
- Ozone depletion, 515–520
-
- Paraffin, 568, 615
- Particle, stoichiometry, 247–248SP
- Parts per billion (ppb), **311**, 311–312SP
- Parts per million (ppm), **311**
- Pascal (Pa), **424**
- Pascal, Blaise, 428
- Pentane, 420
 combustion, 124
 molecular formula, 546
- Percentage composition, 200
 calculating from chemical formula, 202, 203–204SP
 empirical formula, 208, 210–211SP
 mass, 200–201SP
 molar mass, 202
 using, 205
- Percentage purity, **268**
 finding, 268–269SP
- Percentage yield, 260, **261**
 actual yield, 263–264SP
 application of, 264
 calculating, 261–262SP
 determining, 266–267inv
 purity, 265
- Perchloric acid, 381
- Periodic law, **44**
- Periodic table, 38, 40
 annotated, 59
 average atomic mass, 165
 chemical properties, 40
 electrons, 42
 molar mass, 184
 mole, 184
 physical properties, 40
- Periodic trends, **44**, 49–55
- Pesticides and pollution, 408–409inv
- Petrochemicals, **568**
- Petroleum, **537**, 568
- Petroleum age, 579
- Petroleum products, 619–626
- Pewter, 306
- pH, 385, **386**, 387–388
 acid, 390–391inv
 calculating, 389SP
- Phenolphthalein, 395
- Phosgene, 492
- Phosphates, 8
- Phosphoric acid, 383
- Phosphorus tribromide, 105
- Physical changes, **25**
- Physical property, **12**
 periodic table, 40
- Pipette, 399–401
- Plasma, 418
- Plastics, 535
- Polar bonds, 90
- Polar covalent bonds, **86**
- Polar molecules, **91**, 420, 421
 properties of, 93
 water, 90
- Polar solvent, 293
- Polar substance, 291
- Pollution, 5, 515–520, 623, 624
 pesticides, 408–409inv
 phosphate, 8
 water quality, 358
- Polonium, 143
- Polanyi, Dr. John Charles, 9
- Polyatomic ions, **97**
 compounds, 104
- Polyisobutylene, 559
- Polymer, 559
- Polymer chemist, 572
- Polymerization, 553
- Polymers, **535**
- Polystyrene, 535
- Polywater, 329
- Potassium aluminum sulfate
 dodecahydrate, 223
- Potassium fluoride,
 electronegativity, 72
- Potassium hydroxide, 117, 383, 392
- Potassium iodide, 337
 solubility, 338
- Potassium nitrate, 204
 products of decomposition, 204
- Potential energy, **615**
- Precious metal, 66
- Precipitates, **132**, **332**
 double displacement reactions, 132–133
 mass, 353–354SP, 354–355
 predicting formation of, 338–339
 silver chromate, 354–355
 solubility, 332–333inv
- Precipitation reaction, 338
 solubility, 338
- Precision, **18**
- Pressure, **424**
 atmosphere, 427EL, 428
 atmospheric, 425
 gases, 424, 430–431inv, 432–435
 solubility, 299
 standard atmospheric, 428
 torr, 428
 units of, 428
 volume, 428, 430–431inv
- Pressure relief valve, **450**
- Priestly, Joseph, 472
- Product, **112**
 ideal gas law, 509
 mass, 245–246SP
- Product development chemist, 313
- Propane
 chemical formula, 539
 combustion, 580
 heat of combustion, 615
 molecular formula, 539, 546
- Propene, 553, 568
- Property, **11**
 aliphatic compounds, 564inv
 chemical, 12
 physical, 12
 qualitative, 12
 quantitative, 12
- Propyne, 560
- Proteins, 534
- Proton acceptors, 376
- Proton donors, 376
- Protons, 35
- Proust, Joseph Louis, 198
- Pure covalent bonds, **81**
- Pure substance, **26**, 27
- Purity, 268
 percentage yield, 265
- Puskas, Dr. Judit, 559
- Pyrite, 66
-
- Qualitative analysis, 274–275inv, **344**
 aqueous solutions, 345–346inv
- Quality control (QC), 188
- Quantitative analysis, 274–275inv
- Quartz, 102
-
- Radioactive isotope of carbon, 144
- Radioactivity, **38**, 142–147
- Radioisotopes, **38**
- Radium, 143
- Radon, 143
- Rare metals, 56
- Rate of dissolving, **290**
- Reactants, **112**
 chemical equations, 239
 excess, 252, 255inv
 ideal gas law, 509
 limiting, 251–253, 253–254SP, 255inv
 mass, 243–244SSP, 245–246SP
 mole ratios, 239–240SP
- Reactivity, 12
- Recommended Nutrient Intake, 188
- Reforming, **571**
- Respiration, 111
- Richter, Jeremias Benjamin, 242
- Ripening and enzymes, 552
- Risk, **620**
 hydrocarbons, 622–623
- Risk-benefit analysis, **620**
 smoking, 620–622SP

- Rotational motion, 418
- Rowland, F. Sherwood, 518
- Rutherford, Ernest, 145

- Sal ammoniac, 101
- Salt, **394**
- Saturated fat, 614
- Saturated hydrocarbons, 544
- Saturated solution, **286**
- Saturation of solution, 286
- Science societies, 471
- Science, technology, society and the environment (STSE), 8
- Second ionization energy, 54
- Sewage, 362
- Shells. *See* Energy levels
- SI units, 428
 - See also* International System of Units
- Significant digits, **17**, *19EL*
 - calculating with, 20
 - mass, *21–22SP*
 - measurement, 17
 - rounding, 20
 - rules for, 17
 - volume, *20–21SP*
- Silicic acid, 329
- Silicon dioxide, 102
- Silver chloride, 341
- Silver chromate
 - precipitates, 354–355
 - solubility, 354–355
- Single displacement reaction, **126**
 - copper, *138–139inv*
 - halogens, 131
 - metal activity series, 126–127, 130–131
- Skeleton equation, **113**
- Slag, 77
- Smog, 516
- Smoking, risk-benefit analysis, *620–622SP*
- Sniffers, 222
- Soap, 360, 369
- Sodium bicarbonate, 136, 394
- Sodium carbonate, 102, 370
 - decahydrate, 223, 361
- Sodium chloride, 66, 69, 101, 102
 - bonding, 75
 - conductivity, 69, 78–79
 - electronegativity, 75
 - melting point, 69
 - solubility, 69, 334
- Sodium hydrogen carbonate, 102, *235EL*, 370, 394, 534
- Sodium hydroxide, 102, 369, 370, 383
- Sodium stearate, 360
- Sodium sulfate, 104
- Sodium sulfite, 340
- Sodium thiosulfate, 102

- Sodium tripolyphosphate, 8
- Soft water, **360**
 - testing, 363
- Soil erosion, 5
- Solids, 418
- Solubility, 12, **286**
 - alkanes, 552
 - alkenes, 553
 - aqueous solutions, 330
 - compounds, 330, 331, *332–333inv*
 - covalent compound, 67, 294
 - curves, plotting, *296–297inv*
 - electronegativity, 293
 - factors affecting, 290–301
 - gases, 298
 - general guidelines, 334
 - insoluble, 287
 - intermolecular forces, 292
 - ion charge, 330
 - ion size, 331
 - ionic compound, 67, 293, 330, *332–333inv*
 - making predictions, 331
 - molecule size, 295
 - particle attraction, 291
 - precipitates, *332–333inv*
 - precipitation reaction, 338
 - predicting, 293
 - pressure, 299
 - slightly soluble, 287
 - solution, 286
 - sparingly soluble, 287
 - temperature, 290, 295, *298EL*
- Solute, **284**, 288
- Solution, **284**
 - concentration, 283, 302–318, *317inv*, *322–323inv*
 - diluting, 320
 - gases, *298EL*
 - heat of, 608
 - measuring heat of, *608EL*
 - preparing, 319–324
 - saturation, 286
 - solubility, 286
 - standard, 319
 - type of, 284–286
- Solvent, **284**
 - coffee, 300
 - identifying, 287
 - solute, 288
- Sørensen, Søren, 386
- Sour gas, 580
- Space-filling model, 87, 540
- Specific heat capacity, **595**, 610
 - calculating, *598–599SP*
 - compounds, 595
 - determining, *604–605SP*
 - elements, 595
 - joules, 595
 - water, 595
- Spectator ions, **341**

- Stable octet, **47**
 - bond, 96
- Standard ambient temperature and pressure (SATP), **452**, 485
- Standard atmospheric pressure, **428**
- Standard solution, **319**, 399
 - diluting, *320–321SP*
- Standard temperature, **452**
- Standard temperature and pressure (STP), **452**
- Starches, 534
- Steroid, 561
- Stock system, **102**, 103
- Stock, Alfred, 102
- Stoichiometric amounts, **251**
- Stoichiometric coefficients, **251**
- Stoichiometry, 234, **242**, 501–514
 - aqueous solutions, 348–355
 - ideal gas law, 511–507
 - limiting reactant, *256–257SP*
 - mass, 241, *247–248SP*
 - mass to volume, 504–507
 - particle, *247–248SP*
 - process for solving problems, 247
 - using, *274–275inv*
 - volume to volume, 501–503
 - water vapour pressure, 507–509
- Strong acid, **381**
- Strong base, **383**
- Strontium hydroxide, 383
- Structural diagrams, 87, **541**
 - alkanes, 550–551
- Structural model, **540**
- Structures of aliphatic compounds, *564inv*
- Subatomic particles, 35
- Sucrose, 536
 - solubility, 294
- Sugars, 534
- Sulfur dioxide, 420
 - double displacement reaction, 340
- Sulfuric acid, 381
- Superconductors, 437
- Superfluid, 442
- Surface water, 360
- Sustainable development, **625**
- Swiss Water Process, 300
- Symposium, 473
- Synthesis reactions, 119, **120**
 - compounds, 120, 121
 - copper, *138–139inv*
 - elements, 120
- Synthesized, 533
- Systematic names, 544

- Table salt, 69, 101, 102
- Technology and chemistry, 7, 8
- Temperature, **593**
 - change in, 594–595

gases, 298, 436, *438–439inv*,
 440–441, 444–446
 matter, 14
 rate of dissolving, 290
 solubility, 290, 295, *298EL*
 volume, *438–439inv*
 Tertiary compounds, 104
 Testosterone, 561
 Theoretical yield, 260
 Thermal conductivity, 12
 Thermal energy, **593**
 calculating, *606–607SP*
 Thermal equilibrium, **605**
 Thermochemical equation, 588
 acetylene, *590–591SP*
 Third ionization energy, 54
 Titration, **399**
 step-by-step, 399–401
 Torr, **428**
 conversion, 485
 Torricelli, Evangelista, 426, 428
 Total ionic equation, **341**
 Toxicity, 12
 Transition elements, 41
 Translational motion, 419
 Triple bond, **82**
 Triprotic acids, 383
 Troposphere, 516
 Typhoid, 364

 Ultraviolet radiation, 516, 519
 Uncertainty in measurement, 15, 17
 Universal gas constant, 484, 485
 Unsaturated fat, 614
 Unsaturated hydrocarbons, 553
 Unsaturated solution, **286**
 Urea, 534

 Valence, **96**
 bond, 96
 chemical formula, 98–100
 polyatomic, 97, 98
 Valence electrons, **45**
 atoms, 70
 Van der Waals equation, 483
 van Helmont, Jan Baptista, 114
 Vanillin, 200
 Variable composition, **284**
 Vibrational motion, 418
 Vinegar, 369, 544
 concentration, *402–403inv*
 Vital force, 534
 Vitamins, 188
 Volcanoes, 458
 Volume
 finding, *397–398SP*
 gases, *422EL*, 424, *430–431inv*,
 432–435, 436, *438–439inv*, 440–441
 matter, 14

 pressure, 428, *430–431inv*
 significant digits, *20–21SP*
 temperature, *438–439inv*
 Volume/volume percent, **309**
 concentration, 309
 solving for, *309–310SP*
 Volumetric flask, **319**

 Washing soda, 102, 361, 370
 Waste water, 362
 Water, 199, 207
 double displacement reactions, 341
 chemical formula, 207
 heat transfer, *596–597SP*
 molecular shape, 88
 polar bonds, 90
 polar molecule, 90
 solubility, 330
 solutions, 329
 specific heat capacity, 595
 Water cycle, 357
 Water quality
 aqueous solutions, 357–364
 health concerns, 358, 364
 pollution, 358
 Water softener, 361
 Water treatment, **359**
 Weak acid, **381**
 Weak base, **383**
 Weak dispersion forces, 420
 Weighted average, **165**
 Wet chemical techniques, 344
 WHMIS, 451
 Wohler, Friedrich, 534
 Word equation, **112**
 Wu, Dr. Jiangning, 363

X-ray fluorescence, 58

Zero sum rule, **98**