Name:	_Answers	
	SCIENCE	
SNG	2D	

_		•		•	
()	nt	ICS	Re	eview	

104 / 104

A. Fill in the blanks (use the following list) [ /20]

angle of incidence convex mirror normal refracted ray image angle of reflection critical angle incandescence objective lens refraction angle of refraction dispersion partial reflection & refraction retina incident ray apparent depth diverging lens index of refraction phosphorescence shimmering astigmatism eyepiece lens presbyopia spherical aberration total internal reflection bioluminescence fluorescence luminescence principle axis chemiluminesence triboluminesence focal length magnification ray focal point real image chromatic aberration medium vertex concave mirror plane mirror reflected ray virtual mirage reflection wavelength converging lens hyperopia myopia

- 1. Bioluminescence is light produced by living organisms.
- 2. According to the laws of <u>reflection</u>, the <u>angle of incidence</u> is equal to the <u>angle of reflection</u>.
- 3. A mirror whose reflecting surface curves inward is a concave mirror.
- 4. The focal point is the point on the principle axis through which reflected rays pass.
- 5. A mirror whose reflecting surface curves outward is a convex mirror.
- 6. The angle of incidence for which the angle of refraction is 90° is called the critical angle.
- 7. When you think that you are seeing an object but it is not really there, you are seeing a virtual image.
- 8. Spherical aberration occurs when rays at the edges of curved mirrors do not pass through the focal point.
- 9. A mirage is an optical effect caused by the bending of light rays passing through layers of varying temperatures.
- 10. The ratio of the speed of light in a vacuum to the speed of light in a medium is the index of refraction.
- 11. A diverging lens is thinner in the centre than it is around the edges.
- 12. The light-sensitive part of the eye is the retina.
- 13. When someone's eyes cannot focus on nearby objects, the person has hyperopia.
- 14. A converging lens brings parallel light rays toward a common point.
- 15. A lens is a transparent object with at least one curved side that causes light to refract.
- B. True or False (If the statement is false, rewrite the statement to make it true) [ /10]
- 16. The characteristics of an image produced by a concave mirror are always the same.
  - F An image produced by a CONVEX mirror always produces the same characteristics.
- 17. Magnification of an image formed by a convex mirror will be  $\geq 1.0$ 
  - F Magnification of an image formed by a convex mirror will be  $\leq 1.0$
- 18. A ray traveling towards any curved mirror, parallel to the PA will reflect back through  $\mathsf{F}.$

Т

19. Concave and convex mirrors can both experience spherical aberration.

Т


- 20. Concave mirrors are used for security mirrors and convex mirrors are used for radar antennas.
  - F concave mirrors are used for radar antennas and convex mirrors are used for security mirrors.
- C. Similarities/Differences (describe similarities/differences between each pair) [ /8]
- 21. direct / indirect light
- both can illuminate an object
- direct light comes from luminous objects
- indirect light comes from non-luminous objects
- 23. mirror / lens
- both are optical instruments
- light reflects off a mirror
- light is transmitted through a lens

- 22. reflection / refraction
- both are produced by rays of light
- angle of incidence = angle of reflection
- refraction of light is the bending of light
  - 24. principle axis / normal
- both are 90° to their respective surfaces
- principle axis is normal to the axis of symmetry
- 90° to the surface where a ray meets


D.	Multiple choice (Choose the best answer) [ /8]
25	<ul> <li>b. How is light transmitted?</li> <li>a) in the form of electromagnetic waves</li> <li>b) in straight lines</li> <li>c) as energy</li> <li>d) all of the above</li> </ul>
26	a) always a virtual image b) sometimes produces a real image c) always a real image d) sometimes produces a virtual image d) sometimes produces a virtual image
27	<ul> <li>The line perpendicular to a reflecting surface is called</li> <li>a) incident ray</li> <li>b) reflected ray</li> <li>c) normal</li> <li>d) principle axis</li> </ul>
28	3. A material has an index of refraction of 1.54. Calculate the speed of light through this material. a) $4.38 \times 10^8$ m/s b) $1.95 \times 10^8$ m/s c) $2.34 \times 10^8$ m/s d) $4.46 \times 10^8$ m/s
29	<ul> <li>What is the phenomenon of apparent movement of objects seen through hot air over objects and surfaces called?</li> <li>a) refraction</li> <li>b) shimmering</li> <li>c) reflection</li> <li>d) dispersion</li> </ul>
30	<ul> <li>A ray of light passes from glass to air. Which of the following can occur?</li> <li>a) total internal reflection</li> <li>b) total refraction</li> <li>c) partial reflection and partial refraction</li> <li>d) both A and C</li> </ul>
31	<ul> <li>. Which factor can affect the focal length of a lens?</li> <li>a) curvature</li> <li>b) colour of light</li> <li>c) index of refraction</li> <li>d) both A and C</li> </ul>
32	2. A person with a condition who is unable to see objects far away?  a) myopia b) hyperopia c) presbyopia d) astigmatism

## E. Diagrams [ /30]


33. Draw the image produced from the following object and then complete a LOST table. (6)




34. Draw the image produced from the following object and then complete a LOST table. (8)



35. Draw the image produced from the following object and then complete a LOST table. (8)



36. Draw the image produced from the following object and then complete a LOST table. (8)



- 37. A concave mirror has a focal length of 6.0 cm. An object with a height of 0.60 cm is placed 10.0 cm in front of the mirror.
  - a) Calculate the image distance, di. (4)

$$\frac{1}{f} = \frac{1}{do} + \frac{1}{di}$$

$$\frac{1}{di} = \frac{1}{f} - \frac{1}{do}$$

$$\frac{1}{di} = \frac{1}{6} - \frac{1}{10}$$

di = 15 cm

Therefore the image of the distance is 15 cm.

b) Calculate the image height, hi. (4)

$$\frac{hi}{ho} = -\frac{di}{do}$$

$$hi = \frac{-diho}{do}$$

$$hi = \frac{-(15)(0.60)}{10}$$

hi = -0.9 cm

Therefore the  $h_i$  is - 0.9 cm

- 38. A convex surveillance mirror in a convenience store has a focal length of -0.40 m. A customer, who is 1.7 m tall, is standing 4.5 m in front of the mirror.
  - a) Calculate the image distance, di. (4)

$$\frac{1}{f} = \frac{1}{do} + \frac{1}{di}$$

$$\frac{1}{di} = \frac{1}{f} - \frac{1}{do}$$

$$\frac{1}{di} = \frac{1}{-0.40} - \frac{1}{4.5}$$

$$d_i = -0.37 \text{ m}$$

Therefore the  $d_i$  is - 0.37 m

b) Calculate the image height, hi. (4)

$$\frac{hi}{ho} = -\frac{di}{do}$$

$$hi = \frac{-diho}{do}$$

$$hi = \frac{-(-0.37)(1.7)}{4.5}$$

$$h_i = 0.14 \text{ m}$$

Therefore  $h_i = 0.14 \text{ m}$ 

39. Calculate the speed of light in fused quartz, given the index of refraction for fused quartz is n = 1.46 and the speed of light in a vacuum is  $c = 3.00 \times 10^8$  m/s. (4)

$$n = \frac{c}{v}$$

$$v = \frac{c}{n}$$

$$v = \frac{3.00x10^8}{1.46}$$

$$v = 2.05 \times 10^8 \text{ m/s}$$

Therefore the speed of light in fused quartz is  $2.05 \times 10^8$  m/s

- 40. An object 8.5 cm high is placed 28 cm from a converging lens. The object forms 21 cm from the lens.
  - a) Calculate the focal length of the lens, f. (4)

$$\frac{1}{f} = \frac{1}{do} + \frac{1}{di}$$

$$\frac{1}{f} = \frac{1}{28} + \frac{1}{21}$$

$$f = 12 cm$$

Therefore the focal length is 12 cm.

b) Calculate the image height, h<sub>i</sub>. (4)

$$\frac{hi}{ho} = -\frac{di}{do}$$

$$hi = \frac{-\ diho}{do}$$

$$hi = \frac{-(21)(8.5)}{(28)}$$

$$h_i = -6.34$$
 cm

Therefore the  $h_i$  is - 6.34 cm.