

# **Hunan Province Industrial Equipment Installation Co., Ltd.**

## **Uzbekistan Project Exhaust Gas Washing System Equipment Procurement Project**

### **Documentation (Volume II)**

**Supplier Unit: Hunan Jisheng Anti-corrosion and Thermal  
Insulation Engineering Co., Ltd.**


**Address: Zhuolu Road, Luoshong District, Zhuzhou City,  
Hunan Province**

**Date: May 12, 2026**

# Contents

|                                                                                                  |     |
|--------------------------------------------------------------------------------------------------|-----|
| 1、Approved Overall Dimension Drawing and Nozzle Schedule .....                                   | 1   |
| 2、Drawings for Auxiliary Equipment (including Outline Drawing and Cross-Sectional Drawing) ..... | 2   |
| 2.1 Outline Drawing and Cross-Sectional Drawing of the Pump .....                                | 2   |
| 2.2 Tower Structure Drawing .....                                                                | 9   |
| 2.3 Scrubber System Drawing .....                                                                | 42  |
| 2.4 Fan Drawing .....                                                                            | 76  |
| 2.5 FRP Tank Drawing .....                                                                       | 77  |
| 3、Electrical Drawings .....                                                                      | 79  |
| 3.1 Electrical Schematic Diagram .....                                                           | 79  |
| 3.2 Electrical Equipment Outline Drawing and Detail Drawing .....                                | 99  |
| 3.3 External Wiring and Layout Drawing .....                                                     | 101 |

## 1




| NO. | Symbol | Nominal Size | Connecting Dimension Standard | Connecting<br>Surface Type | Purpose or Name                     | Length of Takeover                                           |
|-----|--------|--------------|-------------------------------|----------------------------|-------------------------------------|--------------------------------------------------------------|
| 1   | a      | 1800         | Series II of HG/T2692-2009    | RF                         | Air Inlet                           | 200                                                          |
| 2   | b      | 2000         |                               |                            | Air Outlet                          |                                                              |
| 3   | c1/2   | 300          | Series II of HG/T2692-2009    | RF                         | Circulation Pump Connection         | 200                                                          |
| 4   | d1/2   | 65           | Series II of HG/T2692-2009    | RF                         | Sodium Sulfate Transfer Pump Inlet  | 200                                                          |
| 5   | e1/3   | 65           | Series II of HG/T2692-2009    | RF                         | Circulation Air Inlet               | 200                                                          |
| 6   | f1/2   | 80           | Series II of HG/T2692-2009    | RF                         | Level Gauge                         | L=250, 45° Angled Insertion                                  |
| 7   | g      | 50           | Series II of HG/T2692-2009    | RF                         | pH Meter                            | L=250, 45° Angled Insertion                                  |
| 8   | h1/2   | 150          | Series II of HG/T2692-2009    | RF                         | Lower Bottom Drainage<br>Connection | Bottom Drain, L=300, Overflow<br>L=250, 45° Angled Insertion |
| 9   | i      | 20           | Series II of HG/T2692-2009    | RF                         | Alkali Make-up                      | 150                                                          |
| 10  | j      | 80           | Series II of HG/T2692-2009    | RF                         | Water Make-up                       | 150                                                          |
| 11  | K1/2   | 150          | Series II of HG/T2692-2009    | RF                         | Spray Inlet                         | 150                                                          |
| 12  | m1/6   | 600          | Series II of HG/T2692-2009    | RF                         | Manhole                             | 150                                                          |

[illegible]

2、 Drawings for Auxiliary Equipment (including Outline Drawing and Cross-Sectional Drawing)



2.1 Outline Drawing and Cross-Sectional Drawing of the Pump







Wolong

# Pump Installation Dimension Drawing



Anchor Bolt




|                     |                                              |                      |            |
|---------------------|----------------------------------------------|----------------------|------------|
| Model and Name      | IH65-50-125 Stainless Steel Centrifugal Pump | Matching Motor Power | 4KW-2      |
| Flange Standard No. | HG/T20592-2009 PN16 RF                       | Weight               | 160 kg     |
| Company Name        | Anhui Wolong Pump & Valve Co., Ltd.          | Design               | He Jianjun |
|                     |                                              | Review               | Mei Yitao  |



Wolong

# Pump Installation Dimension Drawing







|                     |                                     |                      |               |
|---------------------|-------------------------------------|----------------------|---------------|
| Model and Name      | IHF65-50-125 Centrifugal Pump       | Matching Motor Power | 3KW-2         |
| Flange Standard No. | HG/T20592-2009 1.6MPa RF            | Weight               | 150kg         |
| Company Name        | Anhui Wolong Pump & Valve Co., Ltd. | Design               | Wu Shufang    |
|                     |                                     | Review               | Hong Zhongbao |




# Pump Installation Dimension Drawing

UHB-ZK Mortar Pump




|                     |                                |                      |               |
|---------------------|--------------------------------|----------------------|---------------|
| Model and Name      | UHB-ZK250/600-25 Mortar Pump   | Matching Motor Power | 90KW-4        |
| Flange Standard No. | HG/T20592-2009 PN16 RF         | Weight               | 1860kg        |
| Company Name        | Shanghai Suyuan Pump Co., Ltd. | Design               | Wu Dun        |
|                     |                                | Review               | Hong Zhongbao |



| No. | Part Name                        | Qty. | Material                  | Remarks                        |
|-----|----------------------------------|------|---------------------------|--------------------------------|
| 1   | Pump Body                        | 1    | HT200/F46                 |                                |
| 2   | Impeller                         | 1    | 45# / Fluoroplastic Alloy |                                |
| 3   | O-Ring                           | 1    | FKM                       |                                |
| 4   | Pump Cover                       | 1    | HT200/F46                 |                                |
| 5   | Bracket                          | 1    | HT200                     |                                |
| 6   | Cartridge Double Mechanical Seal | 1    | /                         | See seal cross-section drawing |
| 7   | Bearing Cover (Pump End)         | 1    | HT200                     |                                |
| 8   | Oil Seal (Pump End)              | 1    | FKM                       |                                |
| 9   | Deep Groove Ball Bearing         | 2    | SKF                       |                                |
| 10  | Tie Bolt                         | 1    | 45#                       |                                |
| 11  | Bearing Housing                  | 1    | HT200                     |                                |
| 12  | Pump Shaft                       | 1    | 45#                       |                                |
| 13  | Bearing Cover (Coupling End)     | 1    | HT200                     |                                |
| 14  | Oil Seal (Drive End)             | 1    | FKM                       |                                |
| 15  | Key                              | 1    | 45#                       |                                |
| 16  | Support Plate                    | 1    | HT200                     |                                |

| CONTRACT DATA                                                                                                                      |               |                                                               |          |
|------------------------------------------------------------------------------------------------------------------------------------|---------------|---------------------------------------------------------------|----------|
| Client                                                                                                                             |               |                                                               |          |
| Project                                                                                                                            |               |                                                               |          |
| Equipment                                                                                                                          |               |                                                               |          |
| Series No                                                                                                                          |               |                                                               |          |
| Customer P.O.                                                                                                                      |               |                                                               |          |
| Sulzer P.O.                                                                                                                        |               |                                                               |          |
| Material Code                                                                                                                      |               |                                                               |          |
| Design                                                                                                                             | Wu Shufang    | Sectional Drawing of<br>IHF Fluoroplastic<br>Centrifugal Pump | REV<br>0 |
| Review                                                                                                                             | Hong Zhongbao |                                                               |          |
| Date                                                                                                                               | 2020. 04. 26  |                                                               |          |
|  ® Wolong Anhui Wolong Pump & Valve Co., Ltd. |               |                                                               |          |




| No. | Part Name                        | Qty. | Material | Remarks                        |
|-----|----------------------------------|------|----------|--------------------------------|
| 1   | Pump Body                        | 1    | 304      |                                |
| 2   | Impeller                         | 1    | 304      |                                |
| 3   | Impeller Nut                     | 1    | 304      |                                |
| 4   | Impeller Nut Sealing Flat Gasket | 1    | F4       |                                |
| 5   | Pump Cover Sealing Flat Gasket   | 1    | F4       |                                |
| 6   | Pump Cover                       | 1    | 304      |                                |
| 7   | Shaft Sleeve Sealing Flat Gasket | 1    | F4       |                                |
| 8   | Cartridge Double Mechanical Seal | 1    | Seal /   | See seal cross-section drawing |
| 9   | Bracket                          | 1    | HT200    |                                |
| 10  | 轴套                               | 1    | 304      |                                |
| 11  | Bearing Cover (Pump End)         | 1    | HT200    |                                |
| 12  | Deep Groove Ball Bearing         | 2    | NSK      |                                |
| 13  | Bearing Housing                  | 1    | HT200    |                                |
| 14  | Pump Shaft                       | 1    | 2Cr13    |                                |
| 15  | Bearing Cover (Coupling End)     | 1    | HT200    |                                |
| 16  | Oil Seal                         | 2    | FKM      |                                |
| 17  | Key                              | 1    | 45#      |                                |
| 18  | Support Plate                    | 1    | HT200    |                                |

| CONTRACT DATA                                                                                                                      |                |                                                                        |          |
|------------------------------------------------------------------------------------------------------------------------------------|----------------|------------------------------------------------------------------------|----------|
| Client                                                                                                                             |                |                                                                        |          |
| Project                                                                                                                            |                |                                                                        |          |
| Equipment                                                                                                                          |                |                                                                        |          |
| Series No                                                                                                                          |                |                                                                        |          |
| Customer P.O.                                                                                                                      |                |                                                                        |          |
| Sulzer P.O.                                                                                                                        |                |                                                                        |          |
| Material Code                                                                                                                      |                |                                                                        |          |
| Design                                                                                                                             | Cheng Zhiqiang | Cross-sectional View of<br>IH Type Stainless Steel<br>Centrifugal Pump | REV<br>0 |
| Review                                                                                                                             | Mei Yitao      |                                                                        |          |
| Date                                                                                                                               | 2022.01.06     |                                                                        |          |
|  ® Wolong Anhui Wolong Pump & Valve Co., Ltd. |                |                                                                        |          |


Copyright © Anhui Wolong Pump & Valve Co., Ltd.

| No. | Part Name                        | Qty. | Material               | Remarks                 |
|-----|----------------------------------|------|------------------------|-------------------------|
| 1   | Inlet Connection                 | 1    | 45#/UHMWPE             |                         |
| 2   | Inlet Connection Gasket          | 1    | FKM                    |                         |
| 3   | Front Cover                      | 1    | HT200/UHMWPE           |                         |
| 4   | Front Pump Cover Gasket          | 1    | FKM                    |                         |
| 5   | Pump Body                        | 1    | HT200/UHMWPE           |                         |
| 6   | Discharge Connection             | 1    | 45#/UHMWPE             |                         |
| 7   | Discharge Connection Gasket      | 1    | FKM                    |                         |
| 8   | Rear Pump Cover Gasket           | 1    | FKM                    |                         |
| 9   | Impeller Nut                     | 1    | 45#/UHMWPE             |                         |
| 10  | Impeller Nut O-Ring              | 1    | FKM                    | φ93.6*5.7               |
| 11  | Round Nut                        | 1    | 45#                    |                         |
| 12  | Lock Nut Washer                  | 1    | 45#                    |                         |
| 13  | Impeller                         | 1    | 45#/UHMWPE             |                         |
| 14  | Impeller Seal Ring               | 1    | FKM                    | φ90*7                   |
| 15  | Auxiliary Impeller               | 1    | 45#/UHMWPE             |                         |
| 16  | Front Bearing Cover              | 1    | HT200                  |                         |
| 17  | Front Bearing NU316              | 1    | SKF                    |                         |
| 18  | Breather                         | 1    | AL                     |                         |
| 19  | Bearing Housing                  | 2    | HT200                  |                         |
| 20  | Key 18*10*95                     | 1    | 45#                    |                         |
| 21  | Rear Bearing Cover               | 1    | HT200                  |                         |
| 22  | Support Plate                    | 1    | HT200                  |                         |
| 23  | Round Nut                        | 1    | 45#                    |                         |
| 24  | Tab Washer                       | 1    | A3                     |                         |
| 25  | Angular Contact Bearing 7316CA   | 2    | SKF                    |                         |
| 26  | Oil Sight Glass                  | 1    | Glass / Aluminum Alloy |                         |
| 27  | Pump Shaft                       | 1    | 45#                    |                         |
| 28  | Bracket                          | 1    | HT200                  |                         |
| 29  | Cartridge Double Mechanical Seal | 1    | SIC-SIC                | ZHLSA-90 Non-standard 2 |
| 30  | Rear Pump Cover                  | 1    | HT200/UHMWPE           |                         |
| 31  | Shaft Sleeve                     | 1    | 45#/UHMWPE             |                         |
| 32  | Shaft Sleeve Gasket              | 1    | FKM                    |                         |
| 33  |                                  |      |                        |                         |




|                                                                                                                                    |               |                                       |          |
|------------------------------------------------------------------------------------------------------------------------------------|---------------|---------------------------------------|----------|
| CONTRACT DATA                                                                                                                      |               |                                       |          |
| Client                                                                                                                             |               |                                       |          |
| Project                                                                                                                            |               |                                       |          |
| Equipment                                                                                                                          |               |                                       |          |
| Series No                                                                                                                          |               |                                       |          |
| Customer P.O.                                                                                                                      |               |                                       |          |
| Sulzer P.O.                                                                                                                        |               |                                       |          |
| Material Code                                                                                                                      |               |                                       |          |
| Design                                                                                                                             | Wu Dan        | UHB-ZK250/600-50<br>Sectional Drawing | REV<br>0 |
| Review                                                                                                                             | Hong Zhongbao |                                       |          |
| Date                                                                                                                               | 2020.11.24    |                                       |          |
|  ® Wolong Anhui Wolong Pump & Valve Co., Ltd. |               |                                       |          |

2.2 Tower Structure Drawing




## 2.3 Scrubber System Drawing

[illegible]







Elevation layout of demister





Layout of girder of demister



A-A Ring plate layout drawing




Layout plan of demister




- Note:
1. The anti-corrosion treatment of the main beam uses fiberglass reinforced plastic with 3 layers of fabric and 5 layers of oil. A Sic wear-resistant layer is added on the surface, with a total thickness of  $\geq 3\text{mm}$ .
  2. The demister is centered in the center of the tower and must not be eccentric.

|                                                |
|------------------------------------------------|
| Registration of Shared (Interchangeable) Parts |
| Tracing                                        |
| Traced & Checked                               |
| Old Master Drawing Number                      |
| Master Drawing Number                          |
| Sign                                           |
| Date                                           |


|         |                     |      |                        |           |                  |                    |  |          |                                                                           |                                |
|---------|---------------------|------|------------------------|-----------|------------------|--------------------|--|----------|---------------------------------------------------------------------------|--------------------------------|
|         |                     |      |                        |           |                  | Tail Gas Treatment |  |          | Hunan Jisheng Anti-corrosion and Thermal Insulation Engineering Co., Ltd. |                                |
| Mark    | Number of Locations | Zone | Change Document Number | Signature | Year, Month, Day | Phase Mark         |  | Weight   | Scale                                                                     | Absorption System Project Name |
| Design  |                     |      | Standardization        |           |                  |                    |  |          |                                                                           |                                |
| Review  |                     |      |                        |           |                  |                    |  |          |                                                                           |                                |
| Process |                     |      |                        | Approved  |                  | Total Sheets       |  | Sheet of |                                                                           | SBJS-SB-20260401-02-002        |




2.4 Fan Drawing




## 2.5 FRP Tank Drawing




Layout plan for strengthening the roof




### Schematic diagram of the opening position



| No.     | Symbol              | Nominal Size | Flange Standard             | Connecting Surface Type | Service or Name                    | Nozzle Projection                                                                  |
|---------|---------------------|--------------|-----------------------------|-------------------------|------------------------------------|------------------------------------------------------------------------------------|
| 1       | a                   | 65           | Series II of HG/T20592-2009 | RF                      | Sodium Sulfate Transfer Pump Inlet | 150                                                                                |
| 2       | b                   | 80           | Series II of HG/T20592-2009 | RF                      | Drain Port                         | 200                                                                                |
| 3       | c                   | 80           | Series II of HG/T20592-2009 | RF                      | Overflow Port                      | 150                                                                                |
| 4       | d                   | 65           | Series II of HG/T20592-2009 | RF                      | Feed Inlet                         | 150                                                                                |
| 5       | e                   | 65           | Series II of HG/T20592-2009 | RF                      | Spare Connection                   | 150                                                                                |
| 6       | f1'2                | 25           | Series II of HG/T20592-2009 | RF                      | Level Gauge                        | 150                                                                                |
| 7       | m                   | 600          | Series II of HG/T20592-2009 | RF                      | Manhole                            | 150                                                                                |
|         |                     |              |                             |                         | Tail Gas Treatment                 | Hugan Jisheng<br>Anti-corrosion and<br>Thermal Insulation<br>Engineering Co., Ltd. |
| Mark    | Number of Locations | Zone         | Change Document Number      | Signature               | Year, Month, Day                   | Absorption System<br>Alkali Tank<br>Fabrication Drawing                            |
| Design  |                     |              | Standardization             |                         |                                    | Phase Mark Weight Scale                                                            |
| Review  |                     |              |                             |                         |                                    | Total Sheets Sheet of                                                              |
| Process |                     |              |                             | Approved                |                                    | SBJS-SB-2026041-05-001                                                             |



Layout plan for strengthening the roof



### Schematic diagram of the opening position

| No. | Symbol                        | Nominal Size | Flange Standard             | Connecting Surface Type | Service or Name   | Nozzle Projection |
|-----|-------------------------------|--------------|-----------------------------|-------------------------|-------------------|-------------------|
| 1   | a                             | 65           | Series II of HG/T20592-2009 | RF                      | Alkali Pump Inlet | 150               |
| 2   | b                             | 80           | Series II of HG/T20592-2009 | RF                      | Drain Port        | 200               |
| 3   | c                             | 80           | Series II of HG/T20592-2009 | RF                      | Overflow Port     | 150               |
| 4   | d                             | 65           | Series II of HG/T20592-2009 | RF                      | Feed Inlet        | 150               |
| 5   | e                             | 32           | Series II of HG/T20592-2009 | RF                      | Return Inlet      | 150               |
| 6   | f <sup>1</sup> / <sub>2</sub> | 25           | Series II of HG/T20592-2009 | RF                      | Level Gauge       | 150               |
| 7   | g                             | 65           | Series II of HG/T20592-2009 | RF                      | Spare Connection  | Nozzle Projection |
| 8   | m                             | 600          | Series II of HG/T20592-2009 | RF                      | Manhole           | 150               |

|         |                     |      |                        |           |                  |                    |                                                                                    |
|---------|---------------------|------|------------------------|-----------|------------------|--------------------|------------------------------------------------------------------------------------|
|         |                     |      |                        |           |                  | Tail Gas Treatment | Hunan Jisheng<br>Anti-corrosion and<br>Thermal Insulation<br>Engineering Co., Ltd. |
|         |                     |      |                        |           |                  |                    |                                                                                    |
|         |                     |      |                        |           |                  |                    |                                                                                    |
|         |                     |      |                        |           |                  |                    |                                                                                    |
| Mark    | Number of Locations | Zone | Change Document Number | Signature | Year, Month, Day |                    |                                                                                    |
| Design  |                     |      | Standardization        |           |                  | Phase Mark         | Weight Scale                                                                       |
| Review  |                     |      |                        |           |                  |                    |                                                                                    |
| Process |                     |      |                        | Approved  |                  | Total Sheets       | Sheet of                                                                           |

|                         |  |
|-------------------------|--|
| SBJS-SB-20260401-05-002 |  |
|-------------------------|--|