



FOOTPRINT SETUP AND CANDIDATE ENGINE MASTER PACK

Manual account actions, Keymon handoff, analytics setup, monitoring setup, downstream account map, and the self sustaining candidate engine CTP.

BY RED, LLC | EST. 2015



SECTION 1

footprint. | n8n

Status: READY FOR KEYMON

Owner: Keymon

Purpose: Give Footprint one controlled automation home for candidate discovery, enrichment, scoring, approval routing, and follow through.

WHAT KEYMON DOES TONIGHT

1. Open [n8n Cloud](#).
2. Sign in with the dedicated Footprint team email.
3. Create one workspace named footprint.
4. Invite Ro as owner and Homira as member.
5. Turn on two factor authentication for every human account.
6. Create one project named footprint. production.
7. Do not add any personal password, LinkedIn password, browser cookie, or personal account token.
8. Send Ro only the workspace URL and the email addresses that now have access. Never send passwords or secret values.

CREDENTIALS TO ADD AFTER SUPABASE EXISTS

Create credentials with these names:

1. footprint supabase production
2. footprint approval inbox
3. footprint posthog production
4. footprint sentry production

Use the smallest permission each connection needs. Keep every secret inside the n8n credential vault.

WORKFLOWS TO CREATE

Create empty workflows with these exact names. Do not activate them yet.

1. footprint 01 discover candidates
2. footprint 02 normalize and dedupe
3. footprint 03 enrich and score
4. footprint 04 add to private candidate list
5. footprint 05 prepare approval email
6. footprint 06 record approval decision



7. footprint 07 execute approved public action
8. footprint 08 monitor quality and stale records
9. footprint 09 stop and quarantine

HARD RULES

1. Workflows 01 through 04 may run without human review once their technical gates pass.
2. Workflows 05 and 06 create and record the human approval loop.
3. Workflow 07 stays off until the ninety day policy gate, identity gate, safety gate, and deployment gate pass.
4. During the first ninety days, workflow 07 may act only when the dedicated Footprint inbox contains a recorded approval for the exact final action.
5. No login wall scraping. No personal account automation. No mass outreach. No silent approval.
6. Any missing source, conflicting identity, weak evidence, or opt out moves the record to quarantine.

RECEIPT KEYMON RETURNS

1. Workspace URL
2. Project name
3. Invited team members
4. Screenshot showing the nine inactive workflows
5. Confirmation that no personal credentials were added

Official help: [n8n Cloud](#) and [n8n credentials](#)



SECTION 2

footprint. | Supabase

Status: MANUAL SPACE CREATION REQUIRED

Owner: Ro

Purpose: Give Footprint one private source of truth for candidates, evidence, consent, approvals, actions, and audit history.

WHAT RO DOES

1. Open the [Supabase dashboard](#).
2. Check which organization has an open project slot and belongs under By Red, LLC.
3. If no safe slot exists, create a new organization named By Red, LLC or add the right paid capacity. Do not delete or move a live product to make room.
4. Create one project named footprint production.
5. Choose the region nearest the primary Footprint users.
6. Generate a strong database password and save it in the approved team password manager.
7. Invite Keymon as Developer. Keep Ro as Owner.
8. Send Codex only the project reference and region. Never send the database password, service role value, or access token in chat.

WHAT CODEX BUILDS AFTER THE PROJECT EXISTS

1. Versioned migrations
2. Row level security on every private table
3. Candidate and evidence tables
4. Approval and consent records
5. Audit history and stop state
6. Service access for n8n with the smallest required permissions
7. Verification receipts for every migration and policy

FIRST DATA MODEL

1. candidate_sources
2. candidates
3. candidate_evidence
4. candidate_scores
5. consent_events
6. approval_requests
7. approval_decisions



8. external_actions
9. audit_events
10. system_stop_state

HARD RULES

1. Supabase is the source of truth. n8n moves work. It does not become the database.
2. Candidate discovery may add private records autonomously after the data and safety gates pass.
3. Public action stays human gated for the first ninety days.
4. Raw secret values never enter Claudex, Git, screenshots, email, or chat.
5. No live product is deleted, paused, or moved just to create space for Footprint.

RECEIPT RO RETURNS

1. Organization name
2. Project name
3. Project reference
4. Region
5. Keymon invite status

Official help: [Supabase platform](#) and [Supabase access control](#)



SECTION 3

footprint. | PostHog

Status: MANUAL ACCOUNT CREATION REQUIRED

Owner: Ro or Keymon

Purpose: Measure whether Footprint creates useful discovery, qualified matches, approvals, and introductions without measuring private message content.

WHAT THE OWNER DOES

1. Open [PostHog](#).
2. Sign in with the dedicated Footprint team email.
3. Create one organization named By Red, LLC if the correct organization does not already exist.
4. Create one project named footprint production.
5. Invite Ro as owner and Keymon as member.
6. Send Codex only the project region and public project key through the approved secret handoff. Do not paste secret personal values into chat.

EVENTS FOOTPRINT MAY RECORD

1. candidate discovered
2. candidate qualified
3. candidate quarantined
4. approval requested
5. approval granted
6. approval denied
7. introduction prepared
8. introduction completed
9. quality review completed
10. stop activated

EVENTS FOOTPRINT MUST NOT RECORD

1. Passwords or tokens
2. Private message bodies
3. Full resumes
4. Sensitive personal data
5. Approval email contents



6. Any data without a clear operating need

RECEIPT

1. Organization name
2. Project name
3. Project region
4. Invited members

Official help: [PostHog product analytics](#) and [PostHog privacy](#)



SECTION 4

footprint. | Sentry

Status: MANUAL ACCOUNT CREATION REQUIRED

Owner: Ro or Keymon

Purpose: Catch broken Footprint pages, failed automations, and unsafe error paths before users carry the damage.

WHAT THE OWNER DOES

1. Open [Sentry](#).
2. Sign in with the dedicated Footprint team email.
3. Create or select the organization for By Red, LLC.
4. Create one project named `footprint web` using the Next.js platform.
5. Create one project named `footprint automation` only when the n8n error bridge is ready.
6. Invite Ro as owner and Keymon as member.
7. Keep source map access private.
8. Send Codex only the organization slug, project slug, and approved connection values through the secret handoff.

ALERTS

Create alerts for:

1. New production error
2. Repeated candidate workflow failure
3. Approval workflow failure
4. Unauthorized public action attempt
5. Stop state failure

PRIVACY RULES

1. Remove personal data from error payloads.
2. Never send candidate message bodies, resumes, tokens, or approval email content to Sentry.
3. Use candidate record identifiers instead of names where possible.

RECEIPT

1. Organization slug
2. Project slugs
3. Invited members



4. Screenshot of alert rules

Official help: [Sentry projects](#)



SECTION 5

Footprint Downstream Account Map

Status: LOCKED MINIMUM

Rule: Create only what Footprint needs. Do not duplicate tools.

REQUIRED BEFORE PRIVATE COMMISSIONING

1. Dedicated Footprint team email for approvals and ownership
2. Supabase for private records and policy state
3. n8n for controlled workflows
4. GitHub for versioned product and migration code
5. Team password manager for shared secret custody

REQUIRED BEFORE A LIVE WEB RELEASE

1. Vercel for the Footprint web surface
2. Domain and DNS under By Red, LLC control
3. PostHog for minimum useful product measurement
4. Sentry for production error monitoring

REQUIRED BEFORE EXTERNAL EMAIL

1. Resend or the existing approved RedLantern email provider
2. Domain authentication records
3. Reply and opt out handling
4. Dedicated Footprint approval inbox

REQUIRED BEFORE LINKEDIN OPERATION

1. Official Footprint Page
2. Homira as approved public Founding Steward
3. Ro as managing authority
4. Keymon as backup reviewer and stop authority
5. No personal password or browser session sharing

NOT NEEDED NOW

1. Slack



2. Airtable
3. Zapier
4. Make
5. A second database
6. A second analytics system
7. A paid candidate data vendor

MANUAL RECEIPT LIST

For each account record only:

1. Account owner email
2. Organization name
3. Project name
4. Region when relevant
5. Human roles
6. Billing owner
7. Recovery owner

Never record passwords, tokens, service role values, or recovery codes in Claudex.



SECTION 6

Footprint Self Sustaining Candidate Engine CTP

Date: 2026 07 14

Status: CTP COMPLETE. BUILD GATED.

OBJECTIVE

Build a private candidate list that continuously finds, verifies, scores, dedupes, refreshes, and retires qualified Tech Builders and Talent Partners without making Ro maintain the list.

CONTRACT

GOAL: A small, high quality, self renewing network candidate pool.

CONSTRAINTS: Free participation. Invite only founding cohort. No overpopulation. No login wall scraping. No personal credential sharing. Human approval for every public post, invitation, introduction, and outreach action during the first ninety days.

FORMAT: Supabase source of truth, n8n workflows, email approval loop, PostHog measurement, Sentry monitoring.

FAILURE: A noisy list, repeated people, weak proof, biased scoring, unauthorized outreach, stale records, or growth that outruns participant care.

REALITY CHECK

VERIFIED: Ro does not want candidate search and list maintenance as his responsibility.

VERIFIED: Ro authorizes the safety, deployment, accessibility, writing, brand, and editing roles when their approved gates are reached.

VERIFIED: The first ninety days still require recorded human approval for public posts and introductions.

ASSUMED: Autonomous adding means adding qualified people to the private candidate list. It does not mean silently inviting, messaging, introducing, or publishing about them.

UNKNOWN: The dedicated Footprint approval email address.

UNKNOWN: The final Supabase organization, project reference, and region.

UNKNOWN: Which public search provider will be approved for production use.

CORE DECISION

Footprint may autonomously discover, enrich, score, dedupe, add, refresh, quarantine, and retire private candidate records after the data, safety, and quality gates pass.

Footprint may not autonomously send an invitation, message, introduction, public response, or post during the first ninety days. Those actions require the exact final action to be approved through the dedicated Footprint inbox.



TWO PRIVATE LANES

Tech Builders

1. Automation builders
2. Artificial intelligence builders
3. Software builders
4. Systems builders

Talent Partners

1. Recruiters
2. Headhunters
3. Staffing agencies
4. Internal talent leaders

DISCOVERY SOURCES

Use public and permitted sources only:

1. Public personal sites
2. Public GitHub profiles and repositories
3. Public company team pages
4. Public conference speaker lists
5. Public professional articles and podcasts
6. Public job and agency pages
7. Direct nominations from trusted participants

Do not scrape login walls or automate personal LinkedIn accounts.

PIPELINE

1. Discover a public candidate and source URL.
2. Normalize the name, organization, location, and lane.
3. Dedupe by canonical profile, domain, organization, and identity signals.
4. Gather current evidence from at least two permitted sources when possible.
5. Score proof, relevance, freshness, trust, network fit, and risk.
6. Add qualified records to the private candidate list.
7. Quarantine conflicts, weak evidence, sensitive data, and identity uncertainty.
8. Refresh active records every thirty days.
9. Retire stale or unqualified records without deleting the audit history.



10. Create an approval request only when capacity and a real network need justify action.

QUALITY SCORE

Each dimension scores zero through five:

1. Verified proof of work
2. Fit with the selected Footprint lane
3. Freshness of evidence
4. Trust and consent safety
5. Ability to add value without crowding
6. Geographic or opportunity relevance

Rules:

1. Twenty four or higher may enter the ready pool.
2. Eighteen through twenty three stays in watch.
3. Below eighteen retires unless new evidence appears.
4. Any safety or identity conflict overrides the score and quarantines the record.

SELF SUSTAINING LOOP

1. Search runs on a controlled schedule.
2. The system adds private records by itself.
3. Dedupe runs before every insert.
4. Evidence freshness decays over time.
5. Candidate quality is reviewed against real outcomes.
6. Poor sources lose weight.
7. Strong sources gain weight.
8. Capacity caps pause discovery before the pool becomes noisy.
9. Opt outs create a permanent suppression record.
10. Every external action remains traceable to evidence and approval.

CAPACITY CAPS

Founding mode starts with:

1. Maximum fifty ready Tech Builders
2. Maximum twenty five ready Talent Partners
3. Maximum ten new candidates entering ready status per week



4. Maximum five proposed external actions per day

The system pauses new ready admissions when participant care, approval response time, or introduction quality falls below target.

APPROVED ROLE AUTHORITY

Safety, deployment, accessibility, writing, brand, and editing roles may act only after their named gates pass. Authorization does not itself prove that a gate passed.

Every role must:

1. Produce evidence
2. Respect the current scope lock
3. Stop on unknown identity or permission
4. Record its action
5. Submit public action to human approval during the first ninety days

DEFINITION OF DONE

1. Supabase project exists.
2. Data model and row level security pass review.
3. n8n workflows exist and remain inactive until verified.
4. Approval inbox is confirmed.
5. Candidate discovery produces deduped private records.
6. Quality scoring and quarantine tests pass.
7. No external action can bypass approval.
8. PostHog measures the minimum allowed events.
9. Sentry catches workflow and application failures without private data leakage.
10. Stop authority works for Ro and Keymon.

NEXT ACTION

Ro creates or confirms the Footprint approval inbox and Supabase project. Keymon creates the n8n workspace and the nine inactive workflows. Codex then builds the versioned data model and workflow contracts for gate review.