BACHELORTHESIS

In Biomedical Engineering

BOINSO – An open source solution for distributed ground and mission control communication for low earth orbit satellites

By Marcel Cimander
Student Number: 1210227072

Supervisor: FH-Prof. Dipl. Ing. Dr. Lars Mehnen

Vienna, October 8, 2014

FACHHOCHSCHULE
TECHNIKUM WIEN

Declaration

“I confirm that this paper is entirely my own work. All sources and quotations have been fully acknowledged in the appropriate places with adequate footnotes and citations. Quotations have been properly acknowledged and marked with appropriate punctuation. The works consulted are listed in the bibliography. This paper has not been submitted to another examination panel in the same or a similar form, and has not been published. I declare that the present paper is identical to the version uploaded.“

Place, Date Signature

Kurzfassung

In den letzten Jahren besteht die Möglichkeit für Forschungseinrichtungen und somit für die Lehre verwendete, kleine Satelliten zu bauen und in den Orbit zu schicken. Ermöglicht wurde dies durch die 1999 an der California Polytechnic State University (Cal Poly) entwickelten CubeSats.
Da CubeSats sich im Low Earth Orbit (LEO) befinden, besteht teilweise nur ein 15 minütiges Zeitfenster in dem der Satellit das Mission Control Center (MCC) passiert, welches zu einer sehr geringen Datenausbeute führt [Preindl, 2010]. Um mehr Daten zu erhalten, wurde Global Educational Network for Satellite Operations (GENSO) entwickelt, ein weltweites Netzwerk aus Bodenstationen welche nun nichtmehr nur auf deren eigene CubeSats sondern, mit Berechtigung der MCCs, auch auf andere zugreifen können [Leveque et al., 2007].
Diese Arbeit beschäftigt sich mit der Entwicklung einer neuen Open Source Alternative, Berkley Open Infrastructure for Networking Satellite Operations (BOINSO), welche mithilfe von bereits vorhandenen Open Source Projekten und der Infrastruktur der Berkeley Open Infrastructure for Network Computing (BOINC) realisiert wird [Ries, 2012].
BOINSO wird unter der GNU General Public License (GNU GPL) vertrieben und steht unter https://github.com/Mehnen/BOINSO zum Download bereit.

Schlagworte: CubeSat, GENSO, BOINSO

Abstract

During the last few years, there was a major increase in educational satellites launched to the orbit. The start of this was in 1999, when scientists at California Polytechnic State University (Cal Poly) developed the CubeSats.
Because of the CubeSats being in LEO, there is a very small timeframe for the satellites to send data to the MCC which leads to a very small data volume [Preindl, 2010]. To be able to get more data GENSO was devised which connects a network of Ground Control Centers (GCCs) all over the world. Those GCCs can access the CubeSat of other teams and transmit the data of the passing satellite [Leveque et al., 2007].
This thesis focuses on the development of a new open source alternative, BOINSO, which is build using existing open source projects and the interface of BOINC [Ries, 2012].
BOINSO is released under the GNU GPL and is available at https://github.com/Mehnen/BOINSO.

Keywords: CubeSat, GENSO, BOINSO

Contents

1 Chap 1 **1**

1.1 Introduction 1

2 Chap 2 **1**

3 Glossary **2**

1 Chap 1

1.1 Introduction

Educational satellites like the CubeSats reside almost exclusively at the LEO, which ranges from 200 km to 2000 km above the earth surface, which has various reasons.
CubeSats are very small satellites and therefor the space for electronic devices and accumulators is very limited. Thus the short range between the device and GCCs is ideal as it reduces the power consumtion to a minimum and is close enough to earth so that the CubeSat will not be affected by the radiation of the Van Allen radiation belts [Horne et al., 2005].
Moreover the deployment of a satellites in LEO significantly decreases the costs compared to satellites stationed in the Medium Earth Orbit (MEO) or Geostationary Orbit (GEO).
Furthermore, the closer the small satellite are to earth, the sooner they will burn to ashes caused by entering earth's atmosphere. This helps keeping the orbits clean, as space debris can cause collateral damage to future space missions [Akahoshi et al., 2008].
However, the small distance a satellite has in LEO leads to a

2 Chap 2

3 Glossary

GENSO Global Educational Network for Satellite Operations

Cal Poly California Polytechnic State University

LEO Low Earth Orbit

MCC Mission Control Center

BOINSO Berkley Open Infrastructure for Networking Satellite Operations

GNU GPL GNU General Public License

GCC Ground Control Center

BOINC Berkeley Open Infrastructure for Network Computing

MEO Medium Earth Orbit

GEO Geostationary Orbit

Bibliography

[Akahoshi et al., 2008] Akahoshi, Y., Nakamura, T., Fukushige, S., Furusawa, N., Kusunoki, S., Machida, Y., Koura, T., Watanabe, K., Hosoda, S., Fujita, T., and Cho, M. (2008). Influence of space debris impact on solar array under power generation. *International Journal of Impact Engineering*, 35(12):1678–1682.

[Horne et al., 2005] Horne, R. B., Thorne, R. M., Shprits, Y. Y., Meredith, N. P., Glauert, S. A., Smith, A. J., Kanekal, S. G., Baker, D. N., Engebretson, M. J., Posch, J. L., Spasojevic, M., Inan, U. S., Pickett, J. S., and Decreau, P. M. E. (2005). Wave acceleration of electrons in the van allen radiation belts. *Nature*, 437(7056):227–230.

[Leveque et al., 2007] Leveque, K., Puig-Suari, J., and Turner, C. (2007). Global educational network for satellite operations (GENSO). *AIAA/USU Conference on Small Satellites*.

[Preindl, 2010] Preindl, B. (2010). *Optimization of a Global Network for Satellite Operations*.

[Ries, 2012] Ries, C. B. (2012). *BOINC - Hochleistungsrechnen mit Berkeley Open Infrastructure for Network Computing*.