

Code	Attributes	Description
<!-- -->	-	comment
<!DOCTYPE>	-	document type
<a>	href hreflang media ping rel target type	hyperlink
<address>	Global attributes	address
<article>	Global attributes	article
<aside>	Global attributes	outside the main flow of the narrative
<audio>	autobuffer autoplay controls loop src	sound content
<base>	href target	base URL for all the page links
<bdo>	dir	direction of text display
<blockquote>	cite	long quotation
<body>	Global attributes	body element
 	Global attributes	inserts a single line break
<button>	autofocus disabled form formaction formenctype formmethod formnovalidate formtarget name type value	push button
<canvas>	height width	Graphic area
<caption>	Global attributes	table caption
<code>	Global attributes	computer code text
<col>	span	attributes for table columns
<colgroup>	span	groups of table columns
<command>	checked default disabled hidden icon label radiogroup type	Command button
<datalist>	Global attributes	dropdown list
<dd>	Global attributes	Definition description
	cite datetime	deleted text
<details>	open	details of an element
<div>	Global attributes	section in a document
<dfn>	title	definition term
<dl>	Global attributes	definition list
<dt>	Global attributes	definition term
	Global attributes	emphasized text
<fieldset>	disabled form name	fieldset
<figure>	Global attributes	group of media content, and their caption
<footer>	Global attributes	footer for a section or page
<form>	action data replace accept accept-charset enctype method target	form
<h1> to <h6>	Global attributes	header 1 to header6
<head>	-	Information about the document
<header>	Global attributes	header for a section or page
<hgroup>	Global attributes	heading section

Code	Attributes	Description
<hr>	Global attributes	horizontal rule
<html>	manifest	html document
	alt src height ismap usemap width	image
<input>	accept alt autocomplete autofocus checked disabled form formaction formenctype formmethod formnovalidate formtarget height list max maxlength min multiple name pattern placeholder readonly required size src step type value width	input field
<kbd>	Global attributes	keyboard text
<label>	for	label for a form
	value	list item
<link>	href rel media hreflang type sizes	Resource ref
<mark>	Global attributes	marked text
<meta>	charset content http-equiv name	meta information
<nav>	Global attributes	navigation links
<noscript>	-	noscript section
	start reversed	ordered list
<optgroup>	disabled label	option group
<option>	disabled label selected value	Opt dropdown list
<output>	form	output
<p>	Global attributes	paragraph
<pre>	Global attributes	Preformatted text
<progress>	max value	progress of a task
<q>	cite	short quotation
<samp>	Global attributes	Sample code
<script>	async type defer src charset	script
<section>	cite	section
<select>	autofocus data disabled form multiple name	selectable list
<small>	Global attributes	small text
	Global attributes	inline section
	Global attributes	strong text
<style>	media type scoped	style definition
<sub>/<sup>	Global attributes	Sub/super text
<table>	Global attributes	table
<tbody>	Global attributes	table body
<td>	colspan rowspan headers	table cell
<textarea>	autofocus cols disabled form name readonly required rows maxlength placeholder wrap	text area
<tfoot>	Global attributes	table footer
<th>	colspan rowspan scope	table header
<thead>	Global attributes	table header
<time>	datetime	date/time
<title>	-	document title
<tr>	Global attributes	table row
	Global attributes	unordered list
<video>	src poster autobuffer autoplay loop controls width height	video
Global attributes	class contenteditable contextmenu dir draggable id irrelevant lang ref registrationmark tabindex template title	Global attributes of html