### Index

### Classes

AudioProducer

get\_next\_chunk

LiveAudioProducer get\_next\_chunk

RecordedAudioProducer get\_next\_chunk

# Module audio\_producer

► EXPAND SOURCE CODE

### Classes

### class AudioProducer (parameters: dict)

Abstract class representing an input audio handler. Can be inherited to create new ways of producing audio.

Constructor for the AudioProducer class.

### Args:

parameters: A dictionary containing audio parameters.

#### **Class Attributes:**

\_sample\_rate : Sample rate at which to read and write audio.

\_chunk\_size : Size of the chunk of audio to read.

\_sample\_format : Format at which to read and write audio (float, int, ...).

\_np\_format : Format of numpy used for conversions.

\_channels : Number of channels of the audio source.

► EXPAND SOURCE CODE

#### Ancestors

abc.ABC

### Subclasses

LiveAudioProducer, RecordedAudioProducer

### Methods

```
def get_next_chunk(self, in_stream: pyaudio.Stream,
       out_stream: pyaudio.Stream) -> list
```

Abstract function to get the next chunk of audio from an input stream.

#### Args:

in\_stream : Input stream to use for live audio applications.

out\_stream : Output stream used to playback audio in recorded applications.

#### **Returns:**

A representation of the next chunk of audio read by the input device.

► EXPAND SOURCE CODE

### class LiveAudioProducer (parameters: dict)

Subclass of AudioProducer that handles input audio taken live from an input sound card.

Constructor for the LiveAudioProducer class.

### Args:

parameters: A dictionary containing audio parameters.

► EXPAND SOURCE CODE

### **Ancestors**

AudioProducer, abc.ABC

# Methods

```
def get_next_chunk(self, in_stream: pyaudio.Stream,
       out_stream: pyaudio.Stream) -> list
```

Gets the next chunk of audio from the input stream.

# Args:

in\_stream: Input stream to use for live audio applications.

out\_stream : Output stream used to playback audio in recorded applications.

# **Returns:**

The next chunk of audio read by the input stream, divided for each track of the input sound card.

► EXPAND SOURCE CODE

# class RecordedAudioProducer (parameters: dict)

Subclass of AudioProducer that handles recorded audio taken from wav audio files.

Constructor for the RecordedAudioProducer class

# Args:

parameters: A dictionary containing audio parameters

# **Class Attributes:**

\_audio\_input\_tracks : Number of tracks of the audio, corresponding to the number of audio files contained in a song's folder.

\_audio\_playback : Whether the user wants to play back the song as it's being processed.

► EXPAND SOURCE CODE

# Ancestors

AudioProducer, abc.ABC

(which are stored in different files).

# Methods

```
def get_next_chunk(self, in_stream: pyaudio.Stream,
       out_stream: pyaudio.Stream) -> list
```

Gets the next chunk of audio from audio files of tracks.

# Args:

in\_stream: Unused (not needed with recorded audio).

out\_stream : Output stream used to playback audio in recorded applications.

**Returns:** The next chunk of audio read by the input stream, divided for each track

► EXPAND SOURCE CODE

Generated by *pdoc* 0.10.0.