



# **How historical data is retained for Reporting**

## **Cloud Insights**

Tony Lavoie  
November 20, 2020

This PDF was generated from [https://docs.netapp.com/us-en/cloudinsights/reporting\\_data\\_retention.html](https://docs.netapp.com/us-en/cloudinsights/reporting_data_retention.html) on October 26, 2021. Always check docs.netapp.com for the latest.

# Table of Contents

How historical data is retained for Reporting ..... 1

# How historical data is retained for Reporting

Cloud Insights retains historical data for use in Reporting based on the data marts and granularity of the data, as shown in the following table.

Data mart	Measured object	Granularity	Retention period
Performance marts	Volumes and internal volumes	Hourly	14 days
Performance marts	Volumes and internal volumes	Daily	13 months
Performance marts	Application	Hourly	13 months
Performance marts	Host	Hourly	13 months
Performance marts	Switch performance for port	Hourly	35 days
Performance marts	Switch performance for host, storage, and tape	Hourly	13 months
Performance marts	Storage node	Hourly	14 days
Performance marts	Storage node	Daily	13 months
Performance marts	VM performance	Hourly	35 days
Performance marts	VM performance	Daily	13 months
Performance marts	Hypervisor performance	Hourly	35 days
Performance marts	Hypervisor performance	Daily	13 months
Performance marts	VMDK performance	Hourly	35 days
Performance marts	VMDK performance	Daily	13 months
Performance marts	Disk performance	Hourly	14 days
Performance marts	Disk performance	Daily	13 months
Capacity marts	All (except individual volumes)	Daily	13 months
Capacity marts	All (except individual volumes)	Monthly representative	14 months and beyond
Inventory marts	Individual volumes	Current state	1 day (or until next ETL)

## Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

## Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.