Accept Participation Request

AcceptParticipationRequestUseCase
AcceptParticipationRequestUseCaseTest

User Story

As an authenticated organizer, I want to accept a participation request to let that person join my activity.

Acceptance Criteria

Request is accepted

- Given someone requested to join my activity
- When I accept the request
- Then that person takes part in the activity

Failed accept is reported

- Given the request cannot be accepted right now
- When I accept it
- Then that person does not take part yet
- And I see that accepting failed

Pre-Conditions

- I am signed in.
- I am the organizer of the activity.
- There is an open participation request.

Cancel Participation

CancelParticipationUseCase
CancelParticipationUseCaseTest

User Story

As an authenticated user, I want to cancel my participation to free my spot when I can no longer attend.

Acceptance Criteria

Participation is cancelled

- Given I take part in an activity
- When I cancel my participation
- Then I no longer take part in the activity

Failed cancellation is reported

- Given my participation cannot be cancelled right now
- When I cancel it
- Then I still take part in the activity
- And I see that cancelling failed

Pre-Conditions

- I am signed in.
- I take part in or requested to join the activity.

Change Avatar

ChangeAvatarUseCase
ChangeAvatarUseCaseTest

User Story

As an authenticated user, I want to choose a photo for my avatar to show others who I am.

Acceptance Criteria

Framed photo becomes my avatar

- Given a photo I chose and framed
- When I confirm it
- Then the framed area is stored as my avatar

Unusable photos are rejected

- Given an empty file, a photo larger than 10 MB or an invalid frame
- When I confirm it
- Then nothing is stored
- And I am told what is wrong

Additional Test(s)

- NewAvatarValidatorTest

Files that are not photos are rejected

- Given a file that cannot be read as an image
- When I confirm it
- Then nothing is stored
- And I am told that the file is not a photo

Failed upload is reported

- Given a usable photo
- When storing it fails
- Then I see that saving the photo is currently unavailable

Pre-Conditions

- I am signed in.

Create Activity

CreateActivityUseCase
CreateActivityUseCaseTest

User Story

As an authenticated user, I want to create an activity to invite others to join me.

Acceptance Criteria

Valid activity is created

- Given a complete activity in the future
- When I save it
- Then the activity is created
- And I am its organizer

Invalid activity is rejected

- Given an activity with missing or too long fields, or a date in the past
- When I save it
- Then nothing is saved
- And I see what needs to be fixed

Additional Test

- ActivityInputValidatorTest

Failed save is reported

- Given the activity cannot be saved
- When I save it
- Then nothing is saved
- And I see that saving failed

Pre-Conditions

- I am signed in.

Decline Participation Request

DeclineParticipationRequestUseCase
DeclineParticipationRequestUseCaseTest

User Story

As an authenticated organizer, I want to decline a participation request to keep control over who joins my activity.

Acceptance Criteria

Request is declined with a message

- Given someone requested to join my activity
- When I decline the request with a message
- Then the request is declined
- And the message is passed on

Request is declined without a message

- Given someone requested to join my activity
- When I decline the request without a message
- Then the request is declined

Failed decline is reported

- Given the request cannot be declined right now
- When I decline it
- Then the request stays open
- And I see that declining failed

Pre-Conditions

- I am signed in.
- I am the organizer of the activity.
- There is an open participation request.

Find Accepted Activity Ids

FindAcceptedActivityIdsUseCase
FindAcceptedActivityIdsUseCaseTest

User Story

As an authenticated user, I want to see which activities I have been accepted into to recognize them in the activity list.

Acceptance Criteria

Accepted activities are found

- Given I have been accepted into some activities
- When I look at the activity list
- Then those activities are recognized as ones I take part in

Additional Test(s)

- AcceptedActivityIdsDtoToDomainMapperTest

Failure is reported

- Given my accepted activities cannot be read
- When I look at the activity list
- Then I am told that they are unavailable, so the list can be shown without marks

Pre-Conditions

- I am signed in.

Find Future Activities Per Day

FindFutureActivitiesPerDayUseCase
FindFutureActivitiesPerDayUseCaseTest

User Story

As a user, I want to see the activities that have not started yet, grouped by day, to find something to do.

Acceptance Criteria

Only activities that have not started are listed

- Given activities that already started and activities that start later
- When I look at the activity list
- Then I see only the activities that have not started yet
- And an activity starting right now is still listed

Additional Test(s)

- RoomActivitiesPerDayFinderTest
- ActivityListDaoTest
- ActivitiesPerDayGrouperTest
- InMemoryActivitiesPerDayFinderTest
- SystemCurrentDateTimeProviderTest

Activities are grouped by day

- Given activities on different days
- When I look at the activity list
- Then I see them grouped by day, starting with today
- And the days and the activities of a day are in chronological order

Additional Test(s)

- ActivitiesByDateToDomainMapperTest
- ActivityListUiStateMapperTest
- ActivityDateHeaderFormatterTest

Started activities disappear as time passes

- Given I am looking at the activity list
- When an activity's start time passes
- Then the activity disappears from the list within a minute
- And the day labels follow the current day

Additional Test(s)

- SystemCurrentDateTimeObserverTest
- SystemCurrentDateProviderTest
- SystemCurrentTimeZoneProviderTest

New activities appear immediately

- Given I am looking at the activity list
- When an activity is saved
- Then the list is updated

Find Participation Status

FindParticipationStatusUseCase
FindParticipationStatusUseCaseTest

User Story

As an authenticated user, I want to see my participation status to know whether I take part in an activity.

Acceptance Criteria

Status is shown

- Given I have not requested, requested, been accepted or been declined for an activity
- When I look at the activity
- Then I see my current participation status

Unknown status offers nothing

- Given my status cannot be loaded
- When I look at the activity
- Then no participation action is offered

Pre-Conditions

- I am signed in.

Join Activity

JoinActivityUseCase
JoinActivityUseCaseTest

User Story

As an authenticated user, I want to join an open activity to take part right away.

Acceptance Criteria

Joining an open activity

- Given an upcoming open activity organized by someone else
- When I join it
- Then I take part in the activity

Additional Test

- ActivityJoinEligibilityCheckerTest

Joining is not allowed

- Given I am the organizer, the activity needs approval or has already started
- When I join it
- Then I do not take part in the activity

Additional Test

- ActivityJoinEligibilityCheckerTest

Failed join is reported

- Given the activity cannot be joined right now
- When I join it
- Then I do not take part in the activity
- And I see that joining failed

Pre-Conditions

- I am signed in.
- The activity is open to everyone.

Observe Activity

ObserveActivityUseCase
ObserveActivityUseCaseTest

User Story

As a user, I want to see the details of an activity to decide whether to take part.

Acceptance Criteria

Activity is shown with its day

- Given an activity that takes place today
- When I open the activity
- Then I see its details labeled as today

Additional Test

- ActivityDateHeaderFormatterTest

Unknown activity

- Given an activity that does not exist
- When I open it
- Then no activity is shown

Changes appear immediately

- Given I am looking at an activity
- When the activity is changed
- Then I see the updated details

Register

RegisterUseCase
RegisterUseCaseTest

User Story

As a visitor, I want to register an account to take part in local activities.

Acceptance Criteria

Incomplete registration is rejected

- Given a registration with missing fields, a too short password or non-matching passwords
- When I register
- Then no account is created
- And I see what needs to be fixed

Additional Test

- NewAccountValidatorTest

Complete registration creates an account

- Given a complete registration
- When I register
- Then my account is created

Rejected registration is reported

- Given a complete registration that the server rejects
- When I register
- Then I see why the registration failed

Pre-Conditions

- I am not signed in.

Remove Avatar

RemoveAvatarUseCase
RemoveAvatarUseCaseTest

User Story

As an authenticated user, I want to remove my avatar photo to be shown by my initials again.

Acceptance Criteria

Photo is removed

- Given I have an avatar photo
- When I remove it
- Then my photo is gone
- And my initials are shown instead

Failed removal is reported

- Given I have an avatar photo
- When removing it fails
- Then I see that saving is currently unavailable
- And my photo stays

Pre-Conditions

- I am signed in.

Send Participation Request

SendParticipationRequestUseCase
SendParticipationRequestUseCaseTest

User Story

As an authenticated user, I want to request to join an activity to ask the organizer for a spot.

Acceptance Criteria

Requesting an approval activity

- Given an upcoming activity that needs approval, organized by someone else
- When I request to join
- Then my request is sent to the organizer

Additional Test

- ParticipationRequestEligibilityCheckerTest

Requesting is not allowed

- Given I am the organizer, the activity is open or has already started
- When I request to join
- Then no request is sent

Additional Test

- ParticipationRequestEligibilityCheckerTest

Failed request is reported

- Given the request cannot be sent right now
- When I request to join
- Then no request is sent
- And I see that sending failed

Pre-Conditions

- I am signed in.
- The activity needs the organizer's approval.

Sign In

SignInUseCase
SignInUseCaseTest

User Story

As a registered user, I want to sign in to access my account and activities.

Acceptance Criteria

Missing credentials are rejected

- Given my email or password is missing
- When I sign in
- Then I am not signed in
- And I see which field is missing

Additional Test

- LoginCredentialsValidatorTest

Complete credentials start a session

- Given my email and password are entered
- When I sign in
- Then I am signed in

Rejected sign-in is reported

- Given credentials the server rejects
- When I sign in
- Then I see why the sign-in failed

Pre-Conditions

- I have a registered account.

Sign Out

SignOutUseCase
SignOutUseCaseTest

User Story

As an authenticated user, I want to sign out to keep my account and data private on this device.

Acceptance Criteria

Sign-out removes my data from the device

- Given I am signed in
- When I sign out
- Then my session ends
- And my data is removed from this device

Failed sign-out keeps my data

- Given I am signed in
- When signing out fails
- Then my data stays on this device

Pre-Conditions

- I am signed in.

Update Account

UpdateAccountUseCase
UpdateAccountUseCaseTest

User Story

As an authenticated user, I want to change my email, tag or password to keep my account up to date.

Acceptance Criteria

Incomplete changes are rejected

- Given my email or tag is missing
- When I save my account
- Then nothing is saved
- And I see what needs to be fixed

Additional Test

- UpdateAccountValidatorTest

Too short password is rejected

- Given a new password that is too short
- When I save my account
- Then nothing is saved

Additional Test

- UpdateAccountValidatorTest

Password can be left unchanged

- Given I leave the password empty
- When I save my account
- Then my other changes are saved
- And my password stays the same

Additional Test

- UpdateAccountValidatorTest

Rejected change is reported

- Given the service refuses my change, e.g. because the tag is taken
- When I save my account
- Then nothing is saved
- And I see why

Pre-Conditions

- I am signed in.

Update Activity

UpdateActivityUseCase
UpdateActivityUseCaseTest

User Story

As an authenticated organizer, I want to change my activity to keep its details correct.

Acceptance Criteria

Organizer saves a valid change

- Given I organize an upcoming activity
- When I save a valid change
- Then the activity is updated
- And I stay its organizer

Additional Test

- ActivityEditabilityCheckerTest

Invalid change is rejected

- Given I organize an activity
- When I save a change with invalid fields
- Then nothing is saved
- And I see what needs to be fixed

Additional Test

- ActivityInputValidatorTest

Change message is required once others participate

- Given I organize an activity another person participates in
- When I save a change without a change message
- Then nothing is saved
- And I see that the change needs a description

Additional Test

- ChangeMessageValidatorTest

No change message without other participants

- Given I organize an activity nobody else participates in
- When I save a change
- Then the change is saved without a change message

Only the organizer can change

- Given an activity organized by someone else
- When I save a change
- Then nothing is saved

Additional Test

- ActivityEditabilityCheckerTest

Started activities cannot be changed

- Given my activity has already started
- When I save a change
- Then nothing is saved

Additional Test

- ActivityEditabilityCheckerTest

Unknown activity

- Given an activity that does not exist
- When I save a change
- Then nothing is saved

Failed save is reported

- Given the change cannot be saved
- When I save a valid change
- Then nothing is saved
- And I see that saving failed

Pre-Conditions

- I am signed in.
- I am the organizer of the activity.

Update Profile

UpdateProfileUseCase
UpdateProfileUseCaseTest

User Story

As an authenticated user, I want to edit my display name and bio to show others who I am.

Acceptance Criteria

Display name is required

- Given my display name is empty
- When I save my profile
- Then nothing is saved
- And I am asked for a display name

Valid profile is saved

- Given a display name and bio
- When I save my profile
- Then my profile is updated

Failed save is reported

- Given a valid profile
- When saving fails
- Then I see that the profile is currently unavailable

Pre-Conditions

- I am signed in.

account-entry Specification

Purpose

Gives a logged-out person a way to open register and login from the activity list without blocking the app or creating an account.

Requirements

Requirement: Sign-in has no verification-code step

The login sheet and the register sheet MUST NOT show a verification-code field. A debug build MUST finish sign-in, and MUST finish registration, from the sheet fields alone when the account service accepts them, and MUST NOT require the person to open an email. The account service used by a debug build MUST accept a correct new registration and a correct email and password without sending a verification email. The app MUST NOT grant a session from a built-in or fixed verification code.

Scenario: Debug success has no code field

- **WHEN** a debug build signs in with an email and password the account service accepts
- **THEN** the account sheet is not visible
- **AND** no verification-code field is visible

Scenario: Debug registration has no code field

- **WHEN** a debug build registers with a new tag, a display name, a new email, a password of at least 6 characters, and the same password repeated
- **THEN** the account sheet is not visible
- **AND** a session exists
- **AND** no verification-code field is visible

Scenario: Unconfirmed account has no code field

- **WHEN** the account service rejects sign-in because the email is not confirmed
- **THEN** the login sheet stays open
- **AND** `Bitte bestätige zuerst deine E-Mail` is visible
- **AND** no verification-code field is visible

Requirement: Login sheet signs in an existing account

Choosing `Ich habe schon ein Konto` from the menu MUST close the menu and open the same bottom sheet in login mode. `Einloggen` MUST be the selected segment. The sheet MUST show `E-Mail`, `Passwort`, the action `Einloggen`, and the link `Noch kein Konto? Registrieren`. It MUST NOT show `Eindeutiger Nutzertag`, `Ansprechname (öffentlich sichtbar)`, or `Passwort wiederholen`. Activating `Einloggen` with an email and password the account service accepts

MUST close the sheet and start a session. A blank email MUST show `E-Mail fehlt`. A blank password MUST show `Passwort fehlt`. A rejected email or password MUST show `E-Mail oder Passwort ist falsch`. Any other sign-in failure MUST show `Anmeldung ist gerade nicht möglich`. A failure MUST leave the sheet in login mode and MUST NOT start a session.

Scenario: Login mode

- **WHEN** the user chooses `Ich habe schon ein Konto` from the account menu
- **THEN** the menu is not visible
- **AND** `Einloggen` is the selected segment
- **AND** `E-Mail` and `Passwort` are visible
- **AND** the action `Einloggen` is visible
- **AND** the link `Noch kein Konto? Registrieren` is visible
- **AND** `Eindeutiger Nutzertag` is not visible
- **AND** `Passwort wiederholen` is not visible

Scenario: Accepted email and password

- **WHEN** the user activates `Einloggen` with an email and password the account service accepts
- **THEN** the account sheet is not visible
- **AND** a session exists

Scenario: Blank fields

- **WHEN** the user activates `Einloggen` with a blank email and a blank password
- **THEN** the login sheet stays open
- **AND** `E-Mail fehlt` is visible
- **AND** `Passwort fehlt` is visible
- **AND** no session exists

Scenario: Rejected email or password

- **WHEN** the user activates `Einloggen` with an email or password the account service rejects
- **THEN** the login sheet stays open
- **AND** `E-Mail oder Passwort ist falsch` is visible
- **AND** no session exists

Scenario: Sign-in cannot be completed

- **WHEN** the user activates `Einloggen` and the account service cannot be reached
- **THEN** the login sheet stays open
- **AND** `Anmeldung ist gerade nicht möglich` is visible
- **AND** no session exists

Requirement: Register sheet creates an account

Choosing `Profil anlegen` MUST close the menu and open one bottom sheet in register mode. Above the fields, a segment MUST show `Einloggen` and `Registrieren`, with `Registrieren` selected. The sheet MUST show, in order,

`Eindeutiger Nutzertag`, `Ansprechname (öffentlich sichtbar)`, `E-Mail`, `Passwort`, and `Passwort wiederholen`, then the action `Profil anlegen` and the link `Ich habe schon ein Konto`. The sheet MUST NOT show a title or the text `Was geht hier gerade?`. Activating `Profil anlegen` with a new tag, a display name, a new email, a password of at least 6 characters, and the same text in `Passwort wiederholen` MUST close the sheet and start a session when the account service accepts that registration, and MUST store that tag and display name on the account. A blank tag MUST show `Nutzertag fehlt`. A blank display name MUST show `Ansprechname fehlt`. A blank email MUST show `E-Mail fehlt`. A blank password MUST show `Passwort fehlt`. A password shorter than 6 characters MUST show `Passwort muss mindestens 6 Zeichen haben`. Different password fields MUST show `Passwörter stimmen nicht überein`. A tag already stored on an account MUST show `Dieser Nutzertag ist schon vergeben`. An email already registered MUST show `Diese E-Mail ist schon registriert`. When the account service creates the account but requires email confirmation before a session, the sheet MUST stay in register mode and MUST show `Bitte bestätige zuerst deine E-Mail`. Any other registration failure MUST show `Registrierung ist gerade nicht möglich`. A failure MUST leave the sheet in register mode and MUST NOT start a session.

Scenario: Register mode

- **WHEN** the user chooses `Profil anlegen` from the account menu
- **THEN** the menu is not visible
- **AND** `Registrieren` is the selected segment
- **AND** `Eindeutiger Nutzertag`, `Ansprechname (öffentlich sichtbar)`, `E-Mail`, `Passwort`, and `Passwort wiederholen` are visible
- **AND** the action `Profil anlegen` is visible
- **AND** the link `Ich habe schon ein Konto` is visible

Scenario: No blocking login copy

- **WHEN** the register sheet is open
- **THEN** `Was geht hier gerade?` is not visible

Scenario: Accepted registration

- **WHEN** the user activates `Profil anlegen` with a new tag, a display name, a new email, a password of at least 6 characters, and the same password repeated
- **AND** the account service accepts that registration
- **THEN** the account sheet is not visible
- **AND** a session exists

Scenario: Registration needs email confirmation

- **WHEN** the account service creates the account but will not start a session until the email is confirmed
- **THEN** the register sheet stays open
- **AND** `Bitte bestätige zuerst deine E-Mail` is visible
- **AND** no verification-code field is visible
- **AND** no session exists

Scenario: Blank registration fields

- **WHEN** the user activates `Profil anlegen` with every field blank

- **THEN** the register sheet stays open
- **AND** `Nutzertag fehlt`, `Ansprechname fehlt`, `E-Mail fehlt`, and `Passwort fehlt` are visible
- **AND** no session exists

Scenario: Passwords do not match

- **WHEN** the user activates `Profil anlegen` with different text in `Passwort` and `Passwort wiederholen`
- **THEN** the register sheet stays open
- **AND** `Passwörter stimmen nicht überein` is visible
- **AND** no session exists

Scenario: Password is too short

- **WHEN** the user activates `Profil anlegen` with a password shorter than 6 characters and the same text repeated
- **THEN** the register sheet stays open
- **AND** `Passwort muss mindestens 6 Zeichen haben` is visible
- **AND** no session exists

Scenario: Tag is already used

- **WHEN** the user activates `Profil anlegen` with a tag already stored on an account
- **THEN** the register sheet stays open
- **AND** `Dieser Nutzertag ist schon vergeben` is visible
- **AND** no session exists

Scenario: Email is already registered

- **WHEN** the user activates `Profil anlegen` with an email that already belongs to an account
- **THEN** the register sheet stays open
- **AND** `Diese E-Mail ist schon registriert` is visible
- **AND** no session exists

Scenario: Registration cannot be completed

- **WHEN** the user activates `Profil anlegen` and the account service cannot be reached
- **THEN** the register sheet stays open
- **AND** `Registrierung ist gerade nicht möglich` is visible
- **AND** no session exists

Requirement: Segment and links switch sheet mode

On the register sheet, choosing the `Einloggen` segment or the link `Ich habe schon ein Konto` MUST switch the sheet to login mode. On the login sheet, choosing the `Registrieren` segment or the link `Noch kein Konto? Registrieren` MUST switch the sheet to register mode. Text already entered in `E-Mail` and `Passwort` MUST remain. A visible failure message MUST clear when the mode changes. Dismissing the sheet MUST hide it and the menu, and MUST leave the activity list visible.

Scenario: Link opens login

- **WHEN** the user activates `Ich habe schon ein Konto` on the register sheet
- **THEN** `Einloggen` is the selected segment
- **AND** `Eindeutiger Nutzertag` is not visible

Scenario: Segment opens register

- **WHEN** the user selects `Registrieren` on the login sheet
- **THEN** `Passwort wiederholen` is visible
- **AND** the action `Profil anlegen` is visible

Scenario: Shared fields are kept

- **WHEN** the user has entered `ada@example.de` in `E-Mail` and then switches sheet mode
- **THEN** `E-Mail` still shows `ada@example.de`

Scenario: Dismiss returns to the list

- **WHEN** the user dismisses the account sheet
- **THEN** the account sheet is not visible
- **AND** the account menu is not visible
- **AND** `Rosenheim` is visible

Scenario: Mode switch clears a failure

- **WHEN** the login sheet shows `E-Mail oder Passwort ist falsch` and the user selects `Registrieren`
- **THEN** `E-Mail oder Passwort ist falsch` is not visible
- **AND** `Passwort wiederholen` is visible

Requirement: Account entry copy is German

All user-visible account-entry labels MUST be German, including `Konto`, `Profil anlegen`, `Ich habe schon ein Konto`, `Einloggen`, `Registrieren`, `Eindeutiger Nutzertag`, `Ansprechname (öffentlich sichtbar)`, `E-Mail`, `Passwort`, `Passwort wiederholen`, `Noch kein Konto? Registrieren`, `Abmelden`, `E-Mail fehlt`, `Passwort fehlt`, `E-Mail oder Passwort ist falsch`, `Bitte bestätige zuerst deine E-Mail`, `Anmeldung ist gerade nicht möglich`, `Nutzertag fehlt`, `Ansprechname fehlt`, `Passwörter stimmen nicht überein`, `Passwort muss mindestens 6 Zeichen haben`, `Dieser Nutzertag ist schon vergeben`, `Diese E-Mail ist schon registriert`, and `Registrierung ist gerade nicht möglich`.

Scenario: German register labels

- **WHEN** the register sheet is open
- **THEN** the visible labels include `Registrieren`, `Eindeutiger Nutzertag`, and `Passwort wiederholen`

Scenario: German sign-in failure

- **WHEN** sign-in fails because the email or password was rejected

- **THEN** `E-Mail oder Passwort ist falsch` is visible

Scenario: German registration failure

- **WHEN** registration fails because the tag is already stored on an account
- **THEN** `Dieser Nutzertag ist schon vergeben` is visible

Requirement: Account sheet is driven by view-model state

The account sheet MUST take its mode, field text, failure message, and session from screen state owned by a view-model. The presentational view MUST render that state and MUST NOT create an account, start a session, end a session, or change account fields itself.

Scenario: View follows the given mode

- **WHEN** the view is shown with register-mode state
- **THEN** `Passwort wiederholen` is visible
- **AND** `Registrieren` is the selected segment

Scenario: Screen follows a fake view-model

- **WHEN** the screen is shown with a fake view-model whose state is login mode
- **THEN** the action `Einloggen` is visible
- **AND** `Passwort wiederholen` is not visible

Scenario: Edit-account sheet follows a fake view-model

- **WHEN** the screen is shown with a fake view-model whose state is edit-account mode with a stored email and tag
- **THEN** `E-Mail` shows that stored email
- **AND** `Eindeutiger Nutzertag` shows that stored tag

Requirement: Account-bearbeiten sheet edits email, password, and tag

Activating `Account bearbeiten` MUST open a bottom sheet titled `Account bearbeiten`, available only while a session exists. The sheet MUST show `E-Mail` pre-filled with the account's current email, `Eindeutiger Nutzertag` pre-filled with the account's current tag, and `Passwort`, pre-filled blank. `Passwort` MUST be optional: leaving it blank MUST keep the current password unchanged. The sheet MUST show the action `Speichern`.

Activating `Speichern` with a non-blank email, a non-blank tag, and either a blank password or one of at least 6 characters MUST save the email and tag when the account service accepts them, MUST change the password only when a new one was entered, and MUST close the sheet. A blank email MUST show `E-Mail fehlt`. A blank tag MUST show `Nutzertag fehlt`. A non-blank password shorter than 6 characters MUST show `Passwort muss mindestens 6 Zeichen haben`. A tag already stored on a different account MUST show `Dieser Nutzertag ist schon vergeben`. An email already registered to a different account MUST show `Diese E-Mail ist schon registriert`. When the account service accepts a changed email but requires confirming it before it takes effect, the sheet MUST stay open and MUST show `Bestätige deine neue E-Mail-Adresse, um sie zu übernehmen`. Any other failure MUST show `Änderung ist gerade nicht möglich` and MUST leave the sheet open with the entered values kept. Dismissing the sheet MUST hide it without saving any change and MUST leave the entered values discarded.

Scenario: Sheet opens pre-filled

- **WHEN** a session exists and the user activates `Account bearbeiten`
- **THEN** `E-Mail` shows the account's current email
- **AND** `Eindeutiger Nutzertag` shows the account's current tag
- **AND** `Passwort` is blank

Scenario: Saving without a new password

- **WHEN** the user activates `Speichern` with a changed tag, the unchanged email, and a blank password
- **AND** the account service accepts the change
- **THEN** the sheet is not visible
- **AND** the account's password is unchanged

Scenario: Saving a new password

- **WHEN** the user activates `Speichern` with a password of at least 6 characters
- **AND** the account service accepts the change
- **THEN** the sheet is not visible
- **AND** the account's password is the new one

Scenario: Blank required fields

- **WHEN** the user activates `Speichern` with a blank email and a blank tag
- **THEN** the sheet stays open
- **AND** `E-Mail fehlt` is visible
- **AND** `Nutzertag fehlt` is visible

Scenario: New password is too short

- **WHEN** the user activates `Speichern` with a password shorter than 6 characters
- **THEN** the sheet stays open
- **AND** `Passwort muss mindestens 6 Zeichen haben` is visible

Scenario: Tag already used by someone else

- **WHEN** the user activates `Speichern` with a tag already stored on a different account
- **THEN** the sheet stays open
- **AND** `Dieser Nutzertag ist schon vergeben` is visible

Scenario: Email already used by someone else

- **WHEN** the user activates `Speichern` with an email already registered to a different account
- **THEN** the sheet stays open
- **AND** `Diese E-Mail ist schon registriert` is visible

Scenario: Changed email needs confirmation

- **WHEN** the user activates `Speichern` with a new email
- **AND** the account service accepts it but requires confirming the new address before it takes effect
- **THEN** the sheet stays open
- **AND** `Bestätige deine neue E-Mail-Adresse, um sie zu übernehmen` is visible

Scenario: Change cannot be completed

- **WHEN** the user activates `Speichern` and the account service cannot be reached
- **THEN** the sheet stays open
- **AND** `Änderung ist gerade nicht möglich` is visible

Scenario: Dismiss discards changes

- **WHEN** the user has changed `Eindeutiger Nutzertag` and dismisses the sheet without activating `Speichern`
- **THEN** the sheet is not visible
- **AND** the account's tag is unchanged

activity-detail Specification

Purpose

Shows the public details of one Rosenheim activity so someone can read the full description and organizer note before any join or identity flow exists.

Requirements

Requirement: Detail shows the selected activity

When an activity is selected from the list, the system MUST show that activity's public detail. The detail MUST be identified by the same activity id as the list card.

Scenario: Selected card opens its detail

- **WHEN** the user selects the activity titled `Feierabend-Radtour am Inn`
- **THEN** the detail for that activity is shown
- **AND** the title `Feierabend-Radtour am Inn` is visible

Requirement: Detail chrome is back and day label

The detail MUST show a back control and a German day label for the activity's date. The day label MUST be relative to the current day from the real clock in `Europe/Berlin`, the same as the list (`Heute`, `Morgen`, or weekday-plus-date). When the signed-in person organizes the activity and may edit it (its start is still in the future, or it has never been synced), the detail MUST show `Bearbeiten`; activating it MUST report an edit request for that activity's id. For everyone else, and while no session exists, `Bearbeiten` MUST NOT be shown. The detail MUST NOT show `Aktivität absagen`.

Scenario: Today activity

- **WHEN** it is `2026-09-21` and the detail is shown for an activity on `2026-09-21`
- **THEN** the day label is `Heute`
- **AND** a back control is visible

Scenario: Later-day activity

- **WHEN** it is `2026-09-21` and the detail is shown for an activity on `2026-09-23`
- **THEN** the day label is `Mi, 23. September`

Scenario: Back returns to the list

- **WHEN** the user activates the back control on the detail
- **THEN** the activity list screen is visible

- **AND** the detail is no longer shown

Scenario: Organizer of an upcoming activity

- **WHEN** the organizer views the detail of their activity that starts in the future
- **THEN** `Bearbeiten` is visible
- **AND** activating it opens the edit form for that activity

Scenario: Organizer of a past activity

- **WHEN** the organizer views the detail of their synced activity whose start has passed
- **THEN** `Bearbeiten` is not visible

Scenario: Organizer actions stay hidden

- **WHEN** someone other than the organizer, or anyone without a session, views an activity detail
- **THEN** `Bearbeiten` is not visible
- **AND** `Aktivität absagen` is not visible

Requirement: Detail shows public activity fields

The detail MUST show the title, meeting time, area, and the full description under the heading `Was dich erwartet`. The description MUST NOT be shortened the way the list excerpt is.

Scenario: Full description

- **WHEN** the detail is shown for `Feierabend-Radtour am Inn`
- **THEN** the heading `Was dich erwartet` is visible
- **AND** the full description text is visible
- **AND** the meeting time `17:30` and area `Innufer` are visible

Requirement: Organizer notice is shown when present

When the activity has a non-blank organizer notice, the detail MUST show the heading `Notiz vom Organisator` and that notice text. When the organizer notice is blank, that heading and any notice text MUST NOT appear.

Scenario: Notice present

- **WHEN** the detail is shown for an activity whose organizer notice is `Licht mitnehmen, wir kommen erst in der Dämmerung zurück.`
- **THEN** `Notiz vom Organisator` is visible
- **AND** that notice text is visible

Scenario: Notice absent

- **WHEN** the detail is shown for an activity whose organizer notice is blank
- **THEN** `Notiz vom Organisator` is not visible

Requirement: Meeting point stays locked

For everyone except the activity's organizer and a signed-in person whose own participation status for that activity is `accepted`, the detail MUST show a `Treffpunkt` section in the locked state. It MUST NOT show an exact street address or other precise meeting location. The locked body MUST be German and MUST tell the user the meeting point becomes visible after confirmation. For the organizer, and for a signed-in person whose own participation status is `accepted`, the `Treffpunkt` section MUST show the unlocked state with the exact meeting point, or `Kein Treffpunkt angegeben` when it is empty.

Scenario: Locked meeting point on an open activity

- **WHEN** someone other than the organizer views the detail of an activity that does not require approval
- **THEN** `Treffpunkt` is visible
- **AND** the locked copy includes `Sichtbar, sobald du bestätigt bist.`
- **AND** the locked copy includes `Bei dieser Aktivität kommst du direkt rein.`
- **AND** no street address is visible

Scenario: Locked meeting point when approval is required

- **WHEN** a signed-in person other than the organizer, whose own participation status is not `accepted`, views the detail of an activity that requires approval
- **THEN** `Treffpunkt` is visible
- **AND** the locked copy includes `Sichtbar, sobald du bestätigt bist.`
- **AND** the locked copy includes `Der Organisator entscheidet über deine Anfrage.`
- **AND** no street address is visible

Scenario: Organizer sees the meeting point

- **WHEN** the organizer views the detail of their activity with meeting point `Färberstraße 8, hinten links`
- **THEN** `Treffpunkt` is visible
- **AND** `Färberstraße 8, hinten links` is visible
- **AND** `Sichtbar, sobald du bestätigt bist.` is not visible

Scenario: Accepted participant sees the meeting point

- **WHEN** a signed-in person whose own participation status for the activity is `accepted` views its detail, and its meeting point is `Färberstraße 8, hinten links`
- **THEN** `Treffpunkt` is visible
- **AND** `Färberstraße 8, hinten links` is visible
- **AND** `Sichtbar, sobald du bestätigt bist.` is not visible

Requirement: Detail omits social and unused prototype fields

The detail MUST NOT show an accepted banner reading `Du bist dabei. Treffpunkt ist freigeschaltet.`. The participation request action, the direct-join action, the leave action, the pending request banner, and the `Dabei` participant list are the only participation elements the detail MUST show, and only as defined by the `activity-participation` capability and the participant-list requirements of this capability.

Scenario: No join or people

- **WHEN** any activity detail is shown
- **THEN** `Du bist dabei. Treffpunkt ist freigeschaltet.` is not visible

Requirement: Detail shows accepted participants

Once the activity has loaded and a session exists, the detail MUST show a `Dabei` section listing the organizer, labeled `Organisator:in`, followed by every participant whose participation status is `accepted`, each with their display name and initials avatar. The organizer row is always first, before any pending requesters or accepted participants. When the signed-in viewer is that organizer, their own row MUST show `Du` in place of their display name; the `Organisator:in` label stays. Next to the `Dabei` heading, the section MUST show the count of the organizer plus every accepted participant (e.g. `2 Leute`) whenever that count is greater than `1`, and MUST NOT show a count when the organizer is the only person listed. While no session exists, or while the activity is still loading or failed to load, this section MUST NOT be shown. When there are no accepted participants besides the organizer, the section MUST still be shown and MUST show `Noch niemand bestätigt`.

Scenario: Accepted participants are listed

- **WHEN** a signed-in person views the detail of an activity organized by `Lena Maier` with two accepted participants, `Anna Stricker` and `Jonas Pilz`
- **THEN** `Dabei` is visible
- **AND** `Lena Maier` is visible, labeled `Organisator:in`
- **AND** `Anna Stricker` is visible
- **AND** `Jonas Pilz` is visible
- **AND** `3 Leute` is visible next to `Dabei`

Scenario: No accepted participants yet

- **WHEN** a signed-in person views the detail of an activity organized by `Lena Maier` with no accepted participants
- **THEN** `Dabei` is visible
- **AND** `Lena Maier` is visible, labeled `Organisator:in`
- **AND** `Noch niemand bestätigt` is visible
- **AND** no people count is visible next to `Dabei`

Scenario: Organizer sees their own row as Du

- **WHEN** the organizer views the detail of their own activity
- **THEN** `Du` is visible in `Dabei` in place of their display name
- **AND** `Organisator:in` is visible next to it

Scenario: Someone else sees the organizer's name

- **WHEN** someone other than the organizer views the detail of an activity organized by `Lena Maier`
- **THEN** `Lena Maier` is visible in `Dabei`, labeled `Organisator:in`
- **AND** `Du` is not visible in `Dabei`

Scenario: Hidden without a session

- **WHEN** someone without a session views any activity detail
- **THEN** `Dabei` is not visible

Scenario: Hidden while loading or on failure

- **WHEN** a signed-in person views a detail whose activity has not finished loading, or that could not be obtained
- **THEN** `Dabei` is not visible

Requirement: Organizer sees and accepts pending requesters inline

In the `Dabei` section, the organizer additionally sees every participant whose participation status is `requested`, each with `Reinlassen`. Activating `Reinlassen` MUST accept that request as defined by the `activity-participation` capability. After it succeeds, that person MUST move from the pending part of the list to the accepted part without leaving the detail. The organizer MUST NOT see `Ablehnen` in this section; declining a request is only offered by the `activity-participation` capability's requests overview. Someone other than the organizer MUST NOT see any pending requester in this section.

Scenario: Organizer sees a pending requester

- **WHEN** the organizer views the detail of their activity, and `Marie Schuster` has a pending request for it
- **THEN** `Marie Schuster` is visible in `Dabei`
- **AND** `Reinlassen` is visible next to her name

Scenario: Accepting moves the requester to accepted

- **WHEN** the organizer activates `Reinlassen` for `Marie Schuster`
- **THEN** `Marie Schuster` is shown as an accepted participant
- **AND** `Reinlassen` is no longer visible next to her name

Scenario: Non-organizer never sees pending requesters

- **WHEN** someone other than the organizer views the detail of an activity with a pending request
- **THEN** the pending requester's name is not visible in `Dabei`
- **AND** `Reinlassen` is not visible

Requirement: Detail explains who sees what

When an activity has loaded, the detail MUST show a section titled `Wer sieht was?` between the organizer block and `Treffpunkt`, for every viewer. It MUST contain these four German lines in this order: 1. `Der genaue Treffpunkt ist nur für bestätigte Teilnehmer sichtbar.` 2. For an activity that requires approval: `<organizer display name> bestätigt jede Anfrage einzeln – niemand ist einfach so dabei.` For an activity that does not require approval: `Diese Aktivität ist offen: wer will, kann direkt beitreten.` 3. `Dein Profil und Name sind öffentlich – deine E-Mail sieht niemand.` 4. `Du kannst jederzeit wieder rausgehen oder deine Anfrage zurückziehen.`

The section MUST NOT be shown while the activity is loading or when it failed to load.

Scenario: Approval activity

- **WHEN** the detail is shown for `Veganer Stammtisch im Katzentempel` organized by `Lena Maier`, which requires approval
- **THEN** `Wer sieht was?` is visible
- **AND** `Der genaue Treffpunkt ist nur für bestätigte Teilnehmer sichtbar.` is visible
- **AND** `Lena Maier bestätigt jede Anfrage einzeln – niemand ist einfach so dabei.` is visible
- **AND** `Dein Profil und Name sind öffentlich – deine E-Mail sieht niemand.` is visible
- **AND** `Du kannst jederzeit wieder rausgehen oder deine Anfrage zurückziehen.` is visible

Scenario: Open activity

- **WHEN** the detail is shown for `Feierabend-Radtour am Inn`, which does not require approval
- **THEN** `Diese Aktivität ist offen: wer will, kann direkt beitreten.` is visible
- **AND** `bestätigt jede Anfrage einzeln` is not visible

Scenario: Not shown on load failure

- **WHEN** the detail is shown and the selected activity cannot be obtained
- **THEN** `Wer sieht was?` is not visible

Requirement: User-visible detail copy is German

All user-visible labels on the detail MUST be German, including `Was dich erwartet`, `Notiz vom Organisator`, and `Treffpunkt`.

Scenario: German section headings

- **WHEN** the detail is shown for an activity with a non-blank organizer notice
- **THEN** the visible labels include `Was dich erwartet`, `Notiz vom Organisator`, and `Treffpunkt`

Requirement: Seeded notices match the prototype

When the hosted list contains the seven stakeholder sample activities, those rows MUST include the prototype organizer notices. Opening each of those details MUST show the matching notice.

Scenario: Radtour notice

- **WHEN** the hosted list is seeded and the detail for `Feierabend-Radtour am Inn` is shown
- **THEN** `Licht mitnehmen, wir kommen erst in der Dämmerung zurück.` is visible

Scenario: Stammtisch notice

- **WHEN** the hosted list is seeded and the detail for `Veganer Stammtisch im Katzentempel` is shown
- **THEN** `Bitte sag Bescheid, wenn du kurzfristig doch nicht kannst – ich reserviere nach Anzahl.` is visible

Requirement: Detail presents view-model state

The detail screen MUST take its displayed fields from screen state owned by a view-model. The presentational view MUST render that state and MUST NOT fetch the activity itself.

Scenario: View renders provided state

- **WHEN** the view is shown with state for an activity titled `Feierabend-Radtour am Inn`
- **THEN** that title is visible on screen

Scenario: Fake view-model drives the screen

- **WHEN** the screen is shown with a fake view-model whose state contains that same titled activity
- **THEN** `Feierabend-Radtour am Inn` is visible on screen

Requirement: Detail load progress and failure are visible

While the selected activity has not finished loading, the detail MUST show a loading indicator and MUST keep the back control visible. When the activity cannot be obtained, the detail MUST show a German load-failure message and MUST keep the back control visible.

Scenario: First load

- **WHEN** the detail is shown and the activity has not finished loading
- **THEN** a loading indicator is visible
- **AND** a back control is visible

Scenario: Load failure

- **WHEN** the detail is shown and the selected activity cannot be obtained
- **THEN** a German load-failure message is visible
- **AND** a back control is visible
- **AND** the activity title is not visible

Requirement: Detail shows the organizer with a profile link

The detail MUST show an organizer block with the organizer's initials avatar, display name, the caption `Organisiert diese Aktivität`, and a `Profil` link. The organizer notice, when present, MUST be shown inside that block as today. Activating `Profil` MUST report the organizer's id so the host can open that person's public profile; the detail MUST NOT show another screen itself.

Scenario: Organizer block

- **WHEN** the detail for `Feierabend-Radtour am Inn` is shown and it is organized by `Tobias Kern`
- **THEN** `Tobias Kern` is visible
- **AND** `Organisiert diese Aktivität` is visible
- **AND** `Profil` is visible

Scenario: Profil reports the organizer

- **WHEN** the user activates `Profil` on a detail whose organizer id is `a0000000-0000-4000-a000-000000000002`
- **THEN** that id is reported as the profile selection
- **AND** the detail does not show a profile screen itself

Scenario: Profil opens the public profile in the app

- **WHEN** the user opens the detail for `Feierabend-Radtour am Inn` from the list and activates `Profil`
- **THEN** the public profile of `Tobias Kern` is visible
- **AND** going back shows the detail again

Requirement: Detail shows device-only activities and their sync state

On Android, the detail MUST be shown for an activity that exists only on the device (not yet synced or rejected), without a connection. It MUST show `Wird synchronisiert` while the activity's local changes are not yet synced, and the error icon `Nicht gespeichert – zum Bearbeiten tippen` when its upload was rejected; activating that icon MUST report an edit request. The detail MUST update when the activity changes on the device while it is shown.

Scenario: Offline detail of a new activity

- **WHEN** Android has no connection and the user opens the detail of an activity just published offline
- **THEN** its title is visible
- **AND** `Wird synchronisiert` is visible

Scenario: Sync completes while open

- **WHEN** the detail of an unsynced activity is shown and its upload succeeds
- **THEN** `Wird synchronisiert` is no longer visible

Requirement: Detail shows photos for the organizer and accepted participants

In the organizer block and in the `Dabei` section, each person's avatar MUST show their photo when they have one and their initials otherwise. Display names, labels (`Organisator:in`, `Du`) and the participant count MUST NOT change.

Scenario: Organizer block with a photo

- **WHEN** the detail of an activity whose organizer has a photo is shown
- **THEN** the organizer block avatar shows that photo

Scenario: Dabei list mixes photos and initials

- **WHEN** the detail is shown to a signed-in person and an accepted participant has a photo while another has none
- **THEN** the first participant's avatar shows the photo
- **AND** the second participant's avatar shows their initials

activity-form Specification

Purpose

Lets a signed-in person create their own activity and later edit it, with the published activity visible immediately and — on Android — synced to the hosted list once a connection exists.

Requirements

Requirement: Form is reachable only for signed-in people

The activity form MUST only be reachable while a session exists. The form MUST show a back control (a standard back arrow); activating it MUST close the form without saving and return to the previous screen.

Scenario: Back discards

- **WHEN** the user has typed a title into a new activity form and activates the back control
- **THEN** the previous screen is visible
- **AND** no activity with that title exists

Requirement: Form fields and labels

The create form MUST show the header `Neue Aktivität` and the action `Aktivität veröffentlichen`. The edit form MUST show the header `Aktivität bearbeiten` and the action `Änderung speichern`. Both MUST show these fields in this order, labeled in German: - `Titel` (placeholder `z. B. Veganer Stammtisch`) - `Was erwartet die Leute?` (placeholder `Kurz beschreiben, worum es geht und für wen es passt.`) - `Datum` and `Uhrzeit` side by side - `Gegend (für alle sichtbar)` (placeholder `z. B. Rosenheim Innenstadt`) - `Genauer Treffpunkt — nur für bestätigte Teilnehmer` with a lock icon (placeholder `z. B. Färberstraße 8, hinten links`) - `Notiz von dir` (placeholder `z. B. Bringt gern was zum Teilen mit`) - a `Teilnehmer bestätigen` switch with the hint `Du entscheidest, wer mitkommt. Aus = jeder kann direkt beitreten.`

The edit form MUST additionally show `Was hat sich geändert?` below the other fields, but only while at least one person other than the organizer participates in the activity (see the requirement "Change message is required once others participate"). The create form MUST NOT show it.

Scenario: Create form

- **WHEN** a signed-in person opens the create form
- **THEN** `Neue Aktivität` is visible
- **AND** `Titel`, `Was erwartet die Leute?`, `Datum`, `Uhrzeit`, `Gegend (für alle sichtbar)`, `Genauer Treffpunkt — nur für bestätigte Teilnehmer`, `Notiz von dir`, and `Teilnehmer bestätigen` are visible
- **AND** `Aktivität veröffentlichen` is visible
- **AND** `Was hat sich geändert?` is not visible

Scenario: Edit form

- **WHEN** the organizer opens the edit form of an activity nobody else participates in
- **THEN** `Aktivität bearbeiten` is visible
- **AND** `Änderung speichern` is visible
- **AND** `Was hat sich geändert?` is not visible

Scenario: Edit form with another participant

- **WHEN** the organizer opens the edit form of an activity one other person participates in
- **THEN** `Aktivität bearbeiten` is visible
- **AND** `Was hat sich geändert?` is visible
- **AND** `Änderung speichern` is visible

Requirement: New form starts empty

A new form MUST start with every text field empty, no date, no time, and `Teilnehmer bestätigen` switched off.

Scenario: Initial values

- **WHEN** a signed-in person opens the create form
- **THEN** `Titel`, `Was erwartet die Leute?`, `Gegend`, `Genauer Treffpunkt`, and `Notiz von dir` are empty
- **AND** no date and no time are shown
- **AND** `Teilnehmer bestätigen` is off

Requirement: Multi-line fields grow with their content

`Was erwartet die Leute?` MUST show at least 5 lines and MUST grow to show all of its text once the text needs more than 5 lines. `Notiz von dir` MUST show at least 2 lines and MUST grow the same way. `Was hat sich geändert?` MUST show at least 3 lines and grow the same way. The form MUST scroll so every field and the save action stay reachable.

Scenario: Description grows

- **WHEN** the user enters a description of 8 lines
- **THEN** all 8 lines are visible in the field without scrolling inside the field

Requirement: Date and time are chosen with pickers

Activating `Datum` MUST open a date picker; activating `Uhrzeit` MUST open a 24-hour time picker. Confirming a picker MUST show the chosen value in the field — the date as a German weekday-plus-date (e.g. `Sa, 26. September`), the time as `HH:mm` (e.g. `18:30`). Dismissing a picker MUST leave the previous value unchanged. The date picker MUST NOT offer dates before the current day.

Scenario: Pick a date

- **WHEN** the user activates `Datum` and confirms `2026-09-26`
- **THEN** the `Datum` field shows `Sa, 26. September`

Scenario: Pick a time

- **WHEN** the user activates `Uhrzeit` and confirms `18:30`
- **THEN** the `Uhrzeit` field shows `18:30`

Scenario: Dismiss keeps the value

- **WHEN** the `Datum` field shows `Sa, 26. September` and the user opens the date picker and dismisses it
- **THEN** the `Datum` field still shows `Sa, 26. September`

Requirement: Form input is validated before saving

Saving MUST be rejected, with a German message at each offending field, when: - `Titel` is blank → `Titel fehlt` - `Datum` is missing → `Datum fehlt` - `Uhrzeit` is missing → `Uhrzeit fehlt` - the chosen date and time are not after the current moment (real clock, device time zone) → `Der Zeitpunkt muss in der Zukunft liegen` - `Gegend` is blank → `Gegend fehlt`

`Titel` MUST NOT accept more than 50 characters and `Was erwartet die Leute?` MUST NOT accept more than 5000 characters. Leading and trailing whitespace MUST be trimmed from all text fields on save. An empty `Was erwartet die Leute?`, `Genauer Treffpunkt`, `Notiz von dir`, or `Was hat sich geändert?` MUST be saved as empty text. A rejected save MUST NOT store or send anything.

Scenario: Missing required fields

- **WHEN** the user activates `Aktivität veröffentlichen` on an empty form
- **THEN** `Titel fehlt`, `Datum fehlt`, `Uhrzeit fehlt`, and `Gegend fehlt` are visible
- **AND** no activity is saved

Scenario: Past moment

- **WHEN** the user picks today's date and a time one hour ago and activates `Aktivität veröffentlichen`
- **THEN** `Der Zeitpunkt muss in der Zukunft liegen` is visible
- **AND** no activity is saved

Scenario: Title limit

- **WHEN** the user types 60 characters into `Titel`
- **THEN** the field contains only the first 50 characters

Scenario: Optional fields empty

- **WHEN** the user fills only `Titel`, `Datum`, `Uhrzeit` (in the future), and `Gegend` and publishes
- **THEN** the activity is saved with an empty description, meeting point, and notice

Requirement: Publishing opens the new activity

After a successful publish, the form MUST be replaced by the new activity's detail, so going back from that detail shows the activity list. The signed-in person MUST be stored as the activity's organizer.

Scenario: Publish then back

- **WHEN** the user publishes a valid new activity titled `Spieleabend im Park`
- **THEN** the detail for `Spieleabend im Park` is visible
- **AND** activating back on the detail shows the activity list
- **AND** the list shows `Spieleabend im Park` with `Von dir organisiert`

Requirement: Organizer can edit an upcoming activity

The edit form MUST be pre-filled with the activity's current values, including meeting point, and, where `Was hat sich geändert?` is shown, MUST show it empty. Every field MUST be editable. Saving MUST apply the same validation as creating and MUST return to the activity's detail, which then shows the new values. Only the activity's organizer MUST be able to open the edit form or change the activity, and only while the activity's date and time are still in the future — except for an activity that has never been synced, which its organizer MUST always be able to open. The hosted list MUST reject changes by anyone else and changes to an activity whose start has passed.

Scenario: Edit and save

- **WHEN** the organizer opens the edit form of `Spieleabend im Park`, changes `Gegend` to `Mangfallpark`, and activates `Änderung speichern`
- **THEN** the detail is visible
- **AND** it shows `Mangfallpark`

Scenario: Pre-filled

- **WHEN** the organizer opens the edit form of an activity with meeting point `Färberstraße 8` and one other participant
- **THEN** `Genauer Treffpunkt` shows `Färberstraße 8`
- **AND** `Was hat sich geändert?` is empty

Scenario: Someone else's activity

- **WHEN** a signed-in person attempts to change an activity organized by someone else
- **THEN** the hosted list rejects the change

Scenario: Past activity

- **WHEN** the organizer attempts to change an already synced activity whose date and time have passed
- **THEN** the change is rejected

Requirement: Change message is required once others participate

While the activity has no participants other than its organizer, the edit form MUST NOT offer a change message, and saving MUST store an empty change message. A person participates when their participation status is `accepted`; pending requests do not count. Once at least one other person participates, `Was hat sich geändert?` MUST be shown and a non-blank message MUST be required: saving with a blank message MUST be rejected with the German message `Änderung beschreiben` at that field, and MUST NOT store or send anything. The message is otherwise not validated. The hosted list MUST enforce the same rule and MUST reject a change with a blank message to an activity that has another accepted participant. The saved message MUST be stored with the activity's private details.

Scenario: Save without other participants

- **WHEN** the organizer edits an activity nobody else participates in and activates `Änderung speichern`
- **THEN** the change is saved
- **AND** the stored change message is empty

Scenario: Pending request does not count

- **WHEN** the organizer edits an activity that has only a pending request and activates `Änderung speichern`
- **THEN** `Was hat sich geändert?` is not visible
- **AND** the change is saved

Scenario: Blank message with another participant

- **WHEN** the organizer edits an activity one other person participates in, leaves `Was hat sich geändert?` blank, and activates `Änderung speichern`
- **THEN** `Änderung beschreiben` is visible at `Was hat sich geändert?`
- **AND** nothing is saved

Scenario: Message with another participant

- **WHEN** the organizer edits an activity one other person participates in, enters `Wir starten eine halbe Stunde später.`, and activates `Änderung speichern`
- **THEN** the change is saved with that message

Scenario: Someone joined while editing offline

- **WHEN** an Android edit without a message was saved on the device and another person was accepted before it was uploaded
- **THEN** the hosted list rejects the upload
- **AND** the activity shows the error icon and can be fixed and retried

Requirement: Private details are visible only to the organizer

The meeting point and the change message MUST be readable only by the activity's organizer (and, once participation exists, by confirmed participants). They MUST NOT be returned to unauthenticated clients or to other signed-in people, and they MUST NOT be part of the public activity list.

Scenario: Unauthenticated read

- **WHEN** an unauthenticated client requests an activity's private details
- **THEN** no meeting point and no change message are returned

Scenario: Other person

- **WHEN** a signed-in person who is not the organizer requests an activity's private details
- **THEN** no meeting point and no change message are returned

Requirement: Android saves locally first and syncs later

On Android, a valid save MUST be stored on the device before any network call and MUST be visible in the activity list and detail immediately, whether or not a connection exists. The device MUST send the saved activity to the hosted list as soon as a connection is available, including after the app was closed or the device restarted, and MUST retry on connection or temporary server failures without creating duplicates. After a successful upload the activity MUST be shown as synced.

Scenario: Offline publish

- **WHEN** Android has no connection and the user publishes a valid activity
- **THEN** its detail is visible immediately
- **AND** the list shows it with the sync icon

Scenario: Connection returns

- **WHEN** an activity was published offline and a connection becomes available
- **THEN** the activity exists in the hosted list exactly once
- **AND** its sync icon is no longer shown

Scenario: Offline edit

- **WHEN** Android has no connection and the organizer saves an edit
- **THEN** the detail shows the new values immediately with the sync icon
- **AND** the hosted list receives the change once a connection is available

Requirement: Rejected uploads can be fixed and retried

When the hosted list permanently rejects an upload (for example because the start time has passed in the meantime), Android MUST keep the activity on the device and show the error icon instead of the sync icon. Activating the error icon MUST open that activity's edit form pre-filled with the saved values. Saving it again MUST retry the upload. The activity MUST also be reachable through `Bearbeiten` on its detail.

Scenario: Failure marker opens the form

- **WHEN** an upload was rejected and the user activates the error icon on its card
- **THEN** the edit form for that activity is visible with its saved values

Scenario: Retry

- **WHEN** the user fixes a rejected activity in the form and saves it while online
- **THEN** the activity is uploaded
- **AND** no error or sync icon is shown for it

Requirement: Web saves directly to the hosted list

On Web, saving MUST write directly to the hosted list and MUST NOT keep a local queue. When the hosted list cannot be reached or rejects the save, the form MUST stay open with all input kept and MUST show `Speichern ist`

`gerade nicht möglich`.

Scenario: Web offline

- **WHEN** the Web application has no connection and the user activates `Aktivität veröffentlichen` on a valid form
- **THEN** `Speichern ist gerade nicht möglich` is visible
- **AND** the form still shows the entered title

Requirement: Signing out removes local activity data

When the person signs out, the device MUST delete all activity data it stored for that person — activities not yet synced, failed activities, and private details — and MUST stop any pending upload for them. Public activities of other organizers MAY remain cached.

Scenario: Unsynced activity is discarded

- **WHEN** Android holds an unsynced activity and the person activates `Abmelden`
- **THEN** that activity is no longer shown in the list
- **AND** it is never uploaded afterwards

Requirement: Form presents view-model state

The form MUST take its field values, picker values, field errors, save progress, and save failure from screen state owned by a view-model. The presentational view MUST render that state and report input as events; it MUST NOT save activities itself.

Scenario: View renders provided state

- **WHEN** the form view is shown with state holding the title `Spieleabend im Park` and the error `Gegend fehlt`
- **THEN** `Spieleabend im Park` and `Gegend fehlt` are visible

Requirement: Feature composition is isolated from UI and data

The feature MUST expose a composition root binding its use cases, validator, save adapters, and view-model. UI and domain MUST be testable without that composition root, and the save use case MUST be testable with fake ports.

Scenario: Use case with fakes

- **WHEN** the create use case is invoked with an invalid input and a fake save port
- **THEN** it returns the validation errors
- **AND** the fake save port is not called

activity-list Specification

Purpose

Shows a chronological, date-grouped list of local activities so people can see what is coming up in Rosenheim.

Requirements

Requirement: Activities are listed in chronological order

The system MUST obtain activities from an activity data source and present them ordered by calendar date, then by meeting time on that date.

Scenario: Earlier meeting time on the same day comes first

- **WHEN** two activities fall on the same date and one has meeting time `17:30` and the other `19:00`
- **THEN** the `17:30` activity appears before the `19:00` activity

Scenario: Earlier date comes first

- **WHEN** activities exist on `2026-09-21` and `2026-09-22`
- **THEN** the `2026-09-21` activities appear before the `2026-09-22` activities

Requirement: List is grouped by day relative to the current day

The system MUST group activities by calendar date, relative to the current day from the real clock in `Europe/Berlin`, not a fixed date. Activities on the current day MUST appear under the header `Heute`. Activities on the following day MUST appear under `Morgen`. Activities on a later date MUST appear under a German weekday-plus-date header for that day (`Mi, 23. September` for `2026-09-23`, `Do, 24. September` for `2026-09-24`).

Scenario: Today and tomorrow headers

- **WHEN** it is `2026-09-21` and the list includes activities on `2026-09-21` and `2026-09-22`
- **THEN** those groups are labeled `Heute` and `Morgen`

Scenario: Later-day header includes weekday and date

- **WHEN** it is `2026-09-21` and the list includes an activity on `2026-09-23`
- **THEN** that group is labeled `Mi, 23. September`

Requirement: List shows only activities that have not started yet

The system MUST show only activities whose start (date plus meeting time) is not before the current moment. The current moment MUST be taken from the real clock in the time zone `Europe/Berlin`. An activity that starts exactly now MUST be shown.

Scenario: Later today is shown

- **WHEN** it is `2026-09-29 18:00` and an activity is on `2026-09-29` at `19:00`
- **THEN** the activity is listed under `Heute`

Scenario: Earlier today is hidden

- **WHEN** it is `2026-09-29 18:00` and an activity is on `2026-09-29` at `17:30`
- **THEN** the activity is not listed

Scenario: Past day is hidden

- **WHEN** it is `2026-09-29 08:00` and an activity is on `2026-09-28`
- **THEN** the activity is not listed

Scenario: Start exactly now is shown

- **WHEN** it is `2026-09-29 19:00` and an activity is on `2026-09-29` at `19:00`
- **THEN** the activity is listed

Scenario: Europe/Berlin decides the day

- **WHEN** it is `2026-09-29 23:30` UTC, which is `2026-09-30 01:30` in Europe/Berlin, and an activity is on `2026-09-29` at `20:00`
- **THEN** the activity is not listed

Requirement: List follows the clock

While the list is visible, the system MUST re-evaluate which activities have not started yet at least once per minute, at the full minute. An activity that starts at a given minute MUST disappear from the list within one minute after that minute has begun. Day headers MUST follow the current day, so `Heute` and `Morgen` roll over at midnight without a manual reload.

Scenario: Started activity disappears

- **WHEN** the list is visible at `18:59` with an activity at `19:00` and the clock reaches `19:01`
- **THEN** the activity is no longer listed
- **AND** no manual reload was needed

Scenario: Headers roll over at midnight

- **WHEN** the list is visible at `23:59` on `2026-09-29` with an activity on `2026-09-30` and the clock reaches `00:00`
- **THEN** that activity's group is labeled `Heute` instead of `Morgen`

Requirement: Activity card shows list fields

Each activity card MUST show the title, meeting time, area, a shortened form of the description, and the organizer. The organizer MUST be shown as an initials avatar followed by `von <display name>` (for example `von Lena Maier`).

When the activity requires approval, the card MUST also show the label `Bestätigung`. When the activity does not require approval, that label MUST NOT appear. The card MUST NOT show distance or the organizer notice, and MUST NOT show any participation state other than the `Du bist dabei` tag defined by the requirement "Accepted participation is tagged".

Scenario: Approval required

- **WHEN** an activity requires approval
- **THEN** its card shows `Bestätigung`

Scenario: Open activity

- **WHEN** an activity does not require approval
- **THEN** its card does not show `Bestätigung`

Scenario: Organizer is shown

- **WHEN** the card for an activity organized by `Lena Maier` is shown to someone who is not Lena Maier
- **THEN** the card shows `von Lena Maier`
- **AND** the card shows the initials `LM`

Scenario: No personal or unused fields

- **WHEN** any activity card is shown to a person who is not accepted into that activity
- **THEN** the card does not show `Du bist dabei`, a distance, or the organizer notice

Requirement: Accepted participation is tagged

While a session exists, the card of every activity the signed-in person has been accepted into (participation status `accepted`) MUST show the tag `Du bist dabei`. The tag MUST NOT be shown on a card for an activity the person organizes (it shows `Von dir organisiert` instead), or where the person's participation is pending, declined or ended, or while no session exists. The tag MUST appear when a person is accepted or joins an activity directly and then returns to the list, and MUST disappear once the person leaves. If the accepted participations cannot be read, the list MUST still be shown, without any tag. The tag MUST NOT depend on the activity being cached on the device.

Scenario: Accepted participant

- **WHEN** a signed-in person who was accepted into `Spieleabend im Park` (organized by someone else) views the list
- **THEN** the card for `Spieleabend im Park` shows `Du bist dabei`
- **AND** other cards for activities the person is not accepted into do not show it

Scenario: Pending request

- **WHEN** a signed-in person with a pending request for `Spieleabend im Park` views the list
- **THEN** the card for `Spieleabend im Park` does not show `Du bist dabei`

Scenario: Organizer

- **WHEN** a person views the list containing an activity they organize
- **THEN** its card shows `Von dir organisiert`
- **AND** its card does not show `Du bist dabei`

Scenario: Joining then returning

- **WHEN** a signed-in person joins an open activity from its detail and returns to the list
- **THEN** the activity's card shows `Du bist dabei`

Scenario: Leaving then returning

- **WHEN** an accepted participant leaves the activity from its detail and returns to the list
- **THEN** the activity's card no longer shows `Du bist dabei`

Scenario: Signed out

- **WHEN** no session exists
- **THEN** no card shows `Du bist dabei`

Scenario: Participations cannot be read

- **WHEN** the accepted participations cannot be loaded
- **THEN** the activity cards are still shown
- **AND** none of them shows `Du bist dabei`

Requirement: Screen chrome is a Rosenheim toolbar and cards report selection

The activity list screen MUST show a toolbar whose title is `Rosenheim`. The title row MUST show trailing content supplied by the host on the loading state, the error state, and a loaded list. On a loaded list that title row MUST scroll with the list. Shown without trailing content, the screen MUST NOT show `Profil anlegen`, `Ich habe schon ein Konto`, or `Einloggen`. When the user selects an activity card, the list MUST report that activity's id and MUST NOT show another screen itself.

Scenario: Toolbar title

- **WHEN** the activity list screen is shown
- **THEN** `Rosenheim` is visible in the toolbar

Scenario: Host trailing content

- **WHEN** the activity list is shown with trailing content `Konto-Slot` in the loading state, the error state, or a loaded list
- **THEN** `Rosenheim` is visible
- **AND** `Konto-Slot` is visible

Scenario: No account chrome without a host

- **WHEN** the activity list screen is shown without trailing content

- **THEN** `Profil anlegen` is not visible
- **AND** `Ich habe schon ein Konto` is not visible
- **AND** `Einloggen` is not visible

Scenario: Loaded title row scrolls away

- **WHEN** a loaded activity list is scrolled until the title row leaves the viewport
- **THEN** `Rosenheim` is not visible
- **AND** the host trailing content is not visible

Scenario: Card selection reports the activity id

- **WHEN** the user selects an activity card whose id is `11111111-1111-4111-a111-111111111111`
- **THEN** that id is reported as the selection
- **AND** the activity list screen does not show a detail view

Requirement: User-visible copy is German

All user-visible labels on the activity list screen MUST be German, including `Rosenheim`, `Heute`, `Morgen`, and `Bestätigung`.

Scenario: German labels

- **WHEN** the activity list screen is shown with at least one activity that requires approval on the current day and has not started yet
- **THEN** the visible labels include `Rosenheim`, `Heute`, and `Bestätigung`

Requirement: Hosted activities that have not started are shown

The system MUST obtain activities from the hosted activity list and show those that have not started yet. Both Android and Web MUST show such activities under the day header that matches their date.

Scenario: Not-started hosted activities on Web

- **WHEN** the Web application shows the activity list and the hosted list contains activities that have not started yet, today and on later days
- **THEN** their titles are visible
- **AND** they appear under `Heute`, `Morgen`, or the weekday-plus-date header of their day

Scenario: Not-started hosted activities on Android

- **WHEN** the Android application shows the activity list and the hosted list contains activities that have not started yet, today and on later days
- **THEN** their titles are visible
- **AND** they appear under `Heute`, `Morgen`, or the weekday-plus-date header of their day

Scenario: Only past activities are hosted

- **WHEN** every activity in the hosted list has already started
- **THEN** the list shows no activity titles

Requirement: Empty hosted list shows no activity cards

When the hosted list is empty and loading succeeds, the activity list screen MUST show no activity titles. The toolbar title `Rosenheim` MUST remain visible.

Scenario: Successful empty load

- **WHEN** the activity list is shown and the hosted list contains no activities
- **THEN** no activity titles are visible
- **AND** the toolbar title `Rosenheim` is visible

Requirement: Android serves a local cache when the hosted list cannot be reached

When the hosted list cannot be read, Android MUST still show activities previously stored on the device, including activities saved on the device that are not yet synced. When Android has no stored activities and the hosted list cannot be read, Android MUST show a German load-failure message and MUST NOT invent sample activities. A successful load of the hosted list MUST NOT remove or overwrite activities whose local changes are not yet synced or were rejected.

Scenario: Android shows previously stored activities after a failed load

- **WHEN** Android previously stored activities from a successful hosted load
- **AND** a later load of the hosted list fails
- **THEN** those previously stored activity titles remain visible

Scenario: Android shows an error when nothing is stored

- **WHEN** Android has no stored activities
- **AND** the hosted list cannot be read
- **THEN** a German load-failure message is visible
- **AND** no sample activity titles are visible

Scenario: Refresh keeps unsynced activities

- **WHEN** Android holds an unsynced activity `Spieleabend im Park`
- **AND** a load of the hosted list succeeds without it
- **THEN** `Spieleabend im Park` remains visible

Requirement: Web does not keep an offline activity list

When the hosted list cannot be read, Web MUST show a German load-failure message and MUST NOT show a hardcoded or locally persisted activity list.

Scenario: Web load failure

- **WHEN** the Web application shows the activity list and the hosted list cannot be read

- **THEN** a German load-failure message is visible
- **AND** no activity titles from a local fixture are visible

Requirement: List load progress is visible

While activities are being obtained and no list or error has been shown yet, the screen MUST show a loading indicator. The toolbar title `Rosenheim` MUST remain visible.

Scenario: First load

- **WHEN** the activity list screen is shown and activities have not finished loading
- **THEN** a loading indicator is visible
- **AND** the toolbar title `Rosenheim` is visible

Requirement: Hosted list is readable without signing in

Unauthenticated clients MUST be able to read the list fields shown on the card (title, description, date, meeting time, area, and whether approval is required) together with the organizer notice and the organizer's id and display name. Unauthenticated clients MUST NOT be able to insert, update, or delete activities. A signed-in person MUST be able to insert an activity only with themselves as organizer, and MUST be able to update only activities they organize. Clients MUST NOT be able to delete activities.

Scenario: Public read

- **WHEN** an unauthenticated client requests the hosted activity list
- **THEN** the list fields for each activity are returned
- **AND** the organizer notice for each activity is returned
- **AND** the organizer id and organizer display name for each activity are returned

Scenario: Public write is denied

- **WHEN** an unauthenticated client attempts to insert, update, or delete an activity
- **THEN** the hosted list rejects the change

Scenario: Organizer cannot be spoofed

- **WHEN** a signed-in person attempts to insert an activity with someone else as organizer
- **THEN** the hosted list rejects it

Requirement: Client uses only a public-read credential

Shipped Android and Web applications MUST authenticate to the hosted list with a public-read credential. They MUST NOT embed a privileged secret that can write the hosted list.

Scenario: Write secret is absent from the client

- **WHEN** the Android or Web application is assembled
- **THEN** it can read the hosted list with the public-read credential
- **AND** it does not contain a privileged write secret

Requirement: Screen presents view-model state

The activity list screen MUST take its displayed groups and cards from screen state owned by a view-model. The presentational view MUST render that state and MUST NOT fetch activities itself.

Scenario: View renders provided state

- **WHEN** the view is shown with state that includes an activity titled `Feierabend-Radtour am Inn`
- **THEN** that title is visible on screen

Scenario: Fake view-model drives the screen

- **WHEN** the screen is shown with a fake view-model whose state contains that same titled activity
- **THEN** `Feierabend-Radtour am Inn` is visible on screen

Requirement: Feature composition is isolated from UI and data

The feature MUST expose a composition root that binds the list use case and the view-model. The activity data source and the clock MUST be provided by the shared feature composition root rather than by the list feature. UI and data MUST remain usable without any composition root (constructor injection / test doubles).

Scenario: UI test without composition root

- **WHEN** a UI test supplies a fake view-model to the screen
- **THEN** the screen renders without starting the application composition root

Scenario: Use case with fake data

- **WHEN** the list use case is invoked with a fake data source and a fake clock at `2026-09-21 08:00`, and the data source returns one activity on `2026-09-21` at `19:00`
- **THEN** the use case returns that activity under the current day's group
- **AND** it does not call any other infrastructure

Requirement: Every activity has an organizer

Every activity in the hosted list MUST have exactly one organizer, who is a person with a public profile. The hosted list MUST reject an activity without an organizer.

Scenario: Activity without organizer is rejected

- **WHEN** an activity is written to the hosted list without an organizer
- **THEN** the hosted list rejects it

Requirement: Seeded activities have prototype organizers

When the hosted list contains the seven stakeholder sample activities, each MUST be organized by its prototype organizer: `Feierabend-Radtour am Inn` by `Tobias Kern`, `Veganer Stammtisch im Katzentempel` and `Wanderung auf die Kampenwand` by `Lena Maier`, `Vegan Brunch & Brettspiele` by `Jonas Pilz`, `Karaoke in der Gruppe` by `Marie`

`Schuster`, `Filmabend: Dokus & Popcorn` by `Sara Berger`, and `Vegan-Kochabend bei mir` by `Alex Brunner`. These sample organizers MUST NOT be able to sign in.

Scenario: Seeded organizer on the card

- **WHEN** the hosted list is seeded and the activity list is shown
- **THEN** the card `Feierabend-Radtour am Inn` shows `von Tobias Kern`

Scenario: Sample organizers cannot sign in

- **WHEN** someone attempts to sign in as any sample organizer
- **THEN** no session is created

Requirement: Own activities are highlighted

When a session exists and the signed-in person is the organizer of an activity, that activity's card MUST show `Von dir organisiert` in place of `von <display name>` and MUST use the "mine" styling: a green card frame and green time and area chips. Cards of activities organized by someone else, and all cards while no session exists, MUST use the default styling.

Scenario: Own activity

- **WHEN** a session exists for `Ada Lovelace` and the activity list shows an activity organized by her
- **THEN** that card shows `Von dir organisiert`
- **AND** that card does not show `von Ada Lovelace`
- **AND** that card uses the green "mine" styling

Scenario: Someone else's activity

- **WHEN** a session exists and the activity list shows an activity organized by someone else
- **THEN** that card shows `von <organizer display name>`
- **AND** that card uses the default styling

Scenario: No session

- **WHEN** no session exists and the activity list is shown
- **THEN** no card shows `Von dir organisiert`

Requirement: Signed-in people get a create action

While a session exists, the activity list MUST show a floating create action with the accessible name `Neue Aktivität`, on the loading state, the error state, and a loaded list. While no session exists, it MUST NOT be shown. Activating it MUST report the request to the host and MUST NOT show another screen itself; the host opens the create form.

Scenario: Signed in

- **WHEN** a session exists and the activity list is shown
- **THEN** `Neue Aktivität` is visible

Scenario: Signed out

- **WHEN** no session exists and the activity list is shown
- **THEN** `Neue Aktivität` is not visible

Scenario: Opens the form in the app

- **WHEN** a signed-in person activates `Neue Aktivität`
- **THEN** the create form is visible

Requirement: List reflects saved activities immediately

When an activity is created or edited on the device, the activity list MUST show the new or changed activity as soon as the list is visible again, without a manual reload.

Scenario: Back from a new activity

- **WHEN** the user publishes `Spieleabend im Park` and goes back from its detail
- **THEN** the list shows `Spieleabend im Park` under its day header

Requirement: Cards show the sync state

On Android, a card of an activity whose local changes are not yet synced MUST show a sync icon with the accessible name `Wird synchronisiert`. A card of an activity whose upload was rejected MUST show an error icon with the accessible name `Nicht gespeichert – zum Bearbeiten tippen` instead. Activating the error icon MUST report that activity's id as an edit request; activating the rest of the card MUST still report it as a selection. Synced activities MUST NOT show either icon. Web MUST NOT show either icon.

Scenario: Pending

- **WHEN** a card shows an activity not yet synced
- **THEN** `Wird synchronisiert` is visible on that card

Scenario: Failed

- **WHEN** a card shows an activity whose upload was rejected and the user activates its error icon
- **THEN** that activity's id is reported as an edit request

Scenario: Synced

- **WHEN** a card shows a synced activity
- **THEN** neither `Wird synchronisiert` nor `Nicht gespeichert – zum Bearbeiten tippen` is visible on it

Requirement: Card organizer row shows the organizer's photo

On an activity card, the organizer's avatar MUST show the organizer's photo when they have one and their initials otherwise. The text `von <display name>` MUST NOT change.

Scenario: Organizer with a photo

- **WHEN** the card for an activity organized by a person with a photo is shown
- **THEN** the organizer avatar shows that photo
- **AND** the card shows `von <display name>`

Scenario: Organizer without a photo

- **WHEN** the card for an activity organized by `Lena Maier`, who has no photo, is shown
- **THEN** the card shows the initials `LM`

Scenario: Photo shown while offline on Android

- **WHEN** Android shows an activity previously stored on the device and the organizer has a photo
- **AND** the photo cannot be loaded because there is no connection
- **THEN** the organizer's initials are shown in its place

activity-participation Specification

Purpose

Lets a signed-in person ask to join an activity that needs the organizer's approval, see that the request is pending, and withdraw it again, while the server keeps requests private and consistent.

Requirements

Requirement: Request action is offered only when a request is possible

The activity detail MUST offer the participation action as a floating action button only when all of these hold: a session exists, the signed-in person is not the activity's organizer, the activity requires approval, the activity's start is in the future, and the person's current participation status for that activity has been loaded. In every other case, including while the status is still loading, no participation action MUST be shown.

Scenario: Approval activity for another person

- **WHEN** a signed-in person views the detail of an upcoming activity that requires approval and is organized by someone else, and they have no pending request
- **THEN** the floating action button `Anfrage senden` is visible

Scenario: Open activity

- **WHEN** a signed-in person views the detail of an upcoming activity that does not require approval
- **THEN** `Anfrage senden` is not visible

Scenario: Own activity

- **WHEN** the organizer views the detail of their own activity that requires approval
- **THEN** `Anfrage senden` is not visible

Scenario: Signed out

- **WHEN** someone without a session views the detail of an upcoming activity that requires approval
- **THEN** `Anfrage senden` is not visible

Scenario: Activity already started

- **WHEN** a signed-in person views the detail of an activity that requires approval and whose start has passed
- **THEN** `Anfrage senden` is not visible
- **AND** `Anfrage zurückziehen` is not visible

Scenario: Session changes while the detail is shown

- **WHEN** a person signs in while viewing the detail of an upcoming approval activity organized by someone else
- **THEN** their participation status is loaded
- **AND** the matching participation action becomes visible

Requirement: Participation status is loaded live

Each time the detail is shown with a session, the person's participation status for that activity MUST be read from the hosted service. It MUST NOT be kept on the device between detail visits. When the status cannot be loaded (for example without a connection), no participation action and no pending banner MUST be shown, and the rest of the detail MUST stay visible and usable.

Scenario: Pending request survives leaving the detail

- **WHEN** a person sends a request, goes back to the list, and opens the same detail again
- **THEN** `Anfrage gesendet – Lena Maier schaut sie sich an.` is visible
- **AND** `Anfrage zurückziehen` is visible

Scenario: Pending request is visible on another device

- **WHEN** a person has a pending request created on Android and opens the same detail on Web
- **THEN** `Anfrage zurückziehen` is visible

Scenario: Status cannot be loaded

- **WHEN** a signed-in person opens the detail of an approval activity without a connection
- **THEN** the activity title is visible
- **AND** `Anfrage senden` is not visible
- **AND** `Anfrage zurückziehen` is not visible

Requirement: Sending a request

Activating `Anfrage senden` MUST create a pending participation request for the signed-in person and that activity on the hosted service. After it succeeds, the detail MUST show the pending state. While the request is in flight, the action MUST NOT accept another activation. Sending MUST be online only: nothing MUST be queued on the device for later.

Scenario: Request succeeds

- **WHEN** a signed-in person activates `Anfrage senden` on `Veganer Stammtisch im Katzentempel` organized by `Lena Maier`
- **THEN** `Anfrage gesendet – Lena Maier schaut sie sich an.` is visible
- **AND** the floating action button shows `Anfrage zurückziehen`
- **AND** `Anfrage senden` is not visible

Scenario: Double activation

- **WHEN** the person activates `Anfrage senden` twice in quick succession
- **THEN** exactly one pending request exists for that person and activity

Requirement: Pending request is shown and can be withdrawn

While the person has a pending request for the activity, the detail MUST show the banner `Anfrage gesendet – <organizer display name> schaut sie sich an.` and the floating action button `Anfrage zurückziehen`. Activating it MUST remove the pending request on the hosted service. After it succeeds, the banner MUST disappear and `Anfrage senden` MUST be offered again, so the person can request again. Withdrawing MUST be online only.

Scenario: Withdraw succeeds

- **WHEN** a person with a pending request activates `Anfrage zurückziehen`
- **THEN** `Anfrage gesendet – Lena Maier schaut sie sich an.` is not visible
- **AND** `Anfrage senden` is visible

Scenario: Request again after withdrawing

- **WHEN** a person withdraws their request and then activates `Anfrage senden` again
- **THEN** the pending banner is visible again

Requirement: Failed send or withdraw is reported

When sending or withdrawing fails (no connection, server rejection, or any other error), the detail MUST show a German message in a snackbar and MUST keep the state from before the attempt. The message MUST be `Anfrage konnte nicht gesendet werden` for a failed send and `Anfrage konnte nicht zurückgezogen werden` for a failed withdrawal. Each failure MUST be shown once and MUST NOT reappear after it was dismissed or timed out. Success MUST NOT show a snackbar.

Scenario: Send without connection

- **WHEN** a signed-in person loses the connection after the detail loaded and activates `Anfrage senden`
- **THEN** `Anfrage konnte nicht gesendet werden` is shown
- **AND** `Anfrage senden` is still visible
- **AND** no pending banner is visible

Scenario: Withdraw without connection

- **WHEN** a person with a pending request loses the connection and activates `Anfrage zurückziehen`
- **THEN** `Anfrage konnte nicht zurückgezogen werden` is shown
- **AND** the pending banner is still visible

Scenario: Send succeeds without message

- **WHEN** sending succeeds
- **THEN** no snackbar is shown

Requirement: Join action is offered only when a direct join is possible

The activity detail MUST offer `Direkt mitmachen` as the floating action button only when all of these hold: a session exists, the signed-in person is not the activity's organizer, the activity does not require approval, the activity's start is

in the future, and the person's current participation status for that activity has been loaded and is `None`. In every other case, including while the status is still loading, `Direkt mitmachen` MUST NOT be shown. `Anfrage senden` and `Direkt mitmachen` MUST NOT both be shown for the same activity.

Scenario: Open activity for another person

- **WHEN** a signed-in person views the detail of an upcoming activity that does not require approval and is organized by someone else, and they have not joined
- **THEN** the floating action button `Direkt mitmachen` is visible

Scenario: Approval activity never offers a direct join

- **WHEN** a signed-in person views the detail of an upcoming activity that requires approval
- **THEN** `Direkt mitmachen` is not visible

Scenario: Own activity

- **WHEN** the organizer views the detail of their own open activity
- **THEN** `Direkt mitmachen` is not visible

Scenario: Signed out

- **WHEN** someone without a session views the detail of an upcoming open activity
- **THEN** `Direkt mitmachen` is not visible

Scenario: Activity already started

- **WHEN** a signed-in person views the detail of an open activity whose start has passed
- **THEN** `Direkt mitmachen` is not visible

Scenario: Already joined

- **WHEN** a signed-in person whose participation for an open activity is already `accepted` views its detail
- **THEN** `Direkt mitmachen` is not visible

Scenario: Session changes while the detail is shown

- **WHEN** a person signs in while viewing the detail of an upcoming open activity organized by someone else
- **THEN** their participation status is loaded
- **AND** `Direkt mitmachen` becomes visible

Requirement: Joining an activity directly

Activating `Direkt mitmachen` MUST create an accepted participation for the signed-in person and that activity on the hosted service, without any organizer approval step. After it succeeds, `Direkt mitmachen` MUST no longer be visible, the person MUST appear in `Dabei`, and `Treffpunkt` MUST unlock, as defined by the `activity-detail` capability. While the join is in flight, the action MUST NOT accept another activation. Joining MUST be online only: nothing MUST be queued on the device for later.

Scenario: Join succeeds

- **WHEN** a signed-in person activates `Direkt mitmachen` on `Feierabend-Radtour am Inn`
- **THEN** `Direkt mitmachen` is no longer visible
- **AND** the person is visible in `Dabei`

Scenario: Double activation

- **WHEN** the person activates `Direkt mitmachen` twice in quick succession
- **THEN** exactly one accepted participation exists for that person and activity

Requirement: Failed join is reported

When joining fails (no connection, server rejection, or any other error), the detail MUST show the German message `Direkt mitmachen war nicht möglich` in a snackbar and MUST keep the state from before the attempt. Each failure MUST be shown once and MUST NOT reappear after it was dismissed or timed out. Success MUST NOT show a snackbar.

Scenario: Join without connection

- **WHEN** a signed-in person loses the connection after the detail loaded and activates `Direkt mitmachen`
- **THEN** `Direkt mitmachen war nicht möglich` is shown
- **AND** `Direkt mitmachen` is still visible

Scenario: Join succeeds without message

- **WHEN** joining succeeds
- **THEN** no snackbar is shown

Requirement: Leaving an accepted participation

Once the signed-in person's own participation for an activity is `accepted` — whether by joining directly or by having a request accepted — the activity detail's floating action button MUST show `Teilnahme absagen`. Activating it MUST remove that participation on the hosted service. After it succeeds, the person MUST no longer appear in `Dabei`, `Treffpunkt` MUST re-lock, and the floating action button MUST offer `Anfrage senden` (if the activity requires approval) or `Direkt mitmachen` (if it does not) again. While leaving is in flight, the action MUST NOT accept another activation. Leaving MUST be online only.

Scenario: Leaving after a direct join

- **WHEN** a person who joined an open activity directly activates `Teilnahme absagen`
- **THEN** they no longer appear in `Dabei`
- **AND** `Direkt mitmachen` is visible again

Scenario: Leaving after an accepted request

- **WHEN** a person whose request for an approval activity was accepted activates `Teilnahme absagen`
- **THEN** they no longer appear in `Dabei`

- **AND** `Anfrage senden` is visible again

Scenario: Double activation

- **WHEN** the person activates `Teilnahme absagen` twice in quick succession
- **THEN** their participation is removed exactly once

Scenario: Re-joining after leaving

- **WHEN** a person leaves an open activity and then activates `Direkt mitmachen` again
- **THEN** they appear in `Dabei` again

Requirement: Failed leave is reported

When leaving fails (no connection, server rejection, or any other error), the detail MUST show the German message `Teilnahme absagen war nicht möglich` in a snackbar and MUST keep the state from before the attempt. Each failure MUST be shown once and MUST NOT reappear after it was dismissed or timed out. Success MUST NOT show a snackbar.

Scenario: Leave without connection

- **WHEN** an accepted participant loses the connection and activates `Teilnahme absagen`
- **THEN** `Teilnahme absagen war nicht möglich` is shown
- **AND** they are still visible in `Dabei`

Scenario: Leave succeeds without message

- **WHEN** leaving succeeds
- **THEN** no snackbar is shown

Requirement: Server protects participation requests

The hosted service MUST store at most one participation per person and activity, with a status that the client cannot choose directly. Every participation created by `request_participation` MUST have status `requested`; every participation created by `join_activity` MUST have status `accepted`. The service MUST reject a `request_participation` call when there is no session, the person organizes the activity, the activity does not require approval, or the activity's start (in `Europe/Berlin`) is not in the future; sending when a pending request already exists MUST succeed without creating a second one. The service MUST reject a `join_activity` call when there is no session, the person organizes the activity, the activity requires approval, or the activity's start (in `Europe/Berlin`) is not in the future; joining when the person is already accepted MUST succeed without creating a second row. A person MUST be able to read their own participations, an activity's organizer MUST be able to read all participations for activities they organize, and any signed-in person MUST be able to read any participation whose status is `accepted`. A person MUST be able to remove only their own participation, and only while it is `requested` or `accepted`. Removing a participation that does not exist, or that is `declined`, MUST succeed without effect. Only an activity's organizer MUST be able to change a participation's status for that activity, and only from `requested` to `accepted` or from `requested` to `declined`. A `declined` participation MUST stay `declined` and MUST NOT accept a new request or join.

Scenario: Anonymous request rejected

- **WHEN** a request is sent without a session
- **THEN** the service rejects it
- **AND** no participation is stored

Scenario: Organizer cannot request own activity

- **WHEN** the organizer sends a request for their own activity
- **THEN** the service rejects it

Scenario: Open or started activity rejected

- **WHEN** a person sends a request for an activity that does not require approval, or whose start has passed
- **THEN** the service rejects it

Scenario: Anonymous join rejected

- **WHEN** `join_activity` is called without a session
- **THEN** the service rejects it
- **AND** no participation is stored

Scenario: Organizer cannot join own activity

- **WHEN** the organizer calls `join_activity` for their own activity
- **THEN** the service rejects it

Scenario: Approval-required or started activity rejects a direct join

- **WHEN** a person calls `join_activity` for an activity that requires approval, or whose start has passed
- **THEN** the service rejects it

Scenario: Participations are private

- **WHEN** person B, who does not organize the activity, reads participations while person A has a pending request for it
- **THEN** person B does not see person A's request
- **AND** the activity's organizer does see person A's request

Scenario: Accepted participations are visible to everyone signed in

- **WHEN** person A's participation for an activity is `accepted`
- **THEN** person B, who neither organizes the activity nor is person A, sees person A's accepted participation when reading that activity's participations

Scenario: Status cannot be forged

- **WHEN** a person tries to create or change their participation directly (not through `request_participation`, `join_activity`, `accept_participation`, or `decline_participation`)
- **THEN** the service rejects it

- **AND** the stored status stays unchanged

Scenario: Cannot remove someone else's request

- **WHEN** person B tries to remove person A's pending request or accepted participation
- **THEN** person A's participation still exists

Scenario: A person can remove their own accepted participation

- **WHEN** a person whose participation for an activity is `accepted` removes it
- **THEN** the participation no longer exists

Scenario: Only the organizer can accept or decline

- **WHEN** person B, who does not organize the activity, tries to accept or decline person A's pending request
- **THEN** the service rejects it
- **AND** person A's request stays `requested`

Scenario: A declined request cannot be re-requested

- **WHEN** a person whose participation for an activity is `declined` sends a new request or calls `join_activity` for it
- **THEN** the service rejects it

Requirement: Organizer accepts a pending request

Activating `Reinlassen` on a pending request, from the activity detail or the requests overview, MUST accept that participation on the hosted service. While the request is in flight, the action MUST NOT accept another activation for the same participation. Accepting MUST be online only.

Scenario: Accept succeeds

- **WHEN** the organizer activates `Reinlassen` for a pending request
- **THEN** that participation's status becomes `accepted`
- **AND** it no longer appears among pending requests

Scenario: Double activation

- **WHEN** the organizer activates `Reinlassen` twice in quick succession for the same request
- **THEN** the participation is accepted exactly once

Requirement: Organizer declines a pending request

`Ablehnen` MUST only be offered on the requests overview screen (`Anfragen`), not on the activity detail. Activating it MUST open a confirmation sheet with an optional message field and the action `Ablehnen`. Confirming MUST decline that participation on the hosted service. After it succeeds, the request MUST disappear from the pending list and the sheet MUST close. The message is not delivered anywhere in this slice; it exists to give the organizer a moment to confirm before declining. Declining MUST be online only.

Scenario: Decline requires confirmation

- **WHEN** the organizer activates `Ablehnen` for a pending request
- **THEN** a confirmation sheet is shown
- **AND** the request is still pending

Scenario: Confirmed decline succeeds

- **WHEN** the organizer confirms the decline, with or without a message
- **THEN** that participation's status becomes `declined`
- **AND** the request no longer appears on the requests overview

Scenario: Dismissing the sheet keeps the request pending

- **WHEN** the organizer dismisses the confirmation sheet without confirming
- **THEN** the participation stays `requested`

Requirement: Failed accept or decline is reported

When accepting or declining fails (no connection, server rejection, or any other error), the surface where it was attempted MUST show a German message in a snackbar and MUST keep the state from before the attempt. The message MUST be `Anfrage konnte nicht angenommen werden` for a failed accept and `Anfrage konnte nicht abgelehnt werden` for a failed decline. Each failure MUST be shown once and MUST NOT reappear after it was dismissed or timed out. Success MUST NOT show a snackbar.

Scenario: Accept without connection

- **WHEN** the organizer loses the connection and activates `Reinlassen`
- **THEN** `Anfrage konnte nicht angenommen werden` is shown
- **AND** the request is still pending

Scenario: Decline without connection

- **WHEN** the organizer loses the connection and confirms a decline
- **THEN** `Anfrage konnte nicht abgelehnt werden` is shown
- **AND** the request is still pending

Requirement: Requests overview lists pending requests across activities

Choosing `Anfragen` from the user menu MUST open a screen titled `Anfragen` listing, for every activity the signed-in person organizes, its pending participation requests, grouped under that activity's title and day label. An activity with no pending requests MUST NOT appear. When no activity has a pending request, the screen MUST show `Keine offenen Anfragen.`. Each requester entry MUST show their display name, initials avatar, and the actions `Reinlassen` and `Ablehnen`. The screen MUST read requests live from the hosted service each time it is shown and MUST NOT keep them on the device between visits.

Scenario: Grouped by activity

- **WHEN** the signed-in person organizes two activities, each with a pending request
- **THEN** `Anfragen` shows both activities, each above its own requester
- **AND** an activity with no pending requests is not shown

Scenario: Empty state

- **WHEN** the signed-in person organizes no activity with a pending request
- **THEN** `Keine offenen Anfragen.` is visible

Requirement: User menu shows a pending-request count

While a session exists, the account menu MUST show an `Anfragen` entry. It MUST show a badge with the number of pending requests across every activity the signed-in person organizes, and MUST NOT show a badge when that number is zero. Choosing `Anfragen` MUST close the menu and open the requests overview. Without a session, the account menu MUST NOT show `Anfragen`.

Scenario: Badge shows the pending count

- **WHEN** the signed-in person organizes activities with 3 pending requests in total
- **THEN** the `Anfragen` entry shows a badge with `3`

Scenario: No badge when nothing is pending

- **WHEN** the signed-in person organizes no activity with a pending request
- **THEN** the `Anfragen` entry shows no badge

Scenario: Choosing Anfragen opens the overview

- **WHEN** the signed-in person chooses `Anfragen` from the account menu
- **THEN** the account menu is not visible
- **AND** the requests overview screen is visible

Scenario: Hidden without a session

- **WHEN** someone without a session opens the account menu
- **THEN** `Anfragen` is not visible

Requirement: Requests overview shows requester photos

In the `Anfragen` overview, each requester entry's avatar MUST show the requester's photo when they have one and their initials otherwise. The display name and the actions `Reinlassen` and `Ablehnen` MUST NOT change.

Scenario: Requester with a photo

- **WHEN** the overview lists a pending requester who has a photo
- **THEN** that entry's avatar shows the photo
- **AND** `Reinlassen` and `Ablehnen` are visible for that entry

Scenario: Requester without a photo

- **WHEN** the overview lists a pending requester who has no photo
- **THEN** that entry's avatar shows their initials

application-hosting Specification

Purpose

Hosts the shared activity list UI in separate Android and Web applications that share theme and screen code, without a single composeApp module.

Requirements

Requirement: Android application host

The product MUST provide an Android application that launches the shared activity list screen as its first UI. The Android host MUST apply the shared theme before showing that screen.

Scenario: Android launch

- **WHEN** the Android application starts
- **THEN** the shared activity list screen is visible
- **AND** the toolbar title `Rosenheim` is visible

Requirement: Web application host

The product MUST provide a Web application (Wasm in the browser) that launches the shared activity list screen as its first UI. The Web host MUST apply the shared theme before showing that screen. When the hosted activity list contains the stakeholder sample activities, those titles MUST be visible after load.

Scenario: Web launch

- **WHEN** the Web application starts in a browser
- **THEN** the shared activity list screen is visible
- **AND** the toolbar title `Rosenheim` is visible

Scenario: Web launch with a seeded hosted list

- **WHEN** the Web application starts in a browser
- **AND** the hosted activity list contains the seven stakeholder sample activities
- **THEN** those sample activity titles are visible after load

Requirement: Shared UI and theme across hosts

Android and Web MUST render the same activity list screen implementation and MUST wrap it with the same shared color and theme definitions. The repository MUST NOT include a `composeApp` module.

Scenario: Same screen on both platforms

- **WHEN** Android and Web applications are running
- **THEN** both show the same activity list screen
- **AND** both apply the shared theme

Scenario: No composeApp module

- **WHEN** the Gradle project is assembled
- **THEN** application entry points exist only as the Android host and the Web host
- **AND** no `composeApp` project is included

Requirement: Shared design-system colors and theme

A shared design-system module MUST define Color and Theme used by both hosts. Feature UI MUST consume that theme rather than defining a second app theme.

Scenario: Hosts use shared theme

- **WHEN** either application shows the activity list
- **THEN** the screen is wrapped in the shared design-system theme

Requirement: Web address reflects the current screen

The Web host MUST show the current screen in the fragment of the page address: the activity list with an empty fragment, an activity detail as `#details?id=<id>`, the requests overview as `#requests`, and a public profile as `#profile?id=<id>`. Navigating within the app MUST update the address. While a create-activity, edit-activity or edit-profile screen is open, the address MUST stay that of the screen below it. The Android host MUST NOT be affected.

Scenario: Opening a detail updates the address

- **WHEN** the user opens the detail of an activity with id `a1` from the list
- **THEN** the address fragment is `#details?id=a1`

Scenario: Returning to the list clears the fragment

- **WHEN** the user goes back from a detail to the list
- **THEN** the address fragment is empty

Scenario: Requests and profile addresses

- **WHEN** the user opens the requests overview
- **THEN** the address fragment is `#requests`
- **AND** opening the public profile of the person with id `u1` sets it to `#profile?id=u1`

Scenario: Form screens keep the underlying address

- **WHEN** the user opens the edit screen of the activity with id `a1` from its detail
- **THEN** the address fragment stays `#details?id=a1`

Requirement: Web address is restored on load

When the Web application starts, it MUST open the screen named by the address fragment, with the activity list underneath so that going back shows the list. An empty, unknown or malformed fragment, or a `details` or `profile` fragment without an id, MUST open the activity list. Reloading the page MUST show the same screen as before the reload. Screens that need a signed-in person MUST wait for the restored session exactly as when reached by navigation.

Scenario: Reload on a detail

- **WHEN** the detail of an activity is shown and the page is reloaded
- **THEN** the same activity detail is shown

Scenario: Link opens the screen with the list underneath

- **WHEN** the application is opened with the fragment `#details?id=a1` and the activity exists
- **THEN** the detail of that activity is visible
- **AND** going back shows the activity list

Scenario: Requests link

- **WHEN** the application is opened with the fragment `#requests` and a session is restored
- **THEN** the requests overview is visible

Scenario: Unusable fragments open the list

- **WHEN** the application is opened with the fragment `#nonsense`, `#details` or `#profile?id=`
- **THEN** the activity list is visible

Scenario: Unknown activity id

- **WHEN** the application is opened with `#details?id=missing` and no such activity exists
- **THEN** the detail's load-failure message is visible
- **AND** its back control is visible

Requirement: Browser history and in-app navigation stay in step

Using the browser's back or forward buttons MUST show the screen of the address that becomes current, and in-app back controls MUST leave the browser history consistent, so the browser back button never reopens a screen the user has already left via an in-app back control. Changing the fragment by hand MUST open the matching screen.

Scenario: Browser back from a detail

- **WHEN** the user opened a detail from the list and presses the browser's back button
- **THEN** the activity list is visible
- **AND** the address fragment is empty

Scenario: Browser forward

- **WHEN** the user then presses the browser's forward button
- **THEN** the same activity detail is visible again

Scenario: In-app back then browser back

- **WHEN** the user opened a detail from the list, used the in-app back control, and presses the browser's back button
- **THEN** the page the user visited before the app is shown, not the detail

Scenario: Editing the fragment by hand

- **WHEN** the user replaces the fragment in the address bar with `#requests`
- **THEN** the requests overview is visible

quality-gate Specification

Purpose

Defines the automated quality checks that every pull request and every push to the main branch must pass: lint, tests and enforced coverage of domain and data code.

Requirements

Requirement: Quality check runs on every change

The repository SHALL run a quality check on every pull request and on every push to the main branch. The quality check SHALL consist of two independent checks named lint and test & coverage, referred to below as the lint check and the coverage check, which run in parallel and each report their own status.

Scenario: Pull request opened

- **WHEN** a pull request is opened or updated
- **THEN** the lint and coverage checks run and report a status on the pull request

Scenario: Push to main

- **WHEN** a commit is pushed to the main branch
- **THEN** the lint and coverage checks run for that commit

Scenario: One check fails

- **WHEN** the lint check fails
- **THEN** the coverage check still completes and reports its own status

Requirement: Lint check

The lint check SHALL fail when the Kotlin sources violate the project's Kotlin best-practice, clean-code or formatting rules. Findings that existed before the check was introduced SHALL be recorded in a baseline so that only new violations fail the check.

Scenario: New violation

- **WHEN** a change introduces a lint or formatting violation that is not in the baseline
- **THEN** the lint check fails
- **AND** the report names the file and the violated rule

Scenario: Clean sources

- **WHEN** a change introduces no new violation

- **THEN** the lint check passes

Scenario: Pre-existing finding

- **WHEN** a finding recorded in the baseline is still present
- **THEN** it does not fail the lint check

Requirement: Coverage of domain and data is enforced

The coverage check SHALL run the host tests of every module, which include common tests and Android host tests, without requiring an emulator or a device. It SHALL fail when any test fails. It SHALL produce a coverage report and fail when the line coverage of the domain and data modules is below 100%, after applying the coverage exclusions. UI modules SHALL be included in the report but SHALL NOT be enforced.

Scenario: Failing test

- **WHEN** a host test in any module fails
- **THEN** the coverage check fails
- **AND** the failing test is identified in the check output

Scenario: Uncovered domain line

- **WHEN** a domain or data class outside the exclusions has a line that no test executes
- **THEN** the coverage check fails
- **AND** the report shows which class is not fully covered

Scenario: Full coverage

- **WHEN** every non-excluded line of the domain and data modules is executed by tests
- **THEN** the coverage check passes

Scenario: Uncovered UI code

- **WHEN** a UI module has lines that host tests do not execute
- **THEN** the coverage check does not fail because of them
- **AND** the report still shows the UI coverage

Scenario: Report available

- **WHEN** the coverage check completes, whether it passes or fails
- **THEN** the coverage report is available to download from the check run

Requirement: Coverage exclusions

Code that is generated, or that only wraps platform components, or that cannot be tested fully for a technical reason, SHALL be excluded from the enforced coverage. This SHALL cover generated code, previews and sample UI states, the application database, dependency-injection modules, Android entry points and platform wrappers, the web host

and the application host modules. A single class MAY additionally opt out of coverage with an explicit marker in its source, so that every opt-out is visible in code review.

Scenario: Generated code

- **WHEN** a module contains generated classes such as database implementations, resource accessors or serializers
- **THEN** they do not count towards the enforced coverage

Scenario: Marked class

- **WHEN** a class carries the coverage exclusion marker
- **THEN** it does not count towards the enforced coverage

Scenario: Unmarked class

- **WHEN** a class is neither generated nor matches an exclusion category nor carries the marker
- **THEN** it counts towards the enforced coverage

Requirement: Checks are reproducible locally

The lint and coverage checks SHALL be runnable locally with the same tasks that CI runs, and SHALL produce the same result as in CI.

Scenario: Local run

- **WHEN** a developer runs the documented check tasks locally
- **THEN** the same rules, exclusions and thresholds apply as in CI

release-versioning Specification

Purpose

Defines the single project-wide release version, made of a name and a version code, that shipped Android builds carry and that is maintained in one place.

Requirements

Requirement: Project-wide release version

The project SHALL define exactly one release version consisting of a version name and a version code. The first release version SHALL have the name `Archery` and the version code `1000`. The version code SHALL be an integer that increases with every release. Modules SHALL NOT define their own release versions.

Scenario: First release version

- **WHEN** the release version is read from its single definition
- **THEN** the name is `Archery`
- **AND** the code is `1000`

Scenario: No per-module version

- **WHEN** any feature, shared or app module is inspected
- **THEN** it declares no release version of its own

Requirement: Android builds carry the release version

The Android application SHALL be built with the project-wide version name as its version name and the project-wide version code as its version code, for every build type. The Android application module SHALL NOT declare a version of its own.

Scenario: Android build version

- **WHEN** the Android application is built
- **THEN** the built application reports version name `Archery`
- **AND** the built application reports version code `1000`

Scenario: Version changed in one place

- **WHEN** the project-wide version code is changed to `1001`
- **THEN** the next Android build reports version code `1001` without any other file being edited

user-profile Specification

Purpose

Owns the account avatar in the activity list's title row and its dropdown menu for both signed-out and signed-in people, and gives a signed-in person a screen to view and edit their own display name, bio, and tag.

Requirements

Requirement: Konto avatar sits on the list title row

While the activity list is the current screen, the Rosenheim title row MUST show an account avatar at its trailing end. The avatar's accessible name MUST be `Konto`. The avatar MUST be shown on the loading state, the error state, and a loaded list. The activity detail MUST NOT show that avatar. While no session exists, the avatar MUST show a generic placeholder. While a session exists, the avatar MUST show the person's photo when they have one and their initials otherwise.

Scenario: Avatar on the list

- **WHEN** the activity list is shown
- **THEN** `Rosenheim` is visible
- **AND** the `Konto` avatar is visible

Scenario: Avatar on detail stays hidden

- **WHEN** the user opens an activity detail from the list
- **THEN** the `Konto` avatar is not visible

Scenario: Signed-in avatar shows initials

- **WHEN** a session exists, the person has no photo, and the activity list is shown
- **THEN** the `Konto` avatar shows the signed-in person's initials

Scenario: Signed-in avatar shows the photo

- **WHEN** a session exists, the person has a photo, and the activity list is shown
- **THEN** the `Konto` avatar shows that photo instead of the initials

Requirement: Account menu follows the session

Activating the `Konto` avatar MUST open a menu. The menu MUST have a white background and rounded corners. While no session exists, the only items MUST be `Profil anlegen` and `Ich habe schon ein Konto`. While a session exists, the menu MUST show a header with the person's avatar, display name, and unique tag in place of a `Mein Profil` caption, followed by `Anfragen`, `Profil bearbeiten` and `Abmelden`. Within the header, the unique tag MUST be

shown directly below the display name, and the two lines together MUST NOT be taller than the person's avatar. Activating the header MUST close the menu and open the signed-in person's own public profile screen, without offering to edit. `Anfragen` MUST show a badge with the number of pending requests while that number is greater than zero, and activating it MUST close the menu and open the requests overview. `Abmelden` MUST show a leading icon and MUST use the app's destructive-action color, distinct from every other menu item. Activating `Profil bearbeiten` MUST close the menu and open the Edit Profile screen. Dismissing the menu MUST hide its items and MUST NOT open the account sheet, the public profile screen, or the Edit Profile screen. The menu MUST NOT show `Benachrichtigungen`.

Scenario: Logged-out menu items

- **WHEN** no session exists and the user activates the `Konto` avatar
- **THEN** `Profil anlegen` is visible
- **AND** `Ich habe schon ein Konto` is visible
- **AND** `Abmelden` is not visible

Scenario: Dismiss leaves the list

- **WHEN** the account menu is open and the user dismisses it
- **THEN** `Profil anlegen` is not visible
- **AND** the account sheet is not visible

Scenario: Signed-in menu shows identity and actions

- **WHEN** a session exists and the user activates the `Konto` avatar
- **THEN** the person's display name is visible
- **AND** the person's unique tag is visible
- **AND** `Mein Profil` is not visible
- **AND** `Anfragen` is visible
- **AND** `Profil bearbeiten` is visible
- **AND** `Abmelden` is visible
- **AND** `Profil anlegen` is not visible
- **AND** `Ich habe schon ein Konto` is not visible

Scenario: Header opens the own public profile

- **WHEN** a session exists and the user activates the header (avatar, display name, unique tag) of the account menu
- **THEN** the account menu is not visible
- **AND** the public profile screen of the signed-in person is visible
- **AND** it is the person's own profile, so `Bearbeiten` is offered there but the Edit Profile screen is not yet open

Scenario: Profil bearbeiten opens the edit screen

- **WHEN** a session exists and the user activates `Profil bearbeiten` from the account menu
- **THEN** the account menu is not visible
- **AND** the Edit Profile screen is visible

Scenario: Anfragen shows the pending count and opens the requests overview

- **WHEN** a session exists, two requests are pending, and the user activates the `Konto` avatar
- **THEN** a badge showing `2` is visible next to `Anfragen`
- **AND** activating `Anfragen` closes the account menu and opens the requests overview

Scenario: Logged-in extras stay hidden

- **WHEN** the account menu is open
- **THEN** `Benachrichtigungen` is not visible

Requirement: Session state survives a relaunch

After a successful sign-in or registration, the session MUST still exist when the app is opened again, and the `Konto` avatar MUST keep showing the signed-in menu content. Activating `Abmelden` MUST end the session and restore the logged-out menu.

Scenario: Session survives a new launch

- **WHEN** sign-in or registration has succeeded and the app is opened again
- **AND** the user activates the `Konto` avatar
- **THEN** `Abmelden` is visible
- **AND** `Profil anlegen` is not visible

Scenario: Sign-out restores the logged-out menu

- **WHEN** a session exists and the user activates `Abmelden`
- **THEN** `Abmelden` is not visible
- **AND** activating the `Konto` avatar shows `Profil anlegen` and `Ich habe schon ein Konto`

Requirement: Edit Profile screen shows and edits display name and bio

The Edit Profile screen MUST show the person's avatar, `Ansprechname`, `Kurz über dich` (the bio), and the person's unique tag, and the action `Speichern`. The tag MUST be shown but MUST NOT be directly editable on this screen. The screen MUST show a link `Account bearbeiten`. `Ansprechname` and `Kurz über dich` MUST be pre-filled with the person's current display name and bio.

Activating `Speichern` with a non-blank `Ansprechname` MUST save the display name and bio and MUST leave the screen open with the saved values shown. A blank `Ansprechname` MUST show `Ansprechname fehlt` and MUST NOT save. A save that cannot be completed MUST show `Speichern ist gerade nicht möglich` and MUST NOT change the stored values. Activating `Account bearbeiten` MUST open the account-bearbeiten sheet.

Scenario: Screen shows current values

- **WHEN** the Edit Profile screen is shown
- **THEN** `Ansprechname` shows the person's current display name
- **AND** `Kurz über dich` shows the person's current bio
- **AND** the person's unique tag is visible

Scenario: Saving a changed name and bio

- **WHEN** the user changes `Ansprechname` and `Kurz über dich` and activates `Speichern`
- **AND** the save succeeds
- **THEN** `Ansprechname` shows the new value
- **AND** `Kurz über dich` shows the new value

Scenario: Blank display name

- **WHEN** the user clears `Ansprechname` and activates `Speichern`
- **THEN** `Ansprechname fehlt` is visible
- **AND** the stored display name is unchanged

Scenario: Save cannot be completed

- **WHEN** the user activates `Speichern` and the save cannot be completed
- **THEN** `Speichern ist gerade nicht möglich` is visible
- **AND** the stored values are unchanged

Scenario: Account bearbeiten opens the account sheet

- **WHEN** the user activates `Account bearbeiten` on the Edit Profile screen
- **THEN** the account-bearbeiten sheet is visible

Requirement: User-profile screens are driven by view-model state

The account menu and the Edit Profile screen MUST take their content — session state, avatar, display name, bio, tag, and any save failure — from screen state owned by a view-model. The presentational views MUST render that state and MUST NOT read or write profile data themselves.

Scenario: Menu follows a fake view-model

- **WHEN** the account menu is shown with a fake view-model whose state has a session, a display name, and a tag
- **THEN** that display name is visible
- **AND** that tag is visible

Scenario: Edit screen follows a fake view-model

- **WHEN** the Edit Profile screen is shown with a fake view-model whose state holds a bio
- **THEN** `Kurz über dich` shows that bio

Requirement: Profiles are public

Anyone, including unauthenticated clients, MUST be able to read every profile's display name, unique tag, and bio. A profile MUST NOT expose the person's e-mail address or any other account credential. Only the profile's owner MUST be able to change it.

Scenario: Unauthenticated read

- **WHEN** an unauthenticated client requests a profile by id
- **THEN** the display name, unique tag, and bio are returned
- **AND** no e-mail address is returned

Scenario: Someone else's profile cannot be changed

- **WHEN** a signed-in person attempts to change another person's profile
- **THEN** the change is rejected

Requirement: Public profile screen

The public profile screen MUST show the header `Öffentliches Profil`, a back control, the person's initials avatar, display name, unique tag prefixed with `@`, bio, and the hint `Profile sind öffentlich. E-Mail und Handynummer bleiben privat.` When the bio is blank, no bio text MUST be shown. When the viewed profile belongs to the signed-in person, the screen MUST show `Bearbeiten`, and activating it MUST open the Edit Profile screen. For anyone else's profile, and while no session exists, `Bearbeiten` MUST NOT be shown. The screen MUST NOT show an `Organisiert` section. When the profile cannot be obtained, the screen MUST show a German load-failure message and keep the back control visible. The screen MUST be reachable without a session.

Scenario: Someone else's profile

- **WHEN** the public profile of `Tobias Kern` is shown to someone else
- **THEN** `Öffentliches Profil` is visible
- **AND** `Tobias Kern` is visible
- **AND** his tag prefixed with `@` is visible
- **AND** `Profile sind öffentlich. E-Mail und Handynummer bleiben privat.` is visible
- **AND** `Bearbeiten` is not visible
- **AND** `Organisiert` is not visible

Scenario: Without a session

- **WHEN** no session exists and a public profile is opened
- **THEN** the display name is visible

Scenario: Own profile offers editing

- **WHEN** the signed-in person views their own public profile and activates `Bearbeiten`
- **THEN** the Edit Profile screen is visible

Scenario: Load failure

- **WHEN** the public profile is shown and the profile cannot be obtained
- **THEN** a German load-failure message is visible
- **AND** a back control is visible

Scenario: Back returns

- **WHEN** the user activates the back control on the public profile
- **THEN** the previous screen is visible again

Requirement: Public profile screen is driven by view-model state

The public profile screen MUST take its content — display name, tag, bio, whether it is the viewer's own profile, loading, and failure — from screen state owned by a view-model. The presentational view MUST render that state and MUST NOT read profile data itself.

Scenario: Fake view-model drives the screen

- **WHEN** the public profile screen is shown with a fake view-model whose state holds the display name `Lena Maier`
- **THEN** `Lena Maier` is visible

Requirement: Edit Profile screen manages the avatar photo

While a session exists, the Edit Profile screen MUST let the person choose a photo for their avatar. With no photo the action MUST read `Foto hinzufügen`; with a photo it MUST read `Foto ändern`, and the screen MUST also offer `Foto entfernen`. Choosing a readable image MUST open the crop step (see `Photos are framed in a circular preview`); confirming the crop MUST show a progress indication until the photo is stored, and MUST then show the new photo as the person's avatar on the screen. Removing the photo MUST return the avatar to the person's initials. Choosing or removing a photo MUST NOT change the display name or bio fields, nor their unsaved edits. Leaving the picker without choosing MUST change nothing. A file that is not a readable image MUST show `Diese Datei ist kein Foto`, and an image larger than 10 MB MUST show `Das Foto ist zu groß (max. 10 MB)`; neither MUST change the stored photo. An upload or removal that cannot be completed MUST show `Foto speichern ist gerade nicht möglich` and MUST keep the photo from before the attempt.

Scenario: Add a first photo

- **WHEN** the person has no photo, activates `Foto hinzufügen`, chooses a valid image and confirms the crop with `Übernehmen`
- **AND** the upload succeeds
- **THEN** the avatar on the Edit Profile screen shows the chosen photo
- **AND** `Foto ändern` and `Foto entfernen` are visible

Scenario: Replace the photo

- **WHEN** the person has a photo, activates `Foto ändern`, chooses another valid image and confirms the crop with `Übernehmen`
- **AND** the upload succeeds
- **THEN** the avatar shows the new photo

Scenario: Remove the photo

- **WHEN** the person has a photo and activates `Foto entfernen`
- **AND** the removal succeeds
- **THEN** the avatar shows the person's initials

- **AND** `Foto hinzufügen` is visible

Scenario: Unsaved text survives a photo change

- **WHEN** the person has typed a new `Ansprechname` without saving and then chooses a photo and confirms the crop
- **THEN** `Ansprechname` still shows the typed value

Scenario: Not an image

- **WHEN** the person chooses a file that cannot be read as an image
- **THEN** `Diese Datei ist kein Foto` is visible
- **AND** the stored photo is unchanged

Scenario: Image too large

- **WHEN** the person chooses an image larger than 10 MB
- **THEN** `Das Foto ist zu groß (max. 10 MB)` is visible
- **AND** the stored photo is unchanged

Scenario: Upload cannot be completed

- **WHEN** the person chooses a valid image, confirms the crop and the upload cannot be completed
- **THEN** `Foto speichern ist gerade nicht möglich` is visible
- **AND** the avatar still shows the photo or initials from before the attempt

Scenario: Picker cancelled

- **WHEN** the person opens the picker and leaves it without choosing
- **THEN** the avatar and the action labels are unchanged

Requirement: Photos are framed in a circular preview

After a readable image is chosen and before anything is uploaded, the app MUST show a crop step titled `Foto zuschneiden` that displays the image under a circular mask, so the person sees how the avatar will look. The person MUST be able to move the image (drag) and zoom it (pinch or mouse wheel, and a zoom slider with the accessible name `Zoom`) to fit the circle. The image MUST always cover the whole circle: it MUST NOT be possible to move or zoom it so the circle shows empty space, and the initial framing MUST be centred at the smallest zoom that covers the circle. `Übernehmen` MUST confirm the framing and `Abbrechen` MUST discard the chosen image and change nothing. The slider and the gestures MUST stay in sync.

Scenario: Circle preview after choosing

- **WHEN** the person chooses a valid image
- **THEN** `Foto zuschneiden` is visible
- **AND** the image is shown under a circular mask
- **AND** the image is centred and covers the whole circle

Scenario: Move the image

- **WHEN** the person drags the image within the crop step
- **THEN** the part of the image inside the circle changes accordingly

Scenario: Zoom with the slider

- **WHEN** the person moves the `Zoom` slider up
- **THEN** the image is shown larger inside the circle

Scenario: Zoom by gesture updates the slider

- **WHEN** the person zooms the image by pinch or mouse wheel
- **THEN** the `Zoom` slider shows the matching zoom level

Scenario: Circle is always covered

- **WHEN** the person drags the image far to one side or zooms out as far as possible
- **THEN** the circle never shows empty space

Scenario: Crop confirmed

- **WHEN** the person frames the image and activates `Übernehmen`
- **THEN** the area inside the circle is the photo that gets stored

Scenario: Crop cancelled

- **WHEN** the person activates `Abbrechen` in the crop step
- **THEN** nothing is uploaded
- **AND** the avatar and the action labels are unchanged

Requirement: Photos are prepared on the device before upload

Before a framed image is uploaded, the area inside the circle MUST be cut out as a square image, reduced to at most 512 by 512 pixels and compressed, so that a stored avatar is small regardless of the chosen file. The stored photo MUST show the same area the person saw inside the circle. Replacing a photo MUST leave exactly one stored photo for that person; removing it MUST leave none.

Scenario: Large photo is reduced

- **WHEN** the person chooses a 4000 by 3000 pixel photo and confirms the default framing
- **THEN** the stored photo is square and no larger than 512 by 512 pixels

Scenario: Stored photo matches the framing

- **WHEN** the person zooms and moves the image so a chosen detail fills the circle and confirms
- **THEN** the stored photo shows that detail and not the rest of the image

Scenario: Replacement leaves one photo

- **WHEN** the person replaces an existing photo
- **THEN** only the new photo remains stored for that person

Requirement: Avatar photos are public and owner-writable

Anyone, including unauthenticated clients, MUST be able to read every person's avatar photo. Only the owner MUST be able to add, replace or remove their own photo; a signed-in person attempting to add, replace or remove another person's photo MUST be rejected, and an unauthenticated client MUST NOT be able to add, replace or remove any photo. The avatar reference on a profile MUST be changeable only by its owner and MUST only be able to point at a photo in that owner's own storage folder.

Scenario: Unauthenticated read

- **WHEN** an unauthenticated client requests the photo of a person who has one
- **THEN** the photo is returned

Scenario: Owner uploads

- **WHEN** a signed-in person uploads a photo for their own account
- **THEN** the upload is accepted

Scenario: Someone else's photo cannot be written

- **WHEN** a signed-in person uploads, replaces or removes a photo in another person's folder
- **THEN** the operation is rejected

Scenario: Unauthenticated write

- **WHEN** an unauthenticated client uploads or removes a photo
- **THEN** the operation is rejected

Scenario: Foreign reference

- **WHEN** a signed-in person sets their profile's avatar reference to a photo in another person's folder
- **THEN** the change is rejected

Requirement: A person's photo replaces their initials everywhere

Wherever a person's initials avatar is shown — the account menu header, the Edit Profile screen, the public profile screen, activity cards, the activity detail organizer block and `Dabei` list, and the `Anfragen` overview — the person's photo MUST be shown instead when they have one. The initials MUST be shown while the photo is loading, when it cannot be loaded, and when the person has no photo. A missing or failing photo MUST NOT block or hide the surrounding content.

Scenario: Menu header shows the photo

- **WHEN** a session exists, the person has a photo, and the account menu is open
- **THEN** the header avatar shows that photo

Scenario: Public profile shows the photo

- **WHEN** the public profile of a person with a photo is shown
- **THEN** the avatar shows that photo

Scenario: Public profile without photo

- **WHEN** the public profile of a person without a photo is shown
- **THEN** the avatar shows that person's initials

Scenario: Photo cannot be loaded

- **WHEN** a person's photo cannot be loaded
- **THEN** their initials are shown in its place
- **AND** the surrounding content is still visible