


SSTPMODUL3 – PENGENALAN LARAVEL

Nama : Muhammad Rayhan Ramadhan

NIM : 102022330145


Kelas : SI4708

1. .env



```
8 APP_FALLBACK_LOCALS=en
9 APP_FAKER_LOCAL=en_US
10
11 APP_MAINTENANCE_DRIVER=file
12 # APP_MAINTENANCE_STORE=database
13
14 PHP_CLI_SERVER_WORKERS=4
15
16 BCRYPT_ROUNDS=12
17
18 LOG_CHANNEL=stack
19 LOG_STACK=single
20 LOG_DEPRECATIONS_CHANNEL=null
21 LOG_LEVEL=debug
22
23 DB_CONNECTION=mysql
24 DB_HOST=127.0.0.1
25 DB_PORT=3306
26 DB_DATABASE=tpmodul3
27 DB_USERNAME=root
28 DB_PASSWORD=
29
30 SESSION_DRIVER=database
31 SESSION_LIFETIME=120
32 SESSION_ENCRYPT=false
33 SESSION_PATH=/
34 SESSION_DOMAIN=null
35
36 BROADCAST_CONNECTION=log
37 FILESYSTEM_DISK=local
38 QUEUE_CONNECTION=database
39
40 CACHE_STORE=database
41 # CACHE_PREFIX=
42
43 MEMCACHED_HOST=127.0.0.1
44
45 REDIS_CLIENT=phpredis
46 REDIS_HOST=127.0.0.1
47 REDIS_PASSWORD=null
48 REDIS_PORT=6379
49
50 MAIL_MAILER=log
51 MAIL_SCHEME=null
```

2. Database




The screenshot shows the phpMyAdmin interface for a database named 'tpmodul3'. The left sidebar lists various databases, including 'tpmodul3'. The main panel displays the 'Struktur' (Structure) tab, showing a list of tables and their properties.

Tabel	Tindakan	Baris	Jenis	Penyortiran	Ukuran	Beban
cache	Jejajah Struktur Cari Tambahkan Kosongkan Hapus	0	InnoDB	utf8mb4_unicode_ci	16.0 KB	-
cache_locks	Jejajah Struktur Cari Tambahkan Kosongkan Hapus	0	InnoDB	utf8mb4_unicode_ci	16.0 KB	-
failed_jobs	Jejajah Struktur Cari Tambahkan Kosongkan Hapus	0	InnoDB	utf8mb4_unicode_ci	32.0 KB	-
jobs	Jejajah Struktur Cari Tambahkan Kosongkan Hapus	0	InnoDB	utf8mb4_unicode_ci	32.0 KB	-
job_batches	Jejajah Struktur Cari Tambahkan Kosongkan Hapus	0	InnoDB	utf8mb4_unicode_ci	16.0 KB	-
migrations	Jejajah Struktur Cari Tambahkan Kosongkan Hapus	3	InnoDB	utf8mb4_unicode_ci	16.0 KB	-
password_reset_tokens	Jejajah Struktur Cari Tambahkan Kosongkan Hapus	0	InnoDB	utf8mb4_unicode_ci	16.0 KB	-
sessions	Jejajah Struktur Cari Tambahkan Kosongkan Hapus	0	InnoDB	utf8mb4_unicode_ci	48.0 KB	-
users	Jejajah Struktur Cari Tambahkan Kosongkan Hapus	0	InnoDB	utf8mb4_unicode_ci	32.0 KB	-
9 tabel	Jumlah	3	InnoDB	utf8mb4_general_ci	224.0 KB	0 B

Below the table list, there is a 'Create new table' section with fields for 'Nama tabel' and 'Jumlah kolom' (set to 4), and a 'Buat' button.

3. Generate Key




The screenshot shows the Visual Studio Code interface with the Explorer panel on the left displaying the file structure of the 'TP_MODUL_3_REG' project. The file 'TP_MODUL_3_REG' is selected. The main editor area shows the terminal output of the command `php artisan key:generate`. The output indicates that the application key was set successfully. The status bar at the bottom shows the file is at line 26, column 21, in UTF-8 encoding.

```
TP_MODUL_3_REG
├── bootstrap
├── config
├── database
├── public
├── resources
├── routes
├── storage
├── tests
├── vendor
├── .editorconfig
├── .env
├── .gitattributes
├── .gitignore
├── artisan
├── composer.json
├── composer.lock
├── package.json
├── phpunit.xml
├── README.md
└── vite.config.js
```

```
TP_MODUL_3_REG % php artisan key:generate
INFO Application key set successfully.
```

4. Web.php




The screenshot shows the Visual Studio Code interface with the Explorer panel on the left displaying the file structure of the 'TP_MODUL_3_REG' project. The file 'web.php' is selected. The main editor area shows the content of the 'web.php' file, which defines routes for the application. The status bar at the bottom shows the file is at line 9, column 1, in UTF-8 encoding.

```
TP_MODUL_3_REG
├── bootstrap
├── config
├── database
├── public
├── resources
├── routes
├── storage
├── tests
├── vendor
├── .editorconfig
├── .env
├── .gitattributes
├── .gitignore
├── artisan
├── composer.json
├── composer.lock
├── package.json
├── phpunit.xml
├── README.md
└── vite.config.js
```


```
web.php
1 <?php
2
3 use Illuminate\Support\Facades\Route;
4 use App\Http\Controllers\DashboardController;
5
6 // =====
7 // Tambahkan route GET ke /dashboard yang memanggil method index() dari DashboardController
8 Route::get('/dashboard', [DashboardController::class, 'index'])->name('dashboard');
```

5. app/Http/Controllers/DashboardController.php



```
1 namespace App\Http\Controllers;
2
3 use Illuminate\Http\Request;
4
5 class DashboardController extends Controller
6 {
7     public function index()
8     {
9         // =====2=====
10         // - Set timezone ke Asia/Jakarta
11         // - Buat variabel nama, jam, waktu
12         // - Tentukan $salam berdasarkan jam (pagi, siang, sore, malam)
13         // - Panggil fungsi getTanggal()
14         // - Kirin data ke view 'dashboard'
15         $namaKita = "Rayhan";
16         $jam = date('H');
17         $salamJargon = match(true) {
18             $jam < 5 && $jam < 12 => "Selamat Pagi",
19             $jam >= 12 && $jam < 15 => "Selamat Siang",
20             $jam >= 15 && $jam < 18 => "Selamat Sore",
21             default => "Selamat Malam",
22         };
23         $waktuAkses = date('H:i:s');
24         $tanggal = $this->getTanggal();
25         return view('dashboard', compact('namaKita', 'salamJargon', 'tanggal', 'waktuAkses'));
26     }
27
28     private function getTanggal()
29     {
30         // =====3=====
31         // - Kembalikan tanggal sekarang dalam format dd-mm-yyyy
32         return date('d-m-j');
33     }
34 }
```

6. resources/views/dashboard.blade.php



```
1 @extends('app')
2
3 @section('title', 'Dashboard Mahasiswa')
4
5 @section('content')
6     <div class="row justify-content-center mt-5 mt-lg-7">
7         <div class="col-xl-10">
8             <div class="bg-white rounded-4 shadow p-5 d-flex flex-column flex-lg-row align-items-center">
9                 <!-- Icon -->
10                 <div class="bg-grey rounded-circle d-flex align-items-center justify-content-center me-lg-5 mb-4 mb-lg-0 shadow" style="width: 80px; height: 80px; margin: 0 auto 10px auto;>
11                     
12                 </div>
13                 <!-- Text Content -->
14                 <div class="text-center text-lg-start">
15                     <!-- Tampilkan logo profil -->
16                     <div class="fw-bold display-5 mb-2">{{ $salamJargon }}</div>
17                     <div class="lead text-muted mb-4">Selamat datang di dashboard mahasiswa Anda</div>
18                 </div>
19             </div>
20             <div class="d-flex flex-column flex-sm-row justify-content-center justify-content-lg-start gap-4 fs-5 text-muted">
21                 <div class="d-flex align-items-center">
22                     <i class="bi bi-clock me-2 text-primary"></i>
23                     <div>
24                         <!-- Tampilkan Waktu -->
25                         <span>Waktu akses: <strong class="text-dark">{{ $waktuAkses }}</strong></span>
26                     </div>
27                 </div>
28                 <div class="d-flex align-items-center">
29                     <i class="bi bi-calendar-event me-2 text-primary"></i>
30                     <div>
31                         <!-- Tampilkan Tanggal -->
32                         <span>Tanggal akses: <strong class="text-dark">{{ $tanggal }}</strong></span>
33                     </div>
34                 </div>
35             </div>
36         </div>
37     </div>
38 @endsection
```

7. php artisan serve (hasil)

