```
# stateReactors
                        # eventGenerators
                        # nh
                        # contextNh
                        # parentState_
                        # stateInfo
                        + getStateMachine()
                         + getParentState()
                        + getROSNode()
                        + getClassName()
                        + configure()
                                                                boost::statechart::
                        + requiresComponent()
                                                                simple_state< MostDerived,
                        + requiresClient()
                                                                 Context, mpl::list<>, sc
                        + getGlobalSMData()
                                                                    ::has_deep_history >
                        + setGlobalSMData()
                        + createStateReactor()
                        + createStateReactor()
                         + createEventGenerator()
                        + postEvent()
                         + postEvent()
                         + notifyTransition()
                        + notifyTransitionFromTransition
                        TypeInfo()
                         + getStateReactors()
                        + getEventGenerators()
                         + getParam()
                         + setParam()
                        + param()
                         + getOrthogonal()
                         + getEventGenerator()
                         + getStateReactor()
                                                smacc::SmaccState<
                                                 MostDerived, Context,
                                                    InnerInitial, historyMode >
                                                + finishStateThrown
                                                + smacc_inner_type
                                                + SmaccState()
                                                + SmaccState()
                                                + ~SmaccState()
                                                + getStateInfo()
                                                + getFullName()
                                                + getShortName()
                                                + getParentState()
                                                + exit()
                                                + runtimeConfigure()
boost::statechart::
                                                + onEntry()
simple state < StiPSCycleInspire,
                                                + onExit()
SsPSCycle, mpl::list<>, sc
                                                + getGlobalSMData()
                                                + setGlobalSMData()
      ::has_deep_history >
                                                + requiresComponent()
                                                + getStateMachine()
                                                + checkWhileLoopConditionAnd
                                                ThrowEvent()
                                                + throwSequenceFinishedEvent()
                                                + configure_orthogonal
                                                 _runtime()
                                                + configure_orthogonal
                                                 runtime()
                                                + configure_orthogonal()
                                                + static_createStateReactor()
                                                + static_createEventGenerator()
+ static_createStateReactor_aux()
+ initial_deep_construct()
                                                + deep_construct()
                                                + shallow_construct()
                                                entryStateInternal()
                                                - configure_orthogonal
                                                 internal()
                                                      < StiPSCycleInspire,
                                                          SsPSCycle >
                        smacc::SmaccState<
                        StiPSCycleInspire,
                                   SsPSCycle >
                        + finishStateThrown
                        + smacc_inner_type
                        + SmaccState()
                        + SmaccState()
                        + ~SmaccState()
                        + getStateInfo()
                        + getFullName()
                        + getShortName()
                        + getParentState()
                        + exit()
                       + runtimeConfigure()
                       + onEntry()
                       + onExit()
                       + getGlobalSMData()
                       + setGlobalSMData()
                       + requiresComponent()
                       + getStateMachine()
                        + checkWhileLoopConditionAnd
                       ThrowEvent()
                        + throwSequenceFinishedEvent()
                        + configure_orthogonal
                        runtime()
                       + configure_orthogonal
                       _runtime()
                       + configure_orthogonal()
                       + static_createStateReactor()
                       + static_createEventGenerator()
                       + static_createStateReactor_aux()
                       + initial_deep_construct()
                        + deep_construct()
                        + shallow_construct()
                       entryStateInternal()
                       - configure_orthogonal
                        internal()
                        sm_respira_1::ps_cycle
_inner_states::StiPSCycleInspire
```

+ runtimeConfigure()

+ staticConfigure()

+ onEntry() + onExit()

smacc::ISmaccState