```
# stateReactors
                        # eventGenerators
                        # nh
                        # contextNh
                        # parentState_
                        # stateInfo
                        + getStateMachine()
                        + getParentState()
                        + getROSNode()
                        + getClassName()
                        + configure()
                                                                 boost::statechart::
                        + requiresComponent()
                                                                 simple state< MostDerived,
                        + requiresClient()
                                                                  Context, InnerInitial,
                        + getGlobalSMData()
                                                                        historyMode >
                        + setGlobalSMData()
                        + createStateReactor()
                        + createStateReactor()
                        + createEventGenerator()
                        + postEvent()
                        + postEvent()
                        + notifyTransition()
                        + notifyTransitionFromTransition
                        TypeInfo()
                        + getStateReactors()
                        + getEventGenerators()
                        + getParam()
                        + setParam()
                        + param()
                        + getOrthogonal()
                        + getEventGenerator()
                         + getStateReactor()
                                                 smacc::SmaccState<
                                                 MostDerived, Context,
                                                     InnerInitial, historyMode >
                                                 + finishStateThrown
                                                 + smacc_inner_type
                                                 + SmaccState()
                                                 + SmaccState()
                                                 + ~SmaccState()
                                                 + getStateInfo()
                                                 + getFullName()
                                                 + getShortName()
                                                 + getParentState()
                                                 + exit()
                                                 + runtimeConfigure()
boost::statechart::
                                                 + onEntry()
simple state < StiPCCycleExpire,
                                                 + onExit()
                                                 + getGlobalSMData()
SsPCCycle, mpl::list<>, sc
                                                 + setGlobalSMData()
      ::has_deep_history >
                                                 + requiresComponent()
                                                 + getStateMachine()
                                                 + checkWhileLoopConditionAnd
                                                 ThrowEvent()
                                                 + throwSequenceFinishedEvent()
                                                 + configure_orthogonal
                                                 _runtime()
                                                 + configure_orthogonal
                                                  runtime()
                                                 + configure_orthogonal()
                                                 + static_createStateReactor()
                                                + static_createEventGenerator()
+ static_createStateReactor_aux()
+ initial_deep_construct()
                                                 + deep construct()
                                                 + shallow_construct()
                                                 - entryStateInternal()
                                                 configure_orthogonal
                                                  internal()
                                                       < StiPCCycleExpire,
                                                          SsPCCycle >
                       smacc::SmaccState<
                         StiPCCycleExpire, SsPCCycle >
                       + finishStateThrown
                       + smacc inner type
                       + SmaccState()
                       + SmaccState()
                       + ~SmaccState()
                       + getStateInfo()
                       + getFullName()
                       + getShortName()
                       + getParentState()
                       + exit()
                       + runtimeConfigure()
                       + onEntry()
                       + onExit()
                       + getGlobalSMData()
                       + setGlobalSMData()
                       + requiresComponent()
                       + getStateMachine()
                       + checkWhileLoopConditionAnd
                       ThrowEvent()
                       + throwSequenceFinishedEvent()
                       + configure_orthogonal
                        _runtime()
                       + configure orthogonal
                       _runtime() _ + configure_orthogonal()
                       + static_createStateReactor()
+ static_createEventGenerator()
+ static_createStateReactor_aux()
                       + initial deep construct()
                       + deep_construct()
                       + shallow_construct()
                       entryStateInternal()
                       configure_orthogonal
                        internal()
                         sm_respira_1::pc_cycle
                         _inner_states::StiPCCycleExpire
                         + runtimeConfigure()
```

+ onEntry() + onExit()

+ staticConfigure()

smacc::ISmaccState