

## Task 1: Read messy Student Names from user

- Concept: Strings and String Manipulation (.trim(), .substring(), .toUpperCase())
- Goal: Capture a messy text string from the keyboard, clean it, and format it properly.

```
import java.util.Scanner;

public class UnifiedTracker {
    public static void main(String[] args) {
        Scanner inputScanner = new Scanner(System.in);

        System.out.println("=== Task 1: String Input & Cleaning ===");
        System.out.print("Enter student name (e.g., ' john doe '): ");
        String rawName = inputScanner.nextLine();

        // Clean and format text
        String cleanName = rawName.trim();
        String formattedName = cleanName.substring(0, 1).toUpperCase() + cleanName.substring(1);

        System.out.println("Saved Name: " + formattedName + "");

        // [Task 2 code will be inserted directly here next]
        inputScanner.close();
    }
}
```

### Step B: Use the Object inside your Main Runner program

Update your main running file (GradeTracker.java) to make a live instance from your blueprint:

```
public class GradeTracker {
    public static void main(String[] args) {
        // 1. Prepare data variables
        String processedName = "Alex Smith";
        int[] scores = {95, 88, 91, 94};

        // 2. OOP Concept: Instantiate a real Student object container from our blueprint
        Student currentStudent = new Student(processedName, scores);

        // 3. Ask the object to execute its embedded logic method
        System.out.println("=== Final Report Card ===");
        System.out.println("Student Profile Name: " + currentStudent.name);
        if (currentStudent.qualifiesForHonorRoll()) {
            System.out.println("Status: CONGRATULATIONS! Placed on the Academic Honor Roll.");
        } else {
            System.out.println("Status: Satisfactory standing.");
        }
    }
}
```