LAB EXPERIMENT

SELECT with various clauses – WHERE, pattern matching

```
mysql> USE CollegeDB;
Database changed
mysql>
mysql> -- Using WHERE
mysql> SELECT * FROM Students
    -> WHERE Department = 'CSE';
+-----------+-------+------------+------+-------+------------+
| StudentID | Name  | Department | Age  | Marks | City       |
+-----------+-------+------------+------+-------+------------+
|         1 | Arun  | CSE        |   20 |    85 | Chennai    |
|         3 | Kumar | CSE        |   21 |    68 | Chennai    |
|         6 | Meena | CSE        |   19 |    95 | Coimbatore |
+-----------+-------+------------+------+-------+------------+
3 rows in set (0.01 sec)

mysql>
mysql> -- Using LIKE to match a pattern
mysql> SELECT * FROM Students
    -> WHERE Name LIKE 'A%';
+-----------+------+------------+------+-------+---------+
| StudentID | Name | Department | Age  | Marks | City    |
+-----------+------+------------+------+-------+---------+
|         1 | Arun | CSE        |   20 |    85 | Chennai |
+-----------+------+------------+------+-------+---------+
1 row in set (0.00 sec)

mysql>
mysql> -- Names ending with 'a'
mysql> SELECT * FROM Students
    -> WHERE Name LIKE '%a';
+-----------+-------+------------+------+-------+------------+
| StudentID | Name  | Department | Age  | Marks | City       |
+-----------+-------+------------+------+-------+------------+
|         2 | Priya | IT         |   19 |    92 | Coimbatore |
|         4 | Divya | ECE        |   20 |    78 | Madurai    |
|         6 | Meena | CSE        |   19 |    95 | Coimbatore |
+-----------+-------+------------+------+-------+------------+
3 rows in set (0.00 sec)

mysql>
```