

SIMATS ENGINEERING (SAVEETHA SCHOOL OF ENGINEERING)

Department of Computer Science and Engineering

ASSESSMENT TOOL 3 – Error Analysis Task

Course Code:	CSA17	Course Title:	Artificial Intelligence
CO Assessed:	CO1 – Apply (BL3)	Assessment:	Assessment Tool 3 – Error Analysis Task
Weightage:	35% of CIA	Duration / Marks:	60 mins / 100 marks
CO1 Statement:	Apply AI basics such as intelligent agents and uninformed search methods to solve problems effectively. (BL3)		
Student Name:		Reg. No.:	
Section / Batch:		Date:	

Code of Conduct

I _____ (Name / Reg No) certify that this submission is my original work and that I have adhered to the guidelines specified for this assessment. I understand that any violation of academic integrity rules will result in disciplinary action.

Signature of the Student: _____

Instructions

- Read each question carefully; answer all four questions (100 in total). Off-Class Assessment Tool.
- Each question gives a student's faulty work. Do not solve from scratch: identify every error (cite it by statement, component, iteration or step number), explain its root cause, correct it with justification and apply the corrected concept. An error merely carried forward counts once.
- Follow the conventions stated in each question (alphabetical expansion, explored set, goal test on removal from the frontier, tie-breaking) and present tables neatly.
- Marks follow the Error Analysis rubric: error identification, root cause analysis, correction and justification, application of concepts, and clarity and presentation.
- Upload in GitHub and GCR (question paper with Reg. No., Name, answers, rubrics and evaluation page at the end).

Section / Topic	Focus	Question Nos.
1. Foundations and History of AI	Four approaches to AI, Turing Test, eras and milestones	Q1
2. Intelligent Agents: Agents and Environments	Agent, percepts, actions, agent function and program, PEAS	Q1
3. The Concept of Rationality	Performance measure, percept sequence, rational vs omniscient	Q1
4. The Nature of Environments	Task-environment properties and their classification	Q1
5. The Structure of Agents	Simple reflex and model-based reflex agent programs	Q1
6. Problem-Solving Agents	Goal formulation, problem formulation, search, execution	Q2
7. Problem Formulation	States, initial state, actions, goal test, path cost; belief states	Q2, Q4
8. Searching for Solutions	Search graph, frontier, explored set, node expansion	Q3

9. Uninformed Search Strategies	Error tracing of BFS, DFS and uniform-cost search	Q3
10. Search with Partial Information	Sensorless problems, belief states, percept update	Q4

Annexure A – Error Analysis Task

Question 1: Foundations of AI, Intelligent Agents and Rationality – Error Analysis of Concept Notes

Topic: Foundations and history of AI, agents and environments, rationality, nature of environments, structure of agents

A junior engineer prepared the revision notes below on the foundations of AI and intelligent agents. The notes contain errors; some statements may be correct. Analyse them statement by statement.

No.	Statement in the notes
S1	The Turing Test (1950) judges a machine to be intelligent if its internal reasoning always follows the laws of logic. It is therefore the standard example of the “thinking rationally” approach to AI.
S2	The “AI winters”, periods of reduced funding and interest, occurred in the 1950s, before the 1956 Dartmouth workshop. That workshop then revived the field and coined the term “artificial intelligence”.
S3	A rational agent always achieves the best possible outcome because it knows the actual result of every action in advance. Hence a taxi that picks a route later blocked by an unforeseeable landslide was not rational.
S4	PEAS description of an automated taxi – Performance measure: steering, accelerator, brake, horn. Environment: roads, other traffic, pedestrians, weather. Actuators: safe, fast, legal and comfortable trip. Sensors: cameras, GPS, speedometer.
S5	Chess played without a clock is a partially observable, stochastic, episodic, static and discrete task environment.
S6	A model-based reflex agent keeps an internal state, updated using knowledge of how the world evolves and how its own actions affect it. It can therefore act sensibly even when the current percept does not reveal the full state of the world.

- (a) Identify which statements are correct and which are incorrect. For each incorrect statement, quote the erroneous phrase or claim (one statement contains more than one error).

Statement	Correct / Incorrect	Erroneous phrase / claim
S1		
S2		
S3		
S4		
S5		
S6		

- (b) Root cause analysis: for every error, explain the underlying misconception, i.e. which concept has been misunderstood and why the statement goes wrong.

Error (statement / part)	Root cause (misconception)
--------------------------	----------------------------

(c) Rewrite each faulty statement correctly and justify your correction. For a statement that is already correct, write “No change” and justify why.

Statement	Corrected statement	Justification
S1		
S2		
S3		
S4		
S5		
S6		

(d) Apply the corrected concepts to the following case. A self-driving taxi chooses a highway route that every available traffic report showed to be clear; an unforeseeable landslide then blocks the road.

- (i) Using the four factors that decide whether an agent is rational, argue whether the taxi’s choice was rational.
- (ii) Name the properties of the taxi’s task environment that make perfect foresight impossible.
- (iii) Describe one situation in which a simple reflex taxi would behave poorly, and state what a model-based reflex taxi keeps in order to avoid it.

(i)	
(ii)	

(iii)

Question 2: Problem-Solving Agents and Problem Formulation – Error Analysis of a Formulation

Topic: Problem-solving agents, problem formulation

A student formulates the **Missionaries and Cannibals** problem for a problem-solving agent. Three missionaries and three cannibals stand on the left bank of a river, with a boat that carries one or two people and cannot cross empty. The boat is on the left bank at the start. Missionaries must never be outnumbered by cannibals on either bank (a bank with no missionaries is safe). The objective is to move everyone to the right bank using the **fewest crossings**.

Component	Student's formulation
State representation	(M, C) = number of missionaries and cannibals on the left bank
Initial state	(3, 3)
Actions	Take the boat across with 1M, 2M, 1C, 2C or 1M + 1C
Goal test	$M = C$
Legality check	A state is legal if $C \leq M$ on the left bank (or $M = 0$ there)
Path cost	Number of people carried in the crossing
Note N1	The agent works in the order: search $\rightarrow$ goal formulation $\rightarrow$ problem formulation $\rightarrow$ execution.
Note N2	The state space contains 16 states, of which 10 are legal.

- (a) For each component and note, state whether it is correct or incorrect; for each incorrect one, state what is wrong.

Component / Note	Correct / Incorrect	What is wrong
State representation		
Initial state		
Actions		
Goal test		
Legality check		
Path cost		
Note N1		
Note N2		

- (b) Root cause analysis: for every error, explain the underlying cause, i.e. which principle of problem formulation or of the problem-solving agent has been violated.

Error (component / note)	Root cause
--------------------------	------------

(c) Give the corrected version of every faulty component or note and justify each correction.

Component / Note	Corrected formulation	Justification

(d) Apply your corrected formulation.

(i) Complete the table of boat loads available from the initial state, writing each resulting state as (M, C, boat side) and whether it is legal, with the reason.

Boat load	Resulting state (M, C, boat)	Legal? Reason
1M		
2M		
1C		
2C		
1M + 1C		

--	--

(ii) Give one state that the student's legality check accepts although it is actually illegal.

(iii) Using your corrected path cost, state the cost of an optimal solution.

(ii)	
(iii)	

Question 3: Searching for Solutions and Uninformed Search – Error Analysis of Search Traces

Topic: Searching for solutions, BFS, DFS, uniform-cost search

A student ran BFS, DFS and uniform-cost search (UCS) on the weighted undirected graph below. The start node is S and the goal node is G. **Conventions:** graph search with an explored set; neighbours expanded alphabetically; goal test when a node leaves the frontier; ties broken alphabetically. BFS and DFS ignore edge costs while searching, but path costs are measured with them. **BFS:** do not add a node that is already explored or already in the queue. **DFS:** use a stack with its top on the left; push children so that the alphabetically first child is popped first; do not push a node that is already explored or already on the stack. **UCS:** write entries as Node:g(parent) and replace an entry whenever a cheaper path to a frontier node is found.

Edge	Cost	Edge	Cost
S – C	3	B – G	3
S – D	3	D – E	2
A – B	2	D – G	6
A – C	6	E – G	3
B – D	4		

Student's BFS trace (queue initially [S])

Iteration	Node Dequeued	Queue after Expansion	Explored Set
1	S	[C, D]	{S}
2	C	[D, A]	{S, C}
3	D	[B, E, G, A]	{S, C, D}
4	B	[E, G, A]	{S, C, D, B}
5	E	[G, A]	{S, C, D, B, E}
6	G (goal)	[A]	{S, C, D, B, E}

BFS result: path S – D – G, cost 9, 6 nodes removed from the frontier.

Student's DFS trace (stack initially [S], top on the left)

Iteration	Node Popped	Stack after Pushing Children
1	S	[D, C]
2	D	[G, E, B, C]
3	G (goal)	[E, B, C]

DFS result: path S – D – G, cost 9, 3 nodes removed from the frontier.

Student's UCS trace

Iteration	Node Expanded	g(n)	Priority Queue after Expansion
-----------	---------------	------	--------------------------------

1	S	0	C:3(S), D:3(S)
2	C	3	D:3(S), A:9(C)
3	D	3	E:5(D), B:7(D), A:9(C), G:9(D)
4	E	5	B:7(D), A:9(C), G:9(D)
5	B	7	A:9(C), G:9(D)
6	A	9	G:9(D)
7	G (goal)	9	–

UCS result: path S – D – G, cost 9, 7 nodes removed from the frontier.

Student's remarks

No.	Remark
R1	An explored set is not needed in BFS because BFS never revisits a node, so the Explored Set column is unnecessary.
R2	All three strategies returned S – D – G with cost 9, so all three are optimal and the traces are confirmed correct.
R3	DFS removed the fewest nodes from the frontier (3), so DFS is the best strategy for this graph.

(a) Examine the three traces and the remarks. List every error, giving the trace and iteration (or the remark number) and what is wrong. An error that is only carried forward counts once.

No.	Where (trace / iteration / remark)	What is wrong
1		
2		
3		
4		
5		
6		
7		

(b) Root cause analysis: for each error listed in (a), explain the rule or concept that was violated and how it led to the wrong entry or conclusion.

No.	Root cause (rule or concept violated)
1	
2	
3	

4	
5	
6	
7	

(c) Write the corrected traces and justify each correction.

(i) BFS: the corrected queue after iteration 3 and the full order in which nodes are dequeued.

Queue after iteration 3	
Order of dequeued nodes	

(ii) DFS: the corrected trace.

Iteration	Node Popped	Stack after Pushing Children
1		
2		
3		
4		
5		

(iii) UCS: the corrected trace.

Iteration	Node Expanded	$g(n)$	Priority Queue after Expansion
1			
2			
3			
4			
5			
6			

Justification of the corrections	
----------------------------------	--

(d) Apply the corrected traces.

(i) Complete the comparison table.

Strategy	Path Found	Path Cost	Nodes Removed from Frontier	Optimal Here?
BFS				
DFS				
UCS				

(ii) Use iteration 3 of the corrected BFS trace to explain why an explored set is needed in graph search.

(ii)	
------	--

Question 4: Search with Partial Information – Error Analysis of Belief-State Computation

Topic: Problem formulation, search with partial information (sensorless and percept-based belief-state search)

A vacuum agent lives in a two-square world (Left square, Right square), each square being Clean (C) or Dirty (D). Actions: Left, Right and Suck (Left in the left square and Right in the right square leave the agent where it is; Suck cleans the current square). The goal is that both squares are Clean. Physical states are written (Agent, Left square, Right square):

State	Description	State	Description
S1	(L, D, D)	S5	(L, C, D)
S2	(R, D, D)	S6	(R, C, D)
S3	(L, D, C)	S7	(L, C, C)
S4	(R, D, C)	S8	(R, C, C)

Task A – sensorless agent. The agent knows it is in the Left square but nothing about the dirt, so its initial belief state is {S1, S3, S5, S7}. A student applied the plan [Suck, Right, Suck]:

Step	Action	Belief State after Action
0	(start)	{S1, S3, S5, S7}
1	Suck	{S5, S7}
2	Right	{S6, S8}
3	Suck	{S6, S8}

Task B – agent with a local sensor that reports [location, status of the current square]. Starting from the belief state of all eight states, the agent receives the percept [Left, Dirty], performs Suck, receives [Left, Clean], performs Right and receives [Right, Dirty]. The student's table:

Step	Action	After Action (Predicted)	Percept	After Percept (Updated)
0	(start)	{S1, S2, S3, S4, S5, S6, S7, S8}	[Left, Dirty]	{S1, S2, S3, S6}
1	Suck	{S4, S5, S7, S8}	[Left, Clean]	{S5, S7}
2	Right	{S6, S7}	[Right, Dirty]	{S6}

Student's conclusions

No.	Conclusion
C1	Task A: the final belief state still contains two states, so the agent can never know where it is. No plan can guarantee the goal when the agent has no sensors; hence sensorless problems cannot be solved.
C2	Task B: the belief state is now the singleton {S6}, so the agent knows its location and the dirt status, and the goal has been reached.

C3

With 8 physical states there are only 8 belief states (one per physical state), so searching over belief states is no harder than searching over physical states.

- (a) Examine the tables and the conclusions. List every error, giving the task and step (or the conclusion number) and what is wrong. An error that is only carried forward from an earlier wrong row counts once.

No.	Where (task / step / conclusion)	What is wrong
1		
2		
3		
4		
5		
6		
7		

- (b) Root cause analysis: for each error listed in (a), explain the concept or rule of belief-state search that was misapplied.

No.	Root cause (concept or rule misapplied)
1	
2	
3	
4	
5	
6	
7	

- (c) Write the corrected tables and conclusions, with justification.

- (i) Task A: the corrected belief states.

Step	Action	Belief State after Action
0	(start)	{S1, S3, S5, S7}
1	Suck	

2	Right	
3	Suck	

(ii) Task B: the corrected belief states after each action and each percept.

Step	Action	After Action (Predicted)	Percept	After Percept (Updated)
0	(start)	{S1, S2, S3, S4, S5, S6, S7, S8}	[Left, Dirty]	
1	Suck		[Left, Clean]	
2	Right		[Right, Dirty]	

(iii) Corrected conclusions C1 and C2, with justification.

C1	
C2	

(d) Apply the corrected concepts.

(i) How many different belief states are possible when there are 8 physical states? Why does this make belief-state search harder than search over physical states?

(i)	
-----	--

(ii) For the initial belief state {S1, S3, S5, S7}, apply the plan [Right, Suck], write the belief state after each action, and state whether it is a solution.

Step	Action	Belief State after Action
0	(start)	{S1, S3, S5, S7}
1	Right	
2	Suck	
	Solution? Why?	

Rubrics for Error Analysis

Criteria	Weightage (%)	Level 4 – Exemplary (4)	Level 3 – Proficient (3)	Level 2 – Developing (2)	Level 1 – Beginning (1)
Error Identification	20	Accurately identifies all errors with clear understanding of issues	Identifies most errors with minor omissions	Identifies limited errors; some are missed	Fails to identify key errors
Root Cause Analysis	30	Clearly explains underlying causes with strong technical reasoning	Explains causes with moderate clarity	Partial explanation; weak reasoning	Unable to identify causes of errors
Correction & Justification	25	Provides correct solutions with strong justification and logic	Provides correct corrections with some justification	Corrections are partially correct or weakly justified	Incorrect or no corrections provided
Application of Concepts	15	Effectively applies relevant concepts to analyze and resolve errors	Applies concepts with minor errors	Limited application; requires guidance	Unable to apply concepts
Clarity & Presentation	10	Presents analysis clearly, logically, and systematically	Generally clear with minor issues	Lacks clarity or proper structure	Poor presentation and difficult to understand

Q. No. / Criteria	Error Identification	Root Cause Analysis	Correction & Justification	Application of Concepts	Clarity & Presentation	Sub. Total	Total %
1							
2							
3							
4							

Faculty In-charge	Course Coordinator	Program Director
Signature: _____	Signature: _____	Signature: _____
Date: _____	Date: _____	Date: _____