

servicenow

All

UI pol

+

FAVORITES

No Results

ALL RESULTS

System Mobile

Mobile UI

Mobile UI Policies

Service Catalog

Catalog Administration

Catalog UI Policies

System Diagnostics

Session Debug

Debug UI Policies

Disable UI Policies Debug

System UI

UI Policies

MID Server

MID Security Policy

System Web Services

SOA Security Policies

Favorites

History

Workspaces

Admin

UI Policies

Search

Actions on selected rows...

New

All

	Short description	Table	Conditions	Reverse if false	On load	Updated	Order
☐	UI Policy to hide related feature flags when hidePagination set to true	ORC List [sys_ui_list]	hide_pagination=true^EQ	true	true	2021-06-16 14:02:30	
☐	Mark fields as mandatory without ORC override	Security tasks [sys_sec_security_task]		false	true	2025-01-28 14:26:42	
☐	Always Hide Read-only Related List Field	Relationship [sys_relationship]	sys_HSNOTEMPTY^EQ	false	true	2015-06-21 17:28:31	
☐	Hide meta fields	Table [sys_ui_question]		true	true	2016-01-21 12:43:35	
☐	Set Table column Read Only	Turbo Widget Mapping [sys_ui_turbo_widget_mapping]		true	true	2016-06-02 15:16:10	
☐	Clear cve signature before action decision value when precondition is not signature	Function [sys_sig_button]	precondition=signature^EQ	false	true	2019-04-18 07:01:21	
☐	Content vs parameter	HTTP Method [sys_rest_message_fc]	http_method=get^ORhttp_method=delete^OR...	true	true	2016-12-14 16:50:13	
☐	Instance Close					2016-08-18	

1 to 20 of 9 042

servicenow

All

UI pol

BOOKMARKS

RESULTS

System Mobile

Mobile UI

Mobile UI Policies

Service Catalog

Catalog Administration

Catalog UI Policies

System Diagnostics

Session Debug

Debug UI Policies

Disable UI Policies Debug

System UI

UI Policies

MID Server

MID Security Policy

System Web Services

Configuration

Favorites

History

Workspaces

Admin

UI Policies

Search

Actions on selected rows...

Filter

All

Short description

Table

Conditions

Reverse if false

On load

Updated

Order

UI Policy to hide related feature flags when full pagination set to true

UX List [sys_ui_list]

hide_pagination=trueEQ

true

true

2021-06-16 14:02:50

Mark fields as mandatory without UI override

Security tasks [sys_sec_security_tasks]

false

true

2025-01-28 14:28:40

Always hide Read-only Related List Field

Relationships [sys_relationships]

sys_idISNOTEMPTYEQ

false

true

2025-06-21 17:28:01

Hide meta fields

label [sys_label_question]

true

true

2024-01-21 12:43:05

Set table column Read-Only

Trends Widget Mapping [sys_hr_hr_trends_widget_mapping]

true

true

2018-08-02 15:16:10

Clear save signature before action execution unless when precondition is not Signature

Function [sys_sys_function]

precondition!=signatureEQ

true

true

2019-04-18 07:03:21

Content type parameters

HTTP Method [sys_rest_message_h]

http_method=get*ORhttp_method=delete*OR...

true

true

2016-12-14 16:50:13

Instance Close

1 of 6 rows

serviceNow

AB

UI pol

FAVORITES

No Results

ALL RESULTS

System Mobile

Mobile UI

Mobile UI Policies

Service Catalog

Catalog Administration

Catalog UI Policies

System Diagnostics

Session Debug

Debug UI Policies

Disable UI Policies Debug

System UI

UI Policies

MID Server

MID Security Policy

System Web Services

SOAP Security Policies

UI Policy - High Impact Control

Search

UI Policy

High Impact Control - View: Advanced

The field specified in the UI policy action is present on the specified form

More Info

Table Incident Incident

Application Global

Active

Short description High Impact Control

Order 100

When to Apply

Script

Conditions

Add Filter Condition

Add OR Clause

Import is 1 - High

AND

OR

X

If selected, the UI Policy applies to all form views; otherwise the UI Policy is view-specific

Global

Reverse the effects of the UI policy actions when the Conditions evaluate to false

Reverse if false

Apply the UI policy actions when the form is loaded and when the user changes values on the form

On load

Tables that extend the specified Table inherit this UI Policy

Inherit

servicenow

All

UI pol

FAVORITES

No Results

ALL RESULTS

System Mobile

Mobile UI

Mobile UI Policies

Service Catalog

Catalog Administration

Catalog UI Policies

System Diagnostics

Session Debug

Debug UI Policies

Disable UI Policies Debug

System UI

UI Policies

MID Server

MID Security Policy

System Web Services

FavoritesHistoryWorkspacesAdmin

UI Policy Action - assignment_group

Search

UpdateDelete

UI Policy Action
assignment_group

UI policy actions specify exactly what actions to take on a specified field. The conditions specified in the UI policy determine when these actions are triggered. [More info](#)

UI policy: High Impact Control

Table: incident [incident]

Field name: Assignment group

Application: Global

Mandatory: True

Visible: Leave alone

Read-only: False

Clear the field value: ☐

UpdateDelete

servicenow

All

UI pol

FAVORITES

No Results

ALL RESULTS

System Mobile

Mobile UI

Mobile UI Policies

Service Catalog

Catalog Administration

Catalog UI Policies

System Diagnostics

Session Debug

Debug UI Policies

Disable UI Policies Debug

System UI

UI Policies

MID Server

MID Security Policy

System Web Services

Favorites

History

Workspaces

Admin

UI Policy Action - urgency

Search

Update

Delete

UI Policy Action
urgency

UI policy actions specify exactly what actions to take on a specified field. The conditions specified in the UI policy determine when these actions are triggered. [More info](#)

UI policy: High Impact Control

Table: Incident Incident

Field name: Urgency

Application: Global

Mandatory: Leave alone

Mobile: Leave alone

Read only: True

Clear the field value

Update

Delete

TricentriQ

Home

History

Workspaces

Admin

Client Script - Add an alert pop up for high request

Search

Update

Delete

Client Script

Add an alert pop up for high request

Now Client Scripts are run in the context of the test case. To create a new Client Script, click on the "New Client Script" button. To make the script for an existing test case, click on the test case name "High request for high request" in the list.

Name: Add an alert pop up for high request

Full Name: client.js (client.js)

id Type: Function

id: myChange

Full Name: myChange

Application: Global

Active: ☒

Enabled: ☐

Good: ☒

Description:

History:

Script

```
1 function myChange(client, context, metadata, metadata) {
2   if (context["myMetadata"] === "1") {
3     return;
4   }
5
6   if (context["myMetadata"] === "1") { // High request
7     a few seconds of sleep, 1000ms
8     a few seconds of sleep
9     "Good!"
10    high request for high request and some high request and some high request group...
11    return;
12  }
13 }
14
15 }
```

ServiceNow

Client Scripts

Client Scripts

Service Catalog

Catalog Administration

Creating Client Scripts

System Definition

Client Scripts

System Logs

Client Transactions

Client Script

Prevent case if assigned to existing

Help

Update

Delete

New client scripts are run in client mode, with direct HTTP access to REST, SOAP, or Query endpoints and the window object are however disabled. To ensure this is a supported browser, configure the form and add the "Disable on IE" field. For details see: [https://docs.servicenow.com/docs?docId=cn1401001.html&context=client_scripts](#)

Name: Prevent case if assigned to existing

Task: Incident (Incident)

UI Type: Desktop

Type: attached

Application: Global

Active: ☒

Restricted: ☐

Global: ☒

Description:

Precondition:

Script

```
1 function onSubmitt() {
2   if (gs.getProperty('case_id') == '' || gs
3     .getProperty('assigned_to') == '') {
4     gs.alert('Warning!');
5     gs.setProperty('assigned_to',
6       'assigned to is mandatory for high amount incidents');
7     return false;
8   }
9   return true;
10 }
11 return true;
```

Include script

Include

Exclude

servicenow

All

client script

+

o

+

Available

No Results

All Objects

Service Catalog

Catalog Administration

Catalog Client Scripts

System Definition

Client Script

Client Script - Prevent state change via list edit

Search

Update

Client Script
Prevent state change via list edit

How client scripts are run in edit mode, with direct DOM access disabled, access to jQuery, prototype and the window object are limited. To disable this on a per-script basis, configure this form and add the "enable jQuery" field. To disable this feature for all new globally scoped client-side scripts set the system property "state.scriptBlockClientScripts" to false.

Name

Prevent state change via list edit

Topic

incident (incident)

UI Type

Listitem

Application

Global

Type

onCellClick

Field name

State

Action

☒

Included

☐

Global

☒

Description

Script

```
function self(event){var obj = jQuery("#incident").find("td").find("a").click(function() {
    alert("State cannot be changed from the list. Please open the incident.");
    // Prevent the list edit
    callback(false, oldValue);
})
}
```

Source Code

☒

Manage, monitor, and evaluate all your day-to-day administrative actions and tasks across the platform.

Shared admin dashboard ·

No data available.

There is no data for the selected criteria. Update the configuration or wait for data to become available for

64 3

No data available.

There is no data for the selected criteria. Update the configuration or wait for data to become available

1...

90%

1...

4

servicenow

Incident

Incident

Incidents

Incidents

Incident

Create Now

Assigned to me

Open

Open - Unassigned

Resolved

All

Overview

Critical Incidents Map

Administration

Incident Properties

Favorites

History

Workspaces

Admin

Incident - Create INC0010012

Search

Submit

Incident
New record

NumberINC0010012

ChannelNew

StateNew

Impact1 - High

Urgency1 - High

Priority1 - Critical

Assignment groupSoftware

Assigned to

Assigned To is mandatory for High impact incidents.

* CallerAdele Cervantes

CategoryInquiry / Help

SubcategoryNone

Service

Service offering

Configuration item

* Short descriptionTesting UP policy

Description

Related Search Results

Related Search

Testing UP policy

Knowledge & Catalog (All)

Custom policies

No description

Workflow

Need to whitelist an IP address?

Number	INCD000012	Channel	None
< Caller	Asteria Cervantes	State	New
Category	Inquiry / Help	Impact	2 - Medium
Subcategory	None	Urgency	1 - High
Service		Priority	2 - High
Service offering		Assignment group	Software
Configuration item		Assigned to	
Short description	testing of policy		
Description			

Related Search Results

Country	-- None --	▼
States	-- None --	▼

[illegible]

servicenow

AB

incident

No results

ALL RESULTS

Self Service

Incidents

Viewed Incidents

Service Desk

Incidents

Incident

Create New

Assigned to me

Open

Open - Unassigned

Resolved

All

Overview

Critical Incidents Map

Administration

Incident Properties

Incident ATT Subes

Incident - INC0008111

Search

Incident - INC0008111

Incident

Form

Update

Resume

Delete

Number: INC0008111

Category: System Administrator

Group: Inquiry / Help

Subcategory: None

Service:

Service offering:

Configuration item:

Short description: ATF : Test:

Description:

Country: None

Status: None

State: In Progress

Priority: 2 - Low

Urgency: 3 - Low

Escalation: 5 - Planning

Assignment group:

Assigned to:

Follow on (Jira Feed):

Analysis Results:

Configure:

Export:

View:

Create Favorite:

Copy URL:

Copy HTML:

Show XML:

History:

Reload form:

Home

Related Records

Resolution Information

Work list

Work rules list

Incidents											
Incidents											
All + Active + 100											
Incident	Number	Opened	Short description	Color	Priority	Status	Category	Assignment group	Assigned to	Updated	Updated by
	INC0000010	2020-01-16 09:13:14	Testing US policy	Info Unassigned	3 - High	New	Legacy / Help	Technical	(empty)	2020-01-16 09:13:11	admin
	INC0000009	2018-08-30 17:06:56	Unable to access the shared folder	David Miller	4 - Low	New	Legacy / Help	Technical	(empty)	2018-12-12 23:30:04	admin
	INC0000008	2018-08-31 20:39:21	Email server is down	David Miller	1 - Critical	New	Software	General	(empty)	2018-12-13 23:58:58	admin
	INC0000001	2018-09-11 20:56:28	Unable to print content on a Wi-Fi printer	David Miller	3 - Moderate	New	Legacy / Help	Technical	(empty)	2018-12-13 23:32:43	admin
	INC0000112	2019-07-29 12:42:12	Accountant - AIF Account	empty user	5 - Pending	New	Legacy / Help	General	(empty)	2019-07-29 12:42:20	admin
	INC0000111	2019-07-29 14:04:57	AIF - 1001	System Administrator	5 - Pending	In Progress	Legacy / Help	General	(empty)	2019-07-30 02:02:59	admin
	INC0000001	2021-01-25 13:04:14	AIF-10512	empty user	5 - Pending	New	Legacy / Help	General	(empty)	2021-01-25 13:31:40	admin
	INC0000000	2018-10-16 22:47:51	Need access to the common drive	David Miller	4 - Low	New	Legacy / Help	General	(empty)	2018-12-12 23:38:48	admin
	INC00007001	2018-10-16 22:47:10	Employee payroll application server is down	David Miller	1 - Critical	New	Hardware	Operations	(empty)	2018-12-03 19:13:01	system
	INC0001900	2020-04-07 09:02:25	Unable to access the personal details section in portal profile	System Administrator	5 - Pending	On Hold	Legacy / Help	General	(empty)	2020-04-07 09:04:24	admin