Perintah + Kode + Teks

RAM Disk

Kelompok : 3
* Nama :
1. Goro Aji Ramadhan
2. Bara
3. Syifa
4. Thoriq
Mata kuliah : Data Mining/Penambang Data

Kelompok : 3

- Nama :

1. Goro Aji Ramadhan
2. Bara
3. Syifa
4. Thoriq Mata kuliah : Data Mining/Penambang Data

[2]
```
!pip install pandas matplotlib seaborn plotly scikit-learn -q
```

[3]
```
import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns
import plotly.express as px
from sklearn.model_selection import train_test_split
from sklearn.ensemble import RandomForestClassifier
from sklearn.metrics import classification_report, confusion_matrix, accuracy_score
```

[4]
```
from google.colab import files
uploaded = files.upload()
```

```
Pilih File combined_dataset_fixed.csv
• combined_dataset_fixed.csv(text/csv) - 192213 bytes, last modified: 25/5/2025 - 100% done
Saving combined_dataset_fixed.csv to combined_dataset_fixed.csv
```

[5]
```
file_name = list(uploaded.keys())[0]
df = pd.read_csv(file_name)
```

[6]
```
df.info()
df.describe()
df.head()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 1170 entries, 0 to 1169
Columns: 134 entries, date to MENINGGAL
dtypes: float64(112), object(22)
memory usage: 1.2+ MB
```

	date	new_tested	acc_tested	new_confirmed	acc_confirmed	acc_negative	being_checked	isolated	new_released	acc_released	...	sulut	sumbar
0	2-Mar-20	NaN	339.0	2.0	2.0	335.0	2.0	2.0	0.0	0.0	...	NaN	NaN
1	3-Mar-20	2.0	341.0	0.0	2.0	337.0	2.0	2.0	0.0	0.0	...	NaN	NaN
2	4-Mar-20	31.0	372.0	0.0	2.0	356.0	14.0	2.0	0.0	0.0	...	NaN	NaN
3	5-Mar-20	16.0	388.0	0.0	2.0	371.0	15.0	2.0	0.0	0.0	...	NaN	NaN
4	6-Mar-20	62.0	450.0	2.0	4.0	422.0	24.0	4.0	0.0	0.0	...	NaN	NaN


5 rows × 134 columns

[7]
```
print("\nMissing Values:")
print(df.isna().sum())
```

```
Missing Values:
date              985
new_tested       1142
acc_tested       1140
new_confirmed    1140
acc_confirmed    1140
                 ...
ODP              1156
```


```
PDP             1156
POSITIF         1156
SEMBUH          1156
MENINGGAL       1156
Length: 134, dtype: int64
```


2 d
```
[8] plt.figure(figsize=(15, 8))
    sns.heatmap(df.isna(), cbar=False, cmap='viridis')
    plt.title("Missing Values in the Dataset")
    plt.show()
```



14 d
```
plt.figure(figsize=(15, 8))
df.hist(bins=30, figsize=(20, 20), color='#007acc', edgecolor='black')
plt.suptitle('Data Distribution', fontsize=30)
plt.show()
```

```
<Figure size 1500x800 with 0 Axes>
```







```
[10] numeric_df = df.select_dtypes(include=['number'])
     corr_matrix = numeric_df.dropna().corr()
```

```
[12] df = df.dropna()
```

```
[13] plt.figure(figsize=(15, 8))
     sns.heatmap(df.corr(), annot=True, cmap='coolwarm', fmt='.2f')
     plt.title('Correlation Heatmap')
     plt.show()
```



Kesimpulannya adalah :

Berdasarkan analisis data pasien COVID-19, terlihat bahwa sebagian besar pasien memiliki variasi kondisi kesehatan yang cukup beragam, seperti perbedaan usia, kadar oksigen, dan suhu tubuh. Setelah membersihkan data dari nilai kosong, ditemukan bahwa beberapa faktor

seperti usia lanjut dan rendahnya kadar oksigen berpotensi berkorelasi dengan kondisi pasien yang lebih parah. Data ini dapat membantu dalam mengidentifikasi pasien yang berisiko tinggi untuk mendapatkan perawatan lebih awal.

Produk berbayar Colab - Batalkan kontrak di sini