

BILL OF MATERIALS

Document No :

HWPT011X5_1BM

GM02S

1



Item	Qty	REFERENCE	TYPE	VALUE	TOLERANCE	RATING	DESCRIPTION	PACKAGE	VENDOR	VENDOR PART No
1	1	C39	CAPACITOR	2p7	+0p25	50V	CERAMIC COG	402	ANY	
2	2	C40 L15	CAPACITOR	3p2	+0p25	50V	CERAMIC COG	402	ANY	
3	1	R60	CAPACITOR	0p4	+0p05	50V	CERAMIC COG	402	MURATA	GJM1555C1HR40WB01
4	1	C37	CAPACITOR	0p8	+0p05	50V	CERAMIC COG	402	MURATA	GJM1555C1HR80WB01
5	3	C20 C22 C26	CAPACITOR	4u7	20%	6V3	CERAMIC X5R	402	PANASONIC	ECJ-0EB0J475M
6	5	C3 C4 C5 C6 C7	CAPACITOR	10u	20%	6V3	CERAMIC X5R	603	ANY	
7	2	C54 C55	CAPACITOR	NF	20%	6V3	CERAMIC X5R	603	ANY	
8	1	C53	CAPACITOR	NF	5%	25V	CERAMIC COG	201	ANY	
9	1	C28	CAPACITOR	33p	5%	25V	CERAMIC COG	201	ANY	
10	1	C27	CAPACITOR	39p	5%	25V	CERAMIC COG	201	ANY	
11	3	C35 C45 C46	CAPACITOR	100n	10%	10V	CERAMIC X5R	201	ANY	
12	16	C11 C12 C15 C16 C17 C18 C19 C21 C22	CAPACITOR	100n	+80%,-20%	6V3	CERAMIC Y5V	201	ANY	
13	1	C56	CAPACITOR	NF	0.6	5V	AL EL,RADIAL LOW ESR	.3 x 13.0 x 6.0 mm	EATON	PB-5R0H104-R
14	1	F1	FILTER	DLP0NSN900HL2		100mA	COMMON MODE CHOKE	00.65x0.85x0.45	MURATA	DLP0NSN900HL2
15	2	L3 L4	FILTER	30R@100M		300mA	FERRITE BEAD	402	WURTH	74279274
16	1	L8	INDUCTOR	10n	2%	500mA	WIREWOUND	402	MURATA	LQW15AN10NG00
17	2	L7 R56	INDUCTOR	12n	2%	500mA	WIREWOUND	402	MURATA	LQW15AN12NG00
18	1	L2	INDUCTOR	15N	+0n2	1400mA	WIREWOUND	402	MURATA	LQW15AN15NG8ZD
19	1	L14	INDUCTOR	2n9	+0n2	1400mA	WIREWOUND	402	MURATA	LQW15AN2N9G8ZD
20	1	R15	INDUCTOR	5n1	+0n2	600mA	WIREWOUND	402	MURATA	LQW15AN5N1C00
21	1	L1	INDUCTOR	8n7	+0n2	1400mA	WIREWOUND	402	MURATA	LQW15AN8N7G8ZD
22	1	L5	INDUCTOR	8n4	2%	1600mA	WIREWOUND	603	MURATA	LQW18AN8N4G8ZD
23	12	R7 L6 L9 L12 L13 R16 R17 R45 R46 R55	RESISTOR	0R0	5%	0.063W		402	ANY	
24	4	C48 C49 L10 L11	RESISTOR	NF	5%	0.063W		402	ANY	
25	1	R1	RESISTOR	0R0	5%	0.10W		603	ANY	
26	1	R61	RESISTOR	NF	5%	0.10W		603	ANY	
27	6	R3 R6 R36 R37 R38 R57	RESISTOR	NF	5%	0.05W		201	ANY	
28	3	R54 R98 R100	RESISTOR	0R0	5%	0.05W		201	ANY	
29	1	R24	RESISTOR	1K0	5%	0.05W		201	ANY	
30	3	R20 R21 R48	RESISTOR	10K	5%	0.05W		201	ANY	
31	11	R5 R13 R14 R25 R26 R27 R28 R39 R74	RESISTOR	100K	5%	0.05W		201	ANY	
32	2	R29 R4	RESISTOR	NF	5%	0.05W		201	ANY	
33	1	R49	RESISTOR	220R	5%	0.05W		201	ANY	
34	1	R47	RESISTOR	2K2	5%	0.05W		201	ANY	
35	1	R22	RESISTOR	330R	5%	0.05W		201	ANY	
36	2	R12 R35	RESISTOR	4K7	5%	0.05W		201	ANY	
37	1	R23	RESISTOR	12K	1%	0.05W		201	ANY	
38	1	S1	SWITCH	TPA11CGRA0			PUSHBUTTON MOMENTARY	4 SIDE ACTUATOR	ALCOSWITCH	TPA11CGRA0
39	1	U21	IC	74LVC1G04			INVERTER	DSBGA	TEXAS	SN74LVC1G04YZV
40	1	U16	IC	NF			EEPROM 2K SERIAL	SO8	ST MICROELECTRONICS	M93C56
41	1	U5	IC	FT4232HL			QUAD HS USB TO SERIAL UART	LQFP64	FTDI	FT4232HL-R
42	1	U1	MODULE	GM02S			LTE GM02S	3.30mm x15.10mm	SEQUANS	GM02S
43	1	U3	IC	LP38692-3.3		1000mA	VOLTAGE REG LDO 3.3V	LLP-6	NAT SEMI	LP38692SD-3.3
44	2	U18 U22	IC	SKY13414-485LF			100 MHz-3.8GHz SP4T SWITCH	14-Pin QFN	SKYWORKS	SKY13414-485LF
45	1	U2	IC	TPS2065		1A	USB SWITCH	MSOP8	TEXAS	TPS2065DGN
46	1	U4	IC	TPS73618		400mA	VOLTAGE REG LDO 1.8V	SOT23-5	TEXAS	TPS73618DBVTG4
47	2	U8 U10	IC	TXS0104E			4-BIT BI-DIR LEVEL TRANSLATOR	TSSOP-14	TEXAS	TXS0104EPWR
48	1	U6	IC	USBLC6-2			ESD PROTECTION	SOT666	ST MICROELECTRONICS	USBLC6-2P6
49	1	D4	LED	RED			SMD 1.1mm HIGH	603	KINGBRIGHT	KP-1608EC
50	1	D1	LED	GRN			SMD 1.1mm HIGH	603	KINGBRIGHT	KP-1608MGC
51	1	J9	CONNECTOR				Micro-Fit 3.0 Vertical Header, 3.00mm Pitch, Single Row		Molex	43650-0200
52	1	J7	CONNECTOR	3x1WAY-2m0			3WAY MALE HEADER VERTICAL	H 3x1 2mm-PITCH	SAMTEC	TMM-103-01-L-S
53	1	J10	CONNECTOR	3x1WAY-0.1"			3WAY MALE RIGHT ANGLE	H 3x1 0.1"-PITCH	ANY	
54	1	J6	CONNECTOR	C792			MICRO SIM(3FF) 6 WAY + DETECT	MICROSIM	MUP	MUP-C792
55	1	J1	CONNECTOR	MM8430-2610			CO-AX SWITCHED	SMD STRAIGHT	MURATA	MM8430-2610B
56	1	J2	CONNECTOR	USB-473460001			5WAY SOCKET USB TYPE MICRO-B	SMD	MOLEX	473460001
57	1	J5	CONNECTOR	U.LF			CO-AX SOCKET	SMD STRAIGHT	HIROSE	U.FL-R-SMT(01)
58	1	Y1	CRYSTAL	12.000MHz	30ppm			HC-49/U-S	CITIZEN	HCM49 12.000MABJT
59	1	ANT1	ANTENNA	NN03-310			698-960 AND 1710-2690 MHz	D-30.0x3.0x1.0mm	FRACTUS ANTENNAS	RUN mXTEND (NN03-310)



Item	Qty	REFERENCE	TYPE	VALUE	TOLERANCE	RATING	DESCRIPTION	PACKAGE	VENDOR	VENDOR PART No
60	1	ST3	STRAP	NF			PTH	2.54mm PITCH	ANY	
61	3	SB10 SB11 SB14	STRAP	CLOSED			SOLDER BRIDGE	1.00mm Dia.	NONE	
62	3	SB13 SB12 SB16	STRAP	OPEN			SOLDER BRIDGE	1.00mm Dia.	NONE	
63	5	TP1 TP2 TP3 TP4 TP5	TESTPOINT				PROBE POINT	0.3mm	NONE	

BILL OF MATERIALS

Document No :

HWPT011X5_1BM

GM02SP

1



Item	Qty	REFERENCE	TYPE	VALUE	TOLERANCE	RATING	DESCRIPTION	PACKAGE	VENDOR	VENDOR PART No
1	1	C39	CAPACITOR	2p7	+0p25	50V	CERAMIC COG	402	ANY	
2	2	C40 L15	CAPACITOR	3p2	+0p25	50V	CERAMIC COG	402	ANY	
3	1	R60	CAPACITOR	0p4	+0p05	50V	CERAMIC COG	402	MURATA	GJM1555C1HR40WB01
4	1	C37	CAPACITOR	0p8	+0p05	50V	CERAMIC COG	402	MURATA	GJM1555C1HR80WB01
5	3	C20 C22 C26	CAPACITOR	4u7	20%	6V3	CERAMIC X5R	402	PANASONIC	ECJ-0EB0J475M
6	5	C3 C4 C5 C6 C7	CAPACITOR	10u	20%	6V3	CERAMIC X5R	603	ANY	
7	2	C54 C55	CAPACITOR	NF	20%	6V3	CERAMIC X5R	603	ANY	
8	1	C53	CAPACITOR	NF	5%	25V	CERAMIC COG	201	ANY	
9	1	C28	CAPACITOR	33p	5%	25V	CERAMIC COG	201	ANY	
10	1	C27	CAPACITOR	39p	5%	25V	CERAMIC COG	201	ANY	
11	3	C35 C45 C46	CAPACITOR	100n	10%	10V	CERAMIC X5R	201	ANY	
12	16	C11 C12 C15 C16 C17 C18 C19 C21 C22	CAPACITOR	100n	+80%,-20%	6V3	CERAMIC Y5V	201	ANY	
13	1	C56	CAPACITOR	NF	0.6	5V	AL EL,RADIAL LOW ESR	11.3 x 13.0 x 6.0 mm	EATON	PB-5R0H104-R
14	1	F1	FILTER	DLP0NSN900HL2		100mA	COMMON MODE CHOKE	SMD0.65x0.85x0.45mm	MURATA	DLP0NSN900HL2
15	2	L3 L4	FILTER	30R@100M		300mA	FERRITE BEAD	402	WURTH	74279274
16	1	L8	INDUCTOR	10n	2%	500mA	WIREWOUND	402	MURATA	LQW15AN10NG00
17	2	L7 R56	INDUCTOR	12n	2%	500mA	WIREWOUND	402	MURATA	LQW15AN12NG00
18	1	L2	INDUCTOR	15N	+0n2	1400mA	WIREWOUND	402	MURATA	LQW15AN15NG8ZD
19	1	L14	INDUCTOR	2n9	+0n2	1400mA	WIREWOUND	402	MURATA	LQW15AN2N9G8ZD
20	1	R15	INDUCTOR	5n1	+0n2	600mA	WIREWOUND	402	MURATA	LQW15AN5N1C00
21	1	L1	INDUCTOR	8n7	+0n2	1400mA	WIREWOUND	402	MURATA	LQW15AN8N7G8ZD
22	1	L5	INDUCTOR	8n4	2%	1600mA	WIREWOUND	603	MURATA	LQW18AN8N4G8ZD
23	12	47 L6 L9 L12 L13 R16 R17 R45 R46 R55	RESISTOR	0R0	5%	0.063W		402	ANY	
24	4	C48 C49 L10 L11	RESISTOR	NF	5%	0.063W		402	ANY	
25	1	R1	RESISTOR	0R0	5%	0.10W		603	ANY	
26	1	R61	RESISTOR	NF	5%	0.10W		603	ANY	
27	6	R3 R6 R36 R37 R38 R57	RESISTOR	NF	5%	0.05W		201	ANY	
28	3	R54 R98 R100	RESISTOR	0R0	5%	0.05W		201	ANY	
29	1	R24	RESISTOR	1K0	5%	0.05W		201	ANY	
30	3	R20 R21 R48	RESISTOR	10K	5%	0.05W		201	ANY	
31	11	45 R13 R14 R25 R26 R27 R28 R39 R74	RESISTOR	100K	5%	0.05W		201	ANY	
32	2	R29 R4	RESISTOR	NF	5%	0.05W		201	ANY	
33	1	R49	RESISTOR	220R	5%	0.05W		201	ANY	
34	1	R47	RESISTOR	2K2	5%	0.05W		201	ANY	
35	1	R22	RESISTOR	330R	5%	0.05W		201	ANY	
36	2	R12 R35	RESISTOR	4K7	5%	0.05W		201	ANY	
37	1	R23	RESISTOR	12K	1%	0.05W		201	ANY	
38	1	S1	SWITCH	TPA11CGRA0			PUSHBUTTON MOMENTARY	PTH SIDE ACTUATOR	ALCOSWITCH	TPA11CGRA0
39	1	U21	IC	74LVC1G04			INVERTER	DSBGA	TEXAS	SN74LVC1G04YZV
40	1	U16	IC	NF			EEPROM 2K SERIAL	SO8	MICROELECTRONICS	M93C56
41	1	U5	IC	FT4232HL			QUAD HS USB TO SERIAL UART	LQFP64	FTDI	FT4232HL-R
42	1	U1	MODULE	GM02SP			LTE GM02SP	15.30mm x15.10mm	SEQUANS	GM02SP
43	1	U3	IC	LP38692-3.3		1000mA	VOLTAGE REG LDO 3.3V	LLP-6	NAT SEMI	LP38692SD-3.3
44	2	U18 U22	IC	SKY13414-485LF			100 MHz-3.8GHz SP4T SWITCH	14-Pin QFN	SKYWOKS	SKY13414-485LF
45	1	U2	IC	TPS2065		1A	USB SWITCH	MSOP8	TEXAS	TPS2065DGN
46	1	U4	IC	TPS73618		400mA	VOLTAGE REG LDO 1.8V	SOT23-5	TEXAS	TPS73618DBVTG4
47	2	U8 U10	IC	TXS0104E			4-BIT Bi-DIR LEVEL TRANSLATOR	TSSOP-14	TEXAS	TXS0104EPWR
48	1	U6	IC	USBLC6-2			ESD PROTECTION	SOT666	T MICROELECTRONICS	USBLC6-2P6
49	1	D4	LED	RED			SMD 1.1mm HIGH	603	KINGBRIGHT	KP-1608EC
50	1	D1	LED	GRN			SMD 1.1mm HIGH	603	KINGBRIGHT	KP-1608MGC
51	1	J9	CONNECTOR				Micro-Fit 3.0 Vertical Header, 3.00mm Pitch, Single Row		Molex	43650-0200
52	1	J7	CONNECTOR	3x1WAY-2m0			3WAY MALE HEADER VERTICAL	PTH 3x1 2mm-PITCH	SAMTEC	TMM-103-01-L-S
53	1	J10	CONNECTOR	3x1WAY-0.1"			3WAY MALE RIGHT ANGLE	PTH 3x1 0.1"-PITCH	ANY	
54	1	J6	CONNECTOR	C792			MICRO SIM(3FF) 6 WAY + DETECT	MICROSIM	MUP	MUP-C792
55	1	J1	CONNECTOR	MM8430-2610			CO-AX SWITCHED	SMD STRAIGHT	MURATA	MM8430-2610B
56	1	J2	CONNECTOR	USB-473460001			5WAY SOCKET USB TYPE MICRO-B	SMD	MOLEX	473460001
57	1	J5	CONNECTOR	U.LF			CO-AX SOCKET	SMD STRAIGHT	HIROSE	U.F.L-R-SMT(01)
58	1	Y1	CRYSTAL	12.000MHz	30ppm			HC-49/U-S	CITIZEN	HCM49 12.000MABJT
59	1	ANT1	ANTENNA	NN03-310			698-960 AND 1710-2690 MHz	SMD-30.0x3.0x1.0mm	FRACUS ANTENNAS	RUN mXTEND (NN03-310)
60	1	ST3	STRAP	NF			PTH	2.54mm PITCH	ANY	
61	3	SB10 SB11 SB14	STRAP	CLOSED			SOLDER BRIDGE	1.00mm Dia.	NONE	

BILL OF MATERIALS	Document No : HWPT011X5_1BM	GM02SP	1
--------------------------	--------------------------------	--------	---



Item	Qty	REFERENCE	TYPE	VALUE	TOLERANCE	RATING	DESCRIPTION	PACKAGE	VENDOR	VENDOR PART No
62	3	SB13 SB12 SB16	STRAP	OPEN			SOLDER BRIDGE	1.00mm Dia.	NONE	
63	5	TP1 TP2 TP3 TP4 TP5	TESTPOINT				PROBE POINT	0.3mm	NONE	

BILL OF MATERIALS

Document No :

HWPT011X5_1BM

NB02S

1



Item	Qty	REFERENCE	TYPE	VALUE	TOLERANCE	RATING	DESCRIPTION	PACKAGE	VENDOR	VENDOR PART No
1	1	C39	CAPACITOR	2p7	+0p25	50V	CERAMIC COG	402	ANY	
2	2	C40 L15	CAPACITOR	3p2	+0p25	50V	CERAMIC COG	402	ANY	
3	1	R60	CAPACITOR	0p4	+0p05	50V	CERAMIC COG	402	MURATA	GJM1555C1HR40WB01
4	1	C37	CAPACITOR	0p8	+0p05	50V	CERAMIC COG	402	MURATA	GJM1555C1HR80WB01
5	3	C20 C22 C26	CAPACITOR	4u7	20%	6V3	CERAMIC X5R	402	PANASONIC	ECJ-0EB0J475M
6	5	C3 C4 C5 C6 C7	CAPACITOR	10u	20%	6V3	CERAMIC X5R	603	ANY	
7	2	C54 C55	CAPACITOR	NF	20%	6V3	CERAMIC X5R	603	ANY	
8	1	C53	CAPACITOR	NF	5%	25V	CERAMIC COG	201	ANY	
9	1	C28	CAPACITOR	33p	5%	25V	CERAMIC COG	201	ANY	
10	1	C27	CAPACITOR	39p	5%	25V	CERAMIC COG	201	ANY	
11	3	C35 C45 C46	CAPACITOR	100n	10%	10V	CERAMIC X5R	201	ANY	
12	16	C11 C12 C15 C16 C17 C18 C19 C21 C22	CAPACITOR	100n	+80%,-20%	6V3	CERAMIC Y5V	201	ANY	
13	1	C56	CAPACITOR	NF	0.6	5V	AL EL,RADIAL LOW ESR	3 x 13.0 x 6.0 mm	EATON	PB-5R0H104-R
14	1	F1	FILTER	DLP0NSN900HL2		100mA	COMMON MODE CHOKE	0.65x0.85x0.45	MURATA	DLP0NSN900HL2
15	2	L3 L4	FILTER	30R@100M		300mA	FERRITE BEAD	402	WURTH	74279274
16	1	L8	INDUCTOR	10n	2%	500mA	WIREWOUND	402	MURATA	LQW15AN10NG00
17	2	L7 R56	INDUCTOR	12n	2%	500mA	WIREWOUND	402	MURATA	LQW15AN12NG00
18	1	L2	INDUCTOR	15N	+0n2	1400mA	WIREWOUND	402	MURATA	LQW15AN15NG8ZD
19	1	L14	INDUCTOR	2n9	+0n2	1400mA	WIREWOUND	402	MURATA	LQW15AN2N9G8ZD
20	1	R15	INDUCTOR	5n1	+0n2	600mA	WIREWOUND	402	MURATA	LQW15AN5N1C00
21	1	L1	INDUCTOR	8n7	+0n2	1400mA	WIREWOUND	402	MURATA	LQW15AN8N7G8ZD
22	1	L5	INDUCTOR	8n4	2%	1600mA	WIREWOUND	603	MURATA	LQW18AN8N4G8ZD
23	12	R47 L6 L9 L12 L13 R16 R17 R45 R46 R55	RESISTOR	0R0	5%	0.063W		402	ANY	
24	4	C48 C49 L10 L11	RESISTOR	NF	5%	0.063W		402	ANY	
25	1	R1	RESISTOR	0R0	5%	0.10W		603	ANY	
26	1	R61	RESISTOR	NF	5%	0.10W		603	ANY	
27	6	R3 R6 R36 R37 R38 R57	RESISTOR	NF	5%	0.05W		201	ANY	
28	3	R54 R98 R100	RESISTOR	0R0	5%	0.05W		201	ANY	
29	1	R24	RESISTOR	1K0	5%	0.05W		201	ANY	
30	3	R20 R21 R48	RESISTOR	10K	5%	0.05W		201	ANY	
31	11	R5 R13 R14 R25 R26 R27 R28 R39 R74	RESISTOR	100K	5%	0.05W		201	ANY	
32	2	R29 R4	RESISTOR	NF	5%	0.05W		201	ANY	
33	1	R49	RESISTOR	220R	5%	0.05W		201	ANY	
34	1	R47	RESISTOR	2K2	5%	0.05W		201	ANY	
35	1	R22	RESISTOR	330R	5%	0.05W		201	ANY	
36	2	R12 R35	RESISTOR	4K7	5%	0.05W		201	ANY	
37	1	R23	RESISTOR	12K	1%	0.05W		201	ANY	
38	1	S1	SWITCH	TPA11CGRA0			PUSHBUTTON MOMENTARY	H SIDE ACTUATOR	ALCOSWITCH	TPA11CGRA0
39	1	U21	IC	74LVC1G04			INVERTER	DSBGA	TEXAS	SN74LVC1G04YZV
40	1	U16	IC	NF			EEPROM 2K SERIAL	SO8	MICROELECTRONICS	M93C56
41	1	U5	IC	FT4232HL			QUAD HS USB TO SERIAL UART	LQFP64	FTDI	FT4232HL-R
42	1	U1	MODULE	NB02S			LTE NB02S	3.30mm x15.10mm	SEQUANS	NB02S
43	1	U3	IC	LP38692-3.3		1000mA	VOLTAGE REG LDO 3.3V	LLP-6	NAT SEMI	LP38692SD-3.3
44	2	U18 U22	IC	SKY13414-485LF			100 MHz-3.8GHz SP4T SWITCH	14-Pin QFN	SKYWORKS	SKY13414-485LF
45	1	U2	IC	TPS2065		1A	USB SWITCH	MSOP8	TEXAS	TPS2065DGN
46	1	U4	IC	TPS73618		400mA	VOLTAGE REG LDO 1.8V	SOT23-5	TEXAS	TPS73618DBVTG4
47	2	U8 U10	IC	TXS0104E			4-BIT BI-DIR LEVEL TRANSLATOR	TSSOP-14	TEXAS	TXS0104EPWR
48	1	U6	IC	USBLC6-2			ESD PROTECTION	SOT666	MICROELECTRONICS	USBLC6-2P6
49	1	D4	LED	RED			SMD 1.1mm HIGH	603	KINGBRIGHT	KP-1608EC
50	1	D1	LED	GRN			SMD 1.1mm HIGH	603	KINGBRIGHT	KP-1608MGC
51	1	J9	CONNECTOR				Micro-Fit 3.0 Vertical Header, 3.00mm Pitch, Single Row		Molex	43650-0200
52	1	J7	CONNECTOR	3x1WAY-2m0			3WAY MALE HEADER VERTICAL	H 3x1 2mm-PITCH	SAMTEC	TMM-103-01-L-S
53	1	J10	CONNECTOR	3x1WAY-0.1"			3WAY MALE RIGHT ANGLE	H 3x1 0.1"-PITCH	ANY	
54	1	J6	CONNECTOR	C792			MICRO SIM(3FF) 6 WAY + DETECT	MICROSIM	MUP	MUP-C792
55	1	J1	CONNECTOR	MM8430-2610			CO-AX SWITCHED	SMD STRAIGHT	MURATA	MM8430-2610B
56	1	J2	CONNECTOR	USB-473460001			5WAY SOCKET USB TYPE MICRO-B	SMD	MOLEX	473460001
57	1	J5	CONNECTOR	U.LF			CO-AX SOCKET	SMD STRAIGHT	HIROSE	U.FL-R-SMT(01)
58	1	Y1	CRYSTAL	12.000MHz	30ppm			HC-49/U-S	CITIZEN	HCM49 12.000MABJT
59	1	ANT1	ANTENNA	NN03-310			698-960 AND 1710-2690 MHz	D-30.0x3.0x1.0	FRACTUS ANTENNAS	RUN mXTEND (NN03-310)



Item	Qty	REFERENCE	TYPE	VALUE	TOLERANCE	RATING	DESCRIPTION	PACKAGE	VENDOR	VENDOR PART No
60	1	ST3	STRAP	NF			PTH	2.54mm PITCH	ANY	
61	3	SB10 SB11 SB14	STRAP	CLOSED			SOLDER BRIDGE	1.00mm Dia.	NONE	
62	3	SB13 SB12 SB16	STRAP	OPEN			SOLDER BRIDGE	1.00mm Dia.	NONE	
63	5	TP1 TP2 TP3 TP4 TP5	TESTPOINT				PROBE POINT	0.3mm	NONE	