

BILL OF MATERIALS

Document No :

HWPT011B8_0BM

8.1



Item	Qty	REFERENCE	TYPE	VALUE	TOLERANCE	RATING	DESCRIPTION	PACKAGE	VENDOR	VENDOR PART No
1	2	C57-58	CAPACITOR	NF	+0p5	50V	CERAMIC COG	0402	ANY	
2	1	L2	CAPACITOR	1p8	+0p05	50V	CERAMIC COG	0402	MURATA	GJM1555C1H1R8WB01
3	1	L6	CAPACITOR	2p0	+0p05	50V	CERAMIC COG	0402	MURATA	GJM1555C1H2R0WB01
4	2	C40 L15	CAPACITOR	3p2	+0p25	50V	CERAMIC COG	0402	ANY	
5	1	R60	CAPACITOR	0p4	+0p05	50V	CERAMIC COG	0402	MURATA	GJM1555C1HR40WB01
6	1	C37	CAPACITOR	0p8	+0p05	50V	CERAMIC COG	0402	MURATA	GJM1555C1HR80WB01
7	3	C20 C22 C26	CAPACITOR	4u7	20%	6V3	CERAMIC X5R	0402	PANASONIC	ECJ-0EB0J475M
8	5	C3-7	CAPACITOR	10u	20%	6V3	CERAMIC X5R	0603	ANY	
9	2	C54-55	CAPACITOR	NF	20%	6V3	CERAMIC X5R	0603	ANY	
10	3	C53 C63-64	CAPACITOR	NF	5%	25V	CERAMIC COG	0201	ANY	
11	1	C28	CAPACITOR	33p	5%	25V	CERAMIC COG	0201	ANY	
12	1	C27	CAPACITOR	39p	5%	25V	CERAMIC COG	0201	ANY	
13	1	C52	CAPACITOR	56p	5%	16V	CERAMIC COG	0201	ANY	
14	1	C29	CAPACITOR	1n0	10%	50V	CERAMIC X7R	0201	ANY	
15	5	C35-36 C45-46 C67	CAPACITOR	100n	10%	10V	CERAMIC X5R	0201	ANY	
16	28	C1-2 C8-19 C21 C23-25 C30-34 C41-43 C50-51	CAPACITOR	100n	+80%,-20%	6V3	CERAMIC Y5V	0201	ANY	
17	4	C59-62	CAPACITOR	NF	+80%,-20%	6V3	CERAMIC Y5V	0201	ANY	
18	2	C44 C56	CAPACITOR	NF	-20% +80%	5V	AL EL,RADIAL LOW ESR	11.3 x 13.0 x 6.0 mm	EATON	PB-5R0H104-R
19	1	F2	FILTER	DLP0NSN900HL2		100mA	COMMON MODE CHOKE	SMD0.65x0.85x0.45mm	MURATA	DLP0NSN900HL2
20	1	F1	FILTER	SAFFB1G58KB0F0A			SAW GPS+GLONASS+BEIDOU2	SMD 1.105mmx0.90mm	MURATA	SAFFB1G58KB0F0A
21	2	L3-4	FILTER	30R@100M		300mA	FERRITE BEAD	0402	WURTH	74279274
22	1	L8	INDUCTOR	10n	2%	500mA	WIREWOUND	0402	MURATA	LQW15AN10NG00
23	2	L7 R56	INDUCTOR	12n	2%	500mA	WIREWOUND	0402	MURATA	LQW15AN12NG00
24	1	C39	INDUCTOR	22n	2%	780mA	WIREWOUND	0402	MURATA	LQW15AN22NG80D
25	1	L14	INDUCTOR	2n9	+0n2	1400mA	WIREWOUND	0402	MURATA	LQW15AN2N9G8ZD
26	1	R15	INDUCTOR	5n1	+0n2	600mA	WIREWOUND	0402	MURATA	LQW15AN5N1C00
27	1	L5	INDUCTOR	8n4	2%	1600mA	WIREWOUND	0603	MURATA	LQW18AN8N4G8ZD
28	1	L16	INDUCTOR	39n	5%	120mA	FILM	0201	MURATA	LQP03TN39NJ02
29	1	L17	INDUCTOR	10n	5%	250mA	WIREWOUND	0201	MURATA	LQW03AW10NJ00
30	1	D3	VARISTOR	5V6			TRANSQUARD	1206	AVX	VC120605D150DP
31	1	D5	DIODE	ESD8472		12V	ESD PROTECTION	SMD 0201	ON-SEMI	ESD8472MUT5G
32	11	C38 C47 L9 L12-13 R16-17 R45-46 R50 R80	RESISTOR	0R0	5%	0.063W		0402	ANY	
33	6	L10-11 C49 L1 C48 R83	RESISTOR	NF	5%	0.063W		0402	ANY	
34	1	R61	RESISTOR	NF	5%	0.10W		0603	ANY	
35	1	R76	RESISTOR	0R0	5%	0.10W		0603	ANY	
36	15	R3 R6 R36-38 R57 R62 R64-68 R72 R78-79	RESISTOR	NF	5%	0.05W		0201	ANY	
37	13	R9 R63 R69-70 R54 R73 R77 R18 R58 R81-82 R98 R100	RESISTOR	0R0	5%	0.05W		0201	ANY	
38	1	R8	RESISTOR	100R	5%	0.05W		0201	ANY	
39	1	R24	RESISTOR	1K0	5%	0.05W		0201	ANY	
40	13	R1 R7 R10 R20-22 R41-44 R48 R51 R59	RESISTOR	10K	5%	0.05W		0201	ANY	

BILL OF MATERIALS

Document No :

HWPT011B8_0BM

8.1



Item	Qty	REFERENCE	TYPE	VALUE	TOLERANCE	RATING	DESCRIPTION	PACKAGE	VENDOR	VENDOR PART No
41	1	R30	RESISTOR	NF	5%	0.05W		0201	ANY	
42	17	R2 R5 R13-14 R25-28 R31-34 R39 R52-53 R74-75	RESISTOR	100K	5%	0.05W		0201	ANY	
43	2	R29 R4	RESISTOR	NF	5%	0.05W		0201	ANY	
44	1	R55	RESISTOR	1M0	5%	0.05W		0201	ANY	
45	1	R49	RESISTOR	220R	5%	0.05W		0201	ANY	
46	1	R47	RESISTOR	2K2	5%	0.05W		0201	ANY	
47	2	R11 R19	RESISTOR	330R	5%	0.05W		0201	ANY	
48	4	R12 R35 R40 R71	RESISTOR	4K7	5%	0.05W		0201	ANY	
49	1	R23	RESISTOR	12K	1%	0.05W		0201	ANY	
50	1	S3	SWITCH	97C04			4 POLE NO SLIDE	8PIN SMD	GRAYHILL	97C04SRT
51	1	S2	SWITCH	BB16AH-FA			PUSHBUTTON ON-ON	PTH SIDE ACTUATOR	NKK SWITCHES	BB16AH-FA
52	1	S5	SWITCH	1201TB			SLIDE SP3T ON-NONE-ON 100mA	PTH TOP ACTUATOR	CJS	1201TB
53	1	S4	SWITCH	MCDTS6			PUSHBUTTON MOMENTARY	PTH TOP ACTUATOR	MULTICOMP	MCDTS6-2N
54	1	S1	SWITCH	TPA11CGRA0			PUSHBUTTON MOMENTARY	PTH SIDE ACTUATOR	ALCOSWITCH	TPA11CGRA0
55	1	T1	TRANSISTOR	DTC043Z			DIGITAL NPN	SOT723	ROHM	DTC043ZM
56	4	U7 U9 U12 U15	IC	74CB3Q3257			4 BIT 1 of 2 MUX/DEMUX SWITCH	TSSOP16	TEXAS	SN74CB3Q3257PWR
57	2	U19 U21	IC	74LVC1G04			INVERTER	DSBGA	TEXAS	SN74LVC1G04YZV
58	1	U16	IC	NF			EEPROM 2K SERIAL	SO8	ST MICROELECTROINCS	M93C56
59	1	U11	IC	NF			Embedded SIM	SIM 5mm x 6mm	ANY	
60	1	U5	IC	FT4232HL			QUAD HS USB TO SERIAL UART	LQFP64	FTDI	FT4232HL-R
61	1	U1	MODULE	GM02SP			LTE GM02SP	15.30mm x17.00mm	SEQUANS	GM02SP
62	1	U23	IC	NF			CURRENT SENSE AMP	SOT343	TEXAS	INA293B1
63	1	U3	IC	LP38692-3.3		1000mA	VOLTAGE REG LDO 3.3V	LLP-6	NAT SEMI	LP38692SD-3.3
64	1	U14	IC	MXDLN16T			LNA for GNSS	SMD 1.1mm x 0.7mm	MAXSCEND	MXDLN16T
65	2	U18 U22	IC	SKY13414-485LF			100 MHz-3.8GHz SP4T SWITCH	14-Pin QFN	SKYWORKS	SKY13414-485LF
66	1	U2	IC	TPS2065		1A	USB SWITCH	MSOP8	TEXAS	TPS2065DGN
67	5	U17 U24-26 U42	IC	TPS22915B			UNI-DIR SWITCH 2A	DSBGA	TEXAS	TPS22915B
68	1	U4	IC	TPS73618		400mA	VOLTAGE REG LDO 1.8V	SOT23-5	TEXAS	TPS73618DBVTG4
69	1	U27	IC	TXS0102			2-BIT LEVEL SHIFTER	VSSOP8	TEXAS	TXS0102DCU
70	4	U8 U10 U13 U20	IC	TXS0104E			4-BIT BI-DIR LEVEL TRANSLATOR	TSSOP-14	TEXAS	TXS0104EPWR
71	1	U6	IC	USBLC6-2			ESD PROTECTION	SOT666	ST MICROELECTROICS	USBLC6-2P6
72	1	D4	LED	RED			SMD 1.1mm HIGH	0603	KINGBRIGHT	KP-1608EC

BILL OF MATERIALS

Document No :

HWPT011B8_0BM

8.1



Item	Qty	REFERENCE	TYPE	VALUE	TOLERANCE	RATING	DESCRIPTION	PACKAGE	VENDOR	VENDOR PART No
73	1	D2	LED	YLW			3mm/T1	PTH R/A	MARL	103-311-04
74	1	D1	LED	GRN			3mm/T1	PTH R/A	MARL	103-314-04
75	1	J9	CONNECTOR	NF			2WAY MALE HEADER HORIZONTAL	PTH 2x1 0.1"- PITCH	ANY	
76	1	J4	CONNECTOR	2WAY-1803277			2WAY FEMALE TERM' BLOCK HORIZONTAL	PTH 3.81mm- PITCH	PHOENIX CONTACT	1803277
77	1	J3	CONNECTOR	NF			20WAY HEADER IDC VERTICAL	PTH 10x2 0.1"- PITCH	3M	N2520-6002
78	1	J6	CONNECTOR	C792			MICRO SIM(3FF) 6 WAY + DETECT	MICROSIM	MUP	MUP-C792
79	1	J1	CONNECTOR	MM8430-2610			CO-AX SWITCHED	SMD STRAIGHT	MURATA	MM8430-2610B
80	1	P6	CONNECTOR	36WAY-TSW-D			36WAY HEADER DIL VERTICAL	PTH 15x2 0.1"- PITCH	SAMTEC	TSW-118-14-F-D
81	1	P3	CONNECTOR	40WAY-TSW-D			40WAY HEADER DIL VERTICAL	PTH 20x2 0.1"- PITCH	SAMTEC	TSW-120-14-F-D
82	1	J2	CONNECTOR	USB-473460001			5WAY SOCKET USB TYPE MICRO-B	SMD	MOLEX	473460001
83	2	J5 J7	CONNECTOR	U.LF			CO-AX SOCKET	SMD STRAIGHT	HIROSE	U.FL-R-SMT(01)
84	1	Y1	CRYSTAL	12.000MHz	30ppm			HC-49/U-S	CITIZEN	HCM49 12.000MABJT
85	1	ANT1	ANTENNA	NN03-310			698-960 AND 1710- 2690 MHz	SMD- 30.0x3.0x1.0m m	FRACTUS ANTENNAS	RUN mXTEND (NN03-310)
86	4	ST1-4	STRAP				PTH	2.54mm PITCH	ANY	
87	11	SB1-3 SB5 SB7 SB10-11 SB14 SB18- 20	STRAP	CLOSED			SOLDER BRIDGE	1.00mm Dia.	NONE	
88	9	SB12-13 SB8 SB15-17 SB9 SB6 SB4	STRAP	OPEN			SOLDER BRIDGE	1.00mm Dia.	NONE	
89	3	TP1-3	TESTPOINT				PROBE POINT	1mm	NONE	