CSCI 127: Joy and Beauty of Data

Lecture 13: OOP

Reese Pearsall

Snowmester 2020

https://reesep.github.io/classes/127/main.html

Announcements

When I meet my instructor on campus and they don't speak on 2X speed

Meme Credit: Kai

Lab 8 due **tomorrow** (Tuesday 11:59 PM)

- After today, you will be able to finish it

Program 4 due Tuesday Jan 5 @ 11:59 PM

- Hoping to have that posted tonight

No class on Thursday or Friday

Object Oriented Programming

So far, we have used **procedural programming** to solve problems. We have written **functions** that do things

Now, we will talk about a different way to solve problems…

Object Oriented Programming (OOP) is a paradigm of solving problems using objects, which represent *something*

The objects we create usually have data (**states/attributes**) and behaviors (**methods**)

Object Oriented Programming Example

There are many different kinds of cars…

Images stolen from the internet

Object Oriented Programming Example

There are many different kinds of cars…

However, all cars share similar features

Images stolen from the internet

Object Oriented Programming Example

There are many different kinds of cars…

However, all cars share similar features

All cars have:

- A color
- Wheels
- Engine
- Windshield
- Windows
- Seating
- Lights

All cars can:

- Accelerate
- Slow down
- Stop
- Turn

Images stolen from the internet

Object Oriented Programming Example

There are many different kinds of cars…

However, all cars share similar features

All cars have:

- A color
- Wheels
- Engine
- Windshield
- Windows
- Seating
- Lights

Attributes

All cars can:

- Accelerate
- Slow down
- Stop
- Turn

Functionality/Behavior

Object Oriented Programming Example

If we can create a **blueprint** for a generic car, then we can use that blueprint to create many different cars

When we create a car using that blue print, we can specify the different **attributes** (color, # of seats, speed, etc)

When we create a car, we give the car access to different kinds of **behavior** (accelerating, stopping, turning, etc)



Object Oriented Programming Example

If we can create a ~~**blueprint**~~ class for a generic car, then we can use that ~~blueprint~~ class to create many different cars

When we create a car using that blue print, we can specify the different **attributes** (color, # of seats, speed, etc)

When we create a car, we give the car access to different kinds of **behavior** (accelerating, stopping, turning, etc)



Student Example



Consider a college student at MSU…

What sort of attributes may a college student have?

- Name
- Major
- GPA
- Student ID Number
- Year (freshman, sophomore, junior, senior)

And much more ….

OOP in Python

Define classes using the **`class`** keyword

- All class names should be capitalized

All classes need a constructor. A constructor is the method that will create the object

- Constructor will **always** be:

```
def __init__(<insert parameters here>):
```

All methods need to go inside of the class

Reader methods: getName(), getMajor(), etc

Writer methods: setName(), setMajor(), etc