Background
CSCI 232

Running Time – Array Implementation

```
public void addStudent(String name, int studentNumber, double gpa) {
    Student newStudent = new Student(name, studentNumber, gpa);
    Student[] tempDatabase = new Student[database.length + 1];
    for (int i = 0; i < database.length; i++) {
        tempDatabase[i] = database[i];
    }
    tempDatabase[database.length] = newStudent;
    database = tempDatabase;
}
```

Running Time: ??

Running Time – Array Implementation

```
public void addStudent(String name, int studentNumber, double gpa) {
    Student newStudent = new Student(name, studentNumber, gpa);
    Student[] tempDatabase = new Student[database.length + 1];
    for (int i = 0; i < database.length; i++) {
        tempDatabase[i] = database[i];
    }
    tempDatabase[database.length] = newStudent;
    database = tempDatabase;
}
```

Running Time: Number of operations required to complete algorithm.

Running Time – Array Implementation

```
public void addStudent(String name, int studentNumber, double gpa) {
    Student newStudent = new Student(name, studentNumber, gpa);
    Student[] tempDatabase = new Student[database.length + 1];
    for (int i = 0; i < database.length; i++) {
        tempDatabase[i] = database[i];
    }
    tempDatabase[database.length] = newStudent;
    database = tempDatabase;
}
```

Running Time: Number of operations required to complete algorithm.

Big O Notation: Upper bound on asymptotic growth. I.e. Worst case upper bound of a function.

Running Time – Array Implementation

```
public void addStudent(String name, int studentNumber, double gpa) {
    Student newStudent = new Student(name, studentNumber, gpa);
    Student[] tempDatabase = new Student[database.length + 1];
    for (int i = 0; i < database.length; i++) {
        tempDatabase[i] = database[i];
    }
    tempDatabase[database.length] = newStudent;
    database = tempDatabase;
}
```

Running Time: Number of operations required to complete algorithm.

Big O Notation: Upper bound on asymptotic growth. I.e. Worst case upper bound of a function.

$$3n^2 + 2n - 156 \in O(n^2)$$

Running Time – Array Implementation

Let n = ??

```
public void addStudent(String name, int studentNumber, double gpa) {
    Student newStudent = new Student(name, studentNumber, gpa);
    Student[] tempDatabase = new Student[database.length + 1];
    for (int i = 0; i < database.length; i++) {
        tempDatabase[i] = database[i];
    }
    tempDatabase[database.length] = newStudent;
    database = tempDatabase;
}
```

Running Time: Number of operations required to complete algorithm.

Big O Notation: Upper bound on asymptotic growth. I.e. Worst case upper bound of a function.

$$3n^2 + 2n - 156 \in O(n^2)$$

Running Time – Array Implementation

Let n = database.length

```
public void addStudent(String name, int studentNumber, double gpa) {
    Student newStudent = new Student(name, studentNumber, gpa);
    Student[] tempDatabase = new Student[database.length + 1];
    for (int i = 0; i < database.length; i++) {
        tempDatabase[i] = database[i];
    }
    tempDatabase[database.length] = newStudent;
    database = tempDatabase;
}
```

Running Time: Number of operations required to complete algorithm.

Big O Notation: Upper bound on asymptotic growth. I.e. Worst case upper bound of a function.

$$3n^2 + 2n - 156 \in O(n^2)$$

Running Time – Array Implementation

Let n = database.length

```
   public void addStudent(String name, int studentNumber, double gpa) {
??  Student newStudent = new Student(name, studentNumber, gpa);
      Student[] tempDatabase = new Student[database.length + 1];
      for (int i = 0; i < database.length; i++) {
          tempDatabase[i] = database[i];
      }
      tempDatabase[database.length] = newStudent;
      database = tempDatabase;
   }
```

Running Time: Number of operations required to complete algorithm.

Big O Notation: Upper bound on asymptotic growth. I.e. Worst case upper bound of a function.

$$3n^2 + 2n - 156 \in O(n^2)$$

Running Time – Array Implementation

Let n = database.length

```
   public void addStudent(String name, int studentNumber, double gpa) {
O(1)→Student newStudent = new Student(name, studentNumber, gpa);
 ?? →Student[] tempDatabase = new Student[database.length + 1];
      for (int i = 0; i < database.length; i++) {
          tempDatabase[i] = database[i];
      }
      tempDatabase[database.length] = newStudent;
      database = tempDatabase;
   }
```

Running Time: Number of operations required to complete algorithm.

Big O Notation: Upper bound on asymptotic growth. I.e. Worst case upper bound of a function.

$$3n^2 + 2n - 156 \in O(n^2)$$

Running Time – Array Implementation

Let n = database.length

```
   public void addStudent(String name, int studentNumber, double gpa) {
O(1)→Student newStudent = new Student(name, studentNumber, gpa);
O(n)→Student[] tempDatabase = new Student[database.length + 1];
     for (int i = 0; i < database.length; i++) {
??       tempDatabase[i] = database[i];
     }
      tempDatabase[database.length] = newStudent;
      database = tempDatabase;
   }
```

Running Time: Number of operations required to complete algorithm.

Big O Notation: Upper bound on asymptotic growth. I.e. Worst case upper bound of a function.

$$3n^2 + 2n - 156 \in O(n^2)$$

Running Time – Array Implementation

Let n = database.length

```
   public void addStudent(String name, int studentNumber, double gpa) {
O(1)→Student newStudent = new Student(name, studentNumber, gpa);
O(n)→Student[] tempDatabase = new Student[database.length + 1];
     for (int i = 0; i < database.length; i++) {
O(n)     tempDatabase[i] = database[i];
     }
 ??  →tempDatabase[database.length] = newStudent;
      database = tempDatabase;
   }
```

Running Time: Number of operations required to complete algorithm.

Big O Notation: Upper bound on asymptotic growth. I.e. Worst case upper bound of a function.

$$3n^2 + 2n - 156 \in O(n^2)$$

Running Time – Array Implementation

Let n = database.length

```
   public void addStudent(String name, int studentNumber, double gpa) {
O(1)→Student newStudent = new Student(name, studentNumber, gpa);
O(n)→Student[] tempDatabase = new Student[database.length + 1];
     for (int i = 0; i < database.length; i++) {
O(n)     tempDatabase[i] = database[i];
     }
O(1)→tempDatabase[database.length] = newStudent;
 ??  →database = tempDatabase;
   }
```

Running Time: Number of operations required to complete algorithm.

Big O Notation: Upper bound on asymptotic growth. I.e. Worst case upper bound of a function.

$$3n^2 + 2n - 156 \in O(n^2)$$

Running Time – Array Implementation

Let n = database.length

```
   public void addStudent(String name, int studentNumber, double gpa) {
O(1)→Student newStudent = new Student(name, studentNumber, gpa);
O(n)→Student[] tempDatabase = new Student[database.length + 1];
     for (int i = 0; i < database.length; i++) {
O(n)     tempDatabase[i] = database[i];
     }
O(1)→tempDatabase[database.length] = newStudent;
O(1)→database = tempDatabase;
   }
```

Running Time: Number of operations required to complete algorithm.

Big O Notation: Upper bound on asymptotic growth. I.e. Worst case upper bound of a function.

$$3n^2 + 2n - 156 \in O(n^2)$$

Running Time – Array Implementation

Let n = database.length

```
   public void addStudent(String name, int studentNumber, double gpa) {
O(1)→Student newStudent = new Student(name, studentNumber, gpa);
O(n)→Studen[]                          = new Student[database.length + 1];
      for (i                           tabase.length; i++) {
O(n)    {                              database[i];
      }
O(1)→tempDatabase[database.length] = newStudent;
O(1)→database = tempDatabase;
   }
```

$O(n)$

Running Time: Number of operations required to complete algorithm.

Big O Notation: Upper bound on asymptotic growth. I.e. Worst case upper bound of a function.

$$3n^2 + 2n - 156 \in O(n^2)$$

Linked List



Linked List: Linear data structure of ordered objects.

Linked List



Linked List: Linear data structure of ordered objects.

Linked List




```
public class Node {

      private Node next;

      private String data1;
      private int data2;

      public Node(???) {
            ???
      }

      public Node getNext() {
            return next;
      }

      public void setNext(Node next) {
            this.next = next;
      }
}
```

Linked List




```
// Linked List insertion??
```

```
public class Node {

      private Node next;

      private String data1;
      private int data2;

      public Node(???) {
            ???
      }

      public Node getNext() {
            return next;
      }

      public void setNext(Node next) {
            this.next = next;
      }
}
```

Linked List




```
// Linked List insertion??
node1.setNext(node3);
node3.setNext(node2);
```

```
public class Node {

	private Node next;

	private String data1;
	private int data2;

	public Node(???) {
		???
	}

	public Node getNext() {
		return next;
	}

	public void setNext(Node next) {
		this.next = next;
	}
}
```

Linked List




```
// Linked List insertion??
node1.setNext(node3);
node3.setNext(node2);
```

Time complexity?

```
public class Node {

      private Node next;

      private String data1;
      private int data2;

      public Node(???) {
            ???
      }

      public Node getNext() {
            return next;
      }

      public void setNext(Node next) {
            this.next = next;
      }
}
```

Linked List




```
// Linked List insertion??
node1.setNext(node3);
node3.setNext(node2);
```

Time complexity? $O(1)$

```
public class Node {

      private Node next;

      private String data1;
      private int data2;

      public Node(???) {
            ???
      }

      public Node getNext() {
            return next;
      }

      public void setNext(Node next) {
            this.next = next;
      }
}
```