

The world's greatest Eagles Tribute Band

# **Technical Rider**

**Updated November 2016** 



Thank you for taking the time to read this rider. The purpose of this rider is to ensure the best possible concert experience for your audience.

EAGLEMANIA is a full, live band that requires certain technical provisions to ensure a trouble-free performance. Please read this rider carefully and If any of our requirements cannot be met, please contact the appropriate agent or representative listed below immediately.

# **Management / Booking**

Blue Raven Artist Management 100 US-46, East Suite, B01 Mountain Lakes, NJ 07046 (973) 519-2600

Sean Gilday	973-519-2600	sean@blueravenartists.com	
oad Crew			
Bob Suchocki	973-818-0039	bobsuchocki@gmail.com mattmeadmusic@mac.com	
	oad Crew	oad Crew  Bob Suchocki 973-818-0039	



# 1. DAY OF SHOW SCHEDULE

LOCAL DATES	TRAVEL DATES
ΙΟΙΔΙΙΙΔΙΕΝ	IRAVELIJALEN

 Load In:
 3:00pm
 1:00pm

 Line Check:
 4:45pm
 4:00pm

 Band Arrives:
 5:00pm
 4:15pm

 Sound Check:
 5:30pm
 5:00pm

 Meal Break:
 6:00pm
 6:00pm

 Doors:
 7:00pm

 Set 1 Start:
 8:00pm

 Intermission:
 9:00pm

 Set 2 Start:
 9:20pm

 Show Over:
 10:40pm

**Load Out:** Complete by 11:59pm

### 2. HOSPITALITY

# Load In and Through the evening

Coffee dispenser with freshly brewed coffee OR coffee pot, filters, etc. all day

Kettle for hot water

Assorted herbal teas

Honey, Raw sugar, Milk / Cream

1 case of bottled water (room temperature please)

Ricola cough drops, menthol or lemon

Fresh fruit / raw vegetable tray

Napkins, plates, plastic ware, etc

- Please include all necessary condiments and utensils
  - (12) New / Clean hand towel
  - Dinner for (9) People, (2) of which should be a vegetarian option
- Regular flatware and silverware, as well as plates are required.
- Please include all necessary condiments.
- Please Note: We have 2 people in our party with NUT allergies.
  As a result, please insure there are no ingredients used that contain any form of NUTS

### Private Dressing Room

Please provide a heated / air conditioned locking dressing room and a spare key to be given to our production manager upon arrival. Dressing rooms should contain: Tables & Chairs, Clothes Rack & Hangers, Full-length Mirror, Toilet(s), Sinks

<sup>\*\*</sup> Above schedule subject to change \*\*



## 3. SOUND REQUIREMENTS

Purchaser to provide a first class-sound system as follows:

## • FOH Speaker System

A professional quality, state of the art, stereo sound system capable of even coverage over entire audience area and producing a clear, undistorted 110db A weighted at FOH mix position. Aux fed subwoofers and front fills are also required. Preferred speaker manufacturers are d&b, JBL, EV, & Meyer.

- Mix position should be no less than 40' and no more than 80' from downstage edge of the stage.
- Mix Position should be centered with the speaker system and on audience level.

#### FOH Console

A professional digital mixing board, in perfect working condition, with a minimum of 32 dedicated inputs and (4) effects processors is required. Preferred mixing console manufacturer is Digi Design / Avid. Other acceptable console manufacturers are Yamaha (CL, M7, or PM Series), Midas (Pro Series), Digico, & Soundcraft (Vi Series).

### Behringer, Mackie, & Peavey consoles are NOT ACCEPTABLE SUBSTITUTIONS

- Monitors (FOR FLY DATES PLEASE SEE OUR MONITOR BACKLINE REQUREIMENTS IN SECTION 4)
   Unless otherwise specified, EAGLEMANIA travels with our own self-contained IEM system. All stage inputs patch directly into our system and connect to the house system via our supplied split snake.
- The use of this system is <u>MANDATORY</u> for each performance.
- ➤ EAGLEMANIA's IEM system will be located Down Stage Left and has a 10' split cable length.

# Microphones / DI's

Unless otherwise specified, EAGLEMANIA travels with our own microphone & DI package.

#### Sub Snakes

Unless otherwise specified, EAGLEMANIA travels with our own sub snake package.

#### Mic Cables & Mic Stands

All Mic Cables & Mic Stands are to be provided by the local sound company / venue.

Specifically, we will need:

- (1) Round Base Straight Stand
- (1) Short Tripod Boom Stand
- (2) Medium Height Tripod Boom Stand
- (8) Tall Tripod Boom Stands
- (30) Standard 15' 20' XLR- XLR cables



## 4. **STAGE REQUIREMENTS**

Stage shall be constructed of professional grade manufactured steel, aluminum, concrete or wood that meets a minimum load bearing weight of 6500lbs at a minimum stage size of 24' wide x 16' deep.

# • Stage Dimensions

Stage shall be a minimum of 24'wide x 16'deep x 2'high, with an unobstructed off stage left area of at least 8' x 8' for Artist Technical Personnel.

- If this is an outdoor engagement, the stage and all work areas pertaining to the stage including Artist's personal equipment and Artist's Technical Personnel must be completely covered and protected from the elements by either an existing structural roof, canopy, or a professional level mobile stage (such as an SL-100 or SL-320.).
- EZ-ups and/or tarps are not acceptable stage covering for sufficient outdoor protection.
- ➤ Artist retains the right to refuse the performance if stage or any work areas pertaining to the stage are deemed unsafe due to standing water, improper electrical grounding or any other potential hazard to personnel OR equipment.

# • Stage Construction

Stage shall be made of sturdy construction that shall include a non-skid surface of either professional grade Marley (preferred) or non-slip carpeting.

## • Stage Risers

One (1)  $8'x 8' \times 1'$  CARPETED drum riser is required. Drum riser shall be manufactured from sturdy and professional grade level materials such as aluminum or steel with 4 x 8 sections that lock together.

#### Backline Power

A minimum of (2) dedicated, 20 amp 110v circuits (not to be combined with audio or lighting power) are required for Artist's backline and personal gear as per stage plot

# 5. LOAD IN / LOAD OUT / TECHNICAL CREW

Please provide a minimum of (3) sober, physically and mentally capable individuals who can assist our road crew and stage manager with load in, set up, and load out of band gear.

Specifically, we will need:

- (3) Stagehands for load in, set up, and load out.
- (1) Audio technician familiar with the house sound system and house power.
- (1) General Stagehand to help setup backline, patch / wire the stage.
- (1) Lighting operator
- > Stagehands and tech staff can be the same person (i.e. Audio Tech can double duty as a stage hand)



# **6. BACKLINE REQUIREMENTS** - If Applicable

A Backline Technician from the backline company should be onsite for the entire setup, show, & strike.

Please include all IEC, Speaker Cables, Footswitches, Clamps, Cables, etc., should be included with the backline listed below for proper operation.

## For questions or substitutions regarding any Backline equipment listed below please contact:

Matt Mead - mattmeadmusic@mac.com - 201.906.2386

#### Drums

# <u>Drum Kit</u> - Yamaha Maple Classic or DW Maple Custom preferred

- Please install NEW Remo Ambassador heads on tops and bottoms
  - (1) 18 x 22" Kick
  - (1) 14 x 16" Floor tom (with legs and tech locks)
  - (1) 14 x 14" Floor tom (with legs and tech locks)
  - (1) 9 x 12" Rack tom (kick mounted)
  - (1) 8 x 10" Rack tom (kick mounted)
  - (2) 6.5 x 14" Maple snare drum (ONE IS A SPARE)

# Hardware - DW or equivalent heavy-duty hardware preferred.

- Please make sure that all locking hardware includes working tech locks
- Please include (1) SPARE CLUTCH and/or additional hi-hat stand
  - (2) DW-9000 double kick drum pedal (ONE IS A SPARE)
  - (1) DW-9500TB two legged hi-hat stand
  - (4) DW-9700 heavy-duty boom cymbal stands
  - (2) DW-9710 heavy-duty straight cymbal stand
  - (2) DW or Yamaha heavy-duty Snare stand
  - (1) DW 9120M or equivalent tractor style Drum throne
  - (1) Standard Drum throne

# Cymbals - Paiste Cymbals preferred. Medium Zildjian's acceptable if sizes match.

- (1) 20" Medium Ride
- (1) 22" crash
- (1) 20" crash
- (1) 18" crash
- (1) 14" Medium High Hat (pair)
- (1) 18 20" China boy

## **PERCUSSION & ACCESSORIES**

- (1) Pair of Timbales w/ universal elbow mount/clamp
- (1) LP Cajon w/ Snares
- (1) Small assortment of hand Shakers
- (1) Small assortment of hand tambourines
- (1) LP Clave block with mounted kick drum pedal
- (1) 8 x 8' Black or other Dark Colored Drum Rug
- (1) 6 panel, 5' tall, Clearsonic (or similar) plexiglass drum baffle



#### Backline Continued....

#### Guitars

#### 1st Choice

- (2) Mesa Boogie Lonestar 1x12. Must have a send & return effects loop
- (2) Fender Blackface Deluxe 1x12 combo

## 2nd Choice

- (2) Mesa Boogie Mark III or Mark IV. Must have an effects send & return
- (2) Fender Tweed Deluxe 1x12

#### Bass

- (1) Ampeg SVT-1 (preferred) or SVT Classic
- (1) Ampeg 8x10 Cabinet (preferred) or similar 8x10 cabinet

## Keys

- (1) Yamaha Motif XF8 Keyboard
- (1) Yamaha Motif XF6 Keyboard
- (1) Yamaha FC7 volume pedal
- (2) Yamaha FC4A sustain pedals w/ polarity switch
- (1) Apex AX-48 2 Tier Keyboard Stand with (2) Long Arms & (2) Short Arms

#### Instruments & Accessories

- (1) Fender American (Lonestar HSS style) Stratocaster w/ strap and tremolo bar
- (1) Fender American Standard Stratocaster w/ strap and tremolo bar
- (1) Fender American (Nashville-Style 3 pickup) Telecaster w/ strap
- (1) Gibson Standard SG w/ strap
- (1) Gibson Les Paul Standard w/ strap
- (1) Gibson Les Paul Jr. w/ strap
- (1) Fender American J -bass w/ strap
- (1) Taylor 514-914 ES acoustic electric guitar w/ strap
- (1) Takamine acoustic electric cutaway guitar w/ strap
- (2) Ultracase 6 8 space Guitar boats
- (6) Hercules or Ultimate neck hanging guitar stands
- (20) 15-25' 1/4- 1/4 instrument cables
- (10) 3-5' ¼ ¼ instrument cables
- (2-3) Nice Persian-style Downstage rugs (6' x 8', 8' x 10', or 12 x 14', etc.) if available

## Instrument Wireless System

(1) Shure ULX-D Quad System with Body Packs and Instrument Cables

# • IEM System

- (6) Complete Sennheiser EW300 IEM Systems w/ Antenna Distribution
- (1) Shure P9HW Hardwired IEM Pack
- (1) Digital Mixing Console capable of (6) Stereo IEM Mixes
- (1) Monitor Engineer capable of mixing (6) discreet IEM mixes



The color of the	EAGLEMANIA INPUT LIST							
1         Kick         Beta 91         x           2         Snare         Beta 57         Medium Boom         x           3         Hi Hat         Rode M5         Medium Boom         x           4         Rack         Audix D2         Audix D4	Updated 11/2016							
Snare	FOH	Input	Mic / DI	Stand Type	48v			
3	1	Kick	Beta 91		Х			
4         Rack         Audix D2           5         Floor 1         Audix D4           6         Floor 2         Audix D2           7         Over Head - S/R         Rode NT5         Tall Boom         X           8         Over Head - S/L         Rode NT5         Tall Boom         X           9         Sampler         DI Box         X           10         Cajon         SM57         Short Boom         X           11         Perc Overhead         Rode M5         Tall Boom         X           12         Bass - DI         DI Box         X           13         Hammond - Left (Top)         (2) DI Box         (2) DI Box           14         Hammond - Right (Top)         (2) DI Box         (2) DI Box           15         Yamaha - Left (Bottom)         (2) DI Box         XLR           16         Yamaha - Right (Bottom)         XLR         XLR           17         Acoustic Guitar 1         XLR         X           18         Acoustic Guitar 2         XLR         X           20         Electric Guitar 1 - Direct         XLR         X           21         Ken Squak         SM57         Tall Boom           22<	2	Snare	Beta 57	Medium Boom				
5         Floor 1         Audix D4           6         Floor 2         Audix D2           7         Over Head - S/R         Rode NT5         Tall Boom         X           8         Over Head - S/L         Rode NT5         Tall Boom         X           9         Sampler         DI Box           10         Cajon         SM57         Short Boom           11         Perc Overhead         Rode M5         Tall Boom         X           12         Bass - DI         DI Box         Tall Boom         X           13         Hammond - Left (Top)         (2) DI Box         (2) DI Box         Tall Boom         Yamaha - Left (Bottom)         (2) DI Box         Yamaha - Right (Bottom)         Yamaha - Righ	3	Hi Hat	Rode M5	Medium Boom	Х			
6         Floor 2         Audix D2           7         Over Head - S/R         Rode NT5         Tall Boom         X           8         Over Head - S/L         Rode NT5         Tall Boom         X           9         Sampler         DI Box           10         Cajon         SM57         Short Boom           11         Perc Overhead         Rode M5         Tall Boom         X           12         Bass - DI         DI Box         Isl Boom         X           13         Hammond - Left (Top)         (2) DI Box         (2) DI Box         Isl Boom         Isl Boom         X           15         Yamaha - Left (Bottom)         (2) DI Box         (2) DI Box         Isl	4	Rack	Audix D2					
7         Over Head - S/R         Rode NT5         Tall Boom         x           8         Over Head - S/L         Rode NT5         Tall Boom         x           9         Sampler         DI Box           10         Cajon         SM57         Short Boom           11         Perc Overhead         Rode M5         Tall Boom         x           12         Bass - DI         DI Box         Tall Boom         x           13         Hammond - Left (Top)         (2) DI Box         (2) DI Box         (2) DI Box           14         Hammond - Right (Top)         (2) DI Box         (2) D	5	Floor 1	Audix D4					
8 Over Head - S/L Rode NT5 Tall Boom x  9 Sampler DI Box  10 Cajon SM57 Short Boom  11 Perc Overhead Rode M5 Tall Boom x  12 Bass - DI DI Box  13 Hammond - Left (Top)  14 Hammond - Right (Top)  15 Yamaha - Left (Bottom)  16 Yamaha - Right (Bottom)  17 Acoustic Guitar 1 XLR  18 Acoustic Guitar 2 XLR  19 Electric Guitar 1 - Direct XLR  20 Electric Guitar 2 - Direct XLR  21 Ken Squak SM57 Tall Boom  22 Vocal 1 - Frank Position 1 e935 Tall Boom  23 Vocal 2 - Frank Position 2 e935 Tall Boom  24 Vocal 3 - Steve e935 Straight Stand  25 Vocal 4 - Ken e935 Tall Boom  26 Vocal 5 - John e835 Tall Boom  27 Vocal 6 - Kevin e835 Tall Boom  28  29 Click 1 DI Box  30 Click 2 DI Box  31 Monitor Talkback	6	Floor 2	Audix D2					
9         Sampler         DI Box           10         Cajon         SM57         Short Boom           11         Perc Overhead         Rode M5         Tall Boom         X           12         Bass - DI         DI Box           13         Hammond - Left (Top)         (2) DI Box           14         Hammond - Right (Top)         (2) DI Box           15         Yamaha - Left (Bottom)         (2) DI Box           16         Yamaha - Right (Bottom)         XLR           17         Acoustic Guitar 1         XLR           18         Acoustic Guitar 2         XLR           19         Electric Guitar 1 - Direct         XLR           20         Electric Guitar 2 - Direct         XLR           21         Ken Squak         SM57         Tall Boom           22         Vocal 1 - Frank Position 1         e935         Tall Boom           23         Vocal 2 - Frank Position 2         e935         Straight Stand           25         Vocal 4 - Ken         e935         Tall Boom           26         Vocal 5 - John         e835         Tall Boom           27         Vocal 6 - Kevin         e835         Tall Boom           29         Click 1	7	Over Head - S/R	Rode NT5	Tall Boom	Х			
10	8	Over Head - S/L	Rode NT5	Tall Boom	Х			
11 Perc Overhead Rode M5 Tall Boom X 12 Bass - DI DI Box 13 Hammond - Left (Top) 14 Hammond - Right (Top) 15 Yamaha - Left (Bottom) 16 Yamaha - Right (Bottom) 17 Acoustic Guitar 1 XLR 18 Acoustic Guitar 2 XLR 19 Electric Guitar 1 - Direct XLR 20 Electric Guitar 2 - Direct XLR 21 Ken Squak SM57 Tall Boom 22 Vocal 1 - Frank Position 1 e935 Tall Boom 23 Vocal 2 - Frank Position 2 e935 Straight Stand 25 Vocal 4 - Ken e935 Tall Boom 26 Vocal 5 - John e835 Tall Boom 27 Vocal 6 - Kevin e835 Tall Boom 28 29 Click 1 DI Box 30 Click 2 DI Box 31 Monitor Talkback	9	Sampler	DI Box					
12 Bass - DI 13 Hammond - Left (Top) 14 Hammond - Right (Top) 15 Yamaha - Left (Bottom) 16 Yamaha - Right (Bottom) 17 Acoustic Guitar 1 XLR 18 Acoustic Guitar 2 XLR 19 Electric Guitar 1 - Direct XLR 20 Electric Guitar 2 - Direct XLR 21 Ken Squak SM57 Tall Boom 22 Vocal 1 - Frank Position 1 e935 Tall Boom 23 Vocal 2 - Frank Position 2 e935 Straight Stand 24 Vocal 3 - Steve e935 Straight Stand 25 Vocal 4 - Ken e935 Tall Boom 26 Vocal 5 - John e835 Tall Boom 27 Vocal 6 - Kevin e835 Tall Boom 28 29 Click 1 DI Box 30 Click 2 DI Box	10	Cajon	SM57	Short Boom				
13 Hammond - Left (Top) 14 Hammond - Right (Top) 15 Yamaha - Left (Bottom) 16 Yamaha - Right (Bottom) 17 Acoustic Guitar 1 XLR 18 Acoustic Guitar 2 XLR 19 Electric Guitar 1 - Direct XLR 20 Electric Guitar 2 - Direct XLR 21 Ken Squak SM57 Tall Boom 22 Vocal 1 - Frank Position 1 e935 Tall Boom 23 Vocal 2 - Frank Position 2 e935 Straight Stand 24 Vocal 3 - Steve e935 Straight Stand 25 Vocal 4 - Ken e935 Tall Boom 26 Vocal 5 - John e835 Tall Boom 27 Vocal 6 - Kevin e835 Tall Boom 28 29 Click 1 DI Box 30 Click 2 31 Monitor Talkback	11	Perc Overhead	Rode M5	Tall Boom	Х			
14 Hammond - Right (Top) 15 Yamaha - Left (Bottom) 16 Yamaha - Right (Bottom) 17 Acoustic Guitar 1 XLR 18 Acoustic Guitar 2 XLR 19 Electric Guitar 1 - Direct XLR 20 Electric Guitar 2 - Direct XLR 21 Ken Squak SM57 Tall Boom 22 Vocal 1 - Frank Position 1 e935 Tall Boom 23 Vocal 2 - Frank Position 2 e935 Straight Stand 24 Vocal 3 - Steve e935 Straight Stand 25 Vocal 4 - Ken e935 Tall Boom 26 Vocal 5 - John e835 Tall Boom 27 Vocal 6 - Kevin e835 Tall Boom 28 29 Click 1 DI Box 30 Click 2 31 Monitor Talkback	12	Bass - DI	DI Box					
14 Hammond - Right (1 op) 15 Yamaha - Left (Bottom) 16 Yamaha - Right (Bottom) 17 Acoustic Guitar 1 XLR 18 Acoustic Guitar 2 XLR 19 Electric Guitar 1 - Direct XLR 20 Electric Guitar 2 - Direct XLR 21 Ken Squak SM57 Tall Boom 22 Vocal 1 - Frank Position 1 e935 Tall Boom 23 Vocal 2 - Frank Position 2 e935 Tall Boom 24 Vocal 3 - Steve e935 Straight Stand 25 Vocal 4 - Ken e935 Tall Boom 26 Vocal 5 - John e835 Tall Boom 27 Vocal 6 - Kevin e835 Tall Boom 28 29 Click 1 DI Box 30 Click 2 DI Box 31 Monitor Talkback	13	Hammond - Left (Top)	(2) DI Box					
16 Yamaha - Right (Bottom) 17 Acoustic Guitar 1 XLR 18 Acoustic Guitar 2 XLR 19 Electric Guitar 1 - Direct XLR 20 Electric Guitar 2 - Direct XLR 21 Ken Squak SM57 Tall Boom 22 Vocal 1 - Frank Position 1 e935 Tall Boom 23 Vocal 2 - Frank Position 2 e935 Tall Boom 24 Vocal 3 - Steve e935 Straight Stand 25 Vocal 4 - Ken e935 Tall Boom 26 Vocal 5 - John e835 Tall Boom 27 Vocal 6 - Kevin e835 Tall Boom 28 DI Box 30 Click 2 DI Box 31 Monitor Talkback	14	Hammond - Right (Top)						
16 Yamaha - Right (Bottom)  17 Acoustic Guitar 1 XLR  18 Acoustic Guitar 2 XLR  19 Electric Guitar 1 - Direct XLR  20 Electric Guitar 2 - Direct XLR  21 Ken Squak SM57 Tall Boom  22 Vocal 1 - Frank Position 1 e935 Tall Boom  23 Vocal 2 - Frank Position 2 e935 Tall Boom  24 Vocal 3 - Steve e935 Straight Stand  25 Vocal 4 - Ken e935 Tall Boom  26 Vocal 5 - John e835 Tall Boom  27 Vocal 6 - Kevin e835 Tall Boom  28  29 Click 1 DI Box  30 Click 2 DI Box  31 Monitor Talkback	15	Yamaha - Left (Bottom)	(2) DI D					
18 Acoustic Guitar 2 XLR  19 Electric Guitar 1 - Direct XLR  20 Electric Guitar 2 - Direct XLR  21 Ken Squak SM57 Tall Boom  22 Vocal 1 - Frank Position 1 e935 Tall Boom  23 Vocal 2 - Frank Position 2 e935 Tall Boom  24 Vocal 3 - Steve e935 Straight Stand  25 Vocal 4 - Ken e935 Tall Boom  26 Vocal 5 - John e835 Tall Boom  27 Vocal 6 - Kevin e835 Tall Boom  28  29 Click 1 DI Box  30 Click 2 DI Box  31 Monitor Talkback	16	Yamaha - Right (Bottom)	(2) DI BOX					
19 Electric Guitar 1 - Direct XLR 20 Electric Guitar 2 - Direct XLR 21 Ken Squak SM57 Tall Boom 22 Vocal 1 - Frank Position 1 e935 Tall Boom 23 Vocal 2 - Frank Position 2 e935 Tall Boom 24 Vocal 3 - Steve e935 Straight Stand 25 Vocal 4 - Ken e935 Tall Boom 26 Vocal 5 - John e835 Tall Boom 27 Vocal 6 - Kevin e835 Tall Boom 28 DI Box 30 Click 2 DI Box 31 Monitor Talkback	17	Acoustic Guitar 1	XLR					
20         Electric Guitar 2 - Direct         XLR           21         Ken Squak         SM57         Tall Boom           22         Vocal 1 - Frank Position 1         e935         Tall Boom           23         Vocal 2 - Frank Position 2         e935         Tall Boom           24         Vocal 3 - Steve         e935         Straight Stand           25         Vocal 4 - Ken         e935         Tall Boom           26         Vocal 5 - John         e835         Tall Boom           27         Vocal 6 - Kevin         e835         Tall Boom           28         DI Box           30         Click 1         DI Box           30         Click 2         DI Box           31         Monitor Talkback	18	Acoustic Guitar 2	XLR					
21       Ken Squak       SM57       Tall Boom         22       Vocal 1 - Frank Position 1       e935       Tall Boom         23       Vocal 2 - Frank Position 2       e935       Tall Boom         24       Vocal 3 - Steve       e935       Straight Stand         25       Vocal 4 - Ken       e935       Tall Boom         26       Vocal 5 - John       e835       Tall Boom         27       Vocal 6 - Kevin       e835       Tall Boom         28       DI Box         30       Click 1       DI Box         31       Monitor Talkback	19	Electric Guitar 1 - Direct	XLR		Х			
22         Vocal 1 - Frank Position 1         e935         Tall Boom           23         Vocal 2 - Frank Position 2         e935         Tall Boom           24         Vocal 3 - Steve         e935         Straight Stand           25         Vocal 4 - Ken         e935         Tall Boom           26         Vocal 5 - John         e835         Tall Boom           27         Vocal 6 - Kevin         e835         Tall Boom           28         29         Click 1         DI Box           30         Click 2         DI Box           31         Monitor Talkback	20	Electric Guitar 2 - Direct	XLR					
23         Vocal 2 - Frank Position 2         e935         Tall Boom           24         Vocal 3 - Steve         e935         Straight Stand           25         Vocal 4 - Ken         e935         Tall Boom           26         Vocal 5 - John         e835         Tall Boom           27         Vocal 6 - Kevin         e835         Tall Boom           28         DI Box           30         Click 1         DI Box           30         Click 2         DI Box           31         Monitor Talkback	21	Ken Squak	SM57	Tall Boom				
24         Vocal 3 - Steve         e935         Straight Stand           25         Vocal 4 - Ken         e935         Tall Boom           26         Vocal 5 - John         e835         Tall Boom           27         Vocal 6 - Kevin         e835         Tall Boom           28	22	Vocal 1 - Frank Position 1	e935	Tall Boom				
25       Vocal 4 - Ken       e935       Tall Boom         26       Vocal 5 - John       e835       Tall Boom         27       Vocal 6 - Kevin       e835       Tall Boom         28       DI Box         30       Click 1       DI Box         30       Click 2       DI Box         31       Monitor Talkback	23	Vocal 2 - Frank Position 2	e935	Tall Boom				
26       Vocal 5 - John       e835       Tall Boom         27       Vocal 6 - Kevin       e835       Tall Boom         28       Tall Boom         29       Click 1       DI Box         30       Click 2       DI Box         31       Monitor Talkback	24	Vocal 3 - Steve	e935	Straight Stand				
27       Vocal 6 - Kevin       e835       Tall Boom         28	25	Vocal 4 - Ken	e935	Tall Boom				
28         29       Click 1       DI Box         30       Click 2       DI Box         31       Monitor Talkback	26	Vocal 5 - John	e835	Tall Boom				
29 Click 1 DI Box 30 Click 2 DI Box 31 Monitor Talkback	27	Vocal 6 - Kevin	e835	Tall Boom				
30 Click 2 DI Box 31 Monitor Talkback	28							
30 Click 2 DI Box 31 Monitor Talkback	29	Click 1	DI Box					
	30							
32 FOH Talkback	31	Monitor Talkback						
	32	FOH Talkback						

<sup>\*\*</sup> Eaglemania travels with all Mics & DI's listed above \*\*

<sup>\*\*</sup> Venue must supply all Mic Cables. & Mic Stands \*\*

<sup>\*\*</sup> For all audio related questions contact Bob @ 973-818-0039 \*\*

<sup>\*\*</sup> Inputs 29-32 only needed if not using our IEM system \*\*



