

IP-031 (Manage Guards)

Execution Environment

Host name	refqi - 10.250.250.58
OS	Mac OS X 64bit
Katalon version	6.3.3.11
Browser	Chrome 76.0.3809.100

Summary

ID	Test Suites/IP-031 (Manage Guards)		
Description			
Total	1		
Passed	1	Failed	0
Error	0	Incomplete	0
Start	2019-09-02 10:25:12	End	2019-09-02 10:25:42
Elapsed	30.200s		

#	ID	Description	Status
1	Test Cases/IP-031 (manage Guards)		PASSED

IP-031 (manage Guards)


Information

ID	Test Cases/IP-031 (manage Guards)		
Description			
Tag			
Start	2019-09-02 10:25:12	End	2019-09-02 10:25:42
Elapsed	29.899s		
Status	PASSED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

IP-031 (manage Guards)

#	Description	Elapsed	Status
1	<pre>callTestCase(findTestCase("IP-001 (Login hit berkali kali)", ["Email":"aaa@gmail.com", "Password":"123445656"], STOP_ON_FAILURE)</pre> <p>Call Test Case 'Test Cases/IP-001 (Login hit berkali kali)' successfully</p> 	18.107s	PASSED
2	<pre>click(findTestObject("Object Repository/Manage Guards/div_Guard Security"))</pre> <p>Object: 'Object Repository/Manage Guards/div_Guard Security' is clicked on</p>	1.056s	PASSED
3	<pre>click(findTestObject("Object Repository/Manage Guards/a_Manage Guards"))</pre> <p>Object: 'Object Repository/Manage Guards/a_Manage Guards' is clicked on</p>	1.359s	PASSED
4	<pre>click(findTestObject("Object Repository/Manage Guards/a_Add New Guard"))</pre> <p>Object: 'Object Repository/Manage Guards/a_Add New Guard' is clicked on</p>	1.922s	PASSED

IP-031 (manage Guards)

#	Description	Elapsed	Status
5	setText(findTestObject("Object Repository/Manage Guards/input__first name"), "Henry") Text 'Henry' is set on object 'Object Repository/Manage Guards/input__first name'	0.905s	PASSED
6	setText(findTestObject("Object Repository/Manage Guards/input__last name"), "Messi") Text 'Messi' is set on object 'Object Repository/Manage Guards/input__last name'	0.343s	PASSED
7	setText(findTestObject("Object Repository/Manage Guards/input_land Islands_mobile number"), "0812191633333") Text '0812191633333' is set on object 'Object Repository/Manage Guards/input_land Islands_mobile number'	0.637s	PASSED
8	setText(findTestObject("Object Repository/Manage Guards/input__email"), "bbb@gmail.com") Text 'bbb@gmail.com' is set on object 'Object Repository/Manage Guards/input__email'	0.350s	PASSED
9	click(findTestObject("Object Repository/Manage Guards/img")) Object: 'Object Repository/Manage Guards/img' is clicked on	1.813s	PASSED
10	setText(findTestObject("Object Repository/Manage Guards/input_Staff ID_staff_id"), "0002") Text '0002' is set on object 'Object Repository/Manage Guards/input_Staff ID_staff_id'	0.248s	PASSED
11	click(findTestObject("Object Repository/Manage Guards/span_Guard")) Object: 'Object Repository/Manage Guards/span_Guard' is clicked on	0.174s	PASSED
12	click(findTestObject("Object Repository/Manage Guards/li_Guard")) Object: 'Object Repository/Manage Guards/li_Guard' is clicked on	0.187s	PASSED
13	click(findTestObject("Object Repository/Manage Guards/button_Generate PIN")) Object: 'Object Repository/Manage Guards/button_Generate PIN' is clicked on	0.197s	PASSED

IP-031 (manage Guards)

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/Manage Guards/button_Create Guard Now")) Object: 'Object Repository/Manage Guards/button_Create Guard Now' is clicked on	0.207s	PASSED
15	click(findTestObject("Object Repository/Manage Guards/button_Delete")) Object: 'Object Repository/Manage Guards/button_Delete' is clicked on	1.803s	PASSED
16	click(findTestObject("Object Repository/Manage Guards/button_Yes Delete")) Object: 'Object Repository/Manage Guards/button_Yes Delete' is clicked on	0.202s	PASSED