

IP-034 (Property List)

Execution Environment

Host name	refqi - 10.250.250.58
OS	Mac OS X 64bit
Katalon version	6.3.3.11
Browser	Chrome 76.0.3809.100

Summary

ID	Test Suites/IP-034 (Property List)		
Description			
Total	1		
Passed	0	Failed	1
Error	0	Incomplete	0
Start	2019-09-03 09:46:04	End	2019-09-03 09:47:09
Elapsed	1m - 5.874s		

#	ID	Description	Status
1	Test Cases/IP0-34 (Property List)		FAILED

IP0-34 (Property List)


Information

ID	Test Cases/IP0-34 (Property List)		
Description			
Tag			
Start	2019-09-03 09:46:04	End	2019-09-03 09:47:09
Elapsed	1m - 5.556s		
Status	FAILED		


Details

#	Description	Elapsed	Status
---	-------------	---------	--------


IP0-34 (Property List)

#	Description	Elapsed	Status
1	<p>callTestCase(findTestCase("IP-001 (Login hit berkali kali)", ["Email":"aaa@gmail.com", "Password":"123445656"], STOP_ON_FAILURE))</p> <p>Call Test Case 'Test Cases/IP-001 (Login hit berkali kali)' successfully</p> 	17.991s	PASSED
2	<p>click(findTestObject("Object Repository/Report Property List/div_Reports"))</p> <p>Object: 'Object Repository/Report Property List/div_Reports' is clicked on</p>	11.093s	PASSED
3	<p>click(findTestObject("Object Repository/Report Property List/a_Property List"))</p> <p>Object: 'Object Repository/Report Property List/a_Property List' is clicked on</p>	0.337s	PASSED


IP0-34 (Property List)

#	Description	Elapsed	Status
4	<code>setText(findTestObject("Report Property List/input_House Number___BVID__171"), "2")</code> Text '2' is set on object 'Object Repository/Report Property List/input_House Number___BVID__171'	1.034s	PASSED
5	<code>clearText(findTestObject("Report Property List/input_House Number___BVID__171"), STOP_ON_FAILURE)</code> Text of object 'Object Repository/Report Property List/input_House Number___BVID__171' is cleared	0.296s	PASSED
6	<code>delay(1)</code> Delayed 1 second(s)	1.007s	PASSED
7	<code>takeScreenshot()</code> Taking screenshot successfully 	0.284s	PASSED
8	<code>click(findTestObject("Report Property List/input_Street Name_vs__search"))</code> Object: 'Object Repository/Report Property List/input_Street Name_vs__search' is clicked on	0.159s	PASSED
9	<code>click(findTestObject("Report Property List/li_JI Mentari Bersinar"), STOP_ON_FAILURE)</code> Object: 'Object Repository/Report Property List/li_JI Mentari Bersinar' is clicked on	0.257s	PASSED


IP0-34 (Property List)

#	Description	Elapsed	Status
10	takeScreenshot() Taking screenshot successfully 	0.310s	PASSED
11	clearText(findTestObject("Report Property List/input_Street Name_vs__search")) Text of object 'Object Repository/Report Property List/input_Street Name_vs__search' is cleared	0.109s	PASSED
12	delay(1) Delayed 1 second(s)	1.009s	PASSED
13	click(findTestObject("Report Property List/input_Property Type_vs__search")) Object: 'Object Repository/Report Property List/input_Property Type_vs__search' is clicked on	0.120s	PASSED
14	click(findTestObject("Report Property List/li_Condominiums")) Object: 'Object Repository/Report Property List/li_Condominiums' is clicked on	0.207s	PASSED


IP0-34 (Property List)

#	Description	Elapsed	Status
15	takeScreenshot() Taking screenshot successfully 	0.301s	PASSED
16	clearText(findTestObject("Report Property List/input_Property Type_vs__search")) Text of object 'Object Repository/Report Property List/input_Property Type_vs__search' is cleared	0.105s	PASSED
17	delay(1) Delayed 1 second(s)	1.003s	PASSED
18	click(findTestObject("Report Property List/input_Property Status_vs__search")) Object: 'Object Repository/Report Property List/input_Property Status_vs__search' is clicked on	0.157s	PASSED
19	click(findTestObject("Report Property List/li_Resident")) Object: 'Object Repository/Report Property List/li_Resident' is clicked on	0.192s	PASSED

IP0-34 (Property List)

#	Description	Elapsed	Status
20	takeScreenshot() Taking screenshot successfully 	0.302s	PASSED
21	delay(1) Delayed 1 second(s)	1.006s	PASSED
22	click(findTestObject("Report Property List/input_Property Status_vs__search")) Object: 'Object Repository/Report Property List/input_Property Status_vs__search' is clicked on	0.124s	PASSED
23	click(findTestObject("Object Repository/Report Property List/li_No Resident")) Object: 'Object Repository/Report Property List/li_No Resident' is clicked on	0.174s	PASSED

IP0-34 (Property List)





#	Description	Elapsed	Status
24	takeScreenshot() Taking screenshot successfully 	0.303s	PASSED
25	delay(1) Delayed 1 second(s)	1.008s	PASSED
26	click(findTestObject("Object Repository/Report Property List/a_Edit")) Object: 'Object Repository/Report Property List/a_Edit' is clicked on	0.144s	PASSED
27	click(findTestObject("Report Property List/input_Property Type_vs__search")) Object: 'Object Repository/Report Property List/input_Property Type_vs__search' is clicked on	0.241s	PASSED
28	click(findTestObject("Object Repository/Report Property List/li_Bungalow")) Object: 'Object Repository/Report Property List/li_Bungalow' is clicked on	25.420s	PASSED


IP0-34 (Property List)


#	Description	Elapsed	Status
29	<p>click(findTestObject("Object Repository/Report Property List/button_Update Property Details"))</p> <p>Unable to click on object 'Object Repository/Report Property List/button_Update Property Details' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Report Property List/button_Update Property Details'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:86)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:67)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:56)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:616)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call(Unknown Source)</p> <p>at IP0-34 (Property List).run(IP0-34 (Property List):74)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:307)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:299)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase(TestSuiteExecutor.java:169)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:142)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:91)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)</p> <p>at TempTestSuite1567478761097.run(TempTestSuite1567478761097.groovy:35)</p> <p>Caused by: org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <button data-v-340ebf3a="" type="submit" class="btn btn-primary">...</button> is not clickable at point (597, 511). Other element would receive the click: <li role="option" class="vs__dropdown-option vs__dropdown-option--selected">...</p> <p>(Session info: chrome=76.0.3809.100)</p> <p>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'</p> <p>System info: host: 'refqihussein', ip: 'fe80:0:0:0:c3d:463b:a7bd:7957%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.14.6', java.version: '1.8.0_181'</p> <p>Driver info: com.kms.katalon.selenium.driver.CChromeDriver</p> <p>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 76.0.3809.100, chrome: {chromedriverVersion: 76.0.3809.68 (420c9498db8ce..., userDataDir: /var/folders/48/kr7c_wm56yv...}, goog:chromeOptions: {debuggerAddress: localhost:50803}, javascriptEnabled: true,</p>	0.469s	FAILED



IP0-34 (Property List)

#	Description	Elapsed	Status
	<pre>networkConnectionEnabled: false, pageLoadStrategy: normal, platform: MAC, platformName: MAC, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: fb681b9954c96045a9fe527a117fd9df at org.openqa.selenium.remote.http.W3CHttpResponseCodec. createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CCChromeDriver.execute (CCChromeDriver.java:20) at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.click (RemoteWebElement.java:84) at com.kms.katalon.core.webui.keyword.builtin. ClickKeyword\$_click_closure1.doCall(ClickKeyword.groovy:79) at com.kms.katalon.core.webui.keyword.builtin. ClickKeyword\$_click_closure1.call(ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2. call(Unknown Source) at Script1567476108323.run(Script1567476108323.groovy:74) ... 13 more)</pre>		

  Open Menu  jumat senang 

 Dashboard

 Admins

 Reports 

All Transactions

Invoices Transactions

Receipts Transactions

Property Statement

Admin Collections

Resident List

Property List

Product & Services List

Reports / Edit Property Details

Edit Property Details


House Number

Street Name

Property Type

Cancel

Update Property Details

 Copyright © 2019 iProp.io. All rights reserved.