IP-002 (Forgot pin) and (Forgot Email)

Execution Environment

Host name	refqi - 10.250.250.58
OS	Mac OS X 64bit
Katalon version	6.3.3.11
Browser	Chrome 76.0.3809.100

Summary

ID	Test Suites/IP-002 (Forgot pin) and (Forgot Email)
Description	

Total	1		
Passed	0	Failed	1
Error	0	Incomplete	0
Start	2019-09-10 10:22:33	End	2019-09-10 10:23:05
Elapsed	31.805s		

#	ID	Description	Status
1	Test Cases/IP-002 (Forgot Pin)		FAILED

IP-002 (Forgot Pin)

Information

ID	Test Cases/IP-002 (Forgot Pin)		
Description			
Tag			
Start	2019-09-10 10:22:33	End	2019-09-10 10:23:05
Elapsed	31.410s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser("http://kamisa.web.iprop-dev.com/login")	5.178s	PASSED
	Browser is opened with url: 'http://kamisa.web.iprop-dev.com/login'		
2	delay(5)	5.063s	PASSED
	Delayed 5 second(s)		
3	check(findTestObject("Forgot Pin/Page_iPropio - Login/a_Click here"))	0.319s	PASSED
	Object 'Object Repository/Forgot Pin/Page_iPropio - Login/a_Click here' is checked		
4	takeScreenshot("/Users/refqi/Documents/webippro/click here.png")	0.821s	PASSED
	Taking screenshot successfully		

#	Description	Elapsed	Status
5	delay(3)	3.006s	PASSED
	Delayed 3 second(s)		
6	setText(findTestObject("Forgot Pin/Page_iPropio - Forgot Password/input_Email Address_email"), "refqi.hussein@gmail.com")	0.645s	PASSED
	Text 'refqi.hussein@gmail.com' is set on object 'Object Repository/Forgot Pin/Page_iPropio - Forgot Password/input_Email Address_email'		
7	delay(5)	5.064s	PASSED
	Delayed 5 second(s)		
8	takeScreenshot("/Users/refqi/Documents/webippro/set email.png")	0.602s	PASSED
	Taking screenshot successfully		

#	Description	Elapsed	Status
9	click(findTestObject("Forgot Pin/Page_iPropio - Forgot Password/button_SEND PASSWORD REQUEST"))	0.163s	PASSED
	Object: 'Object Repository/Forgot Pin/Page_iPropio - Forgot Password/button_SEND PASSWORD REQUEST' is clicked on		
10	delay(5)	5.006s	PASSED
	Delayed 5 second(s)		

#	Description	Elapsed	Status
11	takeScreenshot("/Users/refqi/Documents/webippro/password sent.png")	0.621s	PASSED

Taking screenshot successfully

#	Description	Elapsed	Status
12	callTestCase(findTestCase("IP-021 (Forgot email)"), [:], STOP_ON_FAILURE)	4.611s	FAILED

Unable to call Test Case 'Test Cases/IP-021 (Forgot email)' (Root cause: com.kms.
katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/IP-021 (
Forgot email)' failed
        at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:
63)
        at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
        at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
(KeywordMain.groovy:68)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.
callTestCase(CallTestCaseKeyword.groovy:81)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute
(CallTestCaseKeyword.groovy:44)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)
        at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase
(BuiltinKeywords.groovy:334)
        at IP-002 (Forgot Pin).run(IP-002 (Forgot Pin):38)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText
(ScriptEngine.java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript
(TestCaseExecutor.java:337)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute
(TestCaseExecutor.java:328)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:307)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:299)
        at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:233)
        at com.kms.katalon.core.main.TestSuiteExecutor.
accessTestCaseMainPhase(TestSuiteExecutor.java:169)
        at com.kms.katalon.core.main.TestSuiteExecutor.
accessTestSuiteMainPhase(TestSuiteExecutor.java:142)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute
(TestSuiteExecutor.java:91)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.
java:157)
        at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call
(Unknown Source)
        at TempTestSuite1568085744035.run(TempTestSuite1568085744035.
groovy:35)
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to set text
'refqihussein9892' of object 'Object Repository/forgot email/input_Terlalu sering
gagal_password'
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
stepFailed(WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText
(SetTextKeyword.groovy:66)
        at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute
(SetTextKeyword.groovy:37)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText
(WebUiBuiltInKeywords.groovy:950)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$setText$2.

IP-002 (Forgot Pin)

#	Description	Elapsed	Status
	call(Unknown Source)		

call(Unknown Source)
       at IP-021 (Forgot email).run(IP-021 (Forgot email):22)
       at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
       at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText
(ScriptEngine.java:119)
       at com.kms.katalon.core.main.TestCaseExecutor.runScript
(TestCaseExecutor.java:337)
       at com.kms.katalon.core.main.TestCaseExecutor.doExecute
(TestCaseExecutor.java:328)
       at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:307)
       at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:299)
       at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:233)
       at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.
java:114)
       at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:
59)
       ... 20 more
Caused by: org.openqa.selenium.ElementNotInteractableException: element not
interactable
 (Session info: chrome=76.0.3809.100)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:
53'
System info: host: 'refqihussein', ip: 'fe80:0:0:0:1823:2979:b6d5:ffed%en0', os.
name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.14.6', java.version: '1.8.0_181'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
76.0.3809.100, chrome: {chromedriverVersion: 76.0.3809.126 (d80a294506b4...,
userDataDir: /var/folders/48/kr7c_wm56yv...}, goog:chromeOptions:
{debuggerAddress: localhost:49641}, javascriptEnabled: true,
networkConnectionEnabled: false, pageLoadStrategy: normal, platform: MAC,
platformName: MAC, proxy: Proxy(), setWindowRect: true, strictFileInteractability:
false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},
unhandledPromptBehavior: dismiss and notify}
Session ID: c43254908971331801365ffdbcf8334d
       at org.openqa.selenium.remote.http.W3CHttpResponseCodec.
createException(W3CHttpResponseCodec.java:187)
       at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
       at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
       at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
       at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
       at org.openqa.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:552)
       at com.kms.katalon.selenium.driver.CChromeDriver.execute
(CChromeDriver.java:20)
       at org.openqa.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
       at org.openqa.selenium.remote.RemoteWebElement.clear
(RemoteWebElement.java:124)
       at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:53)
       at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
       at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:20)

#	Description	Elapsed	Status
	... 35 more		
)			