Execution Environment

Host name refqi - 10.250.250.58
OS Mac OS X 64bit

Katalon version 6.3.3.11

Browser Chrome 76.0.3809.100

Summary

ID Test Suites/IP-038 (Report Resident List)

Description

Total 1

Passed 0 Failed 1
Error 0 Incomplete 0

Start 2019-09-06 09:52:11 End 2019-09-06 09:52:34

Elapsed 22.794s

#	ID	Description	Status
1	Test Cases/IP-038 (Report Resident List)		FAILED

Information

ID Test Cases/IP-038 (Report Resident List)

Description

Tag


Start 2019-09-06 09:52:12 End 2019-09-06 09:52:34

Elapsed 22.468s Status FAILED

Details

Description Elapsed Status

#	Description		Elapsed	Status
1	callTestCase(findTestCase("IP-001 (Login hit berka "Password":"123445656"], STOP_ON_FAILURE)	ali kali)"), ["Email":"aaa@gmail.com",	17.058s	PASSED
	Call Test Case 'Test Cases/IP-001 (Login hit berkal			
		GiProp.io Resident Association & Security Management Please login to continue.		
	Are you a resident? Register here to gain access into the account	nail didinonpqcms@gmail.com		
	Resident Registration	ssword		
		Password		
		Login Now •0		
	F	forgot your password ? Click here.		
		GiProp.io Resident Association & Security Management Please login to continue.		
	Are you a resident?			
		didinonpqcms@gmail.com		
		essword		
		<u></u>		
		Login Now 🕏		
	F	forgot your password ? Click here.		
2	delay(2)		2.014s	PASSED
	Delayed 2 second(s)			
3	click(findTestObject("Object Repository/Report Resident list/div_Reports"))		0.152s	PASSED
	Object: 'Object Repository/Report Resident list/div_	Reports' is clicked on		
4	click(findTestObject("Object Repository/Report Res	ident list/a_Resident List"))	0.254s	PASSED
	Object: 'Object Repository/Report Resident list/a_R	esident List' is clicked on		



Description	Elapsed	Status
setText(findTestObject("Report Resident list/inputfirst name"), "testing")	0.759s	FAILED
Unable to set text 'testing' of object 'Object Repository/Report Resident		
list/inputfirst name' (Root cause: com.kms.katalon.core.exception.		
StepFailedException: Unable to set text 'testing' of object 'Object Repository/Report Resident list/inputfirst name'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
stepFailed(WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
runKeyword(WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
(SetTextKeyword.groovy:66)		
at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute		
(SetTextKeyword.groovy:37)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:56)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText		
(WebUiBuiltInKeywords.groovy:950)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$0.		
call(Unknown Source)		
at IP-038 (Report Resident List).run(IP-038 (Report Resident List):34)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText		
(ScriptEngine.java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript		
(TestCaseExecutor.java:337)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute		
(TestCaseExecutor.java:328)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:299)		
at com.kms.katalon.core.main.TestCaseExecutor.execute		
(TestCaseExecutor.java:233)		
at com.kms.katalon.core.main.TestSuiteExecutor.		
accessTestCaseMainPhase(TestSuiteExecutor.java:169)		
at com.kms.katalon.core.main.TestSuiteExecutor.		
accessTestSuiteMainPhase(TestSuiteExecutor.java:142)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute		
(TestSuiteExecutor.java:91)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.		
java:157)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call		
(Unknown Source)		
at TempTestSuite1567738322003.run(TempTestSuite1567738322003.		
groovy:35)		
Caused by: org.openqa.selenium.InvalidElementStateException: invalid element		
state: Element is not currently interactable and may not be manipulated		
(Session info: chrome=76.0.3809.100)		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25: 53'		
System info: host: 'refqihussein', ip: 'fe80:0:0:0:4f8:3b8d:d63d:5477%en0', os.		
name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.14.6', java.version: '1.8.0_181'		
Driver info: com.kms.katalon.selenium.driver.CChromeDriver		
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:		
76.0.3809.100, chrome: {chromedriverVersion: 76.0.3809.126 (d80a294506b4,		
userDataDir: /var/folders/48/kr7c_wm56yv}, goog:chromeOptions:		
{debuggerAddress: localhost:51089}, javascriptEnabled: true,		
networkConnectionEnabled: false, pageLoadStrategy: normal, platform: MAC,		
platformName: MAC, proxy: Proxy(), setWindowRect: true, strictFileInteractability:		
false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},		

Elapsed

Status

```
Description
Session ID: 4ea3ae6d10366033ef185731130e3f23
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.
createException(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute
(CChromeDriver.java:20)
         at org.openqa.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
         at org.openqa.selenium.remote.RemoteWebElement.clear
(RemoteWebElement.java:124)
         at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:53)
         at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText
(SetTextKeyword.groovy:66)
         at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute
(SetTextKeyword.groovy:37)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText
(WebUiBuiltInKeywords.groovy:950)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$setText$0.
call(Unknown Source)
         at Script1567736927278.run(Script1567736927278.groovy:34)
         ... 13 more
```