Execution Environment

Host name refqi - 10.250.250.58
OS Mac OS X 64bit

Katalon version 6.3.3.11

Browser Chrome 76.0.3809.100

Summary

ID Test Suites/IP-038 (Report Resident List)

Description

Total 1

Passed 0 Failed 1
Error 0 Incomplete 0

Start 2019-09-06 09:41:13 End 2019-09-06 09:41:43

Elapsed 29.972s

#	ID	Description	Status
1	Test Cases/IP-038 (Report Resident List)		FAIL FD

Information

ID Test Cases/IP-038 (Report Resident List)

Description

Tag


Start 2019-09-06 09:41:14 End 2019-09-06 09:41:43

Elapsed 29.213s Status FAILED

Details

Description Elapsed Status

#	Description		Elapsed	Status	
1	callTestCase(findTestCase("IP-001 (Login hit berka "Password":"123445656"], STOP_ON_FAILURE)	li kali)"), ["Email":"aaa@gmail.com",	22.280s	PASSED	
	Call Test Case 'Test Cases/IP-001 (Login hit berkali				
		GiProp.io Resident Association & Security Management Please login to continue.			
	Are you a resident? Register here to gain access into the account	ail didinonpqcms@gmail.com			
		ssword			
		Password Login Now			
	Fo	orgot your password ? Click here.			
		Flease login to continue.			
	Are you a resident? Register here to gain access into the account				
	Resident Registration	ssword			
		··········			
		Login Now 👈			
	Fo	orgot your password ? Click here.			
2	delay(2)		2.010s	PASSED	
	Delayed 2 second(s)				
3	click(findTestObject("Object Repository/Report Resi	ident list/div_Reports"))	0.125s	PASSED	
	Object: 'Object Repository/Report Resident list/div_l	Reports' is clicked on			
4	click(findTestObject("Object Repository/Report Resi		0.288s	PASSED	
	Object: 'Object Repository/Report Resident list/a_Resident List' is clicked on				



De	escription	Elapsed	Status
	etText(findTestObject("Object Repository/Report Resident list/inputfirst name"),	1.434s	FAILED
"te	esting")		
	nable to set text 'testing' of object 'Object Repository/Report Resident		
	tt/inputfirst name' (Root cause: com.kms.katalon.core.exception.		
	tepFailedException: Unable to set text 'testing' of object 'Object Repository/Report esident list/inputfirst name'		
K	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
st	epFailed(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
ru	nKeyword(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
(5	SetTextKeyword.groovy:66)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute		
(5	SetTextKeyword.groovy:37)		
0)	at com.kms.katalon.core.keyword.internal.KeywordExecutor. kecuteKeywordForPlatform(KeywordExecutor.groovy:56)		
67	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText		
(V	VebUiBuiltInKeywords.groovy:950)		
(-	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$0.		
Ca	all(Unknown Source)		
	at IP-038 (Report Resident List).run(IP-038 (Report Resident List):34)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText		
(5	ScriptEngine.java:119)		
/Τ	at com.kms.katalon.core.main.TestCaseExecutor.runScript estCaseExecutor.java:337)		
(1	at com.kms.katalon.core.main.TestCaseExecutor.doExecute		
(T	estCaseExecutor.java:328)		
(-	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(T	TestCaseExecutor.java:307)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(T	estCaseExecutor.java:299)		
/-	at com.kms.katalon.core.main.TestCaseExecutor.execute		
(1	restCaseExecutor.java:233)		
20	at com.kms.katalon.core.main.TestSuiteExecutor. ccessTestCaseMainPhase(TestSuiteExecutor.java:169)		
al	at com.kms.katalon.core.main.TestSuiteExecutor.		
a	ccessTestSuiteMainPhase(TestSuiteExecutor.java:142)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute		
(T	estSuiteExecutor.java:91)		
•	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.		
ja	va:157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call		
(L	Jnknown Source)		
a.	at TempTestSuite1567737662640.run(TempTestSuite1567737662640.		
	oovy:35) aused by: org.openqa.selenium.InvalidElementStateException: invalid element		
	ate: Element is not currently interactable and may not be manipulated		
	Session info: chrome=76.0.3809.100)		
	uild info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:		
53	3'		
	ystem info: host: 'refqihussein', ip: 'fe80:0:0:0:4f8:3b8d:d63d:5477%en0', os.		
	ame: 'Mac OS X', os.arch: 'x86_64', os.version: '10.14.6', java.version: '1.8.0_181'		
	river info: com.kms.katalon.selenium.driver.CChromeDriver		
	apabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:		
	6.0.3809.100, chrome: {chromedriverVersion: 76.0.3809.126 (d80a294506b4, serDataDir: /var/folders/48/kr7c_wm56yv}, goog:chromeOptions:		
	ebuggerAddress: localhost:49724}, javascriptEnabled: true,		
	etworkConnectionEnabled: false, pageLoadStrategy: normal, platform: MAC,		
	atformName: MAC, proxy: Proxy(), setWindowRect: true, strictFileInteractability:		
	lse, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},		
10	iso, unicodio. finipiloti o, pagetodu. solobo, solipti solobo,		

Elapsed

Status

```
Description
unhandledPromptBehavior: dismiss and notify}
Session ID: 09b1105694f3c11f3d896b05fe12fc2a
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.
createException(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute
(CChromeDriver.java:20)
         at org.openqa.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
         at org.openqa.selenium.remote.RemoteWebElement.clear
(RemoteWebElement.java:124)
          at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:53)
         at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:20)
         at\ com.kms.katalon.core.webui.keyword.builtin.Set Text Keyword.set Text
(SetTextKeyword.groovy:66)
         at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute
(SetTextKeyword.groovy:37)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText
(WebUiBuiltInKeywords.groovy:950)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$setText$0.
call(Unknown Source)
         at Script1567736927278.run(Script1567736927278.groovy:34)
```