Execution Environment

Host name refqi - 10.250.250.58 OS Mac OS X 64bit

Katalon version 6.3.3.11

Browser Chrome 76.0.3809.100

Summary

ID Test Suites/IP-040 (admin menu)

Description

Total 1

Passed 0 Failed 1
Error 0 Incomplete 0

Start 2019-09-06 17:02:36 End 2019-09-06 17:03:44

Elapsed 1m - 7.259s

#	ID	Description	Status
1	Test Cases/IP-040 (admin menu)		FAILED

Information

ID Test Cases/IP-040 (admin menu)

Description

Tag

Start 2019-09-06 17:02:37 End 2019-09-06 17:03:44

Elapsed 1m - 6.643s


Status FAILED

Details

Description Elapsed Status

	Description	Floored	Otatus
#	Description	Elapsed	Status
1	callTestCase(findTestCase("IP-001 (Login hit berkali kali)"), ["Email":"aaa" "Password":"123445656"], STOP_ON_FAILURE)	a@gmail.com", 16.886s	PASSED
	Call Test Case 'Test Cases/IP-001 (Login hit berkali kali)' successfully		
	ம்iProp.io		
	Resident Association & Security Management		
	Please login to continue.		
	Are you a resident?		
	Register here to gain access into the account didinonpqcms@gmail.com		
	Resident Registration Password		
	Password		
	Login Now •3		
	Forgot your password ? Click here.		
	டுiProp.io		
	Resident Association & Security Management		
	Please login to		
	continue.		
	Are you a resident?		
	Register here to gain access into the account didinonpqcms@gmail.com		
	Resident Registration Password		
	<u> </u>		
	Login Now ●		
	Forgot your password ? Click here.		D.1.005D
2	click(findTestObject("Object Repository/admin menu/a_Admins"))	0.896s	PASSED
	Object: 'Object Repository/admin menu/a_Admins' is clicked on		
3	click(findTestObject("Object Repository/admin menu/button_Actions"))	1.298s	PASSED
	Object: 'Object Repository/admin menu/button_Actions' is clicked on		
4	click(findTestObject("Object Repository/admin menu/a_Edit"))	1.086s	PASSED
	Object: 'Object Repository/admin menu/a_Edit' is clicked on		

#	Description	Elapsed	Status
5	setText(findTestObject("Object Repository/admin menu/inputfirst name"), "tesq") Text 'tesq' is set on object 'Object Repository/admin menu/inputfirst name'	0.841s	PASSED
6	setText(findTestObject("Object Repository/admin menu/inputlast name"), "otomasi") Text 'otomasi' is set on object 'Object Repository/admin menu/inputlast name'	0.585s	PASSED
7	setText(findTestObject("Object Repository/admin menu/input_House Telephone Number_house_telephone"), "09292929292") Text '09292929292' is set on object 'Object Repository/admin menu/input_House Telephone Number_house_telephone'	0.501s	PASSED
8	setText(findTestObject("Object Repository/admin menu/input_email"), "aaa@gmail.com") Text 'aaa@gmail.com' is set on object 'Object Repository/admin menu/input_email'	0.684s	PASSED
9	click(findTestObject("Object Repository/admin menu/button_Save Admin Details")) Object: 'Object Repository/admin menu/button_Save Admin Details' is clicked on	0.161s	PASSED
10	setText(findTestObject("Object Repository/admin menu/inputemail"), "aaaaaa@gmail.com") Text 'aaaaaa@gmail.com' is set on object 'Object Repository/admin menu/inputemail'	0.591s	PASSED
11	click(findTestObject("Object Repository/admin menu/button_Save Admin Details")) Object: 'Object Repository/admin menu/button_Save Admin Details' is clicked on	0.143s	PASSED
12	delay(6) Delayed 6 second(s)	6.009s	PASSED
13	refresh() Refresh successfully	0.468s	PASSED



Status

FAILED

#	Description	Elapsed
17	click(findTestObject("admin menu/a_Delete"))	31.045s
.,		01.0100
	Unable to click on object 'Object Repository/admin menu/a_Delete' (Root cause:	
	com.kms.katalon.core.exception.StepFailedException: Unable to click on object	
	'Object Repository/admin menu/a_Delete'	
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. stepFailed(WebUIKeywordMain.groovy:64)	
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.	
	runKeyword(WebUIKeywordMain.groovy:26)	
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click	
	(ClickKeyword.groovy:86)	
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute	
	(ClickKeyword.groovy:67)	
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.	
	executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click	
	(WebUiBuiltInKeywords.groovy:616)	
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.	
	call(Unknown Source)	
	at IP-040 (admin menu).run(IP-040 (admin menu):50)	
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)	
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText	
	(ScriptEngine.java:119)	
	at com.kms.katalon.core.main.TestCaseExecutor.runScript	
	(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute	
	(TestCaseExecutor.java:328)	
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase	
	(TestCaseExecutor.java:307)	
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase	
	(TestCaseExecutor.java:299)	
	at com.kms.katalon.core.main.TestCaseExecutor.execute	
	(TestCaseExecutor.java:233)	
	at com.kms.katalon.core.main.TestSuiteExecutor. accessTestCaseMainPhase(TestSuiteExecutor.java:169)	
	at com.kms.katalon.core.main.TestSuiteExecutor.	
	accessTestSuiteMainPhase(TestSuiteExecutor.java:142)	
	at com.kms.katalon.core.main.TestSuiteExecutor.execute	
	(TestSuiteExecutor.java:91)	
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.	
	java:157)	
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source)	
	at TempTestSuite1567764148235.run(TempTestSuite1567764148235.	
	groovy:35)	
	Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException:	
	Web element with id: 'Object Repository/admin menu/a_Delete' located by 'By.	
	xpath: //div[@id='BVID197']/ul/li[3]/a' not found	
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.	
	findWebElement(WebUiCommonHelper.java:1097)	
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)	
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.	
	findWebElement(WebUIAbstractKeyword.groovy:26)	
	at com.kms.katalon.core.webui.keyword.builtin.	
	ClickKeyword\$_click_closure1.doCall(ClickKeyword.groovy:77)	
	at com.kms.katalon.core.webui.keyword.builtin.	
	ClickKeyword\$_click_closure1.call(ClickKeyword.groovy)	
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.	
	runKeyword(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click	
	(ClickKeyword.groovy:86)	
	(5.15.11.15) / / / / / / / / / / / / / / / / / / /	

Description

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:67)
at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.

call(Unknown Source) at Script1567762689766.run(Script1567762689766.groovy:50)

... 13 more