

# IP-040 ( admin menu )

---

## Execution Environment

Host name	refqi - 10.250.250.58
OS	Mac OS X 64bit
Katalon version	6.3.3.11
Browser	Chrome 76.0.3809.100

## Summary

ID	Test Suites/IP-040 ( admin menu )		
Description			
Total	1		
Passed	0	Failed	1
Error	0	Incomplete	0
Start	2019-09-06 17:00:32	End	2019-09-06 17:01:38
Elapsed	1m - 5.944s		

#	ID	Description	Status
1	Test Cases/IP-040 ( admin menu)		FAILED

## IP-040 ( admin menu)

---


### Information

ID	Test Cases/IP-040 ( admin menu)		
Description			
Tag			
Start	2019-09-06 17:00:33	End	2019-09-06 17:01:38
Elapsed	1m - 5.377s		
Status	FAILED		

### Details

#	Description	Elapsed	Status
---	-------------	---------	--------

## IP-040 ( admin menu)

#	Description	Elapsed	Status
1	<pre>callTestCase(findTestCase("IP-001 (Login hit berkali kali)", ["Email":"aaa@gmail.com", "Password":"123445656"], STOP_ON_FAILURE)</pre> <p>Call Test Case 'Test Cases/IP-001 (Login hit berkali kali)' successfully</p> 	19.766s	PASSED
2	<pre>click(findTestObject("Object Repository/admin menu/a_Admins"))</pre> <p>Object: 'Object Repository/admin menu/a_Admins' is clicked on</p>	0.938s	PASSED
3	<pre>click(findTestObject("Object Repository/admin menu/button_Actions"))</pre> <p>Object: 'Object Repository/admin menu/button_Actions' is clicked on</p>	1.293s	PASSED
4	<pre>click(findTestObject("Object Repository/admin menu/a_Edit"))</pre> <p>Object: 'Object Repository/admin menu/a_Edit' is clicked on</p>	0.982s	PASSED

## IP-040 ( admin menu)

#	Description	Elapsed	Status
5	setText(findTestObject("Object Repository/admin menu/input__first name"), "tesq")  Text 'tesq' is set on object 'Object Repository/admin menu/input__first name'	0.821s	PASSED
6	setText(findTestObject("Object Repository/admin menu/input__last name"), "otomasi")  Text 'otomasi' is set on object 'Object Repository/admin menu/input__last name'	0.398s	PASSED
7	setText(findTestObject("Object Repository/admin menu/input_House Telephone Number_house_telephone"), "09292929292")  Text '09292929292' is set on object 'Object Repository/admin menu/input_House Telephone Number_house_telephone'	0.368s	PASSED
8	setText(findTestObject("Object Repository/admin menu/input__email"), "aaa@gmail.com")  Text 'aaa@gmail.com' is set on object 'Object Repository/admin menu/input__email'	0.520s	PASSED
9	click(findTestObject("Object Repository/admin menu/button_Save Admin Details"))  Object: 'Object Repository/admin menu/button_Save Admin Details' is clicked on	0.193s	PASSED
10	setText(findTestObject("Object Repository/admin menu/input__email"), "aaaaaa@gmail.com")  Text 'aaaaaa@gmail.com' is set on object 'Object Repository/admin menu/input__email'	0.642s	PASSED
11	click(findTestObject("Object Repository/admin menu/button_Save Admin Details"))  Object: 'Object Repository/admin menu/button_Save Admin Details' is clicked on	0.143s	PASSED
12	delay(6)  Delayed 6 second(s)	6.006s	PASSED
13	refresh()  Refresh successfully	0.422s	PASSED

## IP-040 ( admin menu)

---

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/admin menu/button_Actions"))  Object: 'Object Repository/admin menu/button_Actions' is clicked on	0.850s	PASSED

## IP-040 ( admin menu)

#	Description	Elapsed	Status
15	<p>click(findTestObject("Object Repository/admin menu/a_Delete"))</p> <p>Unable to click on object 'Object Repository/admin menu/a_Delete' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/admin menu/a_Delete' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call(Unknown Source) at IP-040 ( admin menu).run(IP-040 ( admin menu):46) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase(TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1567764024014.run(TempTestSuite1567764024014.groovy:35) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/admin menu/a_Delete' located by 'By.xpath: //div[@id='__BVID__197']/ul/li[3]/a' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement(WebUiCommonHelper.java:1097) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$click_closure1.doCall(ClickKeyword.groovy:77) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$click_closure1.call(ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:86)</p>	31.115s	FAILED

## IP-040 ( admin menu)

---

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2. call(Unknown Source) at Script1567762689766.run(Script1567762689766.groovy:46) ... 13 more )</pre>		