

IP-040 (admin menu)

Execution Environment

Host name	refqi - 10.250.250.58
OS	Mac OS X 64bit
Katalon version	6.3.3.11
Browser	Chrome 76.0.3809.100

Summary

ID	Test Suites/IP-040 (admin menu)		
Description			
Total	1		
Passed	0	Failed	1
Error	0	Incomplete	0
Start	2019-09-06 16:49:36	End	2019-09-06 16:50:32
Elapsed	55.813s		

#	ID	Description	Status
1	Test Cases/IP-040 (admin menu)		FAILED

IP-040 (admin menu)


Information

ID	Test Cases/IP-040 (admin menu)		
Description			
Tag			
Start	2019-09-06 16:49:36	End	2019-09-06 16:50:32
Elapsed	55.480s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

IP-040 (admin menu)

#	Description	Elapsed	Status
1	<pre>callTestCase(findTestCase("IP-001 (Login hit berkali kali)", ["Email":"aaa@gmail.com", "Password":"123445656"], STOP_ON_FAILURE)</pre> <p>Call Test Case 'Test Cases/IP-001 (Login hit berkali kali)' successfully</p> 	17.267s	PASSED
2	<pre>click(findTestObject("Object Repository/admin menu/a_Admins"))</pre> <p>Object: 'Object Repository/admin menu/a_Admins' is clicked on</p>	0.939s	PASSED
3	<pre>click(findTestObject("Object Repository/admin menu/button_Actions"))</pre> <p>Object: 'Object Repository/admin menu/button_Actions' is clicked on</p>	1.280s	PASSED
4	<pre>click(findTestObject("Object Repository/admin menu/a_Edit"))</pre> <p>Object: 'Object Repository/admin menu/a_Edit' is clicked on</p>	1.209s	PASSED

IP-040 (admin menu)

#	Description	Elapsed	Status
5	setText(findTestObject("Object Repository/admin menu/input__first name"), "tesq") Text 'tesq' is set on object 'Object Repository/admin menu/input__first name'	0.807s	PASSED
6	setText(findTestObject("Object Repository/admin menu/input__last name"), "otomasi") Text 'otomasi' is set on object 'Object Repository/admin menu/input__last name'	0.471s	PASSED
7	setText(findTestObject("Object Repository/admin menu/input_House Telephone Number_house_telephone"), "09292929292") Text '09292929292' is set on object 'Object Repository/admin menu/input_House Telephone Number_house_telephone'	0.417s	PASSED
8	setText(findTestObject("Object Repository/admin menu/input__email"), "aaa@gmail.com") Text 'aaa@gmail.com' is set on object 'Object Repository/admin menu/input__email'	0.564s	PASSED
9	click(findTestObject("Object Repository/admin menu/button_Save Admin Details")) Object: 'Object Repository/admin menu/button_Save Admin Details' is clicked on	0.185s	PASSED
10	setText(findTestObject("Object Repository/admin menu/input__email"), "aaaaaa@gmail.com") Text 'aaaaaa@gmail.com' is set on object 'Object Repository/admin menu/input__email'	0.662s	PASSED
11	click(findTestObject("Object Repository/admin menu/button_Save Admin Details")) Object: 'Object Repository/admin menu/button_Save Admin Details' is clicked on	0.133s	PASSED

IP-040 (admin menu)

#	Description	Elapsed	Status
12	<p>click(findTestObject("Object Repository/admin menu/button_Actions_1"))</p> <p>Unable to click on object 'Object Repository/admin menu/button_Actions_1' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/admin menu/button_Actions_1' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call(Unknown Source) at IP-040 (admin menu).run(IP-040 (admin menu):40) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase(TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1567763367415.run(TempTestSuite1567763367415.groovy:35) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/admin menu/button_Actions_1' located by 'By.xpath: //button[@id='__BVID__197__BV_toggle_']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement(WebUiCommonHelper.java:1097) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.doCall(ClickKeyword.groovy:77) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call(ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:86)</p>	31.212s	FAILED

IP-040 (admin menu)

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2. call(Unknown Source) at Script1567762689766.run(Script1567762689766.groovy:40) ... 13 more)</pre>		