

IP-027 (Type Alert)

Execution Environment

Host name	refqi - 172.20.10.7
OS	Mac OS X 64bit
Katalon version	6.2.1.2
Browser	Chrome 76.0.3809.100

Summary

ID	Test Suites/IP-027 (Type Alert)		
Description			
Total	1		
Passed	1	Failed	0
Error	0	Incomplete	0
Start	2019-08-31 06:20:12	End	2019-08-31 06:23:00
Elapsed	2m - 48.082s		

#	ID	Description	Status
1	Test Cases/IP-027 (Type alert)		PASSED

IP-027 (Type alert)

Information

ID	Test Cases/IP-027 (Type alert)		
Description			
Tag			
Start	2019-08-31 06:20:12	End	2019-08-31 06:23:00
Elapsed	2m - 47.343s		
Status	PASSED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

IP-027 (Type alert)

#	Description	Elapsed	Status
1	callTestCase(findTestCase("IP-001 (Login)"), [{"Email":"aaa@gmail.com", "Password":"123445656"}], STOP_ON_FAILURE)	1m - 20.429s	PASSED

Call Test Case 'Test Cases/IP-001 (Login)' successfully



GiProp.io
Resident Association & Security Management

Please login to continue.

Email

Password

Login Now

Forgot your password ? [Click here.](#)

GiProp.io
Resident Association & Security Management

Please login to continue.


Email

Password


Login Now

Forgot your password ? [Click here.](#)

IP-027 (Type alert)

#	Description	Elapsed	Status
	 <p>The screenshot shows the iProp.io dashboard. The sidebar menu on the left includes: Dashboard, Admins, Reports, Residents, Guard & Security, Visitors, Properties, Historical Transaction, Payments, and Settings. The main content area displays four summary cards: Total Properties (24), Properties Invoiced (8), Residents Registered (18), and Residents Pending (1). Below these are two charts: 'Monthly Accounts' showing a bar chart for Receipts and Invoices from March to August, and 'Outstanding Balances' which currently shows no information available.</p>		
2	click(findTestObject("Object Repository/Alert Types/div_Guard Security")) Object: 'Object Repository/Alert Types/div_Guard Security' is clicked on	10.146s	PASSED
3	click(findTestObject("Object Repository/Alert Types/a_Alert Types")) Object: 'Object Repository/Alert Types/a_Alert Types' is clicked on	10.112s	PASSED
4	click(findTestObject("Object Repository/Alert Types/button_Add New Alert")) Object: 'Object Repository/Alert Types/button_Add New Alert' is clicked on	10.115s	PASSED
5	setText(findTestObject("Object Repository/Alert Types/input_Add Alert Type_name-input"), "Otomation 1") Text 'Otomation 1' is set on object 'Object Repository/Alert Types/input_Add Alert Type_name-input'	15.292s	PASSED
6	click(findTestObject("Object Repository/Alert Types/button_Create New Alert")) Object: 'Object Repository/Alert Types/button_Create New Alert' is clicked on	10.106s	PASSED

IP-027 (Type alert)

#	Description	Elapsed	Status
7	takeScreenshot() Taking screenshot successfully 	5.258s	PASSED
8	click(findTestObject("Object Repository/Alert Types/button_Delete")) Object: 'Object Repository/Alert Types/button_Delete' is clicked on	10.135s	PASSED
9	click(findTestObject("Object Repository/Alert Types/button_Yes Delete")) Object: 'Object Repository/Alert Types/button_Yes Delete' is clicked on	10.104s	PASSED
10	delay(0) Delayed 0 second(s)	0.023s	PASSED

IP-027 (Type alert)

#	Description	Elapsed	Status
11	takeScreenshot()	5.275s	PASSED

Taking screenshot successfully

iProp.io

Open Menu

jumat senang

Admins

Reports

Residents

Guard & Security

Manage Guards

Guard Shift

Patrol Setting

Guard Schedule

Time Sheet

Vehicle Types

Alert Types

Guards & Security / Guard Alert Types

Alert Types

Search query

Add New Alert

NAME↑↓	ACTIONS
Emergency	<div>Edit</div> <div>Delete</div>
Notification	<div>Edit</div> <div>Delete</div>
Test	<div>Edit</div> <div>Delete</div>

<< < 1 > >>

Copyright © 2019 iProp.io. All rights reserved.