


Red doméstica y servidor web con Cisco Packet Tracer

Rodrigo Regadío Núñez 2DAW



Basic Setup		DNS	MAC Address Clone	Advanced Routing
Internet Setup				
Internet Connection type	Automatic Configuration - DHCP			
Optional Settings (required by some internet service providers)	Host Name: <input type="text"/>			
	Domain Name: <input type="text"/>			
	MTU: <input type="text"/> Size: 1500			
Network Setup				
Router IP	IP Address: <input type="text"/> 192 . <input type="text"/> 168 . <input type="text"/> 0 . <input type="text"/> 1			
	Subnet Mask: <input type="text"/> 255.255.255.0			
DHCP Server Settings	DHCP Server: <input checked="" type="radio"/> Enabled <input type="radio"/> Disabled		DHCP Reservation	
	Start IP Address: 192.168.0. <input type="text"/> 100			
	Maximum number of Users: <input type="text"/> 50			
	IP Address Range: 192.168.0. 100 - 149			
	Client Lease Time: <input type="text"/> 0 minutes (0 means one day)			
	Static DNS 1: <input type="text"/> 208 . <input type="text"/> 67 . <input type="text"/> 220 . <input type="text"/> 220			
	Static DNS 2: <input type="text"/> 0 . <input type="text"/> 0 . <input type="text"/> 0 . <input type="text"/> 0			
Static DNS 3: <input type="text"/> 0 . <input type="text"/> 0 . <input type="text"/> 0 . <input type="text"/> 0				
WINS: <input type="text"/> 0 . <input type="text"/> 0 . <input type="text"/> 0 . <input type="text"/> 0				

RodrigoRegadio

Physical		Config	GUI	Attributes
Wireless-N Broadband Router				
Firmware Version: <input type="text"/>				
<div> <div>Wireless</div> <div>Setup</div> <div>Wireless</div> <div>Security</div> <div>Access Restrictions</div> <div>Applications & Gaming</div> <div>Administration</div> <div>System</div> </div>				
<div> <div>Basic Wireless Settings</div> <div>Wireless Security</div> <div>Guest Network</div> <div>Wireless MAC Filter</div> <div>Advanced Wireless Settings</div> </div>				
Basic Wireless Settings				
Network Mode:		Mixed		
Network Name (SSID):		RodrigoRegadio		
Radio Band:		Auto		
Wide Channel:		Auto		
Standard Channel:		1 - 2.412GHz		
SSID Broadcast:		<input checked="" type="radio"/> Enabled <input type="radio"/> Disabled		

Link Information

Connect

Profiles

Below is a list of available wireless networks. To search for more wireless networks, click the **Refresh** button. To view more information about a network, select the wireless network name. To connect to that network, click the **Connect** button below.

Wireless Network Name	CH	Signal
RodrigoRegadio	1	100%

Site Information

Wireless Mode

Infrastructure

Network Type

Mixed B/G/N

Radio Band

Auto

Security

Disable


MAC Address

00E0.A30D.4E06

Refresh

Connect

2.4GHz



Adapter is Active

Wireless-N Notebook Adapter

Wireless Network Monitor v1.0

Model No. WPC300N

Physical
Config
Desktop
Programming
Attributes

IP Configuration

Interface

FastEthernet0

IP Configuration

☒ DHCP

☐ Static

IPv4 Address

192.168.0.101

Subnet Mask

255.255.255.0

Default Gateway

192.168.0.1

DNS Server

208.67.220.220

IPv6 Configuration

☐ Automatic

☒ Static

IPv6 Address

Link Local Address

FE80::2E0:F7FF:FE99:342C

Default Gateway

DNS Server

802.1X

☐ Use 802.1X Security

Authentication

MD5

Username

Password

☐ Top

```
C:\>ipconfig /all
```

```
FastEthernet0 Connection: (default port)
```

```
Connection-specific DNS Suffix...:
Physical Address.....: 00E0.F799.342C
Link-local IPv6 Address.....: FE80::2E0:F7FF:FE99:342C
IPv6 Address.....: ::
IPv4 Address.....: 192.168.0.101
Subnet Mask.....: 255.255.255.0
Default Gateway.....: ::
                        192.168.0.1
DHCP Servers.....: 192.168.0.1
DHCPv6 IAID.....:
DHCPv6 Client DUID.....: 00-01-00-01-EE-59-DD-B4-00-E0-F7-99-34-2C
DNS Servers.....: ::
                        208.67.220.220
```

```
Bluetooth Connection:
```

```
Connection-specific DNS Suffix...:
Physical Address.....: 000A.4168.4606
Link-local IPv6 Address.....: ::
```

```
--More--
```

Internet

Physical Config Attributes

GLOBAL

Settings

TV Settings

CONNECTIONS

Frame Relay

DSL

Cable

INTERFACE

Serial0

Serial1

Serial2

Serial3

Modem4

Modem5

Ethernet6

Coaxial7

FastEthernet8

Cable

Coaxial7

<->

Ethernet6

Port

Port

From Port	To Port
Coaxial7	Ethernet6

Physical **Config** Attributes

- GLOBAL**
- Settings
 - TV Settings
- CONNECTIONS**
- Frame Relay
 - DSL
 - Cable
- INTERFACE**
- Serial0
 - Serial1
 - Serial2
 - Serial3
 - Modem4
 - Modem5
 - Ethernet6**
 - Coaxial7
 - FastEthernet8

Ethernet6

Provider Network

☒ Cable☐ DSLPhysical **Config** **Services** Desktop Programming Attributes**SERVICES**

- HTTP
- DHCP**
- DHCPv6
- TFTP
- DNS
- SYSLOG
- AAA
- NTP
- EMAIL
- FTP
- IoT
- VM Management
- Radius EAP

DHCP

Interface **FastEthernet0** Service ☒ On ☐ Off

Pool Name

Default Gateway

DNS Server

Start IP Address :

Subnet Mask:

Maximum Number of Users :

TFTP Server:

WLC Address:

Add

Save

Remove

Pool Name	Default Gateway	DNS Server	Start IP Address	Subnet Mask	Max User	TFTP Server	WLC Address
DHCPpool	208.67.2...	208.67.2...	208.67.2...	255.255....	50	0.0.0.0	0.0.0.0
serverPool	0.0.0.0	0.0.0.0	208.67.2...	255.255....	255	0.0.0.0	0.0.0.0

Cisco.com

Physical

Config

Services

Desktop

Programming

Attributes

SERVICES

HTTP

DHCP

DHCPv6

TFTP

DNS

SYSLOG

AAA

NTP

EMAIL

FTP

IoT

VM Management

Radius EAP

DNS

DNS Service

On

Off

Resource Records

NameType

A Record

Address

Add

Save

Remove

No.	Name	Type	Detail
0	cisco.com	A Record	208.67.220.220

Cisco.com

Physical

Config

Services

Desktop

Programming

Attributes

GLOBAL

Settings

Algorithm Settings

INTERFACE

Global Settings

Display Name

Cisco.com

Gateway/DNS IPv4

DHCP

Static

Default Gateway

208.67.220.1

DNS Server

208.67.220.220

Gateway/DNS IPv6

Automatic

Static

Default Gateway

DNS Server

Cisco.com

Physical **Config** Services Desktop Programming Attributes

GLOBAL

INTERFACE

FastEthernet0

FastEthernet0

Port Status ☒ On

Bandwidth ☐ 100 Mbps ☒ 10 Mbps ☒ Auto

Duplex ☐ Half Duplex ☒ Full Duplex ☒ Auto

MAC Address 000D.BDCC.7997

IP Configuration

☐ DHCP

☒ Static

IPv4 Address 208.67.220.220

Subnet Mask 255.255.255.0

IPv6 Configuration

☐ Automatic

☒ Static

IPv6 Address

Link Local Address: FE80::20D:BDFF:FECC:7997

```
C:\>ipconfig /release
```

```
IP Address.....: 0.0.0.0
Subnet Mask.....: 0.0.0.0
Default Gateway...: 0.0.0.0
DNS Server.....: 0.0.0.0
```

```
C:\>ipconfig /renew
```

```
IP Address.....: 192.168.0.101
Subnet Mask.....: 255.255.255.0
Default Gateway...: 192.168.0.1
DNS Server.....: 208.67.220.220
```

```
C:\>ping cisco.com
```



```
Pinging 208.67.220.220 with 32 bytes of data:
```

```
Reply from 208.67.220.220: bytes=32 time=2ms TTL=127
Reply from 208.67.220.220: bytes=32 time=7ms TTL=127
Reply from 208.67.220.220: bytes=32 time=1ms TTL=127
Reply from 208.67.220.220: bytes=32 time=1ms TTL=127
```

```
Ping statistics for 208.67.220.220:
```

```
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 1ms, Maximum = 7ms, Average = 2ms
```

```
C:\>
```



```
C:\>ping cisco.com

Pinging 208.67.220.220 with 32 bytes of data:

Reply from 208.67.220.220: bytes=32 time=8ms TTL=127
```


Simulation Panel

Event List

Vis.	Time(sec)	Last Device
	1.024	Internet
	1.025	Cable Modem
	1.026	RodrigoRegadio

Reset Simulation
☒ Constant Delay
Captured to: 1.026 s

Play Controls

Event List Filters - Visible Events

ACL Filter, ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, DTP, EAPOL, EIGRP, EIGRPv6, FTP, H.323, HSRP, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IPsec, ISAKMP, IoT, IoT TCP, LACP, LLDP, NDP, NETFLOW, NTP, OSPF, OSPFv6, PAgP, POP3, PPP, PPPoE, PTP, RADIUS, REP, RIP, RIPng, RTP, SCCP, SMTP, SNMP, SSH, STP, SYSLOG, TACACS, TCP, TFTP, Telnet, UDP, USB, VTP

Cisco.com

Physical
Config
Services
Desktop
Programming
Attributes

SERVICES

HTTP
DHCP
DHCPv6
TFTP
DNS
SYSLOG
AAA
NTP
EMAIL
FTP
IoT
VM Management
Radius EAP

HTTP

HTTP

☒ On
☐ Off

HTTPS

☒ On
☐ Off

File Manager

	File Name	Edit	Delete
1	avatar.jpg		(delete)
2	condiciones.html	(edit)	(delete)
3	index.html	(edit)	(delete)

File Name: index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Personal</title>
</head>
<body>
  <h1>Rodrigo Regadio Núñez</h1>
  
  <p>Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore
et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip
ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu
fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt
mollit anim id est laborum</p>
  <a href="condiciones.html">Enlace a condiciones</a>
</body>
</html>
```

File Name: condiciones.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>condiciones</title>
</head>
<body>
  <ul>
    <li>
      >Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut
labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut
aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum
dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident,
    </li>
    <li>
      >Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut
labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut
aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum
dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident,
    </li>
  </ul>
  <a href="index.html">Pagina principal</a>
</body>
</html>
```

