Administrator: Parancssor

```
Microsoft Windows [Version 10.0.19042.685]
(c) 2020 Microsoft Corporation. Minden jog fenntartva.

C:\Windows\system32>"C:\Program Files\LocationsCli"
'"C:\Program Files\LocationsCli"' is not recognized as an internal or external command,
operable program or batch file.

C:\Windows\system32>cd "C:\Program Files\LocationsCli"

C:\Program Files\LocationsCli>dir
 Volume in drive C has no label.
 Volume Serial Number is BCE6-9A51

 Directory of C:\Program Files\LocationsCli

2021. 02. 08.  15:07    <DIR>          .
2021. 02. 08.  15:07    <DIR>          ..
2021. 02. 08.  15:07    <DIR>          app
2020. 10. 16.  16:36           419 840 LocationsCli.exe
2020. 10. 16.  16:36            25 214 LocationsCli.ico
2021. 02. 08.  15:07    <DIR>          runtime
               2 File(s)        445 054 bytes
               4 Dir(s)  169 973 915 648 bytes free

C:\Program Files\LocationsCli>
```

István Benke
Active

Update your status

Set yourself as **away**

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

Írjon ide a kereséshez

15:17
2021. 02. 08.

Administrator: Parancssor - LocationsCli.exe

```
2020. 10. 16.  16:36          419 840 LocationsCli.exe
2020. 10. 16.  16:36           25 214 LocationsCli.ico
2021. 02. 08.  15:07    <DIR>         runtime
               2 File(s)       445 054 bytes
               4 Dir(s)  169 973 915 648 bytes free

C:\Program Files\LocationsCli>LocationsCli.exe
1. List locations
2. Create location
3. Edit location
4. Delete location
5. Exit

Select a number, than press Enter!
1
Selected: 1

 Id Name            Coordinates
  1 Budapest        47,497912,19,040235
  2 Debrecen        47,531605,21,627312
  5 Győr            47,687457,17,650397
  3 Miskolc         48,103478,20,778438
  4 Veszprém        47,102809,17,909302

1. List locations
2. Create location
3. Edit location
4. Delete location
5. Exit

Select a number, than press Enter!
```

István Benke
Active

Update your status

Set yourself as **away**

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

Írjon ide a kereséshez

15:20
2021. 02. 08.

Administrator: Parancssor - LocationsCli.exe

```
What is the name of the location?
Munkahely
What is the coordinates of the location? Use 47.531605,21.627312 format!
10,10
Location has been created

1. List locations
2. Create location
3. Edit location
4. Delete location
5. Exit

Select a number, than press Enter!
1
Selected: 1

 Id Name            Coordinates
  1 Budapest        47,497912,19,040235
  2 Debrecen        47,531605,21,627312
  5 Győr            47,687457,17,650397
  3 Miskolc         48,103478,20,778438
  6 Munkahely       10,000000,10,000000
  4 Veszprém        47,102809,17,909302

1. List locations
2. Create location
3. Edit location
4. Delete location
5. Exit

Select a number, than press Enter!
```

István Benke
Active

Update your status

Set yourself as **away**

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

Írjon ide a kereséshez

15:22
2021. 02. 08.

Administrator: Parancssor - LocationsCli.exe

```
Select a number, than press Enter!
5
Selected: 5

C:\Program Files\LocationsCli>LocationsCli.exe
1. List locations
2. Create location
3. Edit location
4. Delete location
5. Exit

Select a number, than press Enter!
1
Selected: 1

 Id Name            Coordinates
  1 Budapest        47,497912,19,040235
  2 Debrecen        47,531605,21,627312
  5 Győr            47,687457,17,650397
  3 Miskolc         48,103478,20,778438
  6 Munkahely       10,000000,10,000000
  4 Veszprém        47,102809,17,909302

1. List locations
2. Create location
3. Edit location
4. Delete location
5. Exit

Select a number, than press Enter!
```

István Benke
Active

Update your status

Set yourself as **away**

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

Írjon ide a kereséshez

15:23
2021. 02. 08.

Administrator: Parancssor

```
Select a number, than press Enter!
5
Selected: 5

C:\Program Files\LocationsCli>echo %HOME%
%HOME%

C:\Program Files\LocationsCli>echo %HOMEPATH%
\Users\mzperx

C:\Program Files\LocationsCli>cd %HOMEPATH%\locations

C:\Users\mzperx\locations>dir
 Volume in drive C has no label.
 Volume Serial Number is BCE6-9A51

 Directory of C:\Users\mzperx\locations

2021. 02. 08.  15:19    <DIR>          .
2021. 02. 08.  15:19    <DIR>          ..
2021. 02. 08.  15:23            32 768 data.mv.db
               1 File(s)         32 768 bytes
               2 Dir(s)  169 973 334 016 bytes free

C:\Users\mzperx\locations>mkdir C:\architekturak

C:\Users\mzperx\locations>cd \architekturak

C:\architekturak>notepad input.txt

C:\architekturak>
```

*input – Jegyzettömb

Fájl Szerkesztés Formátum Nézet Súgó

```
2
Home2
11,11
1
5
```

Sor: 5, oszl.: 2 | 100% | Windows (CRLF) | UTF-8

István Benke
Active

Update your status

Set yourself as **away**

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

Írjon ide a kereséshez

15:31
2021. 02. 08.

Administrator: Parancssor

```
               2 Dir(s)  169 972 539 392 bytes free

C:\architekturak>"C:\Program Files\LocationsCli\LocationsCli.exe" < input.txt
1. List locations
2. Create location
3. Edit location
4. Delete location
5. Exit

Select a number, than press Enter!
Selected: 2

What is the name of the location?
What is the coordinates of the location? Use 47.531605,21.627312 format!
Location has been created

1. List locations
2. Create location
3. Edit location
4. Delete location
5. Exit

Select a number, than press Enter!
Selected: 1

 Id Name            Coordinates
  1 Budapest        47,497912,19,040235
  2 Debrecen        47,531605,21,627312
  5 Győr            47,687457,17,650397
  7 Home2           11,000000,11,000000
  3 Miskolc         48,103478,20,778438
  6 Munkahely       10,000000,10,000000
```

István Benke
Active

Update your status

Set yourself as **away**

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

Írjon ide a kereséshez

15:34
2021. 02. 08.

Administrator: Parancssor

```
What is the name of the location?
What is the coordinates of the location? Use 47.531605,21.627312 format!
Location has been created

1. List locations
2. Create location
3. Edit location
4. Delete location
5. Exit

Select a number, than press Enter!
Selected: 1

 Id Name            Coordinates
  1 Budapest        47,497912,19,040235
  2 Debrecen        47,531605,21,627312
  5 Győr            47,687457,17,650397
  7 Home2           11,000000,11,000000
  3 Miskolc         48,103478,20,778438
  6 Munkahely       10,000000,10,000000
  4 Veszprém        47,102809,17,909302

1. List locations
2. Create location
3. Edit location
4. Delete location
5. Exit

Select a number, than press Enter!
Selected: 5

C:\architekturak>
```

István Benke
Active

Update your status

Set yourself as **away**

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

Írjon ide a kereséshez

15:34
2021. 02. 08.

Administrator: Parancssor

```
What is the coordinates of the location? Use 47.531605,21.627312 format!
Location has been created

1. List locations
2. Create location
3. Edit location
4. Delete location
5. Exit

Select a number, than press Enter!
Selected: 1

 Id Name            Coordinates
  1 Budapest        47,497912,19,040235
  2 Debrecen        47,531605,21,627312
  5 Győr            47,687457,17,650397
  7 Home2           11,000000,11,000000
  8 Home2           11,000000,11,000000
  3 Miskolc         48,103478,20,778438
  6 Munkahely       10,000000,10,000000
  4 Veszprém        47,102809,17,909302

1. List locations
2. Create location
3. Edit location
4. Delete location
5. Exit

Select a number, than press Enter!
Selected: 5

C:\architekturak>
```

István Benke
Active

Update your status

Set yourself as **away**

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

Írjon ide a kereséshez

15:36
2021. 02. 08.

Administrator: Parancssor

```
C:\Program Files\LocationsCli>dir /s
 Volume in drive C has no label.
 Volume Serial Number is BCE6-9A51

 Directory of C:\Program Files\LocationsCli

2021. 02. 08.  15:07    <DIR>          .
2021. 02. 08.  15:07    <DIR>          ..
2021. 02. 08.  15:07    <DIR>          app
2020. 10. 16.  16:36           419 840 LocationsCli.exe
2020. 10. 16.  16:36            25 214 LocationsCli.ico
2021. 02. 08.  15:07    <DIR>          runtime
               2 File(s)        445 054 bytes

 Directory of C:\Program Files\LocationsCli\app

2021. 02. 08.  15:07    <DIR>          .
2021. 02. 08.  15:07    <DIR>          ..
2020. 10. 16.  16:31        37 368 888 locations.jar
2020. 10. 16.  16:36               111 LocationsCli.cfg
               2 File(s)     37 368 999 bytes

 Directory of C:\Program Files\LocationsCli\runtime

2021. 02. 08.  15:07    <DIR>          .
2021. 02. 08.  15:07    <DIR>          ..
2021. 02. 08.  15:07    <DIR>          bin
2021. 02. 08.  15:07    <DIR>          conf
2021. 02. 08.  15:07    <DIR>          legal
2021. 02. 08.  15:07    <DIR>          lib
2020. 10. 16.  16:36               952 release
```

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

Írjon ide a kereséshez

15:38
2021. 02. 08.

Administrator: Parancssor

Programok és szolgáltatások

Vezérlőpult › Minden vezérlőpultelem › Programok és szolgáltatások

Keresés: Programok és szolgáltatások

Vezérlőpult – kezdőlap

Telepített frissítések megjelenítése

Windows-szolgáltatások be- és kikapcsolása

Program eltávolítása vagy módosítása

A program eltávolításához jelölje ki azt a listában, majd kattintson az Eltávolítás, a Módosítás vagy a Javítás lehetőségre.

Rendezés Eltávolítás Módosítás Javítás

Név				
Azure Data Studio				
Browser for SQL Server 2019				
LocationsCli				
Microsoft Edge				
Microsoft Help Viewer 2.3				
Microsoft ODBC Driver 17 for SQL Server	Microsoft Corporation	2020. 11. 24.	7,27 MB	17.5.1.1
Microsoft OLE DB Driver for SQL Server	Microsoft Corporation	2020. 11. 24.	8,41 MB	18.3.0.0
Microsoft OneDrive	Microsoft Corporation	2021. 02. 08.	151 MB	21.002.0104.0005
Microsoft Silverlight	Microsoft Corporation	2020. 09. 05.	50,7 MB	5.1.50918.0
Microsoft SQL Server 2012 Native Client	Microsoft Corporation	2020. 11. 24.	7,19 MB	11.4.7462.6
Microsoft SQL Server 2019 (64-bit)	Microsoft Corporation	2020. 11. 24.		
Microsoft SQL Server 2019 Setup (English)	Microsoft Corporation	2020. 11. 24.	184 MB	15.0.4013.40
Microsoft SQL Server 2019 T-SQL Language Service	Microsoft Corporation	2020. 11. 24.	9,05 MB	15.0.2000.5
Microsoft SQL Server Management Studio - 18.7.1	Microsoft Corporation	2020. 11. 24.	2,63 GB	15.0.18358.0
Microsoft Visual C++ 2005 Redistributable	Microsoft Corporation	2020. 09. 05.	4,84 MB	8.0.61001
Microsoft Visual C++ 2005 Redistributable (x64)	Microsoft Corporation	2020. 09. 05.	6,83 MB	8.0.61000

Programok és szolgáltatások

Biztosan el kívánja távolítani a következőt: LocationsCli?

A jövőben ne jelenjen meg ez a figyelmeztetés

Igen Nem

Unknown Termék verziószáma: 1.0.0
Méret: 154 MB

```
2021. 02. 08.  15:07    <DIR>          lib
2020. 10. 16.  16:36               952 release
```

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

Írjon ide a kereséshez

15:39
2021. 02. 08.

Administrator: Parancssor

```
               4 File(s)        347 000 bytes

     Total Files Listed:
             280 File(s)    161 346 380 bytes
             233 Dir(s)  169 972 293 632 bytes free

C:\Program Files\LocationsCli>dir /s
 Volume in drive C has no label.
 Volume Serial Number is BCE6-9A51

 Directory of C:\Program Files\LocationsCli

2021. 02. 08.  15:39    <DIR>          .
2021. 02. 08.  15:39    <DIR>          ..
               0 File(s)              0 bytes

     Total Files Listed:
               0 File(s)              0 bytes
               2 Dir(s)  170 213 122 048 bytes free

C:\Program Files\LocationsCli>dir
 Volume in drive C has no label.
 Volume Serial Number is BCE6-9A51

 Directory of C:\Program Files\LocationsCli

2021. 02. 08.  15:39    <DIR>          .
2021. 02. 08.  15:39    <DIR>          ..
               0 File(s)              0 bytes
               2 Dir(s)  170 213 085 184 bytes free

C:\Program Files\LocationsCli>
```

István Benke
Active

Update your status

Set yourself as **away**

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

Írjon ide a kereséshez

15:40
2021. 02. 08.

360 Training360 | 360 Training360 | Releases · Training360/arch | Beérkező levelek (38) - ben | GitHub - kocsist-git/trainin | GitHub - kocsist-git/trainin
github.com/Training360/architecture-public/releases
Watch 1 Star 0 Fork 0

Locations

File Edit View Window Help

Locations

Create location

Load... Save as...

Id	Name	Coordinates	Interesting at	Tags	
1	Budapest	47.497912, 19.040235		capital	Edit Delete
2	Debrecen	47.5316049, 21.6273124			Edit Delete
3	Miskolc	48.1034775, 20.7784384			Edit Delete
4	Veszprém	47.1028087, 17.9093019			Edit Delete
5	Győr	47.6874569, 17.6503974			Edit Delete

István Benke
Active
Update your status
Set yourself as away
Pause notifications
Edit profile
View profile
Preferences
Downloads Ctrl+Shift+J
Sign out of Training360
Írjon ide a kereséshez
18:03
2021. 02. 08.

Locations

File Edit View Window Help

Locations

Location has been created

Create location

Load... Save as...

Id	Name	Coordinates	Interesting at	Tags	
1	Budapest	47.497912, 19.040235		capital	Edit Delete
2	Debrecen	47.5316049, 21.6273124			Edit Delete
3	Miskolc	48.1034775, 20.7784384			Edit Delete
4	Veszprém	47.1028087, 17.9093019			Edit Delete
5	Győr	47.6874569, 17.6503974			Edit Delete
6	Home	10, 10			Edit Delete

GitHub - kocsist-git/trainin

Watch 1 Star 0 Fork 0

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

Írjon ide a kereséshez

18:05
2021. 02. 08.

Locations

File Edit View Window Help

Locations

Create location

Load... Save as...

Id	Name	Coordinates	Interesting at	Tags		
1	Budapest	47.497912, 19.040235		capital	Edit	Delete
2	Debrecen	47.5316049, 21.6273124			Edit	Delete
3	Miskolc	48.1034775, 20.7784384			Edit	Delete
4	Veszprém	47.1028087, 17.9093019			Edit	Delete
5	Győr	47.6874569, 17.6503974			Edit	Delete

Fájl

Rögzítés a Gyors elérés

Az összes kijelölése
Kijelölés megszüntetése
Kijelölés megfordítása
Kijelölés

Keresés: locations-win32-64x

20 elem

István Benke
Active

Update your status

Set yourself as away
Pause notifications

Edit profile
View profile
Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

Írjon ide a kereséshez

18:06
2021. 02. 08.

Locations

File Edit View Window Help

Locations

The file has been successfully loaded! Number of locations: 6

Create location

Load... Save as...

Id	Name	Coordinates	Interesting at	Tags		
1	Budapest	47.497912, 19.040235		capital	Edit	Delete
2	Debrecen	47.5316049, 21.6273124			Edit	Delete
3	Miskolc	48.1034775, 20.7784384			Edit	Delete
4	Veszprém	47.1028087, 17.9093019			Edit	Delete
5	Győr	47.6874569, 17.6503974			Edit	Delete
6	Home	10, 10			Edit	Delete

Fájl

Rögzítés a Gyors elérés

Az összes kijelölése

Kijelölés megszüntetése

Kijelölés megfordítása

Kijelölés

Keresés: locations-win32-64x

20 elem

István Benke

Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

Írjon ide a kereséshez

18:06

2021. 02. 08.

Letöltések

Fájl | Kezdőlap | Megosztás | Nézet

Rögzítés a Gyors elérésbe | Másolás | Beillesztés | Kivágás | Elérési út másolása | Parancsikon beillesztése | Vágólap

Áthelyezési cél | Másolási cél | Törlés | Átnevezés | Rendszerezés

Új mappa | Új elem | Egyszerű elérés | Új

Tulajdonságok | Megnyitás | Szerkesztés | Előzmények | Megnyitás

Az összes kijelölése | Kijelölés megszüntetése | Kijelölés megfordítása | Kijelölés

Ez a gép › Letöltések

Keresés: Letöltések

Gyors elérés
Asztal
Letöltések

Név	Módosítás dátuma	Típus	Méret
Ma (2)			
Docker Desktop Installer	2021. 02. 08. 18:28	Alkalmazás	504 380 KB
		mazás	82 946 KB
		mazás	2 174 KB

Installing Docker Desktop 3.1.0 (51484)

Docker Desktop 3.1.0

Unpacking files...

```
Unpacking file: resources/wsl/docker-for-wsl.iso
Unpacking file: resources/windows-daemon-options.json
Unpacking file: resources/WinContainersDiags.ps1
Unpacking file: resources/tile-icon.png
Unpacking file: resources/tile-error.png
Unpacking file: resources/services.tar
Unpacking file: resources/qemu-img/VERSION
Unpacking file: resources/qemu-img/SOURCES
Unpacking file: resources/qemu-img/LICENSE
Unpacking file: resources/qemu-img/COPYING.LIB
Unpacking file: resources/qemu-img/COPYING
Unpacking file: resources/OSS-LICENSES
Unpacking file: resources/linux-daemon-options.json
Unpacking file: resources/LICENSE.rtf
```

Hálózat

3 elem

Írjon ide a kereséshez

18:31
2021. 02. 08.

Kijelölés Administrator: Parancssor

```
login': denied: requested access to the resource is denied.
See 'docker run --help'.

C:\WINDOWS\system32>docker run hello-world
Unable to find image 'hello-world:latest' locally
latest: Pulling from library/hello-world
0e03bdcc26d7: Pull complete
Digest: sha256:31b9c7d48790f0d8c50ab433d9c3b7e17666d6993084c002c2ff1ca09b96391d
Status: Downloaded newer image for hello-world:latest

Hello from Docker!
This message shows that your installation appears to be working correctly.

To generate this message, Docker took the following steps:
 1. The Docker client contacted the Docker daemon.
 2. The Docker daemon pulled the "hello-world" image from the Docker Hub.
    (amd64)
 3. The Docker daemon created a new container from that image which runs the
    executable that produces the output you are currently reading.
 4. The Docker daemon streamed that output to the Docker client, which sent it
    to your terminal.

To try something more ambitious, you can run an Ubuntu container with:
 $ docker run -it ubuntu bash

Share images, automate workflows, and more with a free Docker ID:
 https://hub.docker.com/

For more examples and ideas, visit:
 https://docs.docker.com/get-started/
```

Opera böngésző | NFS World GameLaunc... | Facebook | FSCapture parancsikonja

20:46

Administrator: Parancssor

```
equire 'docker login': denied: requested access to the resource is denied.
See 'docker run --help'.

C:\WINDOWS\system32>docker run hello-world
Unable to find image 'hello-world:latest' locally
latest: Pulling from library/hello-world
0e03bdcc26d7: Pull complete
Digest: sha256:31b9c7d48790f0d8c50ab433d9c3b7e17666d6993084c002c2ff1ca09b96391d
Status: Downloaded newer image for hello-world:latest

Hello from Docker!
This message shows that your installation appears to be working correctly.

To generate this message, Docker took the following steps:
 1. The Docker client contacted the Docker daemon.
 2. The Docker daemon pulled the "hello-world" image from the Docker Hub.
    (amd64)
 3. The Docker daemon created a new container from that image which runs the
    executable that produces the output you are currently reading.
 4. The Docker daemon streamed that output to the Docker client, which sent it
    to your terminal.

To try something more ambitious, you can run an Ubuntu container with:
 $ docker run -it ubuntu bash

Share images, automate workflows, and more with a free Docker ID:
 https://hub.docker.com/

For more examples and ideas, visit:
 https://docs.docker.com/get-started/
```

Opera böngésző | NFS World GameLaunc... | Facebook | FSCapture parancsikonja

István Benke
Active

Update your status

Set yourself as **away**

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

20:51

Administrator: Parancssor - docker run -d -e MYSQL_DATABASE=locations -e MYSQL_USER=locations -e MYSQL_PASSWORD=locations -e MYSQL_ALLOW_EMPTY_PASSWORD=yes -p 3306:3306...

```
 4. The Docker daemon streamed that output to the Docker client, which sent it
    to your terminal.

To try something more ambitious, you can run an Ubuntu container with:
 $ docker run -it ubuntu bash

Share images, automate workflows, and more with a free Docker ID:
 https://hub.docker.com/

For more examples and ideas, visit:
 https://docs.docker.com/get-started/


C:\WINDOWS\system32>docker run -d -e MYSQL_DATABASE=locations -e MYSQL_USER=locations -e MYSQL_PASSWORD=l
ocations -e MYSQL_ALLOW_EMPTY_PASSWORD=yes -p 3306:3306 --name locations-dbclient-mariadb mariadb
Unable to find image 'mariadb:latest' locally
latest: Pulling from library/mariadb
83ee3a23efb7: Pulling fs layer
db98fc6f11f0: Pulling fs layer
f611acd52c6c: Pulling fs layer
aa2333e25466: Waiting
f53ac4b825fd: Waiting
c20afcf9b055: Waiting
54c5dc6dcf19: Waiting
b1c71d744483: Waiting
863a8cc01d1c: Waiting
5d1a793b093f: Waiting
477cd2b3eba8: Waiting
402454543166: Waiting
```

Úgy tűnik, a Firefox nem lett elindítva egy ideje. Szeretné kitakarítani a friss, újszerű élmény érdekében? Egyébként pedig üdvözöljük újra!

István Benke
Active
Update your status
Set yourself as away
Pause notifications
Edit profile
View profile
Preferences
Downloads Ctrl+Shift+J
Sign out of Training360

21:06
hétfő
2021. 02. 08.

Administrator: Parancssor

```
C:\WINDOWS\system32>docker run -d -e MYSQL_DATABASE=locations -e MYSQL_USER=locations -e MYSQL_PASSWORD=l
ocations -e MYSQL_ALLOW_EMPTY_PASSWORD=yes -p 3306:3306 --name locations-dbclient-mariadb mariadb
Unable to find image 'mariadb:latest' locally
latest: Pulling from library/mariadb
83ee3a23efb7: Pull complete
db98fc6f11f0: Pull complete
f611acd52c6c: Pull complete
aa2333e25466: Pull complete
f53ac4b825fd: Pull complete
c20afcf9b055: Pull complete
54c5dc6dcf19: Pull complete
b1c71d744483: Pull complete
863a8cc01d1c: Pull complete
5d1a793b093f: Pull complete
477cd2b3eba8: Pull complete
402454543166: Pull complete
Digest: sha256:8040983db146f729749081c6b216a19d52e0973134e2e34c0b4fd87f48bc15b0
Status: Downloaded newer image for mariadb:latest
e755a23e5265e8729a409a07a133d975c08bcac320ece78b1b6af8c7baddbde0

C:\WINDOWS\system32>docker ps
CONTAINER ID   IMAGE              COMMAND                  CREATED         STATUS          PORTS
             NAMES
e755a23e5265   mariadb            "docker-entrypoint.s…"   18 seconds ago   Up 16 seconds   0.0.0.0:3306
->3306/tcp   locations-dbclient-mariadb
2a8cc1545f0a   docker101tutorial   "/docker-entrypoint.…"   35 minutes ago   Up 35 minutes   0.0.0.0:80->
80/tcp       docker-tutorial

C:\WINDOWS\system32>
```

István Benke
Active
Update your status
Set yourself as away
Pause notifications
Edit profile
View profile
Preferences
Downloads Ctrl+Shift+J
Sign out of Training360

Úgy tűnik, a Firefox nem lett elindítva egy ideje. Szeretné kitakarítani a friss, újszerű élmény érdekében? Egyébként pedig üdvözöljük újra!

21:07
hétfő
2021. 02. 08.

Administrator: Parancssor

config – Jegyzettömb

Fájl Szerkesztés Formátum Nézet Súgó

```
const config = {}
config.db = {}
config.mongo = {}
config.rest = {}

//config.store = "inmemory"

config.store = "db"
config.db.type = "mysql"
config.db.url = "mysql://locations:locations@localhost:3306/locations"
config.db.logging = true

//config.store = "mongo"
//config.mongo.url = "mongodb://localhost:27017/locations"
//config.mongo.logging = true

//config.store = "rest"
//config.rest.url = "http://localhost:8080"

module.exports = config
```

Sor: 1, oszl.: 1 | 100% | Unix (LF) | UTF-8

```
SER=locations -e MYSQL_PASSWORD=l
-dbclient-mariadb mariadb

3bc15b0

                                          STATUS          PORTS
e753a23e5263   mariadb                    docker-entrypoint.s…   18 seconds ago   Up 16 seconds   0.0.0.0:3306
->3306/tcp   locations-dbclient-mariadb
2a8cc1545f0a   docker101tutorial   "/docker-entrypoint.…"   35 minutes ago   Up 35 minutes   0.0.0.0:80->
80/tcp       docker-tutorial

C:\WINDOWS\system32>
```

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

21:18
hétfő
2021. 02. 08.

Kezelés
locations-win32-64x

Fájl | Kezdőlap | Megosztás | Nézet | Alkalmazáseszközök

Kivágás | Új elem | Megnyitás | Az összes kijelölése | Kijelölés megszüntetése | Kijelölés megfordítása | Kijelölés

Keresés: locations-...

Locations

File Edit View Window Help

Locations

Create location

Refresh table

Id	Name	Coordinates	Interesting at	Tags

István Benke
Active

Update your status

Set yourself as **away**

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

21:20
hétfő
2021. 02. 08.

Locations

File Edit View Window Help

Locations

Location has been created

Create location

Refresh table

Id	Name	Coordinates	Interesting at	Tags	
1	Home	10, 10			Edit Delete

István Benke
Active
Update your status
Set yourself as away
Pause notifications
Edit profile
View profile
Preferences
Downloads Ctrl+Shift+J
Sign out of Training360

Fájl Kezdőlap Megosztás Nézet Kezelés Alkalmazáseszközök Prog

Rögzítés a Gyors elérésbe | Másolás | Beillesztés | Kivágás | Elérési út másolása | Parancsikon beillesztése | Vágólap | Áthelyezési cél | Másolás cél | Rends | Új elem | Egyszerű elérés | Megnyitás | Szerkesztés | Az összes kijelölése | Kijelölés megszüntetése

Keresés: Prog

DBeaver 7.3.4

File Edit Navigate Search SQL Editor Database Window Help

Database Navigator | Projects

Enter a part of table name here

Connect to a database

Connection Settings

MariaDB connection settings

MariaDB

Main | Driver properties | SSH | Proxy | SSL

Server

Server Host: localhost Port: 3306

Database: locations

Authentication (Database Native)

Username: locations

Save password locally

Detect

Binaries

connection parameters.

Connection details (name, type, ...)

Edit Driver Settings

host:3306/locations: Connect to data source

< Back | Next > | Finish | Cancel

Driver settings

Download driver files

Download MariaDB driver files

MariaDB driver files are missing.
These files can be downloaded automatically.

Force download / overwrite

Files required by driver

File	Version	Description
org.mariadb.jdbc:mariadb-java-client:RELEASE	2.7.1	JDBC driver for MariaDB and MySQ

You can change driver version by clicking on version column.
Then you can choose one of the available versions.

Or you can obtain driver files by yourself and add them in driver editor.

Vendor website | Download configuration

Edit Driver | Download | Cancel

CET en

6 elem 1 kijelölt elem - 88,0 MB

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

21:30
hétfő
2021. 02. 08.

Fájl Kezdőlap Megosztás Nézet Kezelés Alkalmazáseszközök Prog

Rögzítés a Gyors elérésbe | Másolás | Beillesztés | Kivágás | Elérési út másolása | Parancsikon beillesztése | Vágólap | Áthelyezési cél | Másolás cél | Rends | Új elem | Egyszerű elérés | Megnyitás | Szerkesztés | Az összes kijelölése | Kijelölés megszüntetése

Keresés: Prog

DBeaver 7.3.4

File Edit Navigate Search SQL Editor Database Window Help

Database Navigator | Projects

Enter a part of table name here

Connection Test

Connected (148036 ms)

Server: MariaDB 10.5.8-MariaDB-1:10.5.8+maria~focal

Driver: MariaDB Connector/J 2.7.1

OK

Connect to a database

Connection Settings

MariaDB connection settings

MariaDB

Main | Driver properties | SSH | Proxy | SSL

Server

Server Host: localhost Port: 3306

Database: locations

Authentication (Database Native)

Username: locations

Password: •••••••••• Save password locally

Advanced

Server Time Zone: Auto-detect

Local Client: MySQL Binaries

You can use variables in connection parameters. Connection details (name, type, ...)

Driver name: MariaDB Edit Driver Settings

Test Connection ... | < Back | Next > | Finish | Cancel

Project - General

Name	DataSource
Bookmarks	
ER Diagrams	
Scripts	

CET en

6 elem 1 kijelölt elem - 88,0 MB

István Benke

Active

Update your status

Set yourself as **away**

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

21:31 hétfő 2021. 02. 08.

Fájl | Kezdőlap | Megosztás | Nézet | Kezelés | Alkalmazáseszközök | Prog

Rögzítés a Gyors elérésbe | Másolás | Beillesztés | Kivágás | Elérési út másolása | Parancsikon beillesztése | Áthelyezési cél | Másolási cél | Törlés | Átnevezés | Új mappa | Új elem | Egyszerű elérés | Tulajdonságok | Megnyitás | Szerkesztés | Előzmények | Az összes kijelölése | Kijelölés megszüntetése | Kijelölés megfordítása

Vágólap | Rendszerezés | Új | Megnyitás | Kijelölés

Keresés: Prog

DBeaver 7.3.4 - location

File Edit Navigate Search SQL Editor Database Window Help

Commit | Rollback | Auto | locations | locations

Database Navigator | Projects

Enter a part of table name here

- locations - localhost:3306
  - Databases
    - information_schema
    - **locations**
      - Tables
        - location 16K
        - tag 32K
      - Views
      - Indexes
      - Procedures
      - Packages
      - Triggers
      - Events
    - Users
    - Administer
    - System Info

Project - General

Name	DataSource
Bookmarks	
ER Diagrams	
Scripts	

location

Properties | Data | ER Diagram | locations | Databases | locations | Tables | location

Table Name: location

Engine: InnoDB

Auto Increment: 2

Charset: utf8mb4

Collation: utf8mb4_general_ci

Description:

Columns | Constraints | Foreign Keys | References | Triggers | Indexes | Statistics | DDL | Virtual

Column Name	#	Data Type	Not Null	Auto Increment	Key	Default	Extra	Expression	Comment
id	1	int(11)	[X]	[X]	PRI		auto_increment		
name	2	varchar(255)	[X]	[ ]					
lat	3	double	[X]	[ ]					
lon	4	double	[X]	[ ]					
interesting_at	5	datetime	[ ]	[ ]		NULL			

5 items | Save | Revert | Refresh

CET | en

6 elem | 1 kijelölt elem - 88,0 MB

István Benke
Active

Update your status

Set yourself as **away**

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

21:33
hétfő
2021. 02. 08.

Kezelés | Prog

Fájl | Kezdőlap | Megosztás | Nézet | Alkalmazáseszközök

Rögzítés a Gyors elérésbe | Másolás | Beillesztés | Kivágás | Elérési út másolása | Parancsikon beillesztése — Vágólap

Áthelyezési cél | Másolási cél | Törlés | Átnevezés — Rendszerezés

Új mappa | Új elem | Egyszerű elérés — Új

Tulajdonságok | Megnyitás | Szerkesztés | Előzmények — Megnyitás

Az összes kijelölése | Kijelölés megszüntetése | Kijelölés megfordítása — Kijelölés

Keresés: Prog

DBeaver 7.3.4 - location

File Edit Navigate Search SQL Editor Database Window Help

Commit | Rollback | Auto | locations | locations

Database Navigator | Projects

Enter a part of table name here

- locations - localhost:3306
  - Databases
    - information_schema
    - **locations**
      - Tables
        - location 16K
        - tag 32K
      - Views
      - Indexes
      - Procedures
      - Packages
      - Triggers
      - Events
    - Users
    - Administer
    - System Info

Project - General

Name	DataSource
Bookmarks	
ER Diagrams	
Scripts	

location

Properties | Data | ER Diagram | locations | Databases | locations | Tables | location

location | Enter a SQL expression to filter results (use Ctrl+Space)

	id	name	lat	lon	interesting_at
1	1	Home	10	10	[NULL]
2	2	Work	20	20	[NULL]

Value: 2

Save | Cancel | Script | 200 | 2 | Inserted: 1 / Deleted: 0 / Updated: 0

Rows: 1

CET | en

6 elem | 1 kijelölt elem - 88,0 MB

István Benke
Active

Update your status

Set yourself as **away**

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

21:37
hétfő
2021. 02. 08.

Locations

File Edit View Window Help

Locations

Location has been created

Create location

Refresh table

Id	Name	Coordinates	Interesting at	Tags	
1	Home	10, 10			Edit Delete
2	Work	20, 20			Edit Delete

Value

2

Inserted: 1 / Deleted: 0 / Updated: 0

István Benke

Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

Administrator: Parancssor - docker exec -it locations-dbclient-mariadb mysql locations

```
2 rows in set (0.000 sec)

MariaDB [locations]> Ctrl-C -- exit!
Aborted

C:\WINDOWS\system32>docker exec -it locations-dbclient-mariadb mysql locations
Reading table information for completion of table and column names
You can turn off this feature to get a quicker startup with -A

Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 11
Server version: 10.5.8-MariaDB-1:10.5.8+maria~focal mariadb.org binary distribution

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [locations]> desc location;
+---------------+-------------+------+-----+---------+----------------+
| Field         | Type        | Null | Key | Default | Extra          |
+---------------+-------------+------+-----+---------+----------------+
| id            | int(11)     | NO   | PRI | NULL    | auto_increment |
| name          | varchar(255) | NO   |     | NULL    |                |
| lat           | double      | NO   |     | NULL    |                |
| lon           | double      | NO   |     | NULL    |                |
| interesting_at | datetime    | YES  |     | NULL    |                |
+---------------+-------------+------+-----+---------+----------------+
5 rows in set (0.001 sec)

MariaDB [locations]>
```

Úgy tűnik, a Firefox nem lett elindítva egy ideje. Szeretné kitakarítani a friss, újszerű élmény érdekében? Egyébként pedig üdvözöljük újra!

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

21:44
hétfő
2021. 02. 08.

Administrator: Parancssor - docker exec -it locations-dbclient-mariadb mysql locations

```
| lat           | double      | NO   |     | NULL    |                |
| lon           | double      | NO   |     | NULL    |                |
| interesting_at | datetime    | YES  |     | NULL    |                |
+---------------+-------------+------+-----+---------+----------------+
5 rows in set (0.001 sec)

MariaDB [locations]> select * from location;
+----+------+-----+-----+----------------+
| id | name | lat | lon | interesting_at |
+----+------+-----+-----+----------------+
|  1 | Home |  10 |  10 | NULL           |
|  2 | Work |  20 |  20 | NULL           |
+----+------+-----+-----+----------------+
2 rows in set (0.000 sec)

MariaDB [locations]> insert into location(name, lat, lon) values ('Work2', 2, 2)
    -> ;
Query OK, 1 row affected (0.005 sec)

MariaDB [locations]> select * from location;
+----+-------+-----+-----+----------------+
| id | name  | lat | lon | interesting_at |
+----+-------+-----+-----+----------------+
|  1 | Home  |  10 |  10 | NULL           |
|  2 | Work  |  20 |  20 | NULL           |
|  3 | Work2 |   2 |   2 | NULL           |
+----+-------+-----+-----+----------------+
3 rows in set (0.000 sec)

MariaDB [locations]>
```

Úgy tűnik, a Firefox nem lett elindítva egy ideje. Szeretné kitakarítani a friss, újszerű élmény érdekében? Egyébként pedig üdvözöljük újra!

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

21:47
hétfő
2021. 02. 08.

Administrator: Parancssor - docker exec -it locations-dbclient-mariadb mysql locations

```
MariaDB [locations]> insert into location(name, lat, lon) values ('Work2', 2, 2)
    -> ;
Query OK, 1 row affected (0.005 sec)

MariaDB [locations]> select * from location;
+----+-------+-----+-----+---------------+
| id | name  | lat | lon | interesting_at |
+----+-------+-----+-----+---------------+
|  1 | Home  |  10 |  10 | NULL          |
|  2 | Work  |  20 |  20 | NULL          |
|  3 | Work2 |   2 |   2 | NULL          |
+----+-------+-----+-----+---------------+
3 rows in set (0.000 sec)

MariaDB [locations]> update location set name = 'Work3' where id = 3;
Query OK, 1 row affected (0.004 sec)
Rows matched: 1  Changed: 1  Warnings: 0

MariaDB [locations]> select * from location;
+----+-------+-----+-----+---------------+
| id | name  | lat | lon | interesting_at |
+----+-------+-----+-----+---------------+
|  1 | Home  |  10 |  10 | NULL          |
|  2 | Work  |  20 |  20 | NULL          |
|  3 | Work3 |   2 |   2 | NULL          |
+----+-------+-----+-----+---------------+
3 rows in set (0.000 sec)

MariaDB [locations]>
```

Úgy tűnik, a Firefox nem lett elindítva egy ideje. Szeretné kitakarítani a friss, újszerű élmény érdekében? Egyébként pedig üdvözöljük újra!

István Benke
Active
Update your status
Set yourself as away
Pause notifications
Edit profile
View profile
Preferences
Downloads Ctrl+Shift+J
Sign out of Training360

21:49
hétfő
2021. 02. 08.

Administrator: Parancssor - docker exec -it locations-dbclient-mariadb mysql locations

```
MariaDB [locations]> update location set name = 'Work3' where id = 3;
Query OK, 1 row affected (0.004 sec)
Rows matched: 1  Changed: 1  Warnings: 0

MariaDB [locations]> select * from location;
+----+------+-----+-----+----------------+
| id | name | lat | lon | interesting_at |
+----+------+-----+-----+----------------+
|  1 | Home |  10 |  10 | NULL           |
|  2 | Work |  20 |  20 | NULL           |
|  3 | Work3 |  2 |   2 | NULL           |
+----+------+-----+-----+----------------+
3 rows in set (0.000 sec)

MariaDB [locations]> deleto from location where id = 3;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your Maria
DB server version for the right syntax to use near 'deleto from location where id = 3' at line 1
MariaDB [locations]> delete from location where id = 3;
Query OK, 1 row affected (0.005 sec)

MariaDB [locations]> select * from location;
+----+-----+-----+-----+----------------+
| id | name | lat | lon | interesting_at |
+----+-----+-----+-----+----------------+
|  1 | Home |  10 |  10 | NULL           |
|  2 | Work |  20 |  20 | NULL           |
+----+-----+-----+-----+----------------+
2 rows in set (0.000 sec)

MariaDB [locations]>
```

István Benke
Active
Update your status
Set yourself as away
Pause notifications
Edit profile
View profile
Preferences
Downloads Ctrl+Shift+J
Sign out of Training360

Úgy tűnik, a Firefox nem lett elindítva egy ideje. Szeretné kitakarítani a friss, újszerű élmény érdekében? Egyébként pedig üdvözöljük újra!

21:51
hétfő
2021. 02. 08.

DBeaver 7.3.4 - <none> Script

File Edit Navigate Search SQL Editor Database Window Help

Commit Rollback Auto locations locations

Database Navigator Projects

Enter a part of table name here

- locations - localhost:3306
  - Databases
    - information_schema
    - **locations**
      - Tables
        - location 16K
        - tag 32K
      - Views
      - Indexes
      - Procedures
      - Packages
      - Triggers
      - Events
  - Users
  - Administer
  - System Info

Project - General

Name	DataSource
Bookmarks	
ER Diagrams	
Scripts	

location *<locations> Script

```
select * from location;
```

Output Log

location 1

select * from location Enter a SQL expression to filter results (use Ctrl+Space)

	id	name	lat	lon	interesting_at
1	1	Home	10	10	[NULL]
2	2	Work	20	20	[NULL]

Value: 1

Save Cancel Script 200 2 2 row(s) fetched - 3ms

Rows: 1

CET en Writable Smart Insert 1 : 24 : 23 Sel: 0 | 0

Úgy tűnik, a Firefox nem lett elindítva egy ideje. Szeretné kitakarítani a friss, újszerű élmény érdekében? Egyébként pedig üdvözöljük újra!

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

21:55
hétfő
2021. 02. 08.

DBeaver 7.3.4 - <none> Script

File Edit Navigate Search SQL Editor Database Window Help

Locations

File Edit View Window Help

Locations

Location has been created

Create location

Refresh table

Id	Name	Coordinates	Interesting at	Tags	
1	Home	10, 10			Edit Delete
2	Work	20, 20			Edit Delete
4	Work4	1, 1			Edit Delete

Úgy tűnik, a Firefox nem lett elindítva egy ideje. Szeretné kitakarítani a friss, újszerű élmény érdekében? Egyébként pedig üdvözöljük újra!

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

21:57
hétfő
2021. 02. 08.

DBeaver 7.3.4 - <none> Script

File Edit Navigate Search SQL Editor Database Window Help

Locations

File Edit View Window Help

Locations

Location has been created

Create location

Refresh table

Id	Name	Coordinates	Interesting at	Tags	
1	Home	10, 10			Edit Delete
2	Work	20, 20			Edit Delete
5	Work4	1, 1		favourite,work	Edit Delete

2 row(s) fetched - 3ms

Rows: 1

CET en Writable Smart Insert 1 : 24 : 23 Sel: 0 | 0

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

Úgy tűnik, a Firefox nem lett elindítva egy ideje. Szeretné kitakarítani a friss, újszerű élmény érdekében? Egyébként pedig üdvözöljük újra!

21:58
hétfő
2021. 02. 08.

DBeaver 7.3.4 - <none> Script

File Edit Navigate Search SQL Editor Database Window Help

Commit Rollback Auto locations locations

Database Navigator Projects

Enter a part of table name here

- locations - localhost:3306
  - Databases
    - information_schema
    - **locations**
      - Tables
        - location 16K
        - tag 32K
      - Views
      - Indexes
      - Procedures
      - Packages
      - Triggers
      - Events
    - Users
    - Administer
    - System Info

Project - General

Name	DataSource
Bookmarks	
ER Diagrams	
Scripts	

location *<locations> Script

```
select * from location;
SELECT * FROM tag;
```

tag 1

SELECT * FROM tag Enter a SQL expression to filter results (use Ctrl+Space)

	id	name	locationId
1	1	favourite	5
2	2	work	5

Value: 1

Save Cancel Script 200 2 2 row(s) fetched - 3ms

Rows: 1

CET en Writable Smart Insert 2 : 19 : 43 Sel: 0 | 0

Úgy tűnik, a Firefox nem lett elindítva egy ideje. Szeretné kitakarítani a friss, újszerű élmény érdekében? Egyébként pedig üdvözöljük újra!

István Benke
Active

Update your status

Set yourself as **away**

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

22:00
hétfő
2021. 02. 08.

DBeaver 7.3.4 - <none> Script

File Edit Navigate Search SQL Editor Database Window Help

Commit Rollback Auto locations locations

Database Navigator Projects

Enter a part of table name here

- locations - localhost:3306
  - Databases
    - information_schema
    - **locations**
      - Tables
        - location 16K
        - tag 32K
      - Views
      - Indexes
      - Procedures
      - Packages
      - Triggers
      - Events
    - Users
    - Administer
    - System Info

Project - General

Name	DataSource
Bookmarks	
ER Diagrams	
Scripts	

location *<locations> Script

```
select * from location;
SELECT * FROM tag;
select * from location left join tag on location.id = tag.locationId ;
```

location(+) 1

select * from location left join tag Enter a SQL expression to filter results (use Ctrl+Space)

	id	name	lat	lon	interesting_at	id	name
1	5	Work4	1	1	[NULL]	1	favourite
2	5	Work4	1	1	[NULL]	2	work
3	1	Home	10	10	[NULL]	[NULL]	[NULL]
4	2	Work	20	20	[NULL]	[NULL]	[NULL]

Value: 5

Save Cancel Script 200 4 4 row(s) fetched - 3ms

Rows: 1

CET en Writable Smart Insert 4 : 1 : 117 Sel: 0 | 0

Úgy tűnik, a Firefox nem lett elindítva egy ideje. Szeretné kitakarítani a friss, újszerű élmény érdekében? Egyébként pedig üdvözöljük újra!

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

22:03
hétfő
2021. 02. 08.

DBeaver 7.3.4 - <none> Script

File Edit Navigate Search SQL Editor Database Window Help

Commit Rollback Auto locations locations

Database Navigator Projects

Enter a part of table name here

- locations - localhost:3306
  - Databases
    - information_schema
    - **locations**
      - Tables
        - location 16K
        - tag 32K
      - Views
      - Indexes
      - Procedures
      - Packages
      - Triggers
      - Events
  - Users
  - Administer
  - System Info

Project - General

Name	DataSource
Bookmarks	
ER Diagrams	
Scripts	

location *<locations> Script

```
select * from location;
SELECT * FROM tag;

select * from location left join tag on location.id = tag.id;

update location set name = 'Work5' where id = 5;
```

Output Log

Statistics 1

update location set name = 'Worl Enter a SQL expression to filter results (use Ctrl+Space)

Name	Value
Updated Rows	1
Query	update location set name = 'Work5' where id = 5
Finish time	Mon Feb 08 22:09:48 CET 2021

Save Cancel Script 200 1

Rows: 1

Value

Select a cell to view/edit value
Press Ctrl+7 to hide this panel

1 row(s) updated - 7ms

Panels

CET en Writable Smart Insert 6 : 49 : 160 Sel: 0 | 0

Úgy tűnik, a Firefox nem lett elindítva egy ideje. Szeretné kitakarítani a friss, újszerű élmény érdekében? Egyébként pedig üdvözöljük újra!

István Benke
Active

Update your status

Set yourself as **away**

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

22:10
hétfő
2021. 02. 08.

DBeaver 7.3.4 - <none> Script

File Edit Navigate Search SQL Editor Database Window Help

Commit Rollback 1 locations locations

Database Navigator Projects

Enter a part of table name here

- locations - localhost:3306
  - Databases
    - information_schema
    - **locations**
      - Tables
        - location 16K
        - tag 32K
      - Views
      - Indexes
      - Procedures
      - Packages
      - Triggers
      - Events
    - Users
    - Administer
    - System Info

Project - General

Name	DataSource
Bookmarks	
ER Diagrams	
Scripts	

location *<locations> Script

```
select * from location;
SELECT * FROM tag;

select * from location left join tag on location.id = tag.id;

update location set name = 'Work5' where id = 5;

update tag set name = 'favourite1' where id = 1;
```

tag 1

SELECT * FROM tag Enter a SQL expression to filter results (use Ctrl+Space)

	id	name	locationId
1	1	favourite	5
2	2	work	5

Value: 1

Save Cancel Script 200 2 2 row(s) fetched - 3ms

Rows: 1

CET en Writable Smart Insert 8 : 48 : 211 Sel: 0 | 0

Úgy tűnik, a Firefox nem lett elindítva egy ideje. Szeretné kitakarítani a friss, újszerű élmény érdekében? Egyébként pedig üdvözöljük újra!

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

22:14
hétfő
2021. 02. 08.

DBeaver 7.3.4 - <none> Script

File Edit Navigate Search SQL Editor Database Window Help

Commit Rollback 2 locations locations

Database Navigator Projects

Enter a part of table name here

- locations - localhost:3306
  - Databases
    - information_schema
    - **locations**
      - Tables
        - location 16K
        - tag 32K
      - Views
      - Indexes
      - Procedures
      - Packages
      - Triggers
      - Events
  - Users
  - Administer
  - System Info

Project - General

Name	DataSource
Bookmarks	
ER Diagrams	
Scripts	

location *<locations> Script

```
select * from location;
SELECT * FROM tag;

select * from location left join tag on location.id = tag.id;

update location set name = 'Work5' where id = 5;

update tag set name = 'favourite1' where id = 1;
```

Output Log

Statistics 1

update tag set name = 'favourite Enter a SQL expression to filter results (use Ctrl+Space)

Name	Value
Updated Rows	1
Query	update tag set name = 'favourite1' where id = 1
Finish time	Mon Feb 08 22:14:43 CET 2021

Value

Select a cell to view/edit value
Press Ctrl+7 to hide this panel

Panels

Save Cancel Script 200 1

1 row(s) updated - 3ms

Rows: 1

CET en Writable Smart Insert 8 : 49 [48] Sel: 48 | 1

Úgy tűnik, a Firefox nem lett elindítva egy ideje. Szeretné kitakarítani a friss, újszerű élmény érdekében? Egyébként pedig üdvözöljük újra!

István Benke
Active

Update your status

Set yourself as **away**

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

22:14
hétfő
2021. 02. 08.

DBeaver 7.3.4 - <none> Script

File Edit Navigate Search SQL Editor Database Window Help

Commit Rollback 3 locations locations

Database Navigator Projects

Enter a part of table name here

- locations - localhost:3306
  - Databases
    - information_schema
    - **locations**
      - Tables
        - location 16K
        - tag 32K
      - Views
      - Indexes
      - Procedures
      - Packages
      - Triggers
      - Events
  - Users
  - Administer
  - System Info

Project - General

Name	DataSource
Bookmarks	
ER Diagrams	
Scripts	

location *<locations> Script

```
select * from location;
SELECT * FROM tag;

select * from location left join tag on location.id = tag.id;

update location set name = 'Work5' where id = 5;

update tag set name = 'favourite1' where id = 1;
```

tag 1

SELECT * FROM tag Enter a SQL expression to filter results (use Ctrl+Space)

	id	name	locationId
1	1	favourite1	5
2	2	work	5

Value: 1

Save Cancel Script 200 2 2 row(s) fetched - 2ms

Rows: 1

CET en Writable Smart Insert 2 : 19 [18] Sel: 18 | 1

Úgy tűnik, a Firefox nem lett elindítva egy ideje. Szeretné kitakarítani a friss, újszerű élmény érdekében? Egyébként pedig üdvözöljük újra!

István Benke
Active

Update your status

Set yourself as **away**

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

22:15
hétfő
2021. 02. 08.

DBeaver 7.3.4 - <none> Script

File Edit Navigate Search SQL Editor Database Window Help

Locations

File Edit View Window Help

Locations

Location has been created

Create location

Refresh table

Id	Name	Coordinates	Interesting at	Tags	
1	Home	10, 10			Edit Delete
2	Work	20, 20			Edit Delete
5	Work5	1, 1		favourite1,work	Edit Delete

Rows: 1

3 row(s) fetched - 3ms

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

Úgy tűnik, a Firefox nem lett elindítva egy ideje. Szeretné kitakarítani a friss, újszerű élmény érdekében? Egyébként pedig üdvözöljük újra!

22:17
hétfő
2021. 02. 08.

Administrator: Parancssor

```
2 rows in set (0.000 sec)

MariaDB [locations]> exit
Bye

C:\WINDOWS\system32>docker run -d -p27017:27017 --name locations-mongo mongo
Unable to find image 'mongo:latest' locally
latest: Pulling from library/mongo
d519e2592276: Pull complete
d22d2dfcfa9c: Pull complete
b3afe92c540b: Pull complete
a2c1234bf134: Pull complete
05bf57f3b398: Pull complete
4737ab85f84c: Pull complete
6165557c172c: Pull complete
c2ca70046d29: Pull complete
b80a541da2a8: Pull complete
18edd0c32639: Pull complete
86830e28cf71: Pull complete
71e1d772417d: Pull complete
Digest: sha256:88e0308671a06d4ee7da41f87944ba66355b4ee3d57d57caf92f5e1938736abd
Status: Downloaded newer image for mongo:latest
7ae8211f319eaad287b0c1f73a817563a06aad7c2100464b3321691889dc79f3

C:\WINDOWS\system32>
```

Úgy tűnik, a Firefox nem lett elindítva egy ideje. Szeretné kitakarítani a friss, újszerű élmény érdekében? Egyébként pedig üdvözöljük újra!

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

23:45
hétfő
2021. 02. 08.

app

Fájl Kezdőlap Megosztás Nézet

Rögzítés a Gyors elérésbe | Másolás | Beillesztés | Kivágás | Elérési út másolása | Parancsikon beillesztése — Vágólap

Áthelyezési cél | Másolási cél | Törlés | Átnevezés — Rendszerezés

Új mappa | Új elem | Egyszerű elérés — Új

Tulajdonságok | Megnyitás | Szerkesztés | Előzmények — Megnyitás

Az összes kijelölése | Kijelölés megszüntetése | Kijelölés megfordítása — Kijelölés

Ez a gép > Helyi lemez (C:) > architekturak > locations-win32-64x > resources > app >

Keresés: app

Gyors elérés

Név	Módosítás dátuma	Típus	Méret

config – Jegyzettömb

Fájl Szerkesztés Formátum Nézet Súgó

```
const config = {}
config.db = {}
config.mongo = {}
config.rest = {}

//config.store = "inmemory"

//config.store = "db"
//config.db.type = "mysql"
//config.db.url = "mysql://locations:locations@localhost:3306/locations"
//config.db.logging = true

config.store = "mongo"
config.mongo.url = "mongodb://localhost:27017/locations"
config.mongo.logging = true

//config.store = "rest"
//config.rest.url = "http://localhost:8080"

module.exports = config
```

Sor: 11, oszl.: 3 | 100% | Unix (LF) | UTF-8

22 elem 1 kijelölt elem - 449 bájt

István Benke
Active

Update your status

Set yourself as **away**

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

23:48
hétfő
2021. 02. 08.

Locations

File Edit View Window Help

Locations

Location has been created

Create location

Refresh table

Id	Name	Coordinates	Interesting at	Tags	
6021c0d29ec3004370091492	Home	30, 30		favourite,home	Edit Delete

István Benke
Active

Update your status

Set yourself as **away**

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

23:53
hétfő
2021. 02. 08.

Administrator: Parancssor - docker exec -it locations-mongo mongo locations

```
18edd0c32639: Pull complete
86830e28cf71: Pull complete
71e1d772417d: Pull complete
Digest: sha256:88e0308671a06d4ee7da41f87944ba66355b4ee3d57d57caf92f5e1938736abd
Status: Downloaded newer image for mongo:latest
7ae8211f319eaad287b0c1f73a817563a06aad7c2100464b3321691889dc79f3

C:\WINDOWS\system32>docker exec -it locations-mongo mongo locations
MongoDB shell version v4.4.3
connecting to: mongodb://127.0.0.1:27017/locations?compressors=disabled&gssapiServiceName=mongodb
Implicit session: session { "id" : UUID("0c2fcf30-12f0-4eaa-889e-d325eded17fc") }
MongoDB server version: 4.4.3
Welcome to the MongoDB shell.
For interactive help, type "help".
For more comprehensive documentation, see
        https://docs.mongodb.com/
Questions? Try the MongoDB Developer Community Forums
        https://community.mongodb.com
---
The server generated these startup warnings when booting:
        2021-02-08T22:44:58.704+00:00: Using the XFS filesystem is strongly recommended with the WiredTig
er storage engine. See http://dochub.mongodb.org/core/prodnotes-filesystem
        2021-02-08T22:44:59.314+00:00: Access control is not enabled for the database. Read and write acc
ess to data and configuration is unrestricted
        2021-02-08T22:44:59.314+00:00: /sys/kernel/mm/transparent_hugepage/enabled is 'always'. We sugges
t setting it to 'never'
---
---
        Enable MongoDB's free cloud-based monitoring service, which will then receive and display
        metrics about your deployment (disk utilization, CPU, operation statistics, etc).
```

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

Úgy tűnik, a Firefox nem lett elindítva egy ideje. Szeretné kitakarítani a friss, újszerű élmény érdekében? Egyébként pedig üdvözöljük újra!

23:55
hétfő
2021. 02. 08.

Administrator: Parancssor - docker exec -it locations-mongo mongo locations

```
Welcome to the MongoDB shell.
For interactive help, type "help".
For more comprehensive documentation, see
        https://docs.mongodb.com/
Questions? Try the MongoDB Developer Community Forums
        https://community.mongodb.com
---
The server generated these startup warnings when booting:
        2021-02-08T22:44:58.704+00:00: Using the XFS filesystem is strongly recommended with the WiredTig
er storage engine. See http://dochub.mongodb.org/core/prodnotes-filesystem
        2021-02-08T22:44:59.314+00:00: Access control is not enabled for the database. Read and write acc
ess to data and configuration is unrestricted
        2021-02-08T22:44:59.314+00:00: /sys/kernel/mm/transparent_hugepage/enabled is 'always'. We sugges
t setting it to 'never'
---
---
        Enable MongoDB's free cloud-based monitoring service, which will then receive and display
        metrics about your deployment (disk utilization, CPU, operation statistics, etc).

        The monitoring data will be available on a MongoDB website with a unique URL accessible to you
        and anyone you share the URL with. MongoDB may use this information to make product
        improvements and to suggest MongoDB products and deployment options to you.

        To enable free monitoring, run the following command: db.enableFreeMonitoring()
        To permanently disable this reminder, run the following command: db.disableFreeMonitoring()
---
> db.location.find()
{ "_id" : ObjectId("6021c0d29ec3004370091492"), "name" : "Home", "coords" : null, "interestingAt" : "", "
tags" : [ "favourite", "home" ], "lat" : 30, "lon" : 30 }
>
```

Úgy tűnik, a Firefox nem lett elindítva egy ideje. Szeretné kitakarítani a friss, újszerű élmény érdekében? Egyébként pedig üdvözöljük újra!

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

23:56
hétfő
2021. 02. 08.

Administrator: Parancssor - docker exec -it locations-mongo mongo locations

```
---
The server generated these startup warnings when booting:
        2021-02-08T22:44:58.704+00:00: Using the XFS filesystem is strongly recommended with the WiredTig
er storage engine. See http://dochub.mongodb.org/core/prodnotes-filesystem
        2021-02-08T22:44:59.314+00:00: Access control is not enabled for the database. Read and write acc
ess to data and configuration is unrestricted
        2021-02-08T22:44:59.314+00:00: /sys/kernel/mm/transparent_hugepage/enabled is 'always'. We sugges
t setting it to 'never'
---
---
        Enable MongoDB's free cloud-based monitoring service, which will then receive and display
        metrics about your deployment (disk utilization, CPU, operation statistics, etc).

        The monitoring data will be available on a MongoDB website with a unique URL accessible to you
        and anyone you share the URL with. MongoDB may use this information to make product
        improvements and to suggest MongoDB products and deployment options to you.

        To enable free monitoring, run the following command: db.enableFreeMonitoring()
        To permanently disable this reminder, run the following command: db.disableFreeMonitoring()
---
> db.location.find()
{ "_id" : ObjectId("6021c0d29ec3004370091492"), "name" : "Home", "coords" : null, "interestingAt" : "", "
tags" : [ "favourite", "home" ], "lat" : 30, "lon" : 30 }
> db.location.insert({name: "Work", lat: 2, lon:2})
WriteResult({ "nInserted" : 1 })
> db.location.find()
{ "_id" : ObjectId("6021c0d29ec3004370091492"), "name" : "Home", "coords" : null, "interestingAt" : "", "
tags" : [ "favourite", "home" ], "lat" : 30, "lon" : 30 }
{ "_id" : ObjectId("6021c26e8f7ecc77078882df"), "name" : "Work", "lat" : 2, "lon" : 2 }
>
```

Úgy tűnik, a Firefox nem lett elindítva egy ideje. Szeretné kitakarítani a friss, újszerű élmény érdekében? Egyébként pedig üdvözöljük újra!

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

0:00
kedd
2021. 02. 09.

Administrator: Parancssor - docker exec -it locations-mongo mongo locations

Locations

File Edit View Window Help

Locations

Location has been created

Create location

Refresh table

Id	Name	Coordinates	Interesting at	Tags	
6021c0d29ec3004370091492	Home	30, 30		favourite,home	Edit Delete
6021c26e8f7ecc77078882df	Work	2, 2			Edit Delete

```
ith the WiredTig
ad and write acc
ways'. We sugges

 display

ssible to you
ct

nitoring()

stingAt" : "", "

stingAt" : "", "
```

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

0:01
kedd
2021. 02. 09.

Administrator: Parancssor - docker exec -it locations-mongo mongo locations

```
ith the WiredTig
ad and write acc
ways'. We sugges

 display

ssible to you
ct

nitoring()

stingAt" : "", "

stingAt" : "", "
```

Locations

File Edit View Window Help

Locations

Location has been deleted

Create location

Refresh table

Id	Name	Coordinates	Interesting at	Tags	
6021c26e8f7ecc77078882df	Work	2, 2			Edit Delete

István Benke
Active

Update your status

Set yourself as **away**

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

0:01
kedd
2021. 02. 09.

Administrator: Parancssor - docker exec -it locations-mongo mongo locations

```
        2021-02-08T22:44:58.704+00:00: Using the XFS filesystem is strongly recommended with the WiredTig
er storage engine. See http://dochub.mongodb.org/core/prodnotes-filesystem
        2021-02-08T22:44:59.314+00:00: Access control is not enabled for the database. Read and write acc
ess to data and configuration is unrestricted
        2021-02-08T22:44:59.314+00:00: /sys/kernel/mm/transparent_hugepage/enabled is 'always'. We sugges
t setting it to 'never'
---
---
        Enable MongoDB's free cloud-based monitoring service, which will then receive and display
        metrics about your deployment (disk utilization, CPU, operation statistics, etc).

        The monitoring data will be available on a MongoDB website with a unique URL accessible to you
        and anyone you share the URL with. MongoDB may use this information to make product
        improvements and to suggest MongoDB products and deployment options to you.

        To enable free monitoring, run the following command: db.enableFreeMonitoring()
        To permanently disable this reminder, run the following command: db.disableFreeMonitoring()
---
> db.location.find()
{ "_id" : ObjectId("6021c0d29ec3004370091492"), "name" : "Home", "coords" : null, "interestingAt" : "", "
tags" : [ "favourite", "home" ], "lat" : 30, "lon" : 30 }
> db.location.insert({name: "Work", lat: 2, lon:2})
WriteResult({ "nInserted" : 1 })
> db.location.find()
{ "_id" : ObjectId("6021c0d29ec3004370091492"), "name" : "Home", "coords" : null, "interestingAt" : "", "
tags" : [ "favourite", "home" ], "lat" : 30, "lon" : 30 }
{ "_id" : ObjectId("6021c26e8f7ecc77078882df"), "name" : "Work", "lat" : 2, "lon" : 2 }
> db.location.find()
{ "_id" : ObjectId("6021c26e8f7ecc77078882df"), "name" : "Work", "lat" : 2, "lon" : 2 }
>
```

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

0:02
kedd
2021. 02. 09.

Administrator: Parancssor

```
bye

C:\WINDOWS\system32>docker network create locations-net
cbbb898896ec82af21dfcb0c2c79f20fd1df60187b3cba6e70d8052f05099c24

C:\WINDOWS\system32>docker ps
CONTAINER ID   IMAGE              COMMAND                  CREATED         STATUS          PORTS
               NAMES
7ae8211f319e   mongo              "docker-entrypoint.s…"   32 minutes ago  Up 32 minutes   0.0.0.0:2701
7->27017/tcp   locations-mongo
e755a23e5265   mariadb            "docker-entrypoint.s…"   3 hours ago     Up 3 hours      0.0.0.0:3306
->3306/tcp     locations-dbclient-mariadb
2a8cc1545f0a   docker101tutorial  "/docker-entrypoint.…"   4 hours ago     Up 4 hours      0.0.0.0:80->
80/tcp         docker-tutorial

C:\WINDOWS\system32>docker stop locations-dbclient-mariadb
locations-dbclient-mariadb

C:\WINDOWS\system32>docker stop locations-mongo
locations-mongo

C:\WINDOWS\system32>docker stop docker-tutorial
docker-tutorial

C:\WINDOWS\system32>
```

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

0:20
kedd
2021. 02. 09.

Administrator: Parancssor

```
C:\WINDOWS\system32>docker stop docker-tutorial
docker-tutorial

C:\WINDOWS\system32>docker ps
CONTAINER ID   IMAGE     COMMAND   CREATED   STATUS    PORTS     NAMES

C:\WINDOWS\system32>docker run -d -e MYSQL_DATABASE=locations -e MYSQL_USER=locations -e MYSQL_PASSWORD=l
ocations -e MYSQL_ALLOW_EMPTY_PASSWORD=yes -p 3306:3306 --network locations-net --name locations-mariadb
mariadb
202d9fe4f6001fbc2e3cd7866c750648ad37d1742c9b50d8fecb80d369daad9d

C:\WINDOWS\system32>docker run -d -e SPRING_DATASOURCE_URL=jdbc:mariadb://locations-mariadb/locations -p
8080:8080 --network locations-net --name=my-locations training360/locations
Unable to find image 'training360/locations:latest' locally
latest: Pulling from training360/locations
6a5697faee43: Pull complete
ba13d3bc422b: Pull complete
a254829d9e55: Pull complete
03adaffd7e57: Pull complete
6a7696f2ec74: Pull complete
2c9ada825f0e: Pull complete
10cd5e71ac84: Pull complete
254724d0d8df: Pull complete
7dc625f7130c: Pull complete
e7d08ba4ff1c: Pull complete
Digest: sha256:7a3d2ce1546d5b69112a82431db9c85570dc4dbd81327c99faa97171c7cc6739
Status: Downloaded newer image for training360/locations:latest
9b9ba7bbb6316261270347515689 6ea9208975744045480e24f3b2dce73bb9ac

C:\WINDOWS\system32>
```


István Benke
Active
Update your status
Set yourself as away
Pause notifications On
Edit profile
View profile
Preferences
Downloads Ctrl+Shift+J
Sign out of Training360

app

Fájl Kezdőlap Megosztás Nézet

Rögzítés a Gyors elérésbe | Másolás | Beillesztés | Kivágás | Elérési út másolása | Parancsikon beillesztése — Vágólap

Áthelyezési cél | Másolási cél | Törlés | Átnevezés — Rendszerezés

Új mappa | Új elem | Egyszerű elérés — Új

Tulajdonságok | Megnyitás | Szerkesztés | Előzmények — Megnyitás

Az összes kijelölése | Kijelölés megszüntetése | Kijelölés megfordítása — Kijelölés

Ez a gép > Helyi lemez (C:) > architekturak > locations-win32-64x > resources > app >

Keresés: app

Gyors elérés

Név	Módosítás dátuma	Típus	Méret

config – Jegyzettömb

Fájl Szerkesztés Formátum Nézet Súgó

```
const config = {}
config.db = {}
config.mongo = {}
config.rest = {}

//config.store = "inmemory"

//config.store = "db"
//config.db.type = "mysql"
//config.db.url = "mysql://locations:locations@localhost:3306/locations"
//config.db.logging = true

//config.store = "mongo"
//config.mongo.url = "mongodb://localhost:27017/locations"
//config.mongo.logging = true

config.store = "rest"
config.rest.url = "http://localhost:8080"

module.exports = config
```

Sor: 18, oszl.: 1 | 100% | Unix (LF) | UTF-8

22 elem 1 kijelölt elem - 451 bájt

István Benke
Active

Update your status

Set yourself as **away**

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

0:26
kedd
2021. 02. 09.

Locations

File Edit View Window Help

Locations

Create location

Refresh table

Id	Name	Coordinates	Interesting at	Tags	
1	Budapest	47.497912, 19.040235	2019-09-17T05:00:00	capital,favourite	Edit Delete
2	Debrecen	47.5316049, 21.6273124			Edit Delete
5	Győr	47.6874569, 17.6503974			Edit Delete
3	Miskolc	48.1034775, 20.7784384			Edit Delete
4	Veszprém	47.1028087, 17.9093019			Edit Delete

Az összes kijelölése
Kijelölés megszüntetése
Kijelölés megfordítása
Kijelölés

Keresés: locations-...

István Benke
Active

Update your status

Set yourself as **away**

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

0:27
kedd
2021. 02. 09.

Locations

File Edit View Window Help

Location has been created

Create location

Refresh table

Id	Name	Coordinates	Interesting at	Tags	
1	Budapest	47.497912, 19.040235	2019-09-17T05:00:00	capital,favourite	Edit Delete
2	Debrecen	47.5316049, 21.6273124			Edit Delete
5	Győr	47.6874569, 17.6503974			Edit Delete
6	Home	30, 30			Edit Delete
3	Miskolc	48.1034775, 20.7784384			Edit Delete
4	Veszprém	47.1028087,			Edit

Az összes kijelölése
Kijelölés megszüntetése
Kijelölés megfordítása
Kijelölés

Keresés: locations-...

István Benke
Active

Update your status

Set yourself as **away**

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

0:29
kedd
2021. 02. 09.

Administrator: Parancssor - docker logs -f my-locations

```
9b9ba7bbb6316261270347515689 6ea9208975744045480e24f3b2dce73bb9ac

C:\WINDOWS\system32>docker logs -f my-locations


  .   ____          _            __ _ _
 /\\ / ___'_ __ _ _(_)_ __  __ _ \ \ \ \
( ( )\___ | '_ | '_| | '_ \/ _` | \ \ \ \
 \\/  ___)| |_)| | | | | || (_| |  ) ) ) )
  '  |____| .__|_| |_|_| |_\__, | / / / /
 =========|_|==============|___/=/_/_/_/
 :: Spring Boot ::        (v2.3.4.RELEASE)

2021-02-08 23:23:27.920  INFO 1 --- [           main] locationsapp.LocationsApplication        : Starting
 LocationsApplication v0.0.1-SNAPSHOT on 9b9ba7bbb631 with PID 1 (/application/BOOT-INF/classes started b
y root in /application)
2021-02-08 23:23:27.923 DEBUG 1 --- [           main] locationsapp.LocationsApplication        : Running
with Spring Boot v2.3.4.RELEASE, Spring v5.2.9.RELEASE
2021-02-08 23:23:27.924  INFO 1 --- [           main] locationsapp.LocationsApplication        : No activ
e profile set, falling back to default profiles: default
2021-02-08 23:23:29.004  INFO 1 --- [           main] .s.d.r.c.RepositoryConfigurationDelegate : Bootstra
pping Spring Data JPA repositories in DEFERRED mode.
2021-02-08 23:23:29.067  INFO 1 --- [           main] .s.d.r.c.RepositoryConfigurationDelegate : Finished
 Spring Data repository scanning in 51ms. Found 1 JPA repository interfaces.
2021-02-08 23:23:29.809  INFO 1 --- [           main] o.s.b.w.embedded.tomcat.TomcatWebServer  : Tomcat i
nitialized with port(s): 8080 (http)
2021-02-08 23:23:29.824  INFO 1 --- [           main] o.apache.catalina.core.StandardService   : Starting
 service [Tomcat]
2021-02-08 23:23:29.825  INFO 1 --- [           main] org.apache.catalina.core.StandardEngine  : Starting
 Servlet engine: [Apache Tomcat/9.0.38]
2021-02-08 23:23:29.910  INFO 1 --- [           main] o.a.c.c.C.[Tomcat].[localhost].[/]       : Initiali
```

Úgy tűnik, a Firefox nem lett elindítva egy ideje. Szeretné kitakarítani a friss, újszerű élmény érdekében? Egyébként pedig üdvözöljük újra!

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

0:31
kedd
2021. 02. 09.

Administrator: Parancssor - docker logs -f my-locations

```
0: Using JtaPlatform implementation: [org.hibernate.engine.transaction.jta.platform.internal.NoJtaPlatfor
m]
2021-02-08 23:23:31.666  INFO 1 --- [         task-1] j.LocalContainerEntityManagerFactoryBean : Initiali
zed JPA EntityManagerFactory for persistence unit 'default'
2021-02-08 23:23:31.859  INFO 1 --- [           main] o.s.b.a.w.s.WelcomePageHandlerMapping    : Adding w
elcome page: class path resource [static/index.html]
2021-02-08 23:23:33.038  INFO 1 --- [           main] o.s.b.w.embedded.tomcat.TomcatWebServer  : Tomcat s
tarted on port(s): 8080 (http) with context path ''
2021-02-08 23:23:33.040  INFO 1 --- [           main] DeferredRepositoryInitializationListener : Triggeri
ng deferred initialization of Spring Data repositories…
2021-02-08 23:23:33.368  INFO 1 --- [           main] DeferredRepositoryInitializationListener : Spring D
ata repositories initialized!
2021-02-08 23:23:33.378  INFO 1 --- [           main] locationsapp.LocationsApplication        : Started
LocationsApplication in 5.887 seconds (JVM running for 6.383)
2021-02-08 23:26:47.648  INFO 1 --- [nio-8080-exec-1] o.a.c.c.C.[Tomcat].[localhost].[/]       : Initiali
zing Spring DispatcherServlet 'dispatcherServlet'
2021-02-08 23:26:47.648  INFO 1 --- [nio-8080-exec-1] o.s.web.servlet.DispatcherServlet        : Initiali
zing Servlet 'dispatcherServlet'
2021-02-08 23:26:47.656  INFO 1 --- [nio-8080-exec-1] o.s.web.servlet.DispatcherServlet        : Complete
d initialization in 8 ms
2021-02-08 23:26:47.694 DEBUG 1 --- [nio-8080-exec-1] locationsapp.service.LocationsService    : List loc
ations
2021-02-08 23:29:24.597  INFO 1 --- [nio-8080-exec-3] locationsapp.service.LocationsService    : Location
 has been created id: 6, name: Home
2021-02-08 23:29:24.615 DEBUG 1 --- [nio-8080-exec-4] locationsapp.service.LocationsService    : List loc
ations
```

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

Úgy tűnik, a Firefox nem lett elindítva egy ideje. Szeretné kitakarítani a friss, újszerű élmény érdekében? Egyébként pedig üdvözöljük újra!

0:32
kedd
2021. 02. 09.

Administrator: Parancssor - docker logs -f my-locations

Locations

File Edit View Window Help

Name*

Work

Coordinates (format: *47.4979,19.0402*, no spaces, max. 6 digits after decimal point!)*

20,20

Interesting at (format: *2019-09-11T15:31:04*)

Tags (format: *favourite, capital*)

Create location | Cancel

Refresh table

Id	Name	Coordinates	Interesting at	Tags

```
jta.platform.internal.NoJtaPlatfor
ntityManagerFactoryBean : Initiali
omePageHandlerMapping   : Adding w
tomcat.TomcatWebServer  : Tomcat s
yInitializationListener : Triggeri
yInitializationListener : Spring D
tionsApplication        : Started
].[localhost].[/]       : Initiali
ispatcherServlet        : Initiali
ispatcherServlet        : Complete
ice.LocationsService    : List loc
ice.LocationsService    : Location
 has been created id: 6, name: Home
2021-02-08 23:29:24.615 DEBUG 1 --- [nio-8080-exec-4] locationsapp.service.LocationsService    : List loc
ations
```

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

Úgy tűnik, a Firefox nem lett elindítva egy ideje. Szeretné kitakarítani a friss, újszerű élmény érdekében? Egyébként pedig üdvözöljük újra!

0:34
kedd
2021. 02. 09.

Administrator: Parancssor - docker logs -f my-locations

Locations

File Edit View Window Help

5	Gyor	47.6874569, 17.6503974	Edit Delete
6	Home	30, 30	Edit Delete
3	Miskolc	48.1034775, 20.7784384	Edit Delete
4	Veszprém	47.1028087, 17.9093019	Edit Delete
7	Work	20, 20	Edit Delete

```
ntityManagerFactoryBean : Initiali
mePageHandlerMapping    : Adding w
tomcat.TomcatWebServer  : Tomcat s
yInitializationListener : Triggeri
yInitializationListener : Spring D
tionsApplication        : Started
].[localhost].[/]       : Initiali
ispatcherServlet        : Initiali
ispatcherServlet        : Complete
ice.LocationsService    : List loc
ice.LocationsService    : Location
2021-02-08 23:29:24.615 DEBUG 1 --- [nio-8080-exec-4] locationsapp.service.LocationsService    : List loc
ations
2021-02-08 23:34:03.004  INFO 1 --- [nio-8080-exec-6] locationsapp.service.LocationsService    : Location
 has been created id: 7, name: Work
2021-02-08 23:34:03.016 DEBUG 1 --- [nio-8080-exec-7] locationsapp.service.LocationsService    : List loc
ations
```

Úgy tűnik, a Firefox nem lett elindítva egy ideje. Szeretné kitakarítani a friss, újszerű élmény érdekében? Egyébként pedig üdvözöljük újra!

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

0:34
kedd
2021. 02. 09.

Administrator: Parancssor

```
2021-02-08 23:23:33.368  INFO 1 --- [           main] DeferredRepositoryInitializationListener : Spring D
ata repositories initialized!
2021-02-08 23:23:33.378  INFO 1 --- [           main] locationsapp.LocationsApplication        : Started
LocationsApplication in 5.887 seconds (JVM running for 6.383)
2021-02-08 23:26:47.648  INFO 1 --- [nio-8080-exec-1] o.a.c.c.C.[Tomcat].[localhost].[/]       : Initiali
zing Spring DispatcherServlet 'dispatcherServlet'
2021-02-08 23:26:47.648  INFO 1 --- [nio-8080-exec-1] o.s.web.servlet.DispatcherServlet         : Initiali
zing Servlet 'dispatcherServlet'
2021-02-08 23:26:47.656  INFO 1 --- [nio-8080-exec-1] o.s.web.servlet.DispatcherServlet         : Complete
d initialization in 8 ms
2021-02-08 23:26:47.694 DEBUG 1 --- [nio-8080-exec-1] locationsapp.service.LocationsService     : List loc
ations
2021-02-08 23:29:24.597  INFO 1 --- [nio-8080-exec-3] locationsapp.service.LocationsService     : Location
 has been created id: 6, name: Home
2021-02-08 23:29:24.615 DEBUG 1 --- [nio-8080-exec-4] locationsapp.service.LocationsService     : List loc
ations
2021-02-08 23:34:03.004  INFO 1 --- [nio-8080-exec-6] locationsapp.service.LocationsService     : Location
 has been created id: 7, name: Work
2021-02-08 23:34:03.016 DEBUG 1 --- [nio-8080-exec-7] locationsapp.service.LocationsService     : List loc
ations

C:\WINDOWS\system32>docker ps
CONTAINER ID   IMAGE                  COMMAND                  CREATED         STATUS          PORTS
                 NAMES
9b9ba7bbb631   training360/locations   "java org.springfram…"   37 minutes ago   Up 37 minutes   0.0.0.0:
8080->8080/tcp   my-locations
202d9fe4f600   mariadb                "docker-entrypoint.s…"   38 minutes ago   Up 38 minutes   0.0.0.0:
3306->3306/tcp   locations-mariadb

C:\WINDOWS\system32>
```

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

1:03
kedd
2021. 02. 09.

Locations

localhost:8080/server

Locations

Name	Coordinates	
Budapest	47.497912, 19.040235	View
Debrecen	47.5316049, 21.6273124	View
Győr	47.6874569, 17.6503974	View
Home	30.0, 30.0	View
Miskolc	48.1034775, 20.7784384	View
Veszprém	47.1028087, 17.9093019	View
Work	20.0, 20.0	View

Create location

István Benke
Active

Update your status

Set yourself as **away**

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

1:05
kedd
2021. 02. 09.

Locations

localhost:8080/server/details?id=1

Location details

Name	Budapest
Coordinates	47.497912, 19.040235
Interesting at	2019-09-17T05:00
Tags	[capital, favourite]

Edit Delete Back to list

István Benke
Active

Update your status

Set yourself as **away**

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

1:06
kedd
2021. 02. 09.

Locations

localhost:8080/server/details?id=6

Location details

Name	Home
Coordinates	30.0, 30.0
Interesting at	
Tags	[]

Edit Delete Back to list

István Benke
Active

Update your status

Set yourself as away
Pause notifications On

Edit profile
View profile
Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

Elements Console Sources Network Performance

Preserve log Disable cache Online

Filter Hide data URLs

All XHR JS CSS Img Media Font Doc WS Manifest Other Has blocked cookies

Blocked Requests

20 ms 40 ms 60 ms 80 ms 100 ms

Name

details?id=6
bootstrap.min.css
locations-server.js

3 requests 1.4 kB transferred

Headers Preview Response Initiator Timing

Location details

Name	Home
Coordinates	30.0, 30.0
Interesting at	
Tags	[]

Edit Delete Back to list

1:17
kedd
2021. 02. 09.

Locations

localhost:8080/server/

Locations

Name	Coordinates	
Budapest	47.497912, 19.040235	View
Debrecen	47.5316049, 21.6273124	View
Győr	47.6874569, 17.6503974	View
Home	30.0, 30.0	View
Miskolc	48.1034775, 20.7784384	
Veszprém	47.1028087, 17.9093019	
Work	20.0, 20.0	

Create location

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

Elements Console Sources Network Performance

Preserve log Disable cache Online

Filter Hide data URLs

All XHR JS CSS Img Media Font Doc WS Manifest Other Has blocked cookies

Blocked Requests

20 ms 40 ms 60 ms 80 ms 100 ms

Name

server/

bootstrap.min.css

locations-server.js

3 requests 2.6 kB transferred

Headers Preview Response Initiator Timing

General

Request URL: http://localhost:8080/server/

Request Method: GET

Status Code: 200

Remote Address: [::1]:8080

Referrer Policy: no-referrer-when-downgrade

Response Headers view source

Connection: keep-alive

Content-Language: en

Content-Type: text/html;charset=UTF-8

Date: Tue, 09 Feb 2021 00:18:12 GMT

Keep-Alive: timeout=60

Transfer-Encoding: chunked

Vary: Origin

Vary: Access-Control-Request-Method

Vary: Access-Control-Request-Headers

Request Headers view source

Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.9

Accept-Encoding: gzip, deflate, br

1:19
kedd
2021. 02. 09.

Locations

localhost:8080/server/

Locations

Name	Coordinates	
Budapest	47.497912, 19.040235	View
Debrecen	47.5316049, 21.6273124	View
Győr	47.6874569, 17.6503974	View
Home	30.0, 30.0	View
Miskolc	48.1034775, 20.7784384	
Veszprém	47.1028087, 17.9093019	
Work	20.0, 20.0	

Create location

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

Elements Console Sources Network Performance

Preserve log Disable cache Online

Filter Hide data URLs

All XHR JS CSS Img Media Font Doc WS Manifest Other Has blocked cookies

Blocked Requests

20 ms 40 ms 60 ms 80 ms 100 ms

Name

server/

bootstrap.min.css

locations-server.js

Headers Preview Response Initiator Timing

```
<!DOCTYPE html>
<html>
<head>
    <meta http-equiv="Content-Type" content=
    <title>Locations</title>
    <link rel="stylesheet" href="/webjars/bo
    <script src="/js/locations-server.js"></
</head>
<body>

<div class="container">

    <h1>Locations</h1>



    <table class="table table-striped">
        <thead>
        <tr>
            <th>Name</th>
            <th>Coordinates</th>
            <th></th>
        </tr>
        </thead>

        <tbody>

            <tr>
                <td>Budapest</td>
                <td>47.497912, 19.040235</td
                <td>
```

3 requests 2.6 kB transferred

Line 1, Column 1

1:20 kedd 2021. 02. 09.

Locations

localhost:8080/server/

Locations

Name	Coordinates	
Budapest	47.497912, 19.040235	View
Debrecen	47.5316049, 21.6273124	View
Győr	47.6874569, 17.6503974	View
Home	30.0, 30.0	View
Miskolc	48.1034775, 20.7784384	
Veszprém	47.1028087, 17.9093019	
Work	20.0, 20.0	

Create location

István Benke
Active
Update your status
Set yourself as away
Pause notifications On
Edit profile
View profile
Preferences
Downloads Ctrl+Shift+J
Sign out of Training360

Elements Console Sources Network Performance
Preserve log Disable cache Online
Filter Hide data URLs
All XHR JS CSS Img Media Font Doc WS Manifest Other Has blocked cookies
Blocked Requests

Name
server/
bootstrap.min.css
locations-server.js

3 requests 2.6 kB transferred

Headers Preview Response Initiator Timing

Locations

Name	Coordinates	
Budapest	47.497912, 19.040235	View
Debrecen	47.5316049, 21.6273124	View
Győr	47.6874569, 17.6503974	View
Home	30.0, 30.0	View
Miskolc	48.1034775, 20.7784384	View
Veszprém	47.1028087, 17.9093019	View
Work	20.0, 20.0	View

Create location

1:20
kedd
2021. 02. 09.

Locations

localhost:8080/server/details;jsessionid=E555CEAA97DB14DD6B447BA41B092E40?id=8

Location details

Location has been created.

Name	Home
Coordinates	40.0, 40.0
Interesting at	
Tags	[]

Edit Delete Back to list

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

Elements Console Sources Network Performance

Preserve log Disable cache Online

Filter Hide data URLs

All XHR JS CSS Img Media Font Doc WS Manifest Other Has blocked cookies

Blocked Requests

20 ms 40 ms 60 ms 80 ms 100 ms 120 ms

Name	Me...	Sta...	Type	Initiator	Size	Time	Waterfall
create	PO...	302	do...	Other	40...	83 ...	
details;jsessioni...	GET	200	do...	create	1.4...	24 ...	
bootstrap.min....	GET	200	sty...	details;j...	(m...	0 ms	
locations-serve...	GET	200	scr...	details;j...	(m...	0 ms	

4 requests | 1.8 kB transferred | 157 kB resources | Finish: 44 ms | DOMContentLoaded: 68 ms

1:26
kedd
2021. 02. 09.

Locations

localhost:8080/server/

Locations

Name	Coordinates	
Budapest	47.497912, 19.040235	View
Debrecen	47.5316049, 21.6273124	View
Győr	47.6874569, 17.6503974	View
Home	30.0, 30.0	View
Home	40.0, 40.0	View
Miskolc	48.1034775, 20.7784384	View
Veszprém	47.1028087, 17.9093019	View
Work	20.0, 20.0	View

Create location

Elements Console Sources Network Performance

Preserve log Disable cache Online

Filter Hide data URLs

All XHR JS CSS Img Media Font Doc WS Manifest Other Has blocked cookies

Blocked Requests

20 ms 40 ms 60 ms 80 ms 100 ms

Name	Me...	Sta...	Type	Initiator	Size	Time	Waterfall
server/	GET	200	do...	Other	2.9...	36 ...	
bootstrap.min....	GET	200	sty...	(index)	(m...	0 ms	
locations-serve...	GET	200	scr...	(index)	(m...	0 ms	

3 requests | 2.9 kB transferred | 158 kB resources | Finish: 51 ms | DOMContentLoaded: 68 ms

1:26
kedd
2021. 02. 09.

Administrator: Parancssor

```
ations

C:\WINDOWS\system32>docker ps
CONTAINER ID   IMAGE                    COMMAND                  CREATED         STATUS          PORTS
                 NAMES
9b9ba7bbb631   training360/locations    "java org.springfram…"   37 minutes ago   Up 37 minutes   0.0.0.0:
8080->8080/tcp   my-locations
202d9fe4f600   mariadb                  "docker-entrypoint.s…"   38 minutes ago   Up 38 minutes   0.0.0.0:
3306->3306/tcp   locations-mariadb

C:\WINDOWS\system32>docker run --rm --network locations-net curlimages/curl -L -v http://my-locations:808
0/server
Unable to find image 'curlimages/curl:latest' locally
latest: Pulling from curlimages/curl
801bfaa63ef2: Already exists
aef776c6fe5d: Pull complete
e1509b6dbca7: Pull complete
2687c15f60a9: Pull complete
a107282301d8: Pull complete
0a545b8154dd: Pull complete
9e83acb17fc6: Pull complete
f6f4a00048cf: Pull complete
110e7f874674: Pull complete
Digest: sha256:28ec2dae8001949f657dbb36141508d65572f382dbd587f868289e2ceb0d47dd
Status: Downloaded newer image for curlimages/curl:latest
  % Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
                                 Dload  Upload   Total   Spent    Left  Speed
  0     0    0     0    0     0      0      0 --:--:-- --:--:-- --:--:--     0*   Trying 172.18.0.3:8080.
..
* Connected to my-locations (172.18.0.3) port 8080 (#0)
> GET /server HTTP/1.1
> Host: my-locations:8080
```

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

1:31
kedd
2021. 02. 09.

Administrator: Parancssor

```
f6f4a00048cf: Pull complete
110e7f874674: Pull complete
Digest: sha256:28ec2dae8001949f657dbb36141508d65572f382dbd587f868289e2ceb0d47dd
Status: Downloaded newer image for curlimages/curl:latest
  % Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
                                 Dload  Upload   Total   Spent    Left  Speed
  0     0    0     0    0     0      0      0 --:--:-- --:--:-- --:--:--     0*   Trying 172.18.0.3:8080.
..
* Connected to my-locations (172.18.0.3) port 8080 (#0)
> GET /server HTTP/1.1
> Host: my-locations:8080
> User-Agent: curl/7.75.0-DEV
> Accept: */*
>
* Mark bundle as not supporting multiuse
< HTTP/1.1 200
< Vary: Origin
< Vary: Access-Control-Request-Method
< Vary: Access-Control-Request-Headers
< Content-Type: text/html;charset=UTF-8
< Content-Language: en
< Transfer-Encoding: chunked
< Date: Tue, 09 Feb 2021 00:31:09 GMT
<
{ [2567 bytes data]
100  2560    0  2560    0     0  85333      0 --:--:-- --:--:-- --:--:-- 85333
<!DOCTYPE html>
<html>
<head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8"/>
    <title>Locations</title>
    <link rel="stylesheet" href="/webjars/bootstrap/4.3.1/css/bootstrap.min.css" />
```

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

1:31
kedd
2021. 02. 09.

Administrator: Parancssor

```
< Transfer-Encoding: chunked
< Date: Tue, 09 Feb 2021 00:31:09 GMT
<
{ [2567 bytes data]
100  2560    0  2560    0     0  85333      0 --:--:-- --:--:-- --:--:-- 85333
<!DOCTYPE html>
<html>
<head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8"/>
    <title>Locations</title>
    <link rel="stylesheet" href="/webjars/bootstrap/4.3.1/css/bootstrap.min.css" />
    <script src="/js/locations-server.js"></script>
</head>
<body>

<div class="container">

    <h1>Locations</h1>



    <table class="table table-striped">
        <thead>
        <tr>
            <th>Name</th>
            <th>Coordinates</th>
            <th></th>
        </tr>
        </thead>

        <tbody>
```

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

1:34
kedd
2021. 02. 09.

Administrator: Parancssor

```
            </tr>

            <tr>
                <td>Veszprém</td>
                <td>47.1028087, 17.9093019</td>
                <td>
                        <a href="/server/details?id=4">View</a>
                </td>
            </tr>

            <tr>
                <td>Work</td>
                <td>20.0, 20.0</td>
                <td>
                        <a href="/server/details?id=7">View</a>
                </td>
            </tr>

        </tbody>
    </table>

    <a href="/server/create">Create location</a>

</div>

</body>
</html>* Connection #0 to host my-locations left intact

C:\WINDOWS\system32>
```

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

1:36
kedd
2021. 02. 09.

WebHtmlCss

Fájl | Kezdőlap | Megosztás | Nézet

Rögzítés a Gyors elérésbe | Másolás | Beillesztés | Kivágás | Elérési út másolása | Parancsikon beillesztése (Vágólap)

Áthelyezési cél | Másolási cél | Törlés | Átnevezés (Rendszerezés)

Új mappa | Új elem | Egyszerű elérés (Új)

Tulajdonságok | Megnyitás | Szerkesztés | Előzmények (Megnyitás)

Az összes kijelölése | Kijelölés megszüntetése | Kijelölés megfordítása (Kijelölés)

Ez a gép > Helyi lemez (C:) > architekturak > WebHtmlCss

Keresés: WebHtml...

Gyors elérés

Asztal

Név	Módosítás dátuma	Típus	Méret
Index	2021. 02. 09. 12:51	Firefox HTML Doc...	1 KB

Index – Jegyzettömb

Fájl Szerkesztés Formátum Nézet Súgó

```
<!DOCTYPE html>
<html>
    <head>
        <title>Example</title>
    </head>
    <body>
        <h1>Example Page</h1>
        <p>This is an example page. See <a href="http://training360.com">Training360</a>!</p>

    </body>
</html>
```

Sor: 1, oszl.: 1 | 100% | Windows (CRLF) | UTF-8

István Benke
Active

Update your status

Set yourself as **away**

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

12:55
kedd
2021. 02. 09.

Locations | Example

Fájl | C:/architekturak/WebHtmlCss/Index.html

Hiba

Example Page

This is an example page. See Training360!

István Benke
Active

Update your status

Set yourself as **away**

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

12:57
kedd
2021. 02. 09.

Locations | Example | Index.html

view-source:file:///C:/architekturak/WebHtmlCss/Index.html

```html
<!DOCTYPE html>
<html>
    <head>
        <title>Example</title>
    </head>
    <body>
        <h1>Example Page</h1>
        <p>This is an example page. See <a href="http://training360.com">Training360</a>!</p>
    </body>
</html>
```

István Benke
Active

Update your status

Set yourself as **away**

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

12:57
kedd
2021. 02. 09.

Locations | Example

Fájl | C:/architekturak/WebHtmlCss/Index.html

Hiba

Example Page

This is an example page. See Training360!

Elements Console Sources Network Performance

```
<!DOCTYPE html>
<html>
  ▶ <head>…</head>
  ▼ <body>
      <h1>Example Page</h1> == $0
    ▶ <p>…</p>
    </body>
  </html>
```

html body h1

Styles Computed Layout Event Listeners DOM Breakpoints Properties Accessibility

Filter :hov .cls

```
element.style {
}
h1 {                                        user agent stylesheet
  display: block;
  font-size: 2em;
  margin-block-start: 0.67em;
  margin-block-end: 0.67em;
  margin-inline-start: 0px;
  margin-inline-end: 0px;
  font-weight: bold;
}
```

margin 21.440

border –

István Benke

Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

12:59

kedd

2021. 02. 09.

WebHtmlCss

Fájl | Kezdőlap | Megosztás | Nézet

Rögzítés a Gyors elérésbe | Másolás | Beillesztés | Kivágás | Elérési út másolása | Parancsikon beillesztése (Vágólap)

Áthelyezési cél | Másolási cél | Törlés | Átnevezés (Rendszerezés)

Új mappa | Új elem | Egyszerű elérés (Új)

Tulajdonságok | Megnyitás | Szerkesztés | Előzmények (Megnyitás)

Az összes kijelölése | Kijelölés megszüntetése | Kijelölés megfordítása (Kijelölés)

Ez a gép > Helyi lemez (C:) > architekturak > WebHtmlCss

Keresés: WebHtml...

Gyors elérés

Asztal

Név	Módosítás dátuma	Típus	Méret
Index	2021. 02. 09. 13:03	Firefox HTML Doc...	1 KB

style – Jegyzettömb

Fájl Szerkesztés Formátum Nézet Súgó

```
h1 {
 color: red;
}
```

Sor: 3, oszl.: 2 | 100% | Windows (CRLF) | UTF-8

István Benke
Active

Update your status

Set yourself as **away**

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

13:06
kedd
2021. 02. 09.

WebHtmlCss

Fájl Kezdőlap Megosztás Nézet

Rögzítés a Gyors elérésbe | Másolás | Beillesztés | Kivágás | Elérési út másolása | Parancsikon beillesztése — Vágólap

Áthelyezési cél | Másolási cél | Törlés | Átnevezés — Rendszerezés

Új mappa | Új elem | Egyszerű elérés — Új

Tulajdonságok | Megnyitás | Szerkesztés | Előzmények — Megnyitás

Az összes kijelölése | Kijelölés megszüntetése | Kijelölés megfordítása — Kijelölés

Ez a gép > Helyi lemez (C:) > architekturak > WebHtmlCss

Keresés: WebHtml...

Gyors elérés

Asztal

Név	Módosítás dátuma	Típus	Méret
Index	2021. 02. 09. 13:03	Firefox HTML Doc...	1 KB

style – Jegyzettömb

Fájl Szerkesztés Formátum Nézet Súgó

```
h1 {
 color: yellow;
}
```

Sor: 2, oszl.: 15 | 100% | Windows (CRLF) | UTF-8

István Benke
Active

Update your status

Set yourself as **away**

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

13:06
kedd
2021. 02. 09.

WebHtmlCss

Fájl | Kezdőlap | Megosztás | Nézet

Rögzítés a Gyors elérésbe | Másolás | Beillesztés | Kivágás | Elérési út másolása | Parancsikon beillesztése (Vágólap)

Áthelyezési cél | Másolási cél | Törlés | Átnevezés (Rendszerezés)

Új mappa | Új elem | Egyszerű elérés (Új)

Tulajdonságok | Megnyitás | Szerkesztés | Előzmények (Megnyitás)

Az összes kijelölése | Kijelölés megszüntetése | Kijelölés megfordítása (Kijelölés)

Ez a gép > Helyi lemez (C:) > architekturak > WebHtmlCss

Keresés: WebHtml...

Gyors elérés

Asztal

Név	Módosítás dátuma	Típus	Méret
Index	2021. 02. 09. 13:07	Firefox HTML Doc...	1 KB

Index – Jegyzettömb

Fájl Szerkesztés Formátum Nézet Súgó

```
<!DOCTYPE html>
<html>
    <head>
        <title>Example</title>
        <link rel="stylesheet" href="styles.css" />
    </head>
    <body>
        <h1>Example Page 2</h1>
        <p>This is an example page. See <a href="http://training360.com">Training360</a>!</p>
    </body>
</html>
```

Sor: 9, oszl.: 99 | 100% | Windows (CRLF) | UTF-8

István Benke
Active

Update your status

Set yourself as **away**

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

13:07
kedd
2021. 02. 09.

Locations | Example

Fájl | C:/architekturak/WebHtmlCss/Index.html

Hiba

Example Page 2

This is an example page. See Training360!

styles – Jegyzettömb

Fájl Szerkesztés Formátum Nézet Súgó

```
h1 {
 color: yellow;
}
```

Sor: 2, oszl.: 15 | 100% | Windows (CRLF) | UTF-8

Elements Console Sources Network Performance

```
<!DOCTYPE html>
<html>
▶ <head>…</head>
▼ <body>
    <h1>Example Page 2</h1> == $0
  ▶ <p>…</p>
  </body>
</html>
```

html body h1

Styles Computed Layout Even

Filter

```
element.style {
}
h1 {
  color: yellow;
}
h1 {
  display: block;
  font-size: 2em;
  margin-block-start: 0.67em;
  margin-block-end: 0.67em;
  margin-inline-start: 0px;
  margin-inline-end: 0px;
  font-weight: bold;
}
```

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

13:10
kedd
2021. 02. 09.

WebHtmlCss

Fájl | Kezdőlap | Megosztás | Nézet

Rögzítés a Gyors elérésbe | Másolás | Beillesztés | Kivágás | Elérési út másolása | Parancsikon beillesztése (Vágólap)
Áthelyezési cél | Másolási cél | Törlés | Átnevezés (Rendszerezés)
Új mappa | Új elem | Egyszerű elérés (Új)
Tulajdonságok | Megnyitás | Szerkesztés | Előzmények (Megnyitás)
Az összes kijelölése | Kijelölés megszüntetése | Kijelölés megfordítása (Kijelölés)

Ez a gép > Helyi lemez (C:) > architekturak > WebHtmlCss

Keresés: WebHtml...

Gyors elérés
Asztal
Letöltések

Név	Módosítás dátuma	Típus	Méret
Index	2021. 02. 09. 13:36	Firefox HTML Doc...	1 KB
styles	2021. 02. 09. 13:10	Lépcsőzetes stílusl...	1 KB

Index – Jegyzettömb

Fájl Szerkesztés Formátum Nézet Súgó

```
<!DOCTYPE html>
<html>
    <head>
        <title>Example</title>
        <link rel="stylesheet" href="styles.css" />
        <script src="myscript.js" type="text/javascript"></script>
    </head>
    <body>
        <h1>Example Page</h1>
        <p>This is an example page. See <a href="http://training360.com">Training360</a>!</p>
        <input id="welcome-button" type="button" value="Click me!" />
    </body>
</html>
```

Sor: 6, oszl.: 60 | 100% | Windows (CRLF) | UTF-8

István Benke
Active

Update your status

Set yourself as **away**

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

13:36
kedd
2021. 02. 09.

WebHtmlCss

Fájl | Kezdőlap | Megosztás | Nézet

Rögzítés a Gyors elérésbe | Másolás | Beillesztés | Kivágás | Elérési út másolása | Parancsikon beillesztése (Vágólap)

Áthelyezési cél | Másolási cél | Törlés | Átnevezés (Rendszerezés)

Új mappa | Új elem | Egyszerű elérés (Új)

Tulajdonságok | Megnyitás | Szerkesztés | Előzmények (Megnyitás)

Az összes kijelölése | Kijelölés megszüntetése | Kijelölés megfordítása (Kijelölés)

Ez a gép > Helyi lemez (C:) > architekturak > WebHtmlCss

Keresés: WebHtml...

Gyors elérés
Asztal
Letöltések
Dokumentum

Név	Módosítás dátuma	Típus	Méret
Index	2021. 02. 09. 13:36	Firefox HTML Doc...	1 KB
myscript	2021. 02. 09. 13:38	JavaScript-fájl	1 KB
styles	2021. 02. 09. 13:10	Lépcsőzetes stílusl...	1 KB

myscript – Jegyzettömb

Fájl Szerkesztés Formátum Nézet Súgó

```
onload = () => document.querySelector('#welcome-button')
    .addEventListener('click', e => {alert('Hello World!')});
```

Sor: 2, oszl.: 62 | 100% | Windows (CRLF) | UTF-8

István Benke
Active

Update your status

Set yourself as **away**

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

13:39
kedd
2021. 02. 09.

Locations | Example

Fájl | C:/architekturak/WebHtmlCss/Index.html

Example Page

This is an example page. See Training360!

Click me!

Elements Console Sources Network Performance

```
<!DOCTYPE html>
<html>
  ▶ <head>…</head>
  ▼ <body>
      <h1>Example Page</h1> == $0
    ▶ <p>…</p>
      <input id="welcome-button" type="button" value="Click me!">
    </body>
  </html>
```

html body h1

Styles Computed Layout Event Listeners DOM Breakpoints Properties Accessibility

Filter :hov .cls

```
element.style {
}
h1 {                                                    styles.css:1
  color: yellow;
}
h1 {                                                    user agent stylesheet
  display: block;
  font-size: 2em;
  margin-block-start: 0.67em;
  margin-block-end: 0.67em;
  margin-inline-start: 0px;
  margin-inline-end: 0px;
  font-weight: bold;
}
```

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

13:39
kedd
2021. 02. 09.

Locations | Example

Fájl | C:/architekturak/WebHtmlCss/Index.html

Example Page

This is an example page. See Training360!

Click me!

Az oldal közlendője

Hello World!

OK

Elements Console Sources Network Performance

```
<!DOCTYPE html>
<html>
  <head>…</head>
  <body>
    <h1>Example Page</h1> == $0
    <p>…</p>
    <input id="welcome-button" type="button" value="Click me!">
  </body>
</html>
```

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

html body h1

Styles Computed Layout Event Listeners DOM Breakpoints Properties Accessibility

Filter :hov .cls

```
element.style {
}
h1 {                                        styles.css:1
  color: yellow;
}
h1 {                                        user agent stylesheet
  display: block;
  font-size: 2em;
  margin-block-start: 0.67em;
  margin-block-end: 0.67em;
  margin-inline-start: 0px;
  margin-inline-end: 0px;
  font-weight: bold;
}
```

13:40
kedd
2021. 02. 09.

Administrator: Parancssor

```
        </tbody>
    </table>

    <a href="/server/create">Create location</a>

</div>

</body>
</html>* Connection #0 to host my-locations left intact

C:\WINDOWS\system32>docker ps
CONTAINER ID   IMAGE                    COMMAND                  CREATED        STATUS         PORTS
             NAMES
9b9ba7bbb631   training360/locations    "java org.springfram…"   13 hours ago   Up 13 hours    0.0.0.0:8080
->8080/tcp   my-locations
202d9fe4f600   mariadb                  "docker-entrypoint.s…"   13 hours ago   Up 13 hours    0.0.0.0:3306
->3306/tcp   locations-mariadb

C:\WINDOWS\system32>
```

Szoftverarchitekturak 2021. 01. 31. 14:42 Szöveges dokume... 15 KB

40 elem

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

13:49
kedd
2021. 02. 09.

Locations | Example

localhost:8080

Locations

Create location

Refresh table

Id	Name	Coordinates	Interesting at	Tags	
1	Budapest	47.497912, 19.040235	2019-09-17T05:00:00	capital,favourite	Edit Delete
2	Debrecen	47.5316049, 21.6273124			Edit Delete
5	Győr	47.6874569, 17.6503974			Edit Delete
6	Home	30, 30			Edit Delete
8	Home	40, 40			Edit

Elements Console Sources Network

Preserve log Disable cache Online

Filter Hide data URLs

All XHR JS CSS Img Media Font Doc WS Manifest Other

Has blocked cookies Blocked Requests

20 ms 40 ms 60 ms 80 ms 100 ms

Name	M...	St...	Ty...	Initiator	Si...	Ti...	Waterfall
localhost	GET	304	d...	Other	2...	9 ...	
service-rest.js	GET	200	sc...	(index)	(...	0 ...	
bootstrap....	GET	200	st...	(index)	(d...	2 ...	
locations.js	GET	200	sc...	(index)	(...	0 ...	
locations.css	GET	200	st...	(index)	(d...	1 ...	
locations	GET	200	fe...	servic...	8...	1...	

6 requests | 1.1 kB transferred | 178 kB resources | Finish: 67 ms | DOMContentLoaded

Keresés: Szoftverar...

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

13:52
kedd
2021. 02. 09.

Locations | Example

localhost:8080

Locations

Create location

Refresh table

Id	Name	Coordinates	Interesting at	Tags	
1	Budapest	47.497912, 19.040235	2019-09-17T05:00:00	capital,favourite	Edit Delete
2	Debrecen	47.5316049, 21.6273124			Edit Delete
5	Győr	47.6874569, 17.6503974			Edit Delete
6	Home	30, 30			Edit Delete
8	Home	40, 40			Edit

Elements Console Sources Network

Preserve log Disable cache Online

Filter Hide data URLs

All XHR JS CSS Img Media Font Doc WS Manifest Other

Has blocked cookies Blocked Requests

20 ms 40 ms 60 ms 80 ms 100 ms

Name

localhost
service-rest.js
bootstrap.min.css
locations.js
locations.css
locations

6 requests 1.1 kB trans

Headers Preview Response Initiator

General

Request URL: http://localhost:8080/api/locations
Request Method: GET
Status Code: 200
Remote Address: [::1]:8080
Referrer Policy: no-referrer-when-downgrade

Response Headers view source

Connection: keep-alive
Content-Type: application/json
Date: Tue, 09 Feb 2021 12:52:24 GMT
Keep-Alive: timeout=60
Transfer-Encoding: chunked
Vary: Origin
Vary: Access-Control-Request-Method
Vary: Access-Control-Request-Headers

Request Headers view source

Accept: */*
Accept-Encoding: gzip, deflate, br
Accept-Language: hu-HU,hu;q=0.9,en-US;q=0.8,en;q=0.7

István Benke
Active

Update your status

Set yourself as away
Pause notifications

Edit profile
View profile
Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

13:54
kedd
2021. 02. 09.

Locations | Example

localhost:8080

Locations

Create location

Refresh table

Id	Name	Coordinates	Interesting at	Tags	
1	Budapest	47.497912, 19.040235	2019-09-17T05:00:00	capital,favourite	Edit Delete
2	Debrecen	47.5316049, 21.6273124			Edit Delete
5	Győr	47.6874569, 17.6503974			Edit Delete
6	Home	30, 30			Edit Delete
8	Home	40, 40			Edit

Elements Console Sources Network

Preserve log Disable cache Online

Filter Hide data URLs

All XHR JS CSS Img Media Font Doc WS Manifest Other

Has blocked cookies Blocked Requests

20 ms 40 ms 60 ms 80 ms 100 ms

Name

localhost
service-rest.js
bootstrap.min.css
locations.js
locations.css
locations

Headers Preview Response Initiator

1 [{"id":1,"name":"Budapest","lat":47.497912,"lo

6 requests 1.1 kB trans Line 1, Column 1

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

13:54
kedd
2021. 02. 09.

Locations | Example

localhost:8080

Locations

Name*

Balatonkenese

Coordinates (format: *47.4979,19.0402*, no spaces, max. 6 digits after decimal point!)*

10,10

Interesting at (format: *2019-09-11T15:31:04*)

Tags (format: *favourite, capital*)

Create location | Cancel

Refresh table

Id	Name	Coordinates	Interesting at	Tags	
1	Budapest	47.497912, 19.040235	2019-09-17T05:00:00	capital,favourite	Edit Delete

Elements | Console | Sources | Network

Preserve log | Disable cache | Online

Filter | Hide data URLs

All | XHR | JS | CSS | Img | Media | Font | Doc | WS | Manifest | Other

Has blocked cookies | Blocked Requests

20 ms | 40 ms | 60 ms | 80 ms | 100 ms

Name | Headers | Preview | Response | Initiator

- localhost
- service-rest.js
- bootstrap.min.css
- locations.js
- locations.css
- locations


```
[{"id":1,"name":"Budapest","lat":47.497912,"lo
```


6 requests | 1.1 kB trans | Line 1, Column 1

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

13:56
kedd
2021. 02. 09.

Locations | Example

localhost:8080

Locations

Location has been created

Create location

Refresh table

Id	Name	Coordinates	Interesting at	Tags	
9	Balatonkenese	10, 10			Edit Delete
1	Budapest	47.497912, 19.040235	2019-09-17T05:00:00	capital,favourite	Edit Delete
2	Debrecen	47.5316049, 21.6273124			Edit Delete
5	Győr	47.6874569, 17.6503974			Edit Delete

Elements Console Sources Network

Preserve log Disable cache Online

Filter Hide data URLs

All XHR JS CSS Img Media Font Doc WS Manifest Other

Has blocked cookies Blocked Requests

50000 ms 100000 ms 150000 ms 200000 ms 250000 ms 300000 ms 3500

Name

- localhost
- service-rest.js
- bootstrap.min.css
- locations.js
- locations.css
- locations
- locations
- locations

Headers Preview Response Initiator


```
1 {"id":9,"name":"Balatonkenese","lat":10.0,"lon
```


8 requests 2.3 kB trans Line 1, Column 1

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

13:57 kedd 2021. 02. 09.

Locations | Example

localhost:8080

Locations

Location has been created

Create location

Refresh table

Id	Name	Coordinates	Interesting at	Tags	
9	Balatonkenese	10, 10			Edit Delete
1	Budapest	47.497912, 19.040235	2019-09-17T05:00:00	capital,favourite	Edit Delete
2	Debrecen	47.5316049, 21.6273124			Edit Delete
5	Győr	47.6874569, 17.6503974			Edit Delete

Elements Console Sources Network

Preserve log Disable cache Online

Filter Hide data URLs

All XHR JS CSS Img Media Font Doc WS Manifest Other

Has blocked cookies Blocked Requests

50000 ms 100000 ms 150000 ms 200000 ms 250000 ms 300000 ms 3500

Name

- localhost
- service-rest.js
- bootstrap.min.css
- locations.js
- locations.css
- locations
- locations
- locations

Headers Preview Response Initiator


```
1 [{"id":9,"name":"Balatonkenese","lat":10.0,"lo
```


8 requests 2.3 kB trans Line 1, Column 1

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

13:57 kedd 2021. 02. 09.

Locations | Example

localhost:8080

Locations

Location has been created

Create location

Refresh table

Id	Name	Coordinates	Interesting at	Tags	
9	Balatonkenese	10, 10			Edit Delete
1	Budapest	47.497912, 19.040235	2019-09-17T05:00:00	capital,favourite	Edit Delete
2	Debrecen	47.5316049, 21.6273124			Edit Delete
5	Győr	47.6874569, 17.6503974			Edit Delete

Elements Console Sources Network

Preserve log Disable cache Online

Filter Hide data URLs

All XHR JS CSS Img Media Font Doc WS Manifest Other

Has blocked cookies Blocked Requests

50000 ms 100000 ms 150000 ms 200000 ms 250000 ms 300000 ms 3500

Name

- localhost
- service-rest.js
- bootstrap.min.css
- locations.js
- locations.css
- locations
- locations
- locations

8 requests 2.3 kB trans

Headers Preview Response Initiator

General

Request URL: http://localhost:8080/api/locations

Request Method: POST

Status Code: 201

Remote Address: [::1]:8080

Referrer Policy: no-referrer-when-downgrade

Response Headers view source

Connection: keep-alive

Content-Type: application/json

Date: Tue, 09 Feb 2021 12:57:00 GMT

Keep-Alive: timeout=60

Transfer-Encoding: chunked

Vary: Origin

Vary: Access-Control-Request-Method

Vary: Access-Control-Request-Headers

Request Headers view source

Accept: */*

Accept-Encoding: gzip, deflate, br

Accept-Language: hu-HU,hu;q=0.9,en-US;q=0.8,en;

Connection: keep-alive

István Benke

Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

13:57 kedd 2021. 02. 09.

Locations | Example

localhost:8080

Locations

Location has been created

Create location

Refresh table

Id	Name	Coordinates	Interesting at	Tags	
9	Balatonkenese	10, 10			Edit Delete
1	Budapest	47.497912, 19.040235	2019-09-17T05:00:00	capital,favourite	Edit Delete
2	Debrecen	47.5316049, 21.6273124			Edit Delete
5	Győr	47.6874569, 17.6503974			Edit Delete

Elements Console Sources Network

Preserve log Disable cache Online

Filter Hide data URLs

All XHR JS CSS Img Media Font Doc WS Manifest Other

Has blocked cookies Blocked Requests

50000 ms 100000 ms 150000 ms 200000 ms 250000 ms 300000 ms 3500

Name

- localhost
- service-rest.js
- bootstrap.min.css
- locations.js
- locations.css
- locations
- locations
- locations

8 requests 2.3 kB trans

Headers Preview Response Initiator

General

Request URL: http://localhost:8080/api/locations

Request Method: GET

Status Code: 200

Remote Address: [::1]:8080

Referrer Policy: no-referrer-when-downgrade

Response Headers view source

Connection: keep-alive

Content-Type: application/json

Date: Tue, 09 Feb 2021 12:57:00 GMT

Keep-Alive: timeout=60

Transfer-Encoding: chunked

Vary: Origin

Vary: Access-Control-Request-Method

Vary: Access-Control-Request-Headers

Request Headers view source

Accept: */*

Accept-Encoding: gzip, deflate, br

Accept-Language: hu-HU,hu;q=0.9,en-US;q=0.8,en;q=0.7

István Benke

Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

13:57 kedd 2021. 02. 09.

Locations | Example

localhost:8080

Locations

Location has been deleted

Create location

Refresh table

Id	Name	Coordinates	Interesting at	Tags	
9	Balatonkenese	10, 10			Edit Delete
1	Budapest	47.497912, 19.040235	2019-09-17T05:00:00	capital,favourite	Edit Delete
2	Debrecen	47.5316049, 21.6273124			Edit Delete
5	Győr	47.6874569, 17.6503974			Edit Delete

Elements Console Sources Network

Preserve log Disable cache Online

Filter Hide data URLs

All XHR JS CSS Img Media Font Doc WS Manifest Other

Has blocked cookies Blocked Requests

100000 ms 200000 ms 300000 ms 400000 ms 500000 ms

Name

- localhost
- service-rest.js
- bootstrap.min.css
- locations.js
- locations.css
- locations
- locations
- locations
- 6
- locations

10 requests | 3.3 kB tran

Headers Preview Response Initiator

General

Request URL: http://localhost:8080/api/locations/6

Request Method: DELETE

Status Code: 204

Remote Address: [::1]:8080

Referrer Policy: no-referrer-when-downgrade

Response Headers view source

Connection: keep-alive

Date: Tue, 09 Feb 2021 12:59:50 GMT

Keep-Alive: timeout=60

Vary: Origin

Vary: Access-Control-Request-Method

Vary: Access-Control-Request-Headers

Request Headers view source

Accept: */*

Accept-Encoding: gzip, deflate, br

Accept-Language: hu-HU,hu;q=0.9,en-US;q=0.8,en;q=0.7

Connection: keep-alive

Cookie: JSESSIONID=E555CEAA97DB14DD6B447BA41B09

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

14:00 kedd 2021. 02. 09.

Locations | Example

localhost:8080

Locations

Location has been deleted

Create location

Refresh table

Id	Name	Coordinates	Interesting at	Tags	
9	Balatonkenese	10, 10			Edit Delete
1	Budapest	47.497912, 19.040235	2019-09-17T05:00:00	capital,favourite	Edit Delete
2	Debrecen	47.5316049, 21.6273124			Edit Delete
5	Győr	47.6874569, 17.6503974			Edit Delete

Elements Console Sources Network

Preserve log Disable cache Online

Filter Hide data URLs

All XHR JS CSS Img Media Font Doc WS Manifest Other

Has blocked cookies Blocked Requests

100000 ms 200000 ms 300000 ms 400000 ms 500000 ms

Name

- localhost
- service-rest.js
- bootstrap.min.css
- locations.js
- locations.css
- locations
- locations
- locations
- 6
- locations

10 requests | 3.3 kB tran

Headers Preview Response Initiator

General

Request URL: http://localhost:8080/api/locations

Request Method: GET

Status Code: 200

Remote Address: [::1]:8080

Referrer Policy: no-referrer-when-downgrade

Response Headers view source

Connection: keep-alive

Content-Type: application/json

Date: Tue, 09 Feb 2021 12:59:50 GMT

Keep-Alive: timeout=60

Transfer-Encoding: chunked

Vary: Origin

Vary: Access-Control-Request-Method

Vary: Access-Control-Request-Headers

Request Headers view source

Accept: */*

Accept-Encoding: gzip, deflate, br

Accept-Language: hu-HU,hu;q=0.9,en-US;q=0.8,en;q=0.7

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

14:00
kedd
2021. 02. 09.

Locations | Example

localhost:8080

Locations

Location has been deleted

Create location

Refresh table

Id	Name	Coordinates	Interesting at	Tags	
9	Balatonkenese	10, 10			Edit Delete
1	Budapest	47.497912, 19.040235	2019-09-17T05:00:00	capital,favourite	Edit Delete
2	Debrecen	47.5316049, 21.6273124			Edit Delete
5	Győr	47.6874569, 17.6503974			Edit Delete

Elements Console Sources Network

Preserve log Disable cache Online

Filter Hide data URLs

All XHR JS CSS Img Media Font Doc WS Manifest Other

Has blocked cookies Blocked Requests

100000 ms 200000 ms 300000 ms 400000 ms 500000 ms

Name

localhost
service-rest.js
bootstrap.min.css
locations.js
locations.css
locations
locations
locations
6
locations

Headers Preview Response Initiator

[{"id":9,"name":"Balatonkenese","lat":10.0,"lo

10 requests 3.3 kB tran Line 1, Column 1

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

14:00
kedd
2021. 02. 09.

Locations | Swagger UI

localhost:8080/swagger-ui/index.html?configUrl=/v3/api-docs/swagger-config

Swagger Supported by SMARTBEAR

/v3/api-docs Explore

Locations API 1.0.0 OAS3

/v3/api-docs

Operations with locations

Servers

http://localhost:8080 - Generated server url

Locations Operations with locations

GET	/api/locations	List locations
POST	/api/locations	Create location
DELETE	/api/locations	Delete all locations
GET	/api/locations/{id}	Get location by id
POST	/api/locations/{id}	Update location by id

István Benke
Active
Update your status
Set yourself as away
Pause notifications
Edit profile
View profile
Preferences
Downloads Ctrl+Shift+J
Sign out of Training360

14:28
kedd
2021. 02. 09.

Locations | Swagger UI

localhost:8080/swagger-ui/index.html?configUrl=/v3/api-docs/swagger-config#/Locations/listLocations

Hiba

Parameters Cancel

No parameters

Execute

Responses

Code	Description	Links
200	locations have been listed Media type */* Controls Accept header. **Example Value** | Schema	*No links*

```
[
  {
    "id": 1,
    "name": "Budapest",
    "lat": 47.497912,
    "lon": 19.040235,
    "interestingAt": "2021-02-09T13:32:05.298Z",
    "tags": "capital,favourite"
  }
]
```

POST `/api/locations` Create location

Keresés: Szoftverar...

István Benke
Active

Update your status

Set yourself as **away**

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

14:32
kedd
2021. 02. 09.

Locations | Swagger UI

localhost:8080/swagger-ui/index.html?configUrl=/v3/api-docs/swagger-config#/Locations/listLocations

Execute | Clear

Responses

Curl

```
curl -X GET "http://localhost:8080/api/locations" -H "accept: */*"
```

Request URL

```
http://localhost:8080/api/locations
```

Server response

Code	Details
200	Response body


```
[
  {
    "id": 9,
    "name": "Balatonkenese",
    "lat": 10,
    "lon": 10,
    "tags": []
  },
  {
    "id": 1,
    "name": "Budapest",
    "lat": 47.497912,
    "lon": 19.040235,
    "interestingAt": "2019-09-17T05:00:00",
    "tags": [
      "capital",
      "favourite"
    ]
```


István Benke
Active
Update your status
Set yourself as away
Pause notifications
Edit profile
View profile
Preferences
Downloads Ctrl+Shift+J
Sign out of Training360

14:32
kedd
2021. 02. 09.

Locations | Swagger UI

localhost:8080/swagger-ui/index.html?configUrl=/v3/api-docs/swagger-config#/Locations/createLocation

POST `/api/locations` Create location

Parameters Cancel

No parameters

Request body required — application/json

```
{
  "name": "Home10",
  "coords": "12,12",
}
```

Execute

Responses

Code	Description	Links

István Benke
Active
Update your status
Set yourself as away
Pause notifications
Edit profile
View profile
Preferences
Downloads Ctrl+Shift+J
Sign out of Training360

14:38 kedd 2021. 02. 09.

Locations | Swagger UI

localhost:8080/swagger-ui/index.html?configUrl=/v3/api-docs/swagger-config#/Locations/createLocation

Curl

```
curl -X POST "http://localhost:8080/api/locations" -H "accept: */*" -H "Content-Type: application/json" -d "{ \"name\": \"Home10\", \"coords\": \"12,12\", }"
```

Request URL

```
http://localhost:8080/api/locations
```

Server response

Code	Details
400 *Undocumented*	Error:

Response body

```
{
  "type": "locations/invalid-json-request",
  "title": "JSON error",
  "status": 400,
  "detail": "JSON parse error: Unexpected character ('}' (code 125)): was expecting double-quote to start field name; nested exception is com.fasterxml.jackson.core.JsonParseException: Unexpected character ('}' (code 125)): was expecting double-quote to start field name\n at [Source: (PushbackInputStream); line: 5, column: 2]"
}
```

Download

Response headers

```
connection: close
content-type: application/problem+json
date: Tue, 09 Feb 2021 13:38:16 GMT
transfer-encoding: chunked
vary: Origin, Access-Control-Request-Method, Access-Control-Request-Headers
```

Responses

Code	Description	Links
201	location has been created	*No links*

Media type

Keresés: Szoftverar...

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

14:39
kedd
2021. 02. 09.

Locations | Swagger UI | Locations

localhost:8080/swagger-ui/index.html?configUrl=/v3/api-docs/swagger-config#/Locations/createLocation

POST `/api/locations` Create location

Parameters Cancel

No parameters

Request body required — application/json

```
{
  "name": "Home10",
  "coords": "12,12"
}
```

Execute | Clear

Responses

Curl

István Benke
Active
Update your status
Set yourself as away
Pause notifications
Edit profile
View profile
Preferences
Downloads Ctrl+Shift+J
Sign out of Training360

14:43
kedd
2021. 02. 09.

Locations | Swagger UI | Locations

localhost:8080/swagger-ui/index.html?configUrl=/v3/api-docs/swagger-config#/Locations/createLocation

Curl

```
curl -X POST "http://localhost:8080/api/locations" -H "accept: */*" -H "Content-Type: application/json" -d "{\"name\":\"Home10\",\"coords\":\"12,12\"}"
```

Request URL

```
http://localhost:8080/api/locations
```

Server response

Code	Details
201	Response body

```
{
  "id": 10,
  "name": "Home10",
  "lat": 12,
  "lon": 12,
  "tags": []
}
```

Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Tue, 09 Feb 2021 13:43:13 GMT
keep-alive: timeout=60
transfer-encoding: chunked
vary: Origin, Access-Control-Request-Method, Access-Control-Request-Headers
```

Responses

Code	Description	Links
201	location has been created Media type	*No links*

Keresés: Szoftverar...

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

14:43
kedd
2021. 02. 09.

Locations | Swagger UI | Locations

localhost:8080

angol magyar

Google Translate

Locations

Create location

Refresh table

Id	Name	Coordinates	Interesting at	Tags	
9	Balatonkenese	10, 10			Edit Delete
1	Budapest	47.497912, 19.040235	2019-09-17T05:00:00	capital,favourite	Edit Delete
2	Debrecen	47.5316049, 21.6273124			Edit Delete
5	Győr	47.6874569, 17.6503974			Edit Delete
8	Home	40, 40			Edit Delete
10	Home10	12, 12			Edit Delete
3	Miskolc	48.1034775, 20.7784384			Edit Delete
4	Veszprém	47.1028087, 17.9093019			Edit Delete

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

14:43
kedd
2021. 02. 09.

Locations | Swagger UI | Locations

localhost:8080/swagger-ui/index.html?configUrl=/v3/api-docs/swagger-config#/Locations/getLocationById

POST `/api/locations` Create location

DELETE `/api/locations` Delete all locations

GET `/api/locations/{id}` Get location by id

Parameters Cancel

Name	Description
id * required integer($int64) (path)	10

Execute

Responses

Code	Description	Links
200	location has been queried Media type */* Controls Accept header. Example Value | Schema	No links

István Benke
Active
Update your status
Set yourself as away
Pause notifications
Edit profile
View profile
Preferences
Downloads Ctrl+Shift+J
Sign out of Training360

14:46
kedd
2021. 02. 09.

Locations | Swagger UI | Locations

localhost:8080/swagger-ui/index.html?configUrl=/v3/api-docs/swagger-config#/Locations/getLocationById

Execute | Clear

Responses

Curl

```
curl -X GET "http://localhost:8080/api/locations/10" -H "accept: */*"
```

Request URL

```
http://localhost:8080/api/locations/10
```

Server response

Code	Details
200	Response body


```
{
  "id": 10,
  "name": "Home10",
  "lat": 12,
  "lon": 12,
  "tags": []
}
```


Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Tue, 09 Feb 2021 13:46:45 GMT
keep-alive: timeout=60
transfer-encoding: chunked
vary: Origin, Access-Control-Request-Method, Access-Control-Request-Headers
```

Responses

Keresés: Szoftverar...

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

14:46
kedd
2021. 02. 09.

Locations | Swagger UI | Locations

localhost:8080/swagger-ui/index.html?configUrl=/v3/api-docs/swagger-config#/Locations/deleteLocation

POST /api/locations/{id} Update location by id

DELETE /api/locations/{id} Delete location by id

Parameters

Cancel

Name	Description
id * required integer($int64) (path)	10

Execute

Responses

Code	Description	Links
204	location has been deleted	No links

Media type

/

Controls Accept header.

Example Value | Schema

```
{}
```

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

14:48
kedd
2021. 02. 09.

Locations | Swagger UI | Locations

localhost:8080/swagger-ui/index.html?configUrl=/v3/api-docs/swagger-config#/Locations/deleteLocation

id * required
integer($int64)
(path)

10

Execute | Clear

Responses

Curl

```
curl -X DELETE "http://localhost:8080/api/locations/10" -H "accept: */*"
```

Request URL

```
http://localhost:8080/api/locations/10
```

Server response

Code	Details
204	Response headers

```
connection: keep-alive
date: Tue, 09 Feb 2021 13:48:20 GMT
keep-alive: timeout=60
vary: Origin, Access-Control-Request-Method, Access-Control-Request-Headers
```

Responses

Code	Description	Links
204		No links

István Benke
Active
Update your status
Set yourself as away
Pause notifications
Edit profile
View profile
Preferences
Downloads Ctrl+Shift+J
Sign out of Training360

14:48
kedd
2021. 02. 09.

Locations | Swagger UI | Locations

localhost:8080

angol magyar

Google Translate

Locations

Create location

Refresh table

Id	Name	Coordinates	Interesting at	Tags	
9	Balatonkenese	10, 10			Edit Delete
1	Budapest	47.497912, 19.040235	2019-09-17T05:00:00	capital,favourite	Edit Delete
2	Debrecen	47.5316049, 21.6273124			Edit Delete
5	Győr	47.6874569, 17.6503974			Edit Delete
8	Home	40, 40			Edit Delete
3	Miskolc	48.1034775, 20.7784384			Edit Delete
4	Veszprém	47.1028087, 17.9093019			Edit Delete
7	Work	20, 20			Edit Delete

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

14:49
kedd
2021. 02. 09.

Locations | Swagger UI | Locations

localhost:8080/swagger-ui/index.html?configUrl=/v3/api-docs/swagger-config#/Locations/listLocations

Locations

Operations with locations

GET `/api/locations` List locations

List all locations

Parameters

Cancel

No parameters

Execute | Clear

Responses

Curl

```
curl -X GET "http://localhost:8080/api/locations" -H "accept: */*"
```

Request URL

```
http://localhost:8080/api/locations
```

Server response

Code	Details
200	

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

14:50
kedd
2021. 02. 09.

Locations | Swagger UI | Locations

localhost:8080/swagger-ui/index.html?configUrl=/v3/api-docs/swagger-config#/Locations/listLocations

200

Response body


```
    "name": "Győr",
    "lat": 47.6874569,
    "lon": 17.6503974,
    "tags": []
  },
  {
    "id": 8,
    "name": "Home",
    "lat": 40,
    "lon": 40,
    "tags": []
  },
  {
    "id": 3,
    "name": "Miskolc",
    "lat": 48.1034775,
    "lon": 20.7784384,
    "tags": []
  },
  {
    "id": 4,
    "name": "Veszprém",
    "lat": 47.1028087,
    "lon": 17.9093019,
    "tags": []
  },
  {
    "id": 7,
```


Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Tue, 09 Feb 2021 13:50:09 GMT
keep-alive: timeout=60
transfer-encoding: chunked
vary: Origin, Access-Control-Request-Method, Access-Control-Request-Headers
```

Responses

Code	Description	Links
200	locations have been listed	*No links*

Keresés: Szoftverar...

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

14:50
kedd
2021. 02. 09.

Locations | Swagger UI | Locations

localhost:8080/swagger-ui/index.html?configUrl=/v3/api-docs/swagger-config#/Locations/listLocations

DELETE `/api/locations/{id}` Delete location by id

Parameters Cancel

Name	Description
id * required integer($int64) (path)	8

Execute | Clear

Responses

Curl

```
curl -X DELETE "http://localhost:8080/api/locations/10" -H "accept: */*"
```

Request URL

```
http://localhost:8080/api/locations/10
```

Server response

Code	Details
204	Response headers

István Benke
Active
Update your status
Set yourself as away
Pause notifications
Edit profile
View profile
Preferences
Downloads Ctrl+Shift+J
Sign out of Training360

14:51
kedd
2021. 02. 09.

Locations | Swagger UI | Locations

localhost:8080/swagger-ui/index.html?configUrl=/v3/api-docs/swagger-config#/Locations/listLocations

(path)

Execute | **Clear**

Responses

Curl

```
curl -X DELETE "http://localhost:8080/api/locations/8" -H "accept: */*"
```

Request URL

```
http://localhost:8080/api/locations/8
```

Server response

Code	Details

204	Response headers
	`connection: keep-alive`
	`date: Tue, 09 Feb 2021 13:51:51 GMT`
	`keep-alive: timeout=60`
	`vary: Origin, Access-Control-Request-Method, Access-Control-Request-Headers`

Responses

Code	Description	Links
204	location has been deleted	*No links*

Keresés: Szoftverar...

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

14:52
kedd
2021. 02. 09.

Locations | Swagger UI | Locations

localhost:8080/swagger-ui/index.html?configUrl=/v3/api-docs/swagger-config#/Locations/listLocations

```
curl -X GET "http://localhost:8080/api/locations" -H "accept: */*"
```

Request URL

```
http://localhost:8080/api/locations
```

Server response

Code	Details
200	Response body


```
    "id": 2,
    "name": "Debrecen",
    "lat": 47.5316049,
    "lon": 21.6273124,
    "tags": []
  },
  {
    "id": 5,
    "name": "Győr",
    "lat": 47.6874569,
    "lon": 17.6503974,
    "tags": []
  },
  {
    "id": 3,
    "name": "Miskolc",
    "lat": 48.1034775,
    "lon": 20.7784384,
    "tags": []
  },
  {
    "id": 4,
    "name": "Veszprém",
    "lat": 47.1028087,
    "lon": 17.9093019,
    "tags": []
  },
  {
```


Download

Response headers

István Benke
Active
Update your status
Set yourself as away
Pause notifications
Edit profile
View profile
Preferences
Downloads Ctrl+Shift+J
Sign out of Training360

14:52
kedd
2021. 02. 09.

Postman

File Edit View Help

Home Workspaces Reports Explore Search Postman Invite Upgrade

My Workspace New Import

Overview | New Collection | GET http://localhost:80... | No Environment

Collections
APIs
Environments
Mock Servers
Monitors
History

New Collection

http://localhost:8080/api/locations Save

GET http://localhost:8080/api/locations Send

Params Authorization Headers (6) Body Pre-request Script Tests Settings Cookies

Query Params

KEY	VALUE	DESCRIPTION	Bulk Edit
Key	Value	Description	

Body Cookies Headers (8) Test Results 200 OK 28 ms 782 B Save Response

Pretty Raw Preview Visualize JSON


```
[
    {
        "id": 9,
        "name": "Balatonkenese",
        "lat": 10.0,
        "lon": 10.0,
        "tags": []
    },
    {
        "id": 1,
```


Find and Replace Console Bootcamp Runner Trash

Upgrade

István Benke
Active

Update your status

Set yourself as away
Pause notifications

Edit profile
View profile
Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

15:21
kedd
2021. 02. 09.

Postman

File Edit View Help

Home Workspaces Reports Explore Search Postman Invite Upgrade

My Workspace New Import

Overview | New Collection | POST http://localhos...

No Environment

Collections
APIs
Environments
Mock Servers
Monitors
History

New Collection

http://localhost:8080/api/locations

Save

POST http://localhost:8080/api/locations Send

Params Auth Headers (8) Body Pre-req. Tests Settings Cookies

raw JSON Beautify

```
1 {
2     "name": "Home",
3     "coords": "1,1"
4 }
```

Body Cookies Headers (8) Test Results 201 Created 18 ms 311 B Save Response

Pretty Raw Preview Visualize JSON

```
1 {
2     "id": 11,
3     "name": "Home",
4     "lat": 1.0,
5     "lon": 1.0,
6     "tags": []
7 }
```

Find and Replace Console Bootcamp Runner Trash

© 2021 GitHub, Inc. Terms Privacy Security Status Docs Contact GitHub Pricing API

Edit Profile

István Benke
Active

Update your status

Set yourself as away
Pause notifications

Edit profile
View profile
Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

20:24
kedd
2021. 02. 09.

Postman

File Edit View Help

Home | Workspaces | Reports | Explore | Search Postman | Invite | Upgrade

My Workspace | New | Import

Overview | New Collection | GET http://localhost:... | No Environment

Collections | APIs | Environments | Mock Servers | Monitors | History

New Collection

http://localhost:8080/api/locations | Save

GET | http://localhost:8080/api/locations | Send

Params | Auth | Headers (8) | Body | Pre-req. | Tests | Settings | Cookies

raw | JSON | Beautify

```
1 {
2     "name": "Home",
3     "coords": "1,1"
4 }
```

Body | Cookies | Headers (8) | Test Results | 200 OK | 25 ms | 836 B | Save Response

Pretty | Raw | Preview | Visualize | JSON

```
32            "tags": []
33        },
34        {
35            "id": 11,
36            "name": "Home",
37            "lat": 1.0,
38            "lon": 1.0,
39            "tags": []
40        },
41        {
```

Find and Replace | Console | Bootcamp | Runner | Trash

Edit Profile

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

20:25
kedd
2021. 02. 09.

Postman

File Edit View Help

Home Workspaces Reports Explore Search Postman Invite Upgrade

My Workspace New Import

Overview | New Collection | DEL http://localhost:... | No Environment

Collections
APIs
Environments
Mock Servers
Monitors
History

New Collection

http://localhost:8080/api/locations/7 Save

DELETE http://localhost:8080/api/locations/7 Send

Params Auth Headers (8) Body Pre-req. Tests Settings Cookies

raw JSON Beautify

```
1 {
2     "name": "Home",
3     "coords": "1,1"
4 }
```

Body Cookies Headers (8) Test Results 200 OK 25 ms 836 B Save Response

Pretty Raw Preview Visualize JSON

```
53            "tags": []
54        },
55        {
56            "id": 7,
57            "name": "Work",
58            "lat": 20.0,
59            "lon": 20.0,
60            "tags": []
61        }
62    ]
```

Find and Replace Console Bootcamp Runner Trash

© 2021 GitHub, Inc. Terms Privacy Security Status Docs Contact GitHub Pricing API

Edit Profile

István Benke
Active

Update your status

Set yourself as away
Pause notifications

Edit profile
View profile
Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

20:28
kedd
2021. 02. 09.

Postman

File Edit View Help

Home Workspaces Reports Explore Search Postman Invite Upgrade

My Workspace New Import

Overview | New Collection | DEL http://localhost:... | No Environment

Collections
APIs
Environments
Mock Servers
Monitors
History

New Collection

http://localhost:8080/api/locations/7 Save

DELETE http://localhost:8080/api/locations/7 Send

Params Auth Headers (8) Body Pre-req. Tests Settings Cookies

raw JSON Beautify

```
1 {
2     "name": "Home",
3     "coords": "1,1"
4 }
```

Body Cookies Headers (6) Test Results 204 No Content 22 ms 201 B Save Response

Pretty Raw Preview Visualize Text

```
1
```

Find and Replace Console Bootcamp Runner Trash

Edit Profile

István Benke
Active

Update your status

Set yourself as away
Pause notifications

Edit profile
View profile
Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

20:28
kedd
2021. 02. 09.

Postman

File Edit View Help

Home Workspaces Reports Explore Search Postman Invite Upgrade

My Workspace New Import

Overview | New Collection | GET http://localhost:... | No Environment

Collections
APIs
Environments
Mock Servers
Monitors
History

New Collection

http://localhost:8080/api/locations/7 Save

GET http://localhost:8080/api/locations/7 Send

Params Auth Headers (8) Body Pre-req. Tests Settings Cookies

raw JSON Beautify

```
{
    "name": "Home",
    "coords": "1,1"
}
```

Body Cookies Headers (7) Test Results 400 Bad Request 26 ms 317 B Save Response

Pretty Raw Preview Visualize JSON

```
{
    "type": "locations/not-found",
    "title": "Not found",
    "status": 404,
    "detail": "Not found"
}
```

Find and Replace Console Bootcamp Runner Trash

© 2021 GitHub, Inc. Terms Privacy Security Status Docs Contact GitHub Pricing API

Edit Profile

István Benke
Active

Update your status

Set yourself as away
Pause notifications

Edit profile
View profile
Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

20:29
kedd
2021. 02. 09.

Postman

File Edit View Help

Home Workspaces Reports Explore Search Postman Invite Upgrade

My Workspace New Import

Overview | New Collection | GET http://localhost:... | No Environment

Collections
APIs
Environments
Mock Servers
Monitors
History

New Collection

http://localhost:8080/api/locations Save

GET http://localhost:8080/api/locations Send

Params Auth Headers (8) Body Pre-req. Tests Settings Cookies

raw JSON Beautify

```
1 {
2     "name": "Home",
3     "coords": "1,1"
4 }
```

Body Cookies Headers (8) Test Results 200 OK 13 ms 781 B Save Response

Pretty Raw Preview Visualize JSON

```
46            "tags": []
47        },
48        {
49            "id": 4,
50            "name": "Veszprém",
51            "lat": 47.1028087,
52            "lon": 17.9093019,
53            "tags": []
54        }
55    ]
```

Find and Replace Console Bootcamp Runner Trash

Edit Profile

István Benke
Active

Update your status

Set yourself as away
Pause notifications

Edit profile
View profile
Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

20:29
kedd
2021. 02. 09.

Locations | Swagger UI | Locations

localhost:8080/swagger-ui/index.html?configUrl=/v3/api-docs/swagger-config#/

Swagger Supported by SMARTBEAR

/v3/api-docs Explore

Locations API 1.0.0 OAS3

/v3/api-docs

Operations with locations

Servers

http://localhost:8080 - Generated server url

Locations Operations with locations

GET /api/locations List locations

POST /api/locations Create location

DELETE /api/locations Delete all locations

GET /api/locations/{id} Get location by id

POST /api/locations/{id} Update location by id

© 2021 GitHub, Inc. Terms Privacy Security Status Docs Contact GitHub Pricing API

Edit Profile

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

20:32
kedd
2021. 02. 09.

Locations | Swagger UI | localhost:8080/v3/api-docs | Locations

localhost:8080/v3/api-docs


```
{"openapi":"3.0.1","info":{"title":"Locations API","description":"Operations with locations","version":"1.0.0"
[{"url":"http://localhost:8080","description":"Generated server url"}],"tags":[{"name":"Locations","descriptio
{"/api/locations":{"get":{"tags":["Locations"],"summary":"List locations","description":"List all locations",":{"200":
{"description":"locations have been listed","content":{"*/*":{"schema":{"type":"array","items":{"$ref":"#/comp":{"tags":
["Locations"],"summary":"Create location","operationId":"createLocation","requestBody":{"content":{"applicatio
{"$ref":"#/components/schemas/CreateLocationCommand"}}},"required":true},"responses":{"201":{"description":"location has been created","content":{"*/*":{"schema":
{"type":"object"}}}}}},"delete":{"tags":["Locations"],"summary":"Delete all locations","operationId":"deleteAllLocations","responses":{"204":{"description":"all
locations have been deleted","content":{"*/*":{"schema":{"type":"object"}}}}}}},"/api/locations/{id}":{"get":{"tags":["Locations"],"summary":"Get location by
id","operationId":"getLocationById","parameters":[{"name":"id","in":"path","required":true,"schema":{"type":"integer","format":"int64"}}],"responses":{"404":
{"description":"location not found","content":{"*/*":{"schema":{"type":"object"}}}},"200":{"description":"location has been queried","content":{"*/*":{"schema":
{"type":"object"}}}}}},"post":{"tags":["Locations"],"summary":"Update location by id","operationId":"updateLocation","parameters":
[{"name":"id","in":"path","required":true,"schema":{"type":"integer","format":"int64"}}],"requestBody":{"content":{"application/json":{"schema":
{"$ref":"#/components/schemas/UpdateLocationCommand"}}},"required":true},"responses":{"200":{"description":"location has been updated","content":{"*/*":{"schema":
{"type":"object"}}}},"404":{"description":"location not found","content":{"*/*":{"schema":{"type":"object"}}}}}},"delete":{"tags":["Locations"],"summary":"Delete
location by id","operationId":"deleteLocation","parameters":[{"name":"id","in":"path","required":true,"schema":{"type":"integer","format":"int64"}}],"responses":
{"404":{"description":"location not found","content":{"*/*":{"schema":{"type":"object"}}}},"204":{"description":"location has been deleted","content":{"*/*":
{"schema":{"type":"object"}}}}}}},"/api/locations/pages":{"get":{"tags":["Locations"],"summary":"List locations","description":"List locations with paging
feature","operationId":"listLocationsPerPages","parameters":[{"name":"page","in":"query","description":"Zero-based page index (0..N)","schema":
{"type":"integer","default":"0"}},{"name":"size","in":"query","description":"The size of the page to be returned","schema":{"type":"integer","default":"20"}},
{"name":"sort","in":"query","description":"Sorting criteria in the format: property(,asc|desc). Default sort order is ascending. Multiple sort criteria are
supported.","schema":{"type":"array","items":{"type":"string"}}}],"responses":{"200":{"description":"locations have been listed","content":{"*/*":{"schema":
{"$ref":"#/components/schemas/PageLocationDto"}}}}}}},"components":{"schemas":{"LocationDto":{"type":"object","properties":{"id":{"type":"integer","description":"id
of the location","format":"int64","example":1},"name":{"type":"string","description":"name of the location","example":"Budapest"},"lat":
{"type":"number","description":"Latitude","format":"double","example":47.497912},"lon":
{"type":"number","description":"Longitude","format":"double","example":19.040235},"interestingAt":{"type":"string","description":"Interesting at","format":"date-
time"},"tags":{"type":"array","description":"Tags","example":"capital,favourite","items":
{"type":"string","description":"Tags","example":"capital,favourite"}}}},"CreateLocationCommand":{"required":["coords","name"],"type":"object","properties":{"name":
{"type":"string","description":"name of the location","example":"Budapest"},"coords":{"type":"string","description":"Coordinates of the
location","example":"47.497912,19.040235"},"interestingAt":{"type":"string","description":"Interesting at","format":"date-time"},"tags":
{"type":"string","description":"Tags","example":"capital,favourite"}}},"UpdateLocationCommand":{"required":["coords","name"],"type":"object","properties":{"id":
{"type":"integer","description":"id of the location","format":"int64","example":1},"name":{"type":"string","description":"name of the
location","example":"Budapest"},"coords":{"type":"string","description":"Coordinates of the location","example":"47.497912,19.040235"},"interestingAt":
{"type":"string","description":"Interesting at","format":"date-time"},"tags":
{"type":"string","description":"Tags","example":"capital,favourite"}}},"PageLocationDto":{"type":"object","properties":{"totalPages":
{"type":"integer","format":"int32"},"totalElements":{"type":"integer","format":"int64"},"sort":{"$ref":"#/components/schemas/Sort"},"size":
{"type":"integer","format":"int32"},"content":{"type":"array","items":{"$ref":"#/components/schemas/LocationDto"}},"number":
{"type":"integer","format":"int32"},"pageable":{"$ref":"#/components/schemas/Pageable"},"first":{"type":"boolean"},"numberOfElements":
{"type":"integer","format":"int32"},"last":{"type":"boolean"},"empty":{"type":"boolean"}}},"Pageable":{"type":"object","properties":{"page":
{"minimum":0,"type":"integer","format":"int32"},"size":{"minimum":1,"type":"integer","format":"int32"},"sort":{"type":"array","items":{"type":"string"}}}},"Sort":
{"type":"object","properties":{"sorted":{"type":"boolean"},"unsorted":{"type":"boolean"},"empty":{"type":"boolean"}}}}}
```


angol | magyar

Google Translate

Edit Profile

István Benke
Active

Update your status

Set yourself as **away**

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

20:32
kedd
2021. 02. 09.

Postman

File Edit View Help

Home Workspaces Reports Explore Search Postman Invite Upgrade

My Workspace New Import Overview New Collection GET http://localhost:... No Environment

Collections APIs Environments Mock Servers Monitors History

New Collection

Save

Send

Cookies

Beautify

Import

File Folder Link Raw text Code repository New

Enter a URL

http://localhost:8080/v3/api-docs

Continue

13 ms 781 B Save Response

```
50        "name": "Veszprém",
51        "lat": 47.1028087,
52        "lon": 17.9093019,
53        "tags": []
54    }
55 ]
```

Find and Replace Console Bootcamp Runner Trash

© 2021 GitHub, Inc. Terms Privacy Security Status Docs Contact GitHub Pricing API

Edit Profile

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

20:34
kedd
2021. 02. 09.

Postman

File Edit View Help

Home Workspaces Reports Explore Search Postman Invite Upgrade

My Workspace New Import Overview New Collection GET http://localhost:... No Environment

Collections APIs Environments Mock Servers Monitors History

New Collection

Save

Send

Cookies

Beautify

13 ms 781 B Save Response

```
50        "name": "Veszprém",
51        "lat": 47.1028087,
52        "lon": 17.9093019,
53        "tags": []
54      }
55    ]
```

Find and Replace Console Bootcamp Runner Trash

Import

Select files to import · 1/1 selected

NAME	FORMAT	IMPORT AS
Locations API	OpenAPI 3.0	API

☑ Generate collection from imported APIs

Link this collection as

Documentation

Show advanced settings

Cancel Import

Edit Profile

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

20:35
kedd
2021. 02. 09.

Postman

File Edit View Help

Home Workspaces Reports Explore Search Postman Invite Upgrade

My Workspace New Import Overview New Collection GET http://localhost:... No Environment

Collections APIs Environments Mock Servers Monitors History

Locations API

New Collection

Save

Send

Cookies

Beautify

13 ms 781 B Save Response

Import

Import complete

1 API and 1 collection were imported. They'll show up in the sidebar in just a few seconds.

Close

```
50        "name": "Veszprém",
51        "lat": 47.1028087,
52        "lon": 17.9093019,
53        "tags": []
54    }
55 ]
```

Find and Replace Console Bootcamp Runner Trash

© 2021 GitHub, Inc. Terms Privacy Security Status Docs Contact GitHub Pricing API

Edit Profile

István Benke

Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

20:36 kedd 2021. 02. 09.

Postman

File Edit View Help

Home | Workspaces | Reports | Explore | Search Postman | Invite | Upgrade

My Workspace | New | Import

Overview | New Col... | GET http://lo... | Location... | No Environment

Collections | APIs | Environments | Mock Servers | Monitors | History

- Locations API
  - api/locations
    - {id}
      - GET Get location by id
        - location has been quer...
        - location not found
      - POST Update location by id
        - location not found
        - location has been upda...
      - DEL Delete location by id
        - location has been delet...
        - location not found
    - GET List locations
      - locations have been listed
    - POST Create location
      - location has been created
    - DEL Delete all locations
      - all locations have been d...
    - GET List locations
      - locations have been listed
- New Collection

Locations API | draft | Show All Versions | Watch 0 | Reports | Share

Overview | Define | Develop | Test | Observe | Generate Collection

Add summary to briefly explain what this API is all about...

Add markdown supported description to make your API easier to consume

Add to Private API Network

Versions

draft

Schema

Type	Format
OpenAPI 3.0	JSON

Last updated

a min ago

Generate collection from schema

Create new documentation or write new test suites by generating collection directly from the schema.

Generate Collection

Recently added

Name	Type	Last updated
Locations API	Documentation	Today, 8:35 pm

Find and Replace | Console | Bootcamp | Runner | Trash

© 2021 GitHub, Inc. Terms Privacy Security Status Docs Contact GitHub Pricing API

Edit Profile

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

20:37
kedd
2021. 02. 09.

Postman

File Edit View Help

Home | Workspaces | Reports | Explore | Search Postman | Invite | Upgrade

My Workspace | New | Import

Overview | GET List loca... | GET http://lo... | Location... | No Environment

Collections | APIs | Environments | Mock Servers | Monitors | History

- Locations API
  - api/locations
    - {id}
      - GET Get location by id
        - location has been quer...
        - location not found
      - POST Update location by id
        - location not found
        - location has been upda...
      - DEL Delete location by id
        - location has been delet...
        - location not found
    - GET List locations
      - locations have been listed
    - POST Create location
      - location has been created
    - DEL Delete all locations
      - all locations have been d...
    - GET List locations
      - locations have been listed
- New Collection

Locations API / api/locations / List locations | 1 issue | Save

GET | {{baseUrl}}/api/locations | Send

Params | Auth | Headers (6) | Body | Pre-req. | Tests | Settings | Cookies

Query Params

KEY	VALUE	DESCRIPTION	Bulk Edit
Key	Value	Description	

Body | Cookies | Headers (8) | Test Results | 200 OK | 18 ms | 781 B | Save Response

Pretty | Raw | Preview | Visualize | JSON


```
[
    {
        "id": 9,
        "name": "Balatonkenese",
        "lat": 10.0,
        "lon": 10.0,
        "tags": []
    },
    {
        "id": 1,
```


Find and Replace | Console | Bootcamp | Runner | Trash

Edit Profile

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

20:39
kedd
2021. 02. 09.

Postman

File Edit View Help

Home | Workspaces | Reports | Explore | Search Postman | Invite | Upgrade

My Workspace | New | Import

Overview | GET List... | GET htt... | Loc... | POST Cr... | No Environment

Collections | APIs | Environments | Mock Servers | Monitors | History

- Locations API
  - api/locations
    - {id}
      - GET Get location by id
        - location has been quer...
        - location not found
      - POST Update location by id
        - location not found
        - location has been upda...
      - DEL Delete location by id
        - location has been delet...
        - location not found
    - GET List locations
      - locations have been listed
    - POST Create location
      - location has been created
    - DEL Delete all locations
      - all locations have been d...
    - GET List locations
      - locations have been listed
- New Collection

Locations API / api/locations / Create location ⚠ 1 issue | Save

POST | {{baseUrl}}/api/locations | Send

Params | Auth | Headers (9) | Body | Pre-req. | Tests | Settings | Cookies

raw | JSON | Beautify

```
{
    "coords": "47.497912,19.040235",
    "name": "Budapest",
    "interestingAt": "2018-12-16T16:54:03.288Z",
    "tags": "capital,favourite"
}
```

Body | Cookies | Headers (8) | Test Results | 201 Created | 31 ms | 390 B | Save Response

Pretty | Raw | Preview | Visualize | JSON

```
{
    "id": 12,
    "name": "Budapest",
    "lat": 47.497912,
    "lon": 19.040235,
    "interestingAt": "2018-12-16T16:54:03.288",
    "tags": [
        "capital",
        "favourite"
    ]
```

Find and Replace | Console | Bootcamp | Runner | Trash

Edit Profile

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

20:40
kedd
2021. 02. 09.

Postman

File Edit View Help

Home | Workspaces | Reports | Explore | Search Postman | Invite | Upgrade

My Workspace | New | Import

Over... | GET L.. | GET h.. | L... | POST C | DEL D.. | No Environment

Collections | APIs | Environments | Mock Servers | Monitors | History

- Locations API
  - api/locations
    - {id}
      - GET Get location by id
        - location has been quer...
        - location not found
      - POST Update location by id
        - location not found
        - location has been upda...
      - DEL Delete location by id
        - location has been delet...
        - location not found
    - GET List locations
      - locations have been listed
    - POST Create location
      - location has been created
    - DEL Delete all locations
      - all locations have been d...
    - GET List locations
      - locations have been listed
- New Collection

/ api/locations / {id} / Delete location by id | 1 issue | Save

DELETE | {{baseUrl}}/api/locations/12 | Send

Params | Auth | Headers (6) | Body | Pre-req. | Tests | Settings | Cookies

Query Params

KEY	VALUE	DESCRIPTION	Bulk Edit
Key	Value	Description	

Body | Cookies | Headers (6) | Test Results | 204 No Content | 200 ms | 201 B | Save Response

Pretty | Raw | Preview | Visualize | Text

1

Find and Replace | Console | Bootcamp | Runner | Trash

Edit Profile

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

20:42
kedd
2021. 02. 09.

Postman

File Edit View Help

Home Workspaces Reports Explore Search Postman Invite Upgrade

My Workspace New Import

GET L. GET h.. L.. POST (DEL D. No Environment

Collections APIs Environments Mock Servers Monitors History

- Locations API
  - api/locations
    - {id}
      - GET Get location by id
        - location has been quer...
        - location not found
      - POST Update location by id
        - location not found
        - location has been upda...
      - DEL Delete location by id
        - location has been delet...
        - location not found
    - GET List locations
      - locations have been listed
    - POST Create location
      - location has been created
    - DEL Delete all locations
      - all locations have been d...
    - GET List locations
      - locations have been listed
- New Collection

Locations API / api/locations / List locations ⚠ 1 issue

Save

GET {{baseUrl}}/api/locations Send

Params Auth Headers (6) Body Pre-req. Tests Settings Cookies

Query Params

KEY	VALUE	DESCRIPTION	••• Bulk Edit
Key	Value	Description	

Body Cookies Headers (8) Test Results 200 OK 15 ms 781 B Save Response

Pretty Raw Preview Visualize JSON


```
[
    {
        "id": 9,
        "name": "Balatonkenese",
        "lat": 10.0,
        "lon": 10.0,
        "tags": []
    },
    {
        "id": 1,
```


Find and Replace Console Bootcamp Runner Trash

Edit Profile

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

20:44 kedd 2021. 02. 09.

Locations | Swagger UI | localhost:8080/v3/api-d | Locations | Download REST & SOAP

soapui.org/downloads/thank-you-for-downloading-soapui/

SoapUI
Supported by SMARTBEAR

Thank You For Downloading SoapUI

Your SoapUI installer is downloading!

(If your download doesn't start click here.)

Need to test APIs faster than what's possible in SoapUI open source?

SMARTBEAR ReadyAPI

- API descriptions like OAS 3.0, Swagger, RAML, etc. to rapidly build out API tests
- Utilize the test coverage feature to dynamically analyze your functional test

Try ReadyAPI Free for 14 Days

Work Email

First Name

Last Name

Welcome! Do you need help with anything?

SoapUI-x64-5.6.0.exe

Összes megjelenítése

Hiba

Keresés: Letöltések

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

21:19
kedd
2021. 02. 09.

Locations | Swagger UI | localhost:8080/v3/api-d | Locations | CXF - Service list

localhost:8080/services

Available SOAP services:

AuthEndpoint • sayHello	**Endpoint address:** http://localhost:8080/services/auth **WSDL :** {http://locations.com/services/locations}AuthEndpointService **Target namespace:** http://locations.com/services/locations
FilesEndpoint • uploadFile • downloadFile • downloadFileAsBase64	**Endpoint address:** http://localhost:8080/services/files **WSDL :** {http://locations.com/services/locations}FilesEndpointService **Target namespace:** http://locations.com/services/locations
LocationsEndpoint • updateLocation • deleteLocation • createLocation • listLocations	**Endpoint address:** http://localhost:8080/services/locations **WSDL :** {http://locations.com/services/locations}LocationsEndpointService **Target namespace:** http://locations.com/services/locations

SoapUI-x64-5.6.0.exe

Összes megjelenítése

Online Help

Try ReadyAPI

Inspector

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

21:23
kedd
2021. 02. 09.

Locations | Swagger UI | localhost:8080/v3/api-d | Locations | localhost:8080/services/

localhost:8080/services/locations?wsdl

This XML file does not appear to have any style information associated with it. The document tree is shown below.


```
<wsdl:definitions xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/" xmlns:tns="http://locations.com/services/locations"
 xmlns:soap="http://schemas.xmlsoap.org/wsdl/soap/" xmlns:ns1="http://schemas.xmlsoap.org/soap/http" name="LocationsEndpointService"
 targetNamespace="http://locations.com/services/locations">
  <wsdl:types>
    <xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:tns="http://locations.com/services/locations" elementFormDefault="qualified"
     targetNamespace="http://locations.com/services/locations" version="1.0">
      <xs:element name="createLocation" type="tns:createLocation"/>
      <xs:element name="createLocationResponse" type="tns:createLocationResponse"/>
      <xs:element name="deleteLocation" type="tns:deleteLocation"/>
      <xs:element name="deleteLocationResponse" type="tns:deleteLocationResponse"/>
      <xs:element name="listLocations" type="tns:listLocations"/>
      <xs:element name="listLocationsResponse" type="tns:listLocationsResponse"/>
      <xs:element name="updateLocation" type="tns:updateLocation"/>
      <xs:element name="updateLocationResponse" type="tns:updateLocationResponse"/>
    <xs:complexType name="updateLocation">
      <xs:sequence>
        <xs:element name="updateLocationRequest" type="tns:updateLocationRequest"/>
      </xs:sequence>
    </xs:complexType>
    <xs:complexType name="updateLocationRequest">
      <xs:sequence>
        <xs:element name="name" type="xs:string"/>
        <xs:element name="lat" type="xs:double"/>
        <xs:element name="lon" type="xs:double"/>
        <xs:element minOccurs="0" name="interesting-at" type="xs:string"/>
        <xs:element minOccurs="0" name="tags" type="xs:string"/>
      </xs:sequence>
      <xs:attribute name="id" type="xs:long" use="required"/>
    </xs:complexType>
    <xs:complexType name="updateLocationResponse">
      <xs:sequence>
        <xs:element minOccurs="0" name="location" type="tns:locationEndpointDto"/>
      </xs:sequence>
    </xs:complexType>
    <xs:complexType name="locationEndpointDto">
      <xs:sequence>
        <xs:element minOccurs="0" name="name" type="xs:string"/>
        <xs:element name="lat" type="xs:double"/>
        <xs:element name="lon" type="xs:double"/>
        <xs:element minOccurs="0" name="interesting-at" type="xs:string"/>
```


SoapUI-x64-5.6.0.exe | Összes megjelenítése

Online Help | Inspector | Try ReadyAPI | ources | a REST API | a SOAP API

István Benke
Active
Update your status
Set yourself as away
Pause notifications
Edit profile
View profile
Preferences
Downloads Ctrl+Shift+J
Sign out of Training360

21:25 kedd 2021. 02. 09.

SoapUI 5.6.0

File Project Suite Case Step Tools Desktop Help

Empty SOAP REST Import Save All Forum Trial Preferences Proxy Endpoint Explorer Search Forum Online Help

Navigator

Projects

SoapUI Start Page

SoapUI™ Supported by SMARTBEAR

New SOAP Project

New SOAP Project

Creates a WSDL/SOAP based Project in this workspace

Project Name: locations?wsdl

Initial WSDL: http://localhost:8080/services/locations?wsdl Browse...

Create Requests: ☑ Create sample requests for all operations?

Create TestSuite: ☐ Creates a TestSuite for the imported WSDL

Relative Paths: ☐ Stores all file paths in project relatively to project file (requires save)

OK Cancel

to share feedback on upcoming enhancements to SmartBear products

Sign Up

Kinguin Games

Try ReadyAPI

Get Started with SoapUI Open Source

REST API Sample Project

SOAP API Sample Project

Amazon Web Service Sample Project

Inspector

Workspace Properties

Property	Value
Name	Projects
Description	
File	C:\Users\Admin\def...
Project Root	

Properties

SoapUI log http log jetty log error log wsrm l... memory l...

Keresés: Prog

István Benke

Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

21:28 kedd 2021. 02. 09.

SoapUI 5.6.0

File Project Suite Case Step Tools Desktop Help

Empty SOAP REST Import Save All Forum Trial Preferences Proxy Endpoint Explorer Search Forum Online Help

Navigator

jects

locations?wsdl

LocationsEndpointServiceSoapBinding

- createLocation
- deleteLocation
- listLocations
  - Request 1
- updateLocation

Request Properties

Property	Value
Name	Request 1
Description	
Message Size	238
Encoding	UTF-8

Properties

SoapUI Start Page

Request 1

http://localhost:8080/services/locations

XML Raw

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:loc="http://locations.co
  <soapenv:Header/>
  <soapenv:Body>
    <loc:listLocations/>
  </soapenv:Body>
</soapenv:Envelope>
```

Auth Headers (0) Attachments (... WS-A WS-RM JMS Headers JMS Properties (0)

He... Attac... S...

1 : 1

Inspector

SoapUI log http log jetty log error log wsrm l... memory l...

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

21:29
kedd
2021. 02. 09.

SoapUI 5.6.0

File Project Suite Case Step Tools Desktop Help

Empty SOAP REST Import Save All Forum Trial Preferences Proxy Endpoint Explorer Search Forum Online Help

Navigator

jects

locations?wsdl

LocationsEndpointServiceSoapBinding

- createLocation
- deleteLocation
- listLocations
  - Request 1
- updateLocation

Request Properties

Property	Value
Name	Request 1
Description	
Message Size	238
Encoding	UTF-8

Properties

SoapUI Start Page

Request 1

http://localhost:8080/services/locations

XML Raw

```
<soapenv:Envelope xmlns:soapenv="http://scher
  <soapenv:Header/>
  <soapenv:Body>
    <loc:listLocations/>
  </soapenv:Body>
</soapenv:Envelope>
```

XML Raw

```
<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
  <soap:Body>
    <listLocationsResponse xmlns="http://locations.com/services/locations">
      <locations>
        <location id="9">
          <name>Balatonkenese</name>
          <lat>10.0</lat>
          <lon>10.0</lon>
        </location>
        <location id="1">
          <name>Budapest</name>
          <lat>47.497912</lat>
          <lon>19.040235</lon>
          <interesting-at>2019-09-17T05:00:00</interesting-at>
          <tags>capital,favourite</tags>
        </location>
        <location id="2">
          <name>Debrecen</name>
          <lat>47.5316049</lat>
          <lon>21.6273124</lon>
        </location>
        <location id="5">
          <name>Győr</name>
          <lat>47.6874569</lat>
          <lon>17.6503974</lon>
        </location>
        <location id="11">
          <name>Home</name>
          <lat>1.0</lat>
          <lon>1.0</lon>
```

... He... Attac... ... W... JMS ... JMS P...

Headers (6) Attachments (... SSL Info WSS (0) JMS (0)

response time: 170ms (917 bytes) 1 : 1

Inspector

SoapUI log http log jetty log error log wsrm l... memory l...

Keresés: Prog

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

21:31
kedd
2021. 02. 09.

SoapUI 5.6.0

File Project Suite Case Step Tools Desktop Help

Empty SOAP REST Import Save All Forum Trial Preferences Proxy Endpoint Explorer Search Forum Online Help

Navigator

jects
- locations?wsdl
  - LocationsEndpointServiceSoapBinding
    - createLocation
      - Request 1
    - deleteLocation
    - listLocations
      - Request 1
    - updateLocation

SoapUI Start Page

Request 1

Request 1

http://localhost:8080/services/locations

```
<soapenv:Envelope xmlns:soapenv="http://sc
  <soapenv:Header/>
  <soapenv:Body>
    <loc:createLocation>
      <loc:createLocationRequest>
        <loc:name>Home22</loc:name>
        <loc:lat>22</loc:lat>
        <loc:lon>22</loc:lon>
      </loc:createLocationRequest>
    </loc:createLocation>
  </soapenv:Body>
</soapenv:Envelope>
```

```
<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
  <soap:Body>
    <createLocationResponse xmlns="http://locations.com/services/locations">
      <location id="13">
        <name>Home22</name>
        <lat>22.0</lat>
        <lon>22.0</lon>
      </location>
    </createLocationResponse>
  </soap:Body>
</soap:Envelope>
```

... He... Attac... ... ... JMS... JMS ...

Headers (6) Attachments (... SSL Info WSS (0) JMS (0)

response time: 34ms (284 bytes) 1 : 1

Inspector

Request Properties

Property	Value
Name	Request 1
Description	
Message Size	456
Encoding	UTF-8

Properties

SoapUI log http log jetty log error log wsrm l... memory l...

Keresés: Prog

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

21:35
kedd
2021. 02. 09.

SoapUI 5.6.0

File Project Suite Case Step Tools Desktop Help

Empty SOAP REST Import Save All Forum Trial Preferences Proxy Endpoint Explorer Search Forum Online Help

Navigator

jects
- locations?wsdl
  - LocationsEndpointServiceSoapBinding
    - createLocation
      - Request 1
    - deleteLocation
    - listLocations
      - Request 1
    - updateLocation

Request Properties

Property	Value
Name	Request 1
Description	
Message Size	238
Encoding	UTF-8

Properties

SoapUI Start Page

Request 1

http://localhost:8080/services/locations

XML Raw

```
<soapenv:Envelope xmlns:soapenv="http://scher
  <soapenv:Header/>
  <soapenv:Body>
    <loc:listLocations/>
  </soapenv:Body>
</soapenv:Envelope>
```

```
<lon>21.6273124</lon>
</location>
<location id="5">
  <name>Győr</name>
  <lat>47.6874569</lat>
  <lon>17.6503974</lon>
</location>
<location id="11">
  <name>Home</name>
  <lat>1.0</lat>
  <lon>1.0</lon>
</location>
<location id="13">
  <name>Home22</name>
  <lat>22.0</lat>
  <lon>22.0</lon>
</location>
<location id="3">
  <name>Miskolc</name>
  <lat>48.1034775</lat>
  <lon>20.7784384</lon>
</location>
<location id="4">
  <name>Veszprém</name>
  <lat>47.1028087</lat>
  <lon>17.9093019</lon>
</location>
</locations>
</listLocationsResponse>
</soap:Body>
</soap:Envelope>
```

... He... Attac... ... W... JMS ... JMS P...

Headers (6) Attachments (... SSL Info WSS (0) JMS (0)

response time: 19ms (995 bytes) 1 : 1

Inspector

SoapUI log http log jetty log error log wsrm l... memory l...

Keresés: Prog

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

21:36
kedd
2021. 02. 09.

Locations | Swagger UI | localhost:8080/v3/api-d | Locations | localhost:8080/services/

localhost:8080

Locations

Create location

Refresh table

Id	Name	Coordinates	Interesting at	Tags	
9	Balatonkenese	10, 10			Edit Delete
1	Budapest	47.497912, 19.040235	2019-09-17T05:00:00	capital,favourite	Edit Delete
2	Debrecen	47.5316049, 21.6273124			Edit Delete
5	Győr	47.6874569, 17.6503974			Edit Delete
11	Home	1, 1			Edit Delete
13	Home22	22, 22			Edit Delete
3	Miskolc	48.1034775, 20.7784384			Edit Delete

SoapUI-x64-5.6.0.exe

Összes megjelenítése

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

21:37
kedd
2021. 02. 09.

SoapUI 5.6.0

File Project Suite Case Step Tools Desktop Help

Empty SOAP REST Import Save All Forum Trial Preferences Proxy Endpoint Explorer Search Forum Online Help

Navigator

jects
- locations?wsdl
  - LocationsEndpointServiceSoapBinding
    - createLocation
      - Request 1
    - deleteLocation
      - Request 1
    - listLocations
      - Request 1
    - updateLocation

SoapUI Start Page

Request 1

http://localhost:8080/services/locations

Raw XML

```
<soapenv:Envelope xmlns:soapenv="http://sch
  <soapenv:Header/>
  <soapenv:Body>
    <loc:deleteLocation>
      <loc:locationId>13</loc:locationId>
    </loc:deleteLocation>
  </soapenv:Body>
</soapenv:Envelope>
```

```
<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
  <soap:Body>
    <deleteLocationResponse xmlns="http://locations.com/services/locations">
      <status>deleted</status>
    </deleteLocationResponse>
  </soap:Body>
</soap:Envelope>
```

... He... Attac... ... ... JMS... JMS ...

Headers (6) Attachments (... SSL Info WSS (0) JMS (0)

response time: 32ms (230 bytes) 1 : 1

Inspector

Request Properties

Property	Value
Name	Request 1
Description	
Message Size	313
Encoding	UTF-8

Properties

SoapUI log http log jetty log error log wsrm l... memory l...

Keresés: Prog

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

21:38
kedd
2021. 02. 09.

Locations | Swagger UI | localhost:8080/v3/api-d | Locations | localhost:8080/services/

localhost:8080

Locations

Create location

Refresh table

Id	Name	Coordinates	Interesting at	Tags	
9	Balatonkenese	10, 10			Edit Delete
1	Budapest	47.497912, 19.040235	2019-09-17T05:00:00	capital,favourite	Edit Delete
2	Debrecen	47.5316049, 21.6273124			Edit Delete
5	Győr	47.6874569, 17.6503974			Edit Delete
11	Home	1, 1			Edit Delete
3	Miskolc	48.1034775, 20.7784384			Edit Delete
4	Veszprém	47.1028087, 17.9093019			Edit Delete

SoapUI-x64-5.6.0.exe

Összes megjelenítése

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

21:38
kedd
2021. 02. 09.

SoapUI 5.6.0

File Project Suite Case Step Tools Desktop Help

Empty SOAP REST Import Save All Forum Trial Preferences Proxy Endpoint Explorer Search Forum Online Help

Navigator

jects
- locations?wsdl
  - LocationsEndpointServiceSoapBinding
    - createLocation
      - Request 1
    - deleteLocation
      - Request 1
    - listLocations
      - Request 1
    - updateLocation

SoapUI Start Page

Request 1

http://localhost:8080/services/locations

XML Raw

```
<soapenv:Envelope xmlns:soapenv="http://scher
  <soapenv:Header/>
  <soapenv:Body>
    <loc:listLocations/>
  </soapenv:Body>
</soapenv:Envelope>
```

```
        <tags>capital,favourite</tags>
      </location>
      <location id="2">
        <name>Debrecen</name>
        <lat>47.5316049</lat>
        <lon>21.6273124</lon>
      </location>
      <location id="5">
        <name>Győr</name>
        <lat>47.6874569</lat>
        <lon>17.6503974</lon>
      </location>
      <location id="11">
        <name>Home</name>
        <lat>1.0</lat>
        <lon>1.0</lon>
      </location>
      <location id="3">
        <name>Miskolc</name>
        <lat>48.1034775</lat>
        <lon>20.7784384</lon>
      </location>
      <location id="4">
        <name>Veszprém</name>
        <lat>47.1028087</lat>
        <lon>17.9093019</lon>
      </location>
    </locations>
  </listLocationsResponse>
</soap:Body>
</soap:Envelope>
```

... He... Attac... ... W... JMS ... JMS P...

Headers (6) Attachments (... SSL Info WSS (0) JMS (0)

response time: 16ms (917 bytes) 1 : 1

Inspector

Request Properties

Property	Value
Name	Request 1
Description	
Message Size	238
Encoding	UTF-8

Properties

SoapUI log http log jetty log error log wsrm l... memory l...

Keresés: Prog

István Benke
Active

Update your status

Set yourself as away

Pause notifications

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

21:39
kedd
2021. 02. 09.

locationslb

Fájl | Kezdőlap | Megosztás | Nézet

Rögzítés a Gyors elérésbe | Másolás | Beillesztés | Kivágás | Elérési út másolása | Parancsikon beillesztése | Áthelyezési cél | Másolási cél | Törlés | Átnevezés | Új mappa | Új elem | Egyszerű elérés | Tulajdonságok | Megnyitás | Szerkesztés | Előzmények | Az összes kijelölése | Kijelölés megszüntetése | Kijelölés megfordítása

Vágólap | Rendszerezés | Új | Megnyitás | Kijelölés

Ez a gép > Helyi lemez (C:) > architekturak > locationslb

Keresés: locationslb

Gyors elérés
Asztal
Letöltések

Név	Módosítás dátuma	Típus	Méret
docker-compose.yml	2021. 02. 09. 22:09	YML fájl	1 KB
nginx.conf	2021. 02. 09. 22:11	CONF fájl	1 KB

Administrator: Parancssor

```
C:\WINDOWS\system32>docker ps
CONTAINER ID   IMAGE                    COMMAND                  CREATED        STATUS         PORTS
              NAMES
9b9ba7bbb631   training360/locations    "java org.springfram…"   13 hours ago   Up 13 hours    0.0.0.0:8080
->8080/tcp    my-locations
202d9fe4f600   mariadb                  "docker-entrypoint.s…"   13 hours ago   Up 13 hours    0.0.0.0:3306
->3306/tcp    locations-mariadb

C:\WINDOWS\system32>
```

István Benke
Active

Update your status

Set yourself as away
Pause notifications On

Edit profile
View profile
Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

22:12
kedd
2021. 02. 09.

locationslb

Fájl Kezdőlap Megosztás Nézet

Administrator: Parancssor

```
C:\WINDOWS\system32>cd \architekturak\locationlb
A rendszer nem találja a megadott elérési utat.

C:\WINDOWS\system32>cd \architekturak\locationslb

C:\architekturak\locationslb>dir
 Volume in drive C has no label.
 Volume Serial Number is 46F8-9A51

 Directory of C:\architekturak\locationslb

2021. 02. 09.  22:11    <DIR>          .
2021. 02. 09.  22:11    <DIR>          ..
2021. 02. 09.  22:09               896 docker-compose.yml
2021. 02. 09.  22:11               308 nginx.conf
               2 File(s)          1 204 bytes
               2 Dir(s)  17 464 373 248 bytes free

C:\architekturak\locationslb>
```

Keresés: locationslb

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

22:15
kedd
2021. 02. 09.

locationslb

Fájl Kezdőlap Megosztás Nézet

Administrator: Parancssor

```
 Volume in drive C has no label.
 Volume Serial Number is 46F8-9A51

 Directory of C:\architekturak\locationslb

2021. 02. 09.  22:11    <DIR>          .
2021. 02. 09.  22:11    <DIR>          ..
2021. 02. 09.  22:09               896 docker-compose.yml
2021. 02. 09.  22:11               308 nginx.conf
               2 File(s)          1 204 bytes
               2 Dir(s)  17 464 373 248 bytes free

C:\architekturak\locationslb>docker ps
CONTAINER ID   IMAGE                   COMMAND                  CREATED        STATUS        PORTS
            NAMES
9b9ba7bbb631   training360/locations   "java org.springfram…"   22 hours ago   Up 22 hours   0.0.0.0:8080
->8080/tcp   my-locations
202d9fe4f600   mariadb                 "docker-entrypoint.s…"   22 hours ago   Up 22 hours   0.0.0.0:3306
->3306/tcp   locations-mariadb

C:\architekturak\locationslb>docker stop my-locations
my-locations

C:\architekturak\locationslb>docker stop locations-mariadb
locations-mariadb

C:\architekturak\locationslb>docker ps
CONTAINER ID   IMAGE     COMMAND   CREATED   STATUS    PORTS     NAMES

C:\architekturak\locationslb>
```

Keresés: locationslb

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

22:17
kedd
2021. 02. 09.

locationslb

Fájl Kezdőlap Megosztás Nézet

Administrator: Parancssor - docker-compose up

```
 Directory of C:\architekturak\locationslb

2021. 02. 09.  22:11    <DIR>          .
2021. 02. 09.  22:11    <DIR>          ..
2021. 02. 09.  22:09               896 docker-compose.yml
2021. 02. 09.  22:11               308 nginx.conf
               2 File(s)          1 204 bytes
               2 Dir(s)  17 464 373 248 bytes free

C:\architekturak\locationslb>docker ps
CONTAINER ID   IMAGE                   COMMAND                  CREATED        STATUS        PORTS
             NAMES
9b9ba7bbb631   training360/locations   "java org.springfram…"   22 hours ago   Up 22 hours   0.0.0.0:8080
->8080/tcp   my-locations
202d9fe4f600   mariadb                 "docker-entrypoint.s…"   22 hours ago   Up 22 hours   0.0.0.0:3306
->3306/tcp   locations-mariadb

C:\architekturak\locationslb>docker stop my-locations
my-locations

C:\architekturak\locationslb>docker stop locations-mariadb
locations-mariadb

C:\architekturak\locationslb>docker ps
CONTAINER ID   IMAGE     COMMAND   CREATED   STATUS    PORTS     NAMES

C:\architekturak\locationslb>docker-compose up
Creating network "locationslb_default" with the default driver
Pulling nginx (nginx:latest)...
```

Keresés: locationslb

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

22:18
kedd
2021. 02. 09.

locationslb

Fájl Kezdőlap Megosztás Nézet

Administrator: Parancssor - docker-compose up

```
               2 File(s)          1 204 bytes
               2 Dir(s)  17 464 373 248 bytes free

C:\architekturak\locationslb>docker ps
CONTAINER ID   IMAGE                  COMMAND                  CREATED        STATUS        PORTS
            NAMES
9b9ba7bbb631   training360/locations   "java org.springfram…"   22 hours ago   Up 22 hours   0.0.0.0:8080
->8080/tcp   my-locations
202d9fe4f600   mariadb                "docker-entrypoint.s…"   22 hours ago   Up 22 hours   0.0.0.0:3306
->3306/tcp   locations-mariadb

C:\architekturak\locationslb>docker stop my-locations
my-locations

C:\architekturak\locationslb>docker stop locations-mariadb
locations-mariadb

C:\architekturak\locationslb>docker ps
CONTAINER ID   IMAGE     COMMAND   CREATED   STATUS    PORTS     NAMES

C:\architekturak\locationslb>docker-compose up
Creating network "locationslb_default" with the default driver
Pulling nginx (nginx:latest)...
latest: Pulling from library/nginx
45b42c59be33: Downloading [==========================================>        ]  21.76MB/27.1MB
d0d9e9ea897e: Downloading [==========================================>        ]  21.91MB/26.53MB
66e650438339: Download complete
76a3dfe4406b: Pulling fs layer
410ff9d97480: Waiting
```

Keresés: locationslb

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

22:18
kedd
2021. 02. 09.

locationslb

Fájl Kezdőlap Megosztás Nézet

Administrator: Parancssor - docker-compose up

```
locations-app_1      | 2021-02-09 21:18:42.506  INFO 1 --- [         task-1] j.LocalContainerEntityManage
rFactoryBean : Initialized JPA EntityManagerFactory for persistence unit 'default'
locations-app_2      | 2021-02-09 21:18:42.521  INFO 1 --- [          main] org.apache.cxf.endpoint.Serv
erImpl       : Setting the server's publish address to be /files
locations-app_2      | 2021-02-09 21:18:42.525  INFO 1 --- [          main] o.a.c.w.s.f.ReflectionServic
eFactoryBean : Creating Service {http://locations.com/services/locations}AuthEndpointService from class l
ocationsapp.ws.AuthEndpoint
locations-app_2      | 2021-02-09 21:18:42.542  INFO 1 --- [          main] org.apache.cxf.endpoint.Serv
erImpl       : Setting the server's publish address to be /auth
locations-app_1      | 2021-02-09 21:18:43.108  INFO 1 --- [          main] o.s.b.a.w.s.WelcomePageHandl
erMapping    : Adding welcome page: class path resource [static/index.html]
locations-app_2      | 2021-02-09 21:18:43.138  INFO 1 --- [          main] o.s.b.a.w.s.WelcomePageHandl
erMapping    : Adding welcome page: class path resource [static/index.html]
locations-app_1      | 2021-02-09 21:18:45.498  INFO 1 --- [          main] o.s.b.w.embedded.tomcat.Tomc
atWebServer  : Tomcat started on port(s): 8080 (http) with context path ''
locations-app_1      | 2021-02-09 21:18:45.501  INFO 1 --- [          main] DeferredRepositoryInitializa
tionListener : Triggering deferred initialization of Spring Data repositories…
locations-app_2      | 2021-02-09 21:18:45.539  INFO 1 --- [          main] o.s.b.w.embedded.tomcat.Tomc
atWebServer  : Tomcat started on port(s): 8080 (http) with context path ''
locations-app_2      | 2021-02-09 21:18:45.543  INFO 1 --- [          main] DeferredRepositoryInitializa
tionListener : Triggering deferred initialization of Spring Data repositories…
locations-app_1      | 2021-02-09 21:18:46.139  INFO 1 --- [          main] DeferredRepositoryInitializa
tionListener : Spring Data repositories initialized!
locations-app_1      | 2021-02-09 21:18:46.160  INFO 1 --- [          main] locationsapp.LocationsApplic
ation        : Started LocationsApplication in 11.758 seconds (JVM running for 12.482)
locations-app_2      | 2021-02-09 21:18:46.200  INFO 1 --- [          main] DeferredRepositoryInitializa
tionListener : Spring Data repositories initialized!
locations-app_2      | 2021-02-09 21:18:46.240  INFO 1 --- [          main] locationsapp.LocationsApplic
ation        : Started LocationsApplication in 11.836 seconds (JVM running for 12.563)
```

Keresés: locationslb

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

22:19
kedd
2021. 02. 09.

Locations | Swagger UI | localhost:8080/v3/api-d | Locations | Locations

localhost:8081

Locations

Create location

Refresh table

Id	Name	Coordinates	Interesting at	Tags	
1	Budapest	47.497912, 19.040235	2019-09-17T05:00:00	capital,favourite	Edit Delete
2	Debrecen	47.5316049, 21.6273124			Edit Delete
5	Győr	47.6874569, 17.6503974			Edit Delete
3	Miskolc	48.1034775, 20.7784384			Edit Delete
4	Veszprém	47.1028087, 17.9093019			Edit Delete

SOAP webservices

Swagger

OpenAPI

SoapUI-x64-5.6.0.exe

Összes megjelenítése

Keresés: locationslb

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

22:21
kedd
2021. 02. 09.

Administrator: Parancssor

```
Microsoft Windows [Version 10.0.19042.746]
(c) 2020 Microsoft Corporation. Minden jog fenntartva.

C:\WINDOWS\system32>docker ps
CONTAINER ID   IMAGE                  COMMAND                  CREATED        STATUS         PORTS
                     NAMES
b7a08b0f97f9   nginx:latest           "/docker-entrypoint.…"   5 minutes ago   Up 5 minutes   80/tcp, 0.0
.0.0:8081->8081/tcp   locationslb_nginx_1
f54b9fcfaa89   training360/locations   "./wait-for-it.sh -t…"   5 minutes ago   Up 5 minutes   8080/tcp
                     locationslb_locations-app_2
0b3f080b696e   training360/locations   "./wait-for-it.sh -t…"   5 minutes ago   Up 5 minutes   8080/tcp
                     locationslb_locations-app_1
218942f13429   mariadb                "docker-entrypoint.s…"   5 minutes ago   Up 5 minutes   0.0.0.0:330
6->3306/tcp           locationslb_locations-mariadb_1

C:\WINDOWS\system32>
```

Keresés: locationslb

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

22:23
kedd
2021. 02. 09.

Administrator: Parancssor

```
Microsoft Windows [Version 10.0.19042.746]
(c) 2020 Microsoft Corporation. Minden jog fenntartva.

C:\WINDOWS\system32>docker ps
CONTAINER ID   IMAGE                  COMMAND                  CREATED        STATUS         PORTS
                     NAMES
b7a08b0f97f9   nginx:latest           "/docker-entrypoint.…"   5 minutes ago   Up 5 minutes   80/tcp, 0.0
.0.0:8081->8081/tcp   locationslb_nginx_1
f54b9fcfaa89   training360/locations   "./wait-for-it.sh -t…"   5 minutes ago   Up 5 minutes   8080/tcp
                     locationslb_locations-app_2
0b3f080b696e   training360/locations   "./wait-for-it.sh -t…"   5 minutes ago   Up 5 minutes   8080/tcp
                     locationslb_locations-app_1
218942f13429   mariadb                "docker-entrypoint.s…"   5 minutes ago   Up 5 minutes   0.0.0.0:330
6->3306/tcp           locationslb_locations-mariadb_1

C:\WINDOWS\system32>docker logs -f locationslb_locations-app_1
```

Keresés: locationslb

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

22:25
kedd
2021. 02. 09.

Locations | Swagger UI | localhost:8080/v3/api-d | Locations | Locations

localhost:8081

Locations

Administrator: Parancssor

```
Microsoft Windows [Version 10.0.19042.746]
(c) 2020 Microsoft Corporation. Minden jog fenntartva.

C:\WINDOWS\system32>docker ps
CONTAINER ID   IMAGE                  COMMAND                  CREATED        STATUS         PORTS
                    NAMES
b7a08b0f97f9   nginx:latest           "/docker-entrypoint.…"   8 minutes ago   Up 7 minutes   80/tcp, 0.0
.0.0:8081->8081/tcp   locationslb_nginx_1
f54b9fcfaa89   training360/locations   "./wait-for-it.sh -t…"   8 minutes ago   Up 7 minutes   8080/tcp
                    locationslb_locations-app_2
0b3f080b696e   training360/locations   "./wait-for-it.sh -t…"   8 minutes ago   Up 7 minutes   8080/tcp
                    locationslb_locations-app_1
218942f13429   mariadb                "docker-entrypoint.s…"   8 minutes ago   Up 7 minutes   0.0.0.0:330
6->3306/tcp           locationslb_locations-mariadb_1

C:\WINDOWS\system32>docker logs -f locationslb_locations-app_2
```

Administrator: Parancssor - docker logs -f locationslb_locations-app_1

```
ing Servlet 'dispatcherServlet'
2021-02-09 21:21:23.987  INFO 1 --- [nio-8080-exec-1] o.s.web.servlet.DispatcherServlet        : Completed
 initialization in 8 ms
2021-02-09 21:21:24.022 DEBUG 1 --- [nio-8080-exec-1] locationsapp.service.LocationsService    : List loca
tions
```

Keresés: locationslb

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

22:27
kedd
2021. 02. 09.

Local | Swag | locali | Local | L

localhost:8081

Hiba

Locations

Create location

Refresh table

Id	Name	Coordinates	Interesting at	Tags	
1	Budapest	47.497912, 19.040235	2019-09-17T05:00:00	capital,favourite	Edi De
2	Debrecen	47.5316049, 21.6273124			Edi De
5	Győr	47.6874569, 17.6503974			Edi De
3	Miskolc	48.1034775, 20.7784384			Edi De

SoapUI-x64-5.6.0.exe

Összes megjelenítése

Administrator: Parancssor - docker logs -f locationslb_locations-app_2

```
 o.a.c.c.C.[Tomcat].[localhost].[/]       : Initializ
ing Spring DispatcherServlet 'dispatcherServlet'
2021-02-09 21:21:23.776  INFO 1 --- [nio-8080-exec-1]
 o.s.web.servlet.DispatcherServlet        : Initializ
ing Servlet 'dispatcherServlet'
2021-02-09 21:21:23.785  INFO 1 --- [nio-8080-exec-1]
 o.s.web.servlet.DispatcherServlet        : Completed
 initialization in 8 ms
```

Administrator: Parancssor - docker logs -f locationslb_locations-app_1

```
 o.s.web.servlet.DispatcherServlet        : Completed
 initialization in 8 ms
2021-02-09 21:21:24.022 DEBUG 1 --- [nio-8080-exec-1]
 locationsapp.service.LocationsService    : List loca
tions
```

Keresés: locationslb

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

22:30
kedd
2021. 02. 09.


localhost:8081
Hiba
Locations
Create location
Refresh table
Id
Name
Coordinates
Interesting at
Tags
1
Budapest
47.497912, 19.040235
2019-09-17T05:00:00
capital,favourite
2
Debrecen
47.5316049, 21.6273124
5
Győr
47.6874569, 17.6503974
3
Miskolc
48.1034775, 20.7784384
SoapUI-x64-5.6.0.exe
Összes megjelenítése
Administrator: Parancssor - docker logs -f locationslb_locations-app_2
o.a.c.c.C.[Tomcat].[localhost].[/] : Initializing Spring DispatcherServlet 'dispatcherServlet'
2021-02-09 21:21:23.776 INFO 1 --- [nio-8080-exec-1] o.s.web.servlet.DispatcherServlet : Initializing Servlet 'dispatcherServlet'
2021-02-09 21:21:23.785 INFO 1 --- [nio-8080-exec-1] o.s.web.servlet.DispatcherServlet : Completed initialization in 8 ms
Administrator: Parancssor - docker logs -f locationslb_locations-app_1
2021-02-09 21:21:24.022 DEBUG 1 --- [nio-8080-exec-1] locationsapp.service.LocationsService : List locations
2021-02-09 21:30:38.844 DEBUG 1 --- [nio-8080-exec-3] locationsapp.service.LocationsService : List locations
Keresés: locationslb
István Benke
Active
Update your status
Set yourself as away
Pause notifications
On
Edit profile
View profile
Preferences
Downloads
Ctrl+Shift+J
Sign out of Training360
22:30
kedd
2021. 02. 09.

Local | Swag | locali | Local | L

localhost:8081

Locations

Create location

Refresh table

Id	Name	Coordinates	Interesting at	Tags	
1	Budapest	47.497912, 19.040235	2019-09-17T05:00:00	capital,favourite	Edi De
2	Debrecen	47.5316049, 21.6273124			Edi De
5	Győr	47.6874569, 17.6503974			Edi De
3	Miskolc	48.1034775, 20.7784384			Edi De

SoapUI-x64-5.6.0.exe

Összes megjelenítése

Administrator: Parancssor - docker logs -f locationslb_locations-app_2

```
 o.s.web.servlet.DispatcherServlet        : Initializ
ing Servlet 'dispatcherServlet'
2021-02-09 21:21:23.785  INFO 1 --- [nio-8080-exec-1]
 o.s.web.servlet.DispatcherServlet        : Completed
 initialization in 8 ms
2021-02-09 21:30:59.961 DEBUG 1 --- [io-8080-exec-10]
 locationsapp.service.LocationsService    : List loca
tions
```

Administrator: Parancssor - docker logs -f locationslb_locations-app_1

```
2021-02-09 21:30:57.743 DEBUG 1 --- [nio-8080-exec-6]
 locationsapp.service.LocationsService    : List loca
tions
2021-02-09 21:30:58.801 DEBUG 1 --- [nio-8080-exec-8]
 locationsapp.service.LocationsService    : List loca
tions
```

Keresés: locationslb

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

22:31
kedd
2021. 02. 09.


localhost:8081
Hiba
Locations
Create location
Refresh table
Id
Name
Coordinates
Interesting at
Tags
1
Budapest
47.497912, 19.040235
2019-09-17T05:00:00
capital,favourite
2
Debrecen
47.5316049, 21.6273124
5
Győr
47.6874569, 17.6503974
3
Miskolc
48.1034775, 20.7784384
SoapUI-x64-5.6.0.exe
Összes megjelenítése
Administrator: Parancssor - docker logs -f locationslb_locations-app_2
o.s.web.servlet.DispatcherServlet : Completed initialization in 8 ms
2021-02-09 21:30:59.961 DEBUG 1 --- [io-8080-exec-10] locationsapp.service.LocationsService : List locations
2021-02-09 21:31:15.050 DEBUG 1 --- [nio-8080-exec-1] locationsapp.service.LocationsService : List locations
Administrator: Parancssor - docker logs -f locationslb_locations-app_1
2021-02-09 21:31:10.061 DEBUG 1 --- [nio-8080-exec-2] locationsapp.service.LocationsService : List locations
2021-02-09 21:31:13.158 DEBUG 1 --- [nio-8080-exec-3] locationsapp.service.LocationsService : List locations
Keresés: locationslb
István Benke
Active
Update your status
Set yourself as away
Pause notifications
On
Edit profile
View profile
Preferences
Downloads
Ctrl+Shift+J
Sign out of Training360
22:31
kedd
2021. 02. 09.


localhost:8081
Locations
Create location
Refresh table
Id Name Coordinates Interesting at Tags
1 Budapest 47.497912, 19.040235 2019-09-17T05:00:00 capital,favourite
2 Debrecen 47.5316049, 21.6273124
5 Győr 47.6874569, 17.6503974
3 Miskolc 48.1034775, 20.7784384
Administrator: Parancssor - docker logs -f locationslb_locations-app_2
o.s.web.servlet.DispatcherServlet : Completed initialization in 8 ms
2021-02-09 21:30:59.961 DEBUG 1 --- [io-8080-exec-10] locationsapp.service.LocationsService : List locations
2021-02-09 21:31:15.050 DEBUG 1 --- [nio-8080-exec-1] locationsapp.service.LocationsService : List locations
Administrator: Parancssor
com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Shutdown initiated...
2021-02-09 21:32:47.800 INFO 1 --- [extShutdownHook] com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Shutdown completed.
C:\WINDOWS\system32>
Administrator: Parancssor
218942f13429 mariadb "docker-entrypoint.s…" 13 minutes ago Up 13 minutes 0.0.0.0:3306->3306/tcp locationslb_locations-mariadb_1
C:\WINDOWS\system32>docker stop locationslb_locations-app_1
locationslb_locations-app_1
C:\WINDOWS\system32>
István Benke
Active
Update your status
Set yourself as away
Pause notifications On
Edit profile
View profile
Preferences
Downloads Ctrl+Shift+J
Sign out of Training360
SoapUI-x64-5.6.0.exe
Összes megjelenítése
22:32
kedd
2021. 02. 09.

Local | Swag | locali | Local | L

localhost:8081

Locations

Create location

Refresh table

Id	Name	Coordinates	Interesting at	Tags	
1	Budapest	47.497912, 19.040235	2019-09-17T05:00:00	capital,favourite	Edi De
2	Debrecen	47.5316049, 21.6273124			Edi De
5	Győr	47.6874569, 17.6503974			Edi De
3	Miskolc	48.1034775, 20.7784384			Edi De

SoapUI-x64-5.6.0.exe

Összes megjelenítése

Administrator: Parancssor - docker logs -f locationslb_locations-app_2

```
2021-02-09 21:33:25.611 DEBUG 1 --- [nio-8080-exec-7] locationsapp.service.Locati
onsService    : List locations
2021-02-09 21:33:26.374 DEBUG 1 --- [nio-8080-exec-9] locationsapp.service.Locati
onsService    : List locations
2021-02-09 21:33:27.219 DEBUG 1 --- [nio-8080-exec-1] locationsapp.service.Locati
onsService    : List locations
2021-02-09 21:33:28.577 DEBUG 1 --- [nio-8080-exec-4] locationsapp.service.Locati
onsService    : List locations
```

Administrator: Parancssor

```
 com.zaxxer.hikari.HikariDataSource       : HikariPoo
l-1 - Shutdown initiated...
2021-02-09 21:32:47.800  INFO 1 --- [extShutdownHook]
 com.zaxxer.hikari.HikariDataSource       : HikariPoo
l-1 - Shutdown completed.

C:\WINDOWS\system32>
```

Administrator: Parancssor

```
218942f13429   mariadb                "docker-entrypo
int.s…"   13 minutes ago   Up 13 minutes   0.0.0.0:330
6->3306/tcp          locationslb_locations-mariadb_1

C:\WINDOWS\system32>docker stop locationslb_locations-
app_1
locationslb_locations-app_1

C:\WINDOWS\system32>
```

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

22:33
kedd
2021. 02. 09.


localhost:8081
Locations
Create location
Refresh table
Id
Name
Coordinates
Interesting at
Tags
1
Budapest
47.497912, 19.040235
2019-09-17T05:00:00
capital,favourite
2
Debrecen
47.5316049, 21.6273124
5
Győr
47.6874569, 17.6503974
3
Miskolc
48.1034775, 20.7784384
SoapUI-x64-5.6.0.exe
Összes megjelenítése
Administrator: Parancssor - docker logs -f locationslb_locations-app_2
2021-02-09 21:33:25.611 DEBUG 1 --- [nio-8080-exec-7] locationsapp.service.LocationsService : List locations
2021-02-09 21:33:26.374 DEBUG 1 --- [nio-8080-exec-9] locationsapp.service.LocationsService : List locations
2021-02-09 21:33:27.219 DEBUG 1 --- [nio-8080-exec-1] locationsapp.service.LocationsService : List locations
2021-02-09 21:33:28.577 DEBUG 1 --- [nio-8080-exec-4] locationsapp.service.LocationsService : List locations
Administrator: Parancssor
1-1 - Shutdown initiated...
2021-02-09 21:32:47.800 INFO 1 --- [extShutdownHook] com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Shutdown completed.
C:\WINDOWS\system32>docker logs -f locationslb_locations-app_1
Administrator: Parancssor
C:\WINDOWS\system32>docker stop locationslb_locations-app_1
locationslb_locations-app_1
C:\WINDOWS\system32>docker start locationslb_locations-app_1
locationslb_locations-app_1
C:\WINDOWS\system32>
István Benke
Active
Update your status
Set yourself as away
Pause notifications
On
Edit profile
View profile
Preferences
Downloads
Ctrl+Shift+J
Sign out of Training360
22:34
kedd
2021. 02. 09.


localhost:8081
Hiba
Locations
Create location
Refresh table
Id
Name
Coordinates
Interesting at
Tags
1
Budapest
47.497912, 19.040235
2019-09-17T05:00:00
capital,favourite
2
Debrecen
47.5316049, 21.6273124
5
Győr
47.6874569, 17.6503974
3
Miskolc
48.1034775, 20.7784384
SoapUI-x64-5.6.0.exe
Összes megjelenítése
Administrator: Parancssor - docker logs -f locationslb_locations-app_2
2021-02-09 21:33:25.611 DEBUG 1 --- [nio-8080-exec-7] locationsapp.service.LocationsService : List locations
2021-02-09 21:33:26.374 DEBUG 1 --- [nio-8080-exec-9] locationsapp.service.LocationsService : List locations
2021-02-09 21:33:27.219 DEBUG 1 --- [nio-8080-exec-1] locationsapp.service.LocationsService : List locations
2021-02-09 21:33:28.577 DEBUG 1 --- [nio-8080-exec-4] locationsapp.service.LocationsService : List locations
Administrator: Parancssor - docker logs -f locationslb_locations-app_1
DeferredRepositoryInitializationListener : Spring Data repositories initialized!
2021-02-09 21:34:25.959 INFO 1 --- [main] locationsapp.LocationsApplication : Started LocationsApplication in 5.892 seconds (JVM running for 6.396)
C:\WINDOWS\system32>docker stop locationslb_locations-app_1
locationslb_locations-app_1
C:\WINDOWS\system32>docker start locationslb_locations-app_1
locationslb_locations-app_1
C:\WINDOWS\system32>
István Benke
Active
Update your status
Set yourself as away
Pause notifications
On
Edit profile
View profile
Preferences
Downloads
Ctrl+Shift+J
Sign out of Training360
22:36
kedd
2021. 02. 09.


localhost:8081
Hiba
Locations
Create location
Refresh table
Id
Name
Coordinates
Interesting at
Tags
1
Budapest
47.497912, 19.040235
2019-09-17T05:00:00
capital,favourite
2
Debrecen
47.5316049, 21.6273124
5
Győr
47.6874569, 17.6503974
3
Miskolc
48.1034775, 20.7784384
SoapUI-x64-5.6.0.exe
Összes megjelenítése
Administrator: Parancssor - docker logs -f locationslb_locations-app_2
2021-02-09 21:33:26.374 DEBUG 1 --- [nio-8080-exec-9] locationsapp.service.LocationsService : List locations
2021-02-09 21:33:27.219 DEBUG 1 --- [nio-8080-exec-1] locationsapp.service.LocationsService : List locations
2021-02-09 21:33:28.577 DEBUG 1 --- [nio-8080-exec-4] locationsapp.service.LocationsService : List locations
2021-02-09 21:36:38.792 DEBUG 1 --- [nio-8080-exec-5] locationsapp.service.LocationsService : List locations
Administrator: Parancssor - docker logs -f locationslb_locations-app_1
2021-02-09 21:36:38.709 INFO 1 --- [nio-8080-exec-1] o.s.web.servlet.DispatcherServlet : Initializing Servlet 'dispatcherServlet'
2021-02-09 21:36:38.720 INFO 1 --- [nio-8080-exec-1] o.s.web.servlet.DispatcherServlet : Completed initialization in 11 ms
C:\WINDOWS\system32>docker stop locationslb_locations-app_1
locationslb_locations-app_1
C:\WINDOWS\system32>docker start locationslb_locations-app_1
locationslb_locations-app_1
C:\WINDOWS\system32>
István Benke
Active
Update your status
Set yourself as away
Pause notifications
On
Edit profile
View profile
Preferences
Downloads
Ctrl+Shift+J
Sign out of Training360
22:37
kedd
2021. 02. 09.

Local | Swag | locali | Local | L

localhost:8081

Hiba

Locations

Create location

Refresh table

Id	Name	Coordinates	Interesting at	Tags	
1	Budapest	47.497912, 19.040235	2019-09-17T05:00:00	capital,favourite	Edi De
2	Debrecen	47.5316049, 21.6273124			Edi De
5	Győr	47.6874569, 17.6503974			Edi De
3	Miskolc	48.1034775, 20.7784384			Edi De

SoapUI-x64-5.6.0.exe

Összes megjelenítése

Administrator: Parancssor - docker logs -f locationslb_locations-app_2

```
2021-02-09 21:33:26.374 DEBUG 1 --- [nio-8080-exec-9] locationsapp.service.Locati
onsService    : List locations
2021-02-09 21:33:27.219 DEBUG 1 --- [nio-8080-exec-1] locationsapp.service.Locati
onsService    : List locations
2021-02-09 21:33:28.577 DEBUG 1 --- [nio-8080-exec-4] locationsapp.service.Locati
onsService    : List locations
2021-02-09 21:36:38.792 DEBUG 1 --- [nio-8080-exec-5] locationsapp.service.Locati
onsService    : List locations
```

Administrator: Parancssor - docker logs -f locationslb_locations-app_1

```
2021-02-09 21:36:38.720  INFO 1 --- [nio-8080-exec-1]
 o.s.web.servlet.DispatcherServlet        : Completed
 initialization in 11 ms
2021-02-09 21:37:11.998 DEBUG 1 --- [nio-8080-exec-2]
 locationsapp.service.LocationsService    : List loca
tions
```

```
C:\WINDOWS\system32>docker stop locationslb_locations-
app_1
locationslb_locations-app_1

C:\WINDOWS\system32>docker start locationslb_locations
-app_1
locationslb_locations-app_1

C:\WINDOWS\system32>
```

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

22:37
kedd
2021. 02. 09.

localhost:8081

Locations

Create location

Refresh table

Id	Name	Coordinates	Interesting at	Tags	
1	Budapest	47.497912, 19.040235	2019-09-17T05:00:00	capital,favourite	Edi De
2	Debrecen	47.5316049, 21.6273124			Edi De
5	Győr	47.6874569, 17.6503974			Edi De
3	Miskolc	48.1034775, 20.7784384			Edi De

SoapUI-x64-5.6.0.exe

Összes megjelenítése

Administrator: Parancssor - docker logs -f locationslb_locations-app_2

```
2021-02-09 21:33:26.374 DEBUG 1 --- [nio-8080-exec-9] locationsapp.service.Locati
onsService    : List locations
2021-02-09 21:33:27.219 DEBUG 1 --- [nio-8080-exec-1] locationsapp.service.Locati
onsService    : List locations
2021-02-09 21:33:28.577 DEBUG 1 --- [nio-8080-exec-4] locationsapp.service.Locati
onsService    : List locations
2021-02-09 21:36:38.792 DEBUG 1 --- [nio-8080-exec-5] locationsapp.service.Locati
onsService    : List locations
```

Administrator: Parancssor - docker logs -f locationslb_locations-app_1

```
2021-02-09 21:37:11.998 DEBUG 1 --- [nio-8080-exec-2]
 locationsapp.service.LocationsService    : List loca
tions
2021-02-09 21:37:21.942 DEBUG 1 --- [nio-8080-exec-3]
 locationsapp.service.LocationsService    : List loca
tions
```

```
C:\WINDOWS\system32>docker stop locationslb_locations-
app_1
locationslb_locations-app_1

C:\WINDOWS\system32>docker start locationslb_locations
-app_1
locationslb_locations-app_1

C:\WINDOWS\system32>
```

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

22:37
kedd
2021. 02. 09.

Locat | Swag | locali | Locat | L

localhost:8081

Hiba

Locations

Create location

Refresh table

Id	Name	Coordinates	Interesting at	Tags	
1	Budapest	47.497912, 19.040235	2019-09-17T05:00:00	capital,favourite	Edi De
2	Debrecen	47.5316049, 21.6273124			Edi De
5	Győr	47.6874569, 17.6503974			Edi De
3	Miskolc	48.1034775, 20.7784384			Edi De

SoapUI-x64-5.6.0.exe

Összes megjelenítése

Administrator: Parancssor - docker logs -f locationslb_locations-app_2

```
2021-02-09 21:33:26.374 DEBUG 1 --- [nio-8080-exec-9] locationsapp.service.Locati
onsService    : List locations
2021-02-09 21:33:27.219 DEBUG 1 --- [nio-8080-exec-1] locationsapp.service.Locati
onsService    : List locations
2021-02-09 21:33:28.577 DEBUG 1 --- [nio-8080-exec-4] locationsapp.service.Locati
onsService    : List locations
2021-02-09 21:36:38.792 DEBUG 1 --- [nio-8080-exec-5] locationsapp.service.Locati
onsService    : List locations
```

Administrator: Parancssor - docker logs -f locationslb_locations-app_1

```
2021-02-09 21:37:21.942 DEBUG 1 --- [nio-8080-exec-3]
 locationsapp.service.LocationsService    : List loca
tions
2021-02-09 21:37:35.454 DEBUG 1 --- [nio-8080-exec-5]
 locationsapp.service.LocationsService    : List loca
tions
```

```
C:\WINDOWS\system32>docker stop locationslb_locations-
app_1
locationslb_locations-app_1

C:\WINDOWS\system32>docker start locationslb_locations
-app_1
locationslb_locations-app_1

C:\WINDOWS\system32>
```

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

22:37
kedd
2021. 02. 09.

Administrator: Parancssor

```
0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/88.0.4324.150 Safari/537.36
"
locations-app_1       | 2021-02-09 21:37:11.998 DEBUG 1 --- [nio-8080-exec-2] locationsapp.service.Locatio
nsService    : List locations
nginx_1               | 172.19.0.1 - - [09/Feb/2021:21:37:12 +0000] "GET /api/locations HTTP/1.1" 200 422
"http://localhost:8081/" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko
) Chrome/88.0.4324.150 Safari/537.36"
nginx_1               | 172.19.0.1 - - [09/Feb/2021:21:37:21 +0000] "GET / HTTP/1.1" 304 0 "-" "Mozilla/5.
0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/88.0.4324.150 Safari/537.36
"
locations-app_1       | 2021-02-09 21:37:21.942 DEBUG 1 --- [nio-8080-exec-3] locationsapp.service.Locatio
nsService    : List locations
nginx_1               | 172.19.0.1 - - [09/Feb/2021:21:37:21 +0000] "GET /api/locations HTTP/1.1" 200 422
"http://localhost:8081/" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko
) Chrome/88.0.4324.150 Safari/537.36"
nginx_1               | 172.19.0.1 - - [09/Feb/2021:21:37:35 +0000] "GET / HTTP/1.1" 304 0 "-" "Mozilla/5.
0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/88.0.4324.150 Safari/537.36
"
locations-app_1       | 2021-02-09 21:37:35.454 DEBUG 1 --- [nio-8080-exec-5] locationsapp.service.Locatio
nsService    : List locations
nginx_1               | 172.19.0.1 - - [09/Feb/2021:21:37:35 +0000] "GET /api/locations HTTP/1.1" 200 422
"http://localhost:8081/" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko
) Chrome/88.0.4324.150 Safari/537.36"
Gracefully stopping... (press Ctrl+C again to force)
Stopping locationslb_nginx_1            ... done
Stopping locationslb_locations-app_2    ... done
Stopping locationslb_locations-app_1    ... done
Stopping locationslb_locations-mariadb_1 ... done

C:\architekturak\locationslb>
```

Administrator: Parancssor

```
persistence unit 'default'
.s.s.concurrent.ThreadPool
ionTaskExecutor'
om.zaxxer.hikari.HikariDat

om.zaxxer.hikari.HikariDat
```

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

22:38
kedd
2021. 02. 09.

Local | Swag | locali | Local | lc

localhost:8081

Hiba

A webhely nem érhető el

A(z) **localhost** visszautasította a csatlakozást.

Próbálja ki a következőket:

- A kapcsolat ellenőrzése
- A proxy és a tűzfal ellenőrzése

ERR_CONNECTION_REFUSED

Újratöltés

Részletek

SoapUI-x64-5.6.0.exe

Összes megjelenítése

Administrator: Parancssor

```
erFactoryBean : Closing JPA EntityManagerFactory for persistence unit 'default'
2021-02-09 21:38:35.783  INFO 1 --- [extShutdownHook] o.s.s.concurrent.ThreadPool
TaskExecutor  : Shutting down ExecutorService 'applicationTaskExecutor'
2021-02-09 21:38:35.784  INFO 1 --- [extShutdownHook] com.zaxxer.hikari.HikariDat
aSource       : HikariPool-1 - Shutdown initiated...
2021-02-09 21:38:35.790  INFO 1 --- [extShutdownHook] com.zaxxer.hikari.HikariDat
aSource       : HikariPool-1 - Shutdown completed.

C:\WINDOWS\system32>
```

Administrator: Parancssor

```
 com.zaxxer.hikari.HikariDataSource       : HikariPoo
l-1 - Shutdown initiated...
2021-02-09 21:38:35.809  INFO 1 --- [extShutdownHook]
 com.zaxxer.hikari.HikariDataSource       : HikariPoo
l-1 - Shutdown completed.

C:\WINDOWS\system32>
```

```
C:\WINDOWS\system32>docker stop locationslb_locations-
app_1
locationslb_locations-app_1

C:\WINDOWS\system32>docker start locationslb_locations
-app_1
locationslb_locations-app_1

C:\WINDOWS\system32>
```

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

22:39
kedd
2021. 02. 09.

Locations | Swagger UI | localhost:8080/v3/api-d | Locations | localhost

Administrator: Parancssor

```
C:\architekturak\locationslb>docker ps
CONTAINER ID   IMAGE     COMMAND   CREATED   STATUS    PORTS     NAMES

C:\architekturak\locationslb>docker container ls -a
CONTAINER ID   IMAGE                  COMMAND                  CREATED         STATUS
      PORTS     NAMES
b7a08b0f97f9   nginx:latest           "/docker-entrypoint.…"   39 minutes ago   Exited (0) 19 minutes ag
o                locationslb_nginx_1
f54b9fcfaa89   training360/locations   "./wait-for-it.sh -t…"   39 minutes ago   Exited (143) 19 minutes
ago              locationslb_locations-app_2
0b3f080b696e   training360/locations   "./wait-for-it.sh -t…"   39 minutes ago   Exited (143) 19 minutes
ago              locationslb_locations-app_1
218942f13429   mariadb                "docker-entrypoint.s…"   39 minutes ago   Exited (0) 19 minutes ag
o                locationslb_locations-mariadb_1
9b9ba7bbb631   training360/locations   "java org.springfram…"   23 hours ago     Exited (143) 40 minutes
ago              my-locations
202d9fe4f600   mariadb                "docker-entrypoint.s…"   23 hours ago     Exited (0) 40 minutes ag
o                locations-mariadb
7ae8211f319e   mongo                  "docker-entrypoint.s…"   23 hours ago     Exited (0) 23 hours ago
                 locations-mongo
e755a23e5265   mariadb                "docker-entrypoint.s…"   26 hours ago     Exited (0) 23 hours ago
                 locations-dbclient-mariadb
f04411dd70be   hello-world            "/hello"                 26 hours ago     Exited (0) 26 hours ago
                 objective_mcnulty
2a8cc1545f0a   docker101tutorial      "/docker-entrypoint.…"   26 hours ago     Exited (0) 23 hours ago
                 docker-tutorial
a7e985cfb305   alpine/git             "git clone https://g…"   26 hours ago     Exited (0) 26 hours ago
                 repo

C:\architekturak\locationslb>
```

Keresés: locationslb

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

22:59
kedd
2021. 02. 09.

Locations | Swagger UI | localhost:8080/v3/api-d | localhost | localhost

localhost:8080

Hiba

A webhely nem érhető el

A(z) **localhost** visszautasította a csatlakozást.

Próbálja ki a következőket:

- A kapcsolat ellenőrzése
- A proxy és a tűzfal ellenőrzése

ERR_CONNECTION_REFUSED

Újratöltés

Részletek

SoapUI-x64-5.6.0.exe

Összes megjelenítése

Keresés: locationslb

István Benke
Active

Update your status

Set yourself as **away**

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

22:59
kedd
2021. 02. 09.

Locations | Swagger UI | localhost:8080/v3/api-d | localhost | localhost

Administrator: Parancssor

```
b7a08b0f97f9   nginx:latest            "/docker-entrypoint.…"   39 minutes ago   Exited (0) 19 minutes ag
o              locationslb_nginx_1
f54b9fcfaa89   training360/locations   "./wait-for-it.sh -t…"   39 minutes ago   Exited (143) 19 minutes
ago            locationslb_locations-app_2
0b3f080b696e   training360/locations   "./wait-for-it.sh -t…"   39 minutes ago   Exited (143) 19 minutes
ago            locationslb_locations-app_1
218942f13429   mariadb                 "docker-entrypoint.s…"   39 minutes ago   Exited (0) 19 minutes ag
o              locationslb_locations-mariadb_1
9b9ba7bbb631   training360/locations   "java org.springfram…"   23 hours ago     Exited (143) 40 minutes
ago            my-locations
202d9fe4f600   mariadb                 "docker-entrypoint.s…"   23 hours ago     Exited (0) 40 minutes ag
o              locations-mariadb
7ae8211f319e   mongo                   "docker-entrypoint.s…"   23 hours ago     Exited (0) 23 hours ago
               locations-mongo
e755a23e5265   mariadb                 "docker-entrypoint.s…"   26 hours ago     Exited (0) 23 hours ago
               locations-dbclient-mariadb
f04411dd70be   hello-world             "/hello"                 26 hours ago     Exited (0) 26 hours ago
               objective_mcnulty
2a8cc1545f0a   docker101tutorial       "/docker-entrypoint.…"   26 hours ago     Exited (0) 23 hours ago
               docker-tutorial
a7e985cfb305   alpine/git              "git clone https://g…"   26 hours ago     Exited (0) 26 hours ago
               repo

C:\architekturak\locationslb>docker start my-locations
my-locations

C:\architekturak\locationslb>docker start locations-mariadb
locations-mariadb

C:\architekturak\locationslb>
```

Keresés: locationslb

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

23:00
kedd
2021. 02. 09.

Locations | Swagger UI | localhost:8080/v3/api-d | localhost | localhost

Administrator: Parancssor

```
                 objective_mcnulty
2a8cc1545f0a   docker101tutorial       "/docker-entrypoint.…"   26 hours ago     Exited (0) 23 hours ago
                 docker-tutorial
a7e985cfb305   alpine/git              "git clone https://g…"   26 hours ago     Exited (0) 26 hours ago
                 repo

C:\architekturak\locationslb>docker start my-locations
my-locations

C:\architekturak\locationslb>docker start locations-mariadb
locations-mariadb

C:\architekturak\locationslb>docker ps
CONTAINER ID   IMAGE     COMMAND                  CREATED        STATUS         PORTS
NAMES
202d9fe4f600   mariadb   "docker-entrypoint.s…"   23 hours ago   Up 3 minutes   0.0.0.0:3306->3306/tcp
locations-mariadb

C:\architekturak\locationslb>docker start my-locations
my-locations

C:\architekturak\locationslb>docker ps
CONTAINER ID   IMAGE                   COMMAND                  CREATED        STATUS         PORTS
              NAMES
9b9ba7bbb631   training360/locations   "java org.springfram…"   23 hours ago   Up 5 seconds   0.0.0.0:808
0->8080/tcp   my-locations
202d9fe4f600   mariadb                 "docker-entrypoint.s…"   23 hours ago   Up 4 minutes   0.0.0.0:330
6->3306/tcp   locations-mariadb

C:\architekturak\locationslb>
```

Keresés: locationslb

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

23:05
kedd
2021. 02. 09.

Locations | Swagger UI | localhost:8080/v3/api-d | Locations | localhost

localhost:8080

Locations

Create location

Refresh table

Id	Name	Coordinates	Interesting at	Tags	
9	Balatonkenese	10, 10			Edit Delete
1	Budapest	47.497912, 19.040235	2019-09-17T05:00:00	capital,favourite	Edit Delete
2	Debrecen	47.5316049, 21.6273124			Edit Delete
5	Győr	47.6874569, 17.6503974			Edit Delete
11	Home	1, 1			Edit Delete
3	Miskolc	48.1034775, 20.7784384			Edit Delete
4	Veszprém	47.1028087, 17.9093019			Edit Delete

SoapUI-x64-5.6.0.exe

Összes megjelenítése

Keresés: locationslb

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

23:05
kedd
2021. 02. 09.

Locations | Swagger UI | localhost:8080/v3/api-d | Locations | localhost

Administrator: Parancssor

```
                 objective_mcnulty
2a8cc1545f0a   docker101tutorial       "/docker-entrypoint.…"   26 hours ago     Exited (0) 23 hours ago
                 docker-tutorial
a7e985cfb305   alpine/git              "git clone https://g…"   26 hours ago     Exited (0) 26 hours ago
                 repo

C:\architekturak\locationslb>docker start my-locations
my-locations

C:\architekturak\locationslb>docker start locations-mariadb
locations-mariadb

C:\architekturak\locationslb>docker ps
CONTAINER ID   IMAGE     COMMAND                  CREATED        STATUS         PORTS
NAMES
202d9fe4f600   mariadb   "docker-entrypoint.s…"   23 hours ago   Up 3 minutes   0.0.0.0:3306->3306/tcp
locations-mariadb

C:\architekturak\locationslb>docker start my-locations
my-locations

C:\architekturak\locationslb>docker ps
CONTAINER ID   IMAGE                   COMMAND                  CREATED        STATUS         PORTS
              NAMES
9b9ba7bbb631   training360/locations   "java org.springfram…"   23 hours ago   Up 5 seconds   0.0.0.0:808
0->8080/tcp   my-locations
202d9fe4f600   mariadb                 "docker-entrypoint.s…"   23 hours ago   Up 4 minutes   0.0.0.0:330
6->3306/tcp   locations-mariadb

C:\architekturak\locationslb>docker logs -f my-locations
```

Keresés: locationslb

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

23:06
kedd
2021. 02. 09.

Locations | Swagger UI | localhost:8080/v3/api-d | Locations | localhost

Administrator: Parancssor - docker logs -f my-locations

```
the server's publish address to be /files
2021-02-09 22:04:59.951  INFO 1 --- [           main] o.a.c.w.s.f.ReflectionServiceFactoryBean : Creating
 Service {http://locations.com/services/locations}AuthEndpointService from class locationsapp.ws.AuthEndp
oint
2021-02-09 22:04:59.969  INFO 1 --- [           main] org.apache.cxf.endpoint.ServerImpl       : Setting
the server's publish address to be /auth
2021-02-09 22:05:00.109  INFO 1 --- [         task-1] o.h.e.t.j.p.i.JtaPlatformInitiator       : HHH00049
0: Using JtaPlatform implementation: [org.hibernate.engine.transaction.jta.platform.internal.NoJtaPlatfor
m]
2021-02-09 22:05:00.119  INFO 1 --- [         task-1] j.LocalContainerEntityManagerFactoryBean : Initiali
zed JPA EntityManagerFactory for persistence unit 'default'
2021-02-09 22:05:00.329  INFO 1 --- [           main] o.s.b.a.w.s.WelcomePageHandlerMapping    : Adding w
elcome page: class path resource [static/index.html]
2021-02-09 22:05:01.575  INFO 1 --- [           main] o.s.b.w.embedded.tomcat.TomcatWebServer  : Tomcat s
tarted on port(s): 8080 (http) with context path ''
2021-02-09 22:05:01.576  INFO 1 --- [           main] DeferredRepositoryInitializationListener : Triggeri
ng deferred initialization of Spring Data repositories…
2021-02-09 22:05:01.905  INFO 1 --- [           main] DeferredRepositoryInitializationListener : Spring D
ata repositories initialized!
2021-02-09 22:05:01.916  INFO 1 --- [           main] locationsapp.LocationsApplication        : Started
LocationsApplication in 6.037 seconds (JVM running for 6.566)
2021-02-09 22:05:14.159  INFO 1 --- [nio-8080-exec-1] o.a.c.c.C.[Tomcat].[localhost].[/]       : Initiali
zing Spring DispatcherServlet 'dispatcherServlet'
2021-02-09 22:05:14.159  INFO 1 --- [nio-8080-exec-1] o.s.web.servlet.DispatcherServlet        : Initiali
zing Servlet 'dispatcherServlet'
2021-02-09 22:05:14.168  INFO 1 --- [nio-8080-exec-1] o.s.web.servlet.DispatcherServlet        : Complete
d initialization in 9 ms
2021-02-09 22:05:14.349 DEBUG 1 --- [nio-8080-exec-2] locationsapp.service.LocationsService    : List loc
ations
```

Keresés: locationslb

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

23:07
kedd
2021. 02. 09.

Locations | Swagger UI | localhost:8080/v3/api-d | Locations | localhost

root@9b9ba7bbb631: /application

```
the server's publish address to be /auth
2021-02-09 22:05:00.109  INFO 1 --- [         task-1] o.h.e.t.j.p.i.JtaPlatformInitiator       : HHH00049
0: Using JtaPlatform implementation: [org.hibernate.engine.transaction.jta.platform.internal.NoJtaPlatfor
m]
2021-02-09 22:05:00.119  INFO 1 --- [         task-1] j.LocalContainerEntityManagerFactoryBean : Initiali
zed JPA EntityManagerFactory for persistence unit 'default'
2021-02-09 22:05:00.329  INFO 1 --- [           main] o.s.b.a.w.s.WelcomePageHandlerMapping    : Adding w
elcome page: class path resource [static/index.html]
2021-02-09 22:05:01.575  INFO 1 --- [           main] o.s.b.w.embedded.tomcat.TomcatWebServer  : Tomcat s
tarted on port(s): 8080 (http) with context path ''
2021-02-09 22:05:01.576  INFO 1 --- [           main] DeferredRepositoryInitializationListener : Triggeri
ng deferred initialization of Spring Data repositories…
2021-02-09 22:05:01.905  INFO 1 --- [           main] DeferredRepositoryInitializationListener : Spring D
ata repositories initialized!
2021-02-09 22:05:01.916  INFO 1 --- [           main] locationsapp.LocationsApplication        : Started
LocationsApplication in 6.037 seconds (JVM running for 6.566)
2021-02-09 22:05:14.159  INFO 1 --- [nio-8080-exec-1] o.a.c.c.C.[Tomcat].[localhost].[/]       : Initiali
zing Spring DispatcherServlet 'dispatcherServlet'
2021-02-09 22:05:14.159  INFO 1 --- [nio-8080-exec-1] o.s.web.servlet.DispatcherServlet        : Initiali
zing Servlet 'dispatcherServlet'
2021-02-09 22:05:14.168  INFO 1 --- [nio-8080-exec-1] o.s.web.servlet.DispatcherServlet        : Complete
d initialization in 9 ms
2021-02-09 22:05:14.349 DEBUG 1 --- [nio-8080-exec-2] locationsapp.service.LocationsService    : List loc
ations

C:\architekturak\locationslb>docker exec -it my-locations bash
root@9b9ba7bbb631:/application# uname -a
Linux 9b9ba7bbb631 5.4.72-microsoft-standard-WSL2 #1 SMP Wed Oct 28 23:40:43 UTC 2020 x86_64 x86_64 x86_6
4 GNU/Linux
root@9b9ba7bbb631:/application#
```

Keresés: locationslb

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

23:08
kedd
2021. 02. 09.

Locations | Swagger UI | localhost:8080/v3/api-d | Locations | localhost

root@9b9ba7bbb631: /

```
ng deferred initialization of Spring Data repositories…
2021-02-09 22:05:01.905  INFO 1 --- [           main] DeferredRepositoryInitializationListener : Spring D
ata repositories initialized!
2021-02-09 22:05:01.916  INFO 1 --- [           main] locationsapp.LocationsApplication        : Started
LocationsApplication in 6.037 seconds (JVM running for 6.566)
2021-02-09 22:05:14.159  INFO 1 --- [nio-8080-exec-1] o.a.c.c.C.[Tomcat].[localhost].[/]       : Initiali
zing Spring DispatcherServlet 'dispatcherServlet'
2021-02-09 22:05:14.159  INFO 1 --- [nio-8080-exec-1] o.s.web.servlet.DispatcherServlet        : Initiali
zing Servlet 'dispatcherServlet'
2021-02-09 22:05:14.168  INFO 1 --- [nio-8080-exec-1] o.s.web.servlet.DispatcherServlet        : Complete
d initialization in 9 ms
2021-02-09 22:05:14.349 DEBUG 1 --- [nio-8080-exec-2] locationsapp.service.LocationsService    : List loc
ations

C:\architekturak\locationslb>docker exec -it my-locations bash
root@9b9ba7bbb631:/application# uname -a
Linux 9b9ba7bbb631 5.4.72-microsoft-standard-WSL2 #1 SMP Wed Oct 28 23:40:43 UTC 2020 x86_64 x86_64 x86_6
4 GNU/Linux
root@9b9ba7bbb631:/application# ls -la
total 28
drwxr-xr-x 1 root root 4096 Dec  4 13:13 .
drwxr-xr-x 1 root root 4096 Feb  8 23:23 ..
drwxr-xr-x 1 root root 4096 Dec  4 13:13 BOOT-INF
drwxr-xr-x 3 root root 4096 Dec  4 13:13 META-INF
drwxr-xr-x 3 root root 4096 Nov 18 16:47 org
-rwxr-xr-x 1 root root 5227 Nov 18 16:47 wait-for-it.sh
root@9b9ba7bbb631:/application# cd..
bash: cd..: command not found
root@9b9ba7bbb631:/application# cd ..
root@9b9ba7bbb631:/#
```

Keresés: locationslb

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

23:09
kedd
2021. 02. 09.

Locations | Swagger UI | localhost:8080/v3/api-d | Locations | localhost

root@9b9ba7bbb631: /

```
bash: cd..: command not found
root@9b9ba7bbb631:/application# cd ..
root@9b9ba7bbb631:/# ls -la
total 60
drwxr-xr-x   1 root root 4096 Feb  8 23:23 .
drwxr-xr-x   1 root root 4096 Feb  8 23:23 ..
drwxr-xr-x   1 root root 4096 Dec  4 13:13 application
lrwxrwxrwx   1 root root    7 Oct  8 01:31 bin -> usr/bin
drwxr-xr-x   2 root root 4096 Apr 15  2020 boot
drwxr-xr-x   5 root root  340 Feb  9 22:04 dev
-rwxr-xr-x   1 root root    0 Feb  8 23:23 .dockerenv
drwxr-xr-x   1 root root 4096 Feb  8 23:23 etc
drwxr-xr-x   2 root root 4096 Apr 15  2020 home
lrwxrwxrwx   1 root root    7 Oct  8 01:31 lib -> usr/lib
lrwxrwxrwx   1 root root    9 Oct  8 01:31 lib32 -> usr/lib32
lrwxrwxrwx   1 root root    9 Oct  8 01:31 lib64 -> usr/lib64
lrwxrwxrwx   1 root root   10 Oct  8 01:31 libx32 -> usr/libx32
drwxr-xr-x   2 root root 4096 Oct  8 01:31 media
drwxr-xr-x   2 root root 4096 Oct  8 01:31 mnt
drwxr-xr-x   1 root root 4096 Oct 28 17:21 opt
dr-xr-xr-x 165 root root    0 Feb  9 22:04 proc
drwx------   1 root root 4096 Nov 18 16:47 root
drwxr-xr-x   1 root root 4096 Oct 23 17:32 run
lrwxrwxrwx   1 root root    8 Oct  8 01:31 sbin -> usr/sbin
drwxr-xr-x   2 root root 4096 Oct  8 01:31 srv
dr-xr-xr-x  11 root root    0 Feb  9 22:04 sys
drwxrwxrwt   1 root root 4096 Feb  9 22:04 tmp
drwxr-xr-x   1 root root 4096 Oct  8 01:31 usr
drwxr-xr-x   1 root root 4096 Oct  8 01:34 var
root@9b9ba7bbb631:/#
```

Keresés: locationslb

István Benke
Active

Update your status

Set yourself as away

Pause notifications On

Edit profile

View profile

Preferences

Downloads Ctrl+Shift+J

Sign out of Training360

23:09
kedd
2021. 02. 09.