Shipping - Ground Freight - LTL

RESTful API Developer Guide

May 27 2021

Important Information

UPS Developer Kit APIs

Your development of an application using UPS Developer Kit APIs is governed by the UPS Technology Agreement you entered into with UPS. The following are key legal requirements from these agreements for the UPS Developer Kit APIs. For more information on all requirements for the UPS Developer Kit APIs, please refer to the UPS Technology Agreement.

Defined terms used but not defined in this document have the meaning set forth in the UPS Technology Agreement.

Key Legal Requirements for UPS Developer APIs

Permitted Territories

This document can only be used in the countries of the Permitted Territory as defined in the UPS Technology Agreement, as applicable.

Use

The application must not be designed to allow distribution of information received through the UPS Developer Kit APIs to third parties, other than to persons having a bona fide interest in such information (e.g., the shipper, receiver, or the third party payer, or to your service providers authorized by UPS).

Copyright and Proprietary Notice

In your application and any POD Letters you prepare, you must include a prominent reproduction of UPS's copyright and proprietary notices in a form and format specified by UPS (See the Copyright section of this document).

Display of Information

The application must not display information concerning any other provider of shipping services or such other shipping services on any page, whether comprising one or more frames, displaying information your application receives from the UPS Developer Kit APIs. Your application must present all data within each field received th2-19rough the UPS Developer Kit APIs without amendment, deletion, or modification of any type.

Notice

In all communications with TForce Freight concerning this document, please refer to the document date located on the cover.

Copyright

TFI International Inc. All Rights Reserved. Confidential and Proprietary

The use, disclosure, reproduction, modification, transfer, or transmittal of this work for any purpose in any form or by any means without the written permission of TFI International Inc. is strictly prohibited.

Trademarks

Some of the UPS corporate applications use United States city, state, and postal code information obtained by United Parcel Service of America, Inc. under a non-exclusive license from the United States Postal Service.

Disclaimer

UPS Freight Less-than-Truckload ("LTL") transportation services are offered by TFI International Inc., its affiliates or divisions (including without limitation TForce Freight), which are not affiliated with United Parcel Service, Inc. or any of its affiliates, subsidiaries or related entities ("UPS"). UPS assumes no liability in connection with UPS Freight LTL transportation services or any other services offered or provided by TFI International Inc. or its affiliates, divisions, subsidiaries or related entities.

Table of Contents

Chapter 1: Introduction 4

Chapter 2: Understanding the Ground Freight Ship API 5

Business Processes and Rules 5

Ground Freight Ship Rules 5

Chapter 3: Customer Integration Environment (CIE) 6

System Availability 6

Integration Testing and Production URLs 6

Ground Freight Test Cases 7

Element Constraints 14

Header 15

URL 15

URL Parameters 15

Request 16

Response 41

API Sample Scenario 50

Scenario: 50

Chapter 5: Ground Freight Ship API FAQs 57

Appendices 59

Error Codes 59

HTTP Status Codes 59

Common Error Codes 59

Ground Freight Ship Error Codes 60

Country or Territory Codes 67

Freight Classes 68

Handling Unit Codes 68

LTL Event Types 69

Packaging Type Codes 70

POM Number Type Values 71

Charge Type Codes 72

Reference Codes 73

Service Codes 73

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Chapter 1: Introduction

This document contains implementation instructions for integrating the Ground Freight Ship API into your application, service, or system.

In this guide, you will find:

- Ground Freight Ship functionality and business rules
- Header, URL, request and response elements
- Error response code descriptions

Intended Audience

- This guide is intended for developers who will be integrating the Ground Freight Ship API into their application, service, or system.

Required Knowledge & Skills

This guide assumes you have a basic understanding of the following:

- Concepts and instructions in the *Introduction to the UPS Developer Kit* guide.
- Web APIs
- Software development

How to Use this Guide

- If this is your first time working with the UPS Developer Kit, begin with the Introduction to the UPS Developer Kit guide. This guide serves as the foundation for all API-specific developer guides.
- Chapter 3: Customer Integration Environment (CIE) contains information on UPS integration environments.
- Chapter 4: Ground Freight Rate API Elements and Details contains an overview of the top-level containers and elements that comprise the Ground Freight Rate request and response Request and response examples.
- Reference tables and error codes are located in the Appendices.

Technical Specifications

The application creating the return is a Java REST Web Service providing Interface to client applications in Support of Chapter 3: Customer Integration Environment (CIE)

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Chapter 2: Understanding the Ground Freight Ship API

The Ground Freight Ship API enables TForce Freight client applications a way to make the ground freight shipments. To use this service, an application sends TForce Freight details about the shipment such as its origin, destination, and contents as well as the specific TForce Freight ground freight service desired.

Business Processes and Rules

- TForce Freight expects schema as defined in the request structure i.e., no spelling or structural deviations. Elements that are not defined in the data request will result in request being rejected.
- Only users that plan to ship packages manifested, tendered, and delivered by TForce Freight can use the API.
- Any customers/developers abusing or data mining the API will have their access revoked.
- To access API documentation the user must have or create a My UPS profile.
- To access testing and production sites the user must have an Access Key. To get an Access Key you must have a My UPS profile and an associated shipping account. For additional information, refer to the *UPS Developer Kit User Guide*.

Ground Freight Ship Rules

- Ground Freight does not offer Void, Label Recovery or Return Services.
- Ground Freight does not offer Paperless Invoice.
- Must be registered with a user ID and password for both MYUPS and MYLTL in order to see Negotiated Rates. For additional information, refer to the *LTL Instructions for Negotiated Rates* guide in the Developer Kit.
- All shipping and billing locations must be included in the Ground Freight registration.
- Requests for utilizing the Shipping API with data from proprietary rate basing systems or licensed products that are not the property of UPS or TForce Freight can only be considered after approval from the owning authority. Upon application for access to the Shipping API, TForce Freight will request approval from the owning authority prior to completing the application request.

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Chapter 3: Customer Integration Environment (CIE)

The Customer Integration Environment allows customers to test their application prior to launch. This environment is intended for integration testing of customer applications with the UPS servers.

Once your application has been thoroughly tested, you should redirect the application to the UPS Production Environment.

No stress testing should ever be performed by customers against any UPS systems.

To access testing and production sites the user must have an Access Key. You can request an Access Key after establishing a UPS profile and associating your shipping account.

Test your Rate and Service selections using valid and invalid data elements including postal codes, weights, and package types. This will ensure that your application has the ability to process success and error responses correctly.

System Availability

The Customer Integration Environment is available 24 hours a day, 7 days a week. Note the system is occasionally down for server maintenance.

LTL Freight Country or Territory Origins

LTL Freight country or territory origins include US, CA & MX. The US territory means the contiguous 48 states of the US and Washington DC. While we service Hawaii, Alaska, Guam, Puerto Rico and the US Virgin Islands, those rates can only be obtained by calling TForce Freight Customer Service at (800) 333-7400.

Integration Testing and Production URLs

Testing:	https://wwwcie.ups.com/ship/{version}/freight/shipments/{requestoption}
Production:	https://onlinetools.ups.com/ship/{version}/freight/shipments/{requestoption}

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Ground Freight Test Cases

The test scenarios below are provided to assist with the integration of the API.

The values returned for Scenarios 2 through 5 may vary. An issue should only be reported if no amount is returned in the response.

Scenario 1 – Basic Pricing

Input:

Type	Value
Shipper Name	Developer Test 1
Shipper Address	01 Developer Way
Shipper City	Richmond
Shipper State	VA
Shipper (Origin) Zip	23224
Consignee Name	Consignee Test 1
Consignee Address	000 Consignee Street
Consignee City	Allanton
Consignee State	MO
Consignee (Destination) Zip	63025
Prepaid/Collect	P (Prepaid)
Weight (lb)	500
Class	92.5
NMFC	16030 sub 1

Output:

Type	Value
Total Freight Charges	$450.74
Pickup Confirmation Number	WBU0000103451
BOL Number	9497669

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Scenario 2 – Exception Pricing

Input:

Type	Value
Shipper Name	Developer Test 2
Shipper Address	202 Developer Way
Shipper City	Atlanta
Shipper State	GA
Shipper (Origin) Zip	30328
Consignee Name	Consignee Test 2
Consignee Address	2000 Consignee Street
Consignee City	Allanton
Consignee State	MO
Consignee (Destination) Zip	63025
Prepaid/Collect	P (Prepaid)
Weight (lb)	500
NMFC	16030 sub 1
Class	92.5

Output:

Type	Value
Disc	70%
Total Charges	$286.11

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Scenario 3 – Regional Tier Pricing

Input:

Type	Value
Shipper Name	Developer Test 2
Shipper Address	202 Developer Way
Shipper City	Atlanta
Shipper State	GA
Shipper (Origin) Zip	30328
Consignee Name	Consignee Test 3
Consignee Address	3000 Consignee Street
Consignee City	Richmond
Consignee State	VA
Consignee (Destination) Zip	23224
Prepaid/Collect	P (Prepaid)
Weight (lb)	500
Class	92.5
NMFC	16030 sub 1

Output:

Type	Value
Disc	72%
Total Charges	$198.15

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Scenario 4 – Accessorial Charge Exception

Input:

Type	Value
Shipper Name	Developer Test 2
Shipper Address	202 Developer Way
Shipper City	Atlanta
Shipper State	GA
Shipper (Origin) Zip	30328
Consignee Name	Consignee Test 3
Consignee Address	3000 Consignee Street
Consignee City	Richmond
Consignee State	VA
Consignee (Destination) Zip	23224
Prepaid/Collect	P (Prepaid)
Weight (lb)	500
Class	92.5
NMFC	16030 sub 1
Accessorial	NTFN (Notification)

Output:

Type	Value
Disc	72%
Total Charges	$198.15

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Scenario 5 – Canadian Pricing

Input:

Type	Value
Shipper Name	Developer Test 2
Shipper Address	202 Developer Way
Shipper City	Atlanta
Shipper State	GA
Shipper (Origin) Zip	30328
Consignee Name	Consignee Test 5
Consignee Address	5000 Consignee Street
Consignee City	St Johns
Consignee State	NF
Consignee (Destination) Zip	A1A1A1
Prepaid/Collect	P (Prepaid)
Weight (lb)	500
Class	92.5
NMFC	16030 sub 1
Service	LTL
Handling Unit One Code	SKD

Output:

Type	Value
Disc	70%
Total Charges	$ 1375.42

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Scenario 6: Density Based Pricing – contract service

Input:

TYPE	VALUE
Shipper Name	Developer TEST 3
Shipper Address	303 Developer Way
Shipper City	Richmond
Shipper State	VA
Shipper (Origin) Zip	23234
Consignee Name	Consignee Test 1
Consignee Address	000 Consignee Street
Consignee City	Allanton
Consignee State	MO
Consignee (Destination) Zip	63025
Prepaid/Collect	P (PREPAID)
Weight (lb)	500
Number of HandlingUnits	
Length	48
Width	48
Height	96

Output:

TYPE	VALUE
DISC	8%
Density	2.0 lbs/CFT
Total Cubic Feet	20.00
Total Charges	$450.14

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Scenario 7: Density Based Pricing

Multi Handling Unit/dimensions

Input:

TYPE	VALUE
Shipper Name	Developer TEST 3
Shipper Address	303 Developer Way
Shipper City	Richmond
Shipper State	VA
Shipper (Origin) Zip	23234
Consignee Name	Consignee Test 1
Consignee Address	000 Consignee Street
Consignee City	Allanton
Consignee State	MO
Consignee (Destination) Zip	63025
Prepaid/ Collect	P (PREPAID)
Weight (lb)	500
Number of HandlingUnits	2
Length (H/U#1)	48
Width (H/U#1)	48
Height (H/U#1)	96
Length (H/U#2)	40
Width (H/U#2)	40
Height (H/U#2)	48

Output:

TYPE	VALUE
DISC	8%
Density	9.0 lbs/CFT
Total Cubic Feet	72.44
Total Charges	$529.16

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Chapter 4: Ground Freight Ship API Elements and Details

Element Constraints

The Header, URL, Parameters, Request and Response tables contain the full hierarchy of the API elements.

Element constraints are defined as follows:

Name

The element or container name.

Constraints

Required

- Yes - indicates the element must be present in the request or response.
- Yes* - indicates the element must be present in the request if the parent container is present in the request.
- No - indicates the element is optional and may be used if it applies to the request.
- Cond – indicates the element is required under certain conditions.

Type

- Container - holds a group of related elements.
- String - consists of alphanumeric characters, spaces, and decimals.
- Array - collection of values that allows to provide a list of values. An array begins with [(left bracket) and ends with] (right bracket). Its values are separated by , (comma).
- Header – header parameter
- Path – URL path parameter
- Query – URL query parameter

Length

- The maximum number of characters that can be present in a String. Length is not applicable (N/A) to Containers.

Max Allowed

- The maximum number of elements or containers that can be present in the parent container.

Description

A description of the element or container. Also any validation rules associated with the element/container.

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Header

Name	Constraint	Description
transId	Required: Yes Type: Header Length: 32	An identifier unique to the request
transactionSrc	Required: Yes Type: Header Length: 512	Identifies the clients/source application that is calling
AccessLicenseNumber	Required: Yes Type: Header Length: 16	Authorization: Access Key obtained through on-boarding process. Contact TForce Freight representative for additional information.
Username	Required: Yes Type: Header Length: 16	The customers MyUPS username
Password	Required: Yes Type: Header Length: 26	The customers MyUPS password

URL

https://onlinetools.ups.com/ship/{version}/freight/shipments/{requestoption}

URL Parameters

Name	Constraint	Description
version	Required: Yes Type: Path Length: 5	When TForce Freight introduces new elements in the response that are not associated with new request elements, version is used. This ensures backward compatibility. To get such elements you need to have the right version. The value of the version is explained in the Response element Description. Example: Itemized Charges are returned only when the version element is present and greater than or equal to 'v1601'. Format: YYMM = Year and month of the release. Example: v1601 = 2016 Januaryrelease. Supported values: v1, v1601, v1607.
requestoption	Required: Yes Type: Path Length: 15	Valid Values: Ground Air

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Request

Name	Constraint	Description
{“FreightShipRequest” : {}}		
FreightShipRequest	Required: Yes Type: Container Max Allowed: 1 Length: N/A	
{“FreightShipRequest” :{“Shipment” : {}}}		
Shipment	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Shipment Container.
{“FreightShipRequest” :{“Shipment” :{“ShipFrom” : {}}}}		
ShipFrom	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Shipper Container.
{“FreightShipRequest” :{“Shipment” :{“ShipFrom” :{“Name” : “” }}}}		
Name	Required: Yes Type: String Max Allowed: 1 Length: 35	The shipper location’s name or company name.
{“FreightShipRequest” :{“Shipment” :{“ShipFrom” :{“TaxIdentificationNumber” : “” }}}}		
TaxIdentificationNumber	Required: Cond Type: String Max Allowed: 1 Length: 1…15	Company’s Tax Identification Number at the pickup location. Required if SED form (International forms) is requested
{“FreightShipRequest” :{“Shipment” :{“ShipFrom” :{“Address” : {}}}}}		
Address	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Address Container.
{“FreightShipRequest” :{“Shipment” :{“ShipFrom” :{“Address” : {“AddressLine” : “” }}}}}		
AddressLine	Required: Yes Type: String Max Allowed: 3 Length: 35	The shipper street address. Max occurrences: 3
{“FreightShipRequest” :{“Shipment” :{“ShipFrom” :{“Address” : {“City” : “” }}}}}		
City	Required: Yes Type: String Max Allowed: 1 Length: 30	The shipper city.
{“FreightShipRequest” :{“Shipment” :{“ShipFrom” :{“Address” : {“StateProvinceCode” : “” }}}}}		
StateProvinceCode	Required: Cond Type: String Max Allowed: 1 Length: 5	The shipper location’s state or province code. Required for certain countries or territories.
{“FreightShipRequest” :{“Shipment” :{“ShipFrom” :{“Address” : {“Town” : “” }}}}}		
Town	Required: No Type: String Max Allowed: 1 Length: 30	The shipper location’s town code.

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Name	Constraint	Description
{“FreightShipRequest” :{“Shipment” :{“ShipFrom” :{“Address” : {“PostalCode” : “” }}}}}		
PostalCode	Required: Cond Type: String Max Allowed: 1 Length: 10	The shipper location’s postal code. Required if the country or territory code is US or CA.
{“FreightShipRequest” :{“Shipment” :{“ShipFrom” :{“Address” : {“CountryCode” : “” }}}}}		
CountryCode	Required: Yes Type: String Max Allowed: 1 Length: 2	The shipper location’s country or territory or territory code.
{“FreightShipRequest” :{“Shipment” :{“ShipFrom” :{“AttentionName” : “” }}}}		
AttentionName	Required: No Type: String Max Allowed: 1 Length: 35	Contact name at the shipper location. CO International forms are requested.
{“FreightShipRequest” :{“Shipment” :{“ShipFrom” :{“Phone” : {}}}}}		
Phone	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Phone Container
{“FreightShipRequest” :{“Shipment” :{“ShipFrom” :{“Phone” : {“Number” : “”}}}}		
Number	Required: Yes Type: String Max Allowed: 1 Length: 14	The shipper location’s phone number.
{“FreightShipRequest” :{“Shipment” :{“ShipFrom” :{“Phone” :{“Extension” : “” }}}}}		
Extension	Required: No Type: String Max Allowed: 1 Length: 4	The shipper location’s phone extension.
{“FreightShipRequest” :{“Shipment” :{“ShipFrom” :{“FaxNumber” : “” }}}}		
FaxNumber	Required: No Type: String Max Allowed: 1 Length: 15	The shipper location’s Fax Number.
{“FreightShipRequest” :{“Shipment” :{“ShipFrom” :{“EMailAddress” : “” }}}}		
EMailAddress	Required: No Type: String Max Allowed: 1 Length: 50	Shipper’s email address.
{“FreightShipRequest” :{“Shipment” :{“ShipperNumber” : “” }}}		
ShipperNumber	Required: Yes Type: String Max Allowed: 1 Length: 10	Shipper’s six digit account number. Size must be six alphanumeric characters. Must be associated with the User Id specified in the Access Request XML.
{“FreightShipRequest” :{“Shipment” :{“ShipTo” : {}}}}		
ShipTo	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Consignee Container.
{“FreightShipRequest” :{“Shipment” :{“ShipTo” : {“Name” : “”}}}}		
Name	Required: Yes Type: String Max Allowed: 1 Length: 35	Consignee’s company name.

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Name	Constraint	Description
{“FreightShipRequest” :{“Shipment” :{“ShipTo” : {“TaxIdentificationNumber” : “” }}}}		
TaxIdentificationNumber	Required: No Type: String Max Allowed: 1 Length: 15	Company's Tax Identification Number of the Consignee
{“FreightShipRequest” :{“Shipment” :{“ShipTo” : {“Address” : {}}}}}		
Address	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Address Container.
{“FreightShipRequest” :{“Shipment” :{“ShipTo” : {“Address” : {“AddressLine” : “” }}}}}		
AddressLine	Required: Yes Type: String Max Allowed: 3 Length: 35	Consignee’s street address.
{“FreightShipRequest” :{“Shipment” :{“ShipTo” : {“Address” : {“City” : “” }}}}}		
City	Required: Yes Type: String Max Allowed: 1 Length: 30	Consignee’s city.
{“FreightShipRequest” :{“Shipment” :{“ShipTo” : {“Address” : {“StateProvinceCode” : “” }}}}}		
StateProvinceCode	Required: Cond Type: String Max Allowed: 1 Length: 5	Consignee’s state or province code. Required for certain countries or territories.
{“FreightShipRequest” :{“Shipment” :{“ShipTo” : {“Address” : {“Town” : “” }}}}}		
Town	Required: No Type: String Max Allowed: 1 Length: 30	Consignee’s town code.
{“FreightShipRequest” :{“Shipment” :{“ShipTo” : {“Address” : {“PostalCode” : “” }}}}}		
PostalCode	Required: Cond Type: String Max Allowed: 1 Length: 10	Consignee’s postal code. Required if the country or territory code is US or CA.
{“FreightShipRequest” :{“Shipment” :{“ShipTo” : {“Address” : {“CountryCode” : “” }}}}}		
CountryCode	Required: Yes Type: String Max Allowed: 1 Length: 2	Consignee’s country or territory code.
{“FreightShipRequest” :{“Shipment” :{“ShipTo” : {“AttentionName” : “” }}}}		
AttentionName	Required: Cond Type: String Max Allowed: 1 Length: 35	Contact name at the consignee’s location.
{“FreightShipRequest” :{“Shipment” :{“ShipTo” : {“Phone” : “” }}}}		
Phone	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Phone Container.
{“FreightShipRequest” :{“Shipment” :{“ShipTo” : {“Phone” : {“Number” :””}}}}}		
Number	Required: Yes* Type: String Max Allowed: 1 Length: 15	Consignee’s phone number.

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Name	Constraint	Description
{“FreightShipRequest” :{“Shipment” :{“ShipTo” : {“Phone” : {“Extension” : “” }}}}}		
Extension	Required: No Type: String Max Allowed: 1 Length: 4	Consignee’s phone extension.
{“FreightShipRequest” :{“Shipment” :{“ShipTo” : {“FaxNumber” : “” }}}}		
FaxNumber	Required: No Type: String Max Allowed: 1 Length: 15	Consignee’s fax number.
{“FreightShipRequest” :{“Shipment” :{“ShipTo” : {“EMailAddress” : “” }}}}		
EMailAddress	Required: No Type: String Max Allowed: 1 Length: 50	Ship To email address.
{“FreightShipRequest” :{“Shipment” :{“PaymentInformation” : {}}}}		
PaymentInformation	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Payment Information Container.
{“FreightShipRequest” :{“Shipment” :{“PaymentInformation” : {“Payer” : {}}}}}		
Payer	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Payer Container.
{“FreightShipRequest” :{“Shipment” :{“PaymentInformation” : {“Payer” : {“Name” : “”}}}}}		
Name	Required: Yes Type: String Max Allowed: 1 Length: 35	Payer’s company name
{“FreightShipRequest” :{“Shipment” :{“PaymentInformation” : {“Payer” : {“Address” : {}}}}}}		
Address	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Address Container.
{“FreightShipRequest” :{“Shipment” :{“PaymentInformation” : {“Payer” : {“Address” : {“AddressLine” : “” }}}}}}		
AddressLine	Required: Yes Type: String Max Allowed: 3 Length: 35	Payer’s street address. Max Occurrences: 3
{“FreightShipRequest” :{“Shipment” :{“PaymentInformation” : {“Payer” : {“Address” : {“City” : “”}}}}}}		
City	Required: Yes Type: String Max Allowed: 1 Length: 30	Payer’s city.
{“FreightShipRequest” :{“Shipment” :{“PaymentInformation” : {“Payer” : {“Address” : {“StateProvinceCode” : “”}}}}}}		
StateProvinceCode	Required: Cond Type: String Max Allowed: 1 Length: 5	Payer’s state or province code. Required for certain countries or territories.
{“FreightShipRequest” :{“Shipment” :{“PaymentInformation” : {“Payer” : {“Address” : {“Town” : “”}}}}}}		
Town	Required: No Type: String Max Allowed: 1 Length: 30	Payer’s town code.

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Name	Constraint	Description
{“FreightShipRequest” :{“Shipment” :{“PaymentInformation” : {“Payer” : {“Address” : {“PostalCode” : “”}}}}}}		
PostalCode	Required: Cond Type: String Max Allowed: 1 Length: 10	Payer’s postal code. Required if the country or territory code is US or CA.
{“FreightShipRequest” :{“Shipment” :{“PaymentInformation” : {“Payer” : {“Address” : {“CountryCode” : “”}}}}}}		
CountryCode	Required: Yes Type: String Max Allowed: 1 Length: 2	Payer’s country or territory code.
{“FreightShipRequest” :{“Shipment” :{“PaymentInformation” : {“Payer” : {“ShipperNumber” : “” }}}}}		
ShipperNumber	Required: No Type: String Max Allowed: 1 Length: 10	Payer’s account number. User’s 6 digit account number or 9 digit SCS account number.
{“FreightShipRequest” :{“Shipment” :{“PaymentInformation” : {“Payer” : {“AttentionName” : “” }}}}}		
AttentionName	Required: No Type: String Max Allowed: 1 Length: 35	Contact name at the payer’s location.
{“FreightShipRequest” :{“Shipment” :{“PaymentInformation” : {“Payer” : {“Phone” : {} }}}}}		
Phone	Required: No Type: Container Max Allowed: 1 Length: N/A	Phone Container.
{“FreightShipRequest” :{“Shipment” :{“PaymentInformation” : {“Payer” : {“Phone” : {“Number” :”” }}}}}}		
Number	Required: Yes Type: String Max Allowed: 1 Length: 15	Payer’s phone number.
{“FreightShipRequest” :{“Shipment” :{“PaymentInformation” : {“Payer” : {“Phone” : {“Extension” :”” }}}}}}		
Extension	Required: No Type: String Max Allowed: 1 Length: 4	Payer’s phone extension.
{“FreightShipRequest” :{“Shipment” :{“PaymentInformation” : {“Payer” : {“FaxNumber” : “” }}}}}		
FaxNumber	Required: No Type: String Max Allowed: 1 Length: 15	Payer’s fax number.
{“FreightShipRequest” :{“Shipment” :{“PaymentInformation” : {“Payer” : {“EMailAddress” : “” }}}}}		
EMailAddress	Required: No Type: String Max Allowed: 1 Length: 50	Payer’s email address.
{“FreightShipRequest” :{“Shipment” :{“PaymentInformation” : {“Shipment” : {“BillingOption” : {} }}}}}		
ShipmentBillingOption	Required: Yes Type: Container Max Allowed: 1 Length: N/A	ShipmentBillingOption Container.
{“FreightShipRequest” :{“Shipment” :{“PaymentInformation” : {“Shipment” : {“BillingOption” : {“Code” : “”}}}}}}		
Code	Required: Yes Type: String Max Allowed: 1 Length: 2	Billing Option Code. Valid values: 10 - Prepaid 30 - Bill to Third Party 40 - Freight Collect

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Name	Constraint	Description
{“FreightShipRequest” :{“Shipment” : {“Service” : {}}}}		
Service	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Service Container.
{“FreightShipRequest” :{“Shipment” : {“Service” : {“Code” : “”}}}}		
Code	Required: Yes Type: String Max Allowed: 1 Length: 3	The code for the TForce Freight Service associated with the shipment. For valid values, see Service Codes in the Appendix.
{“FreightShipRequest” :{“Shipment” : {“HandlingUnitOne” : {}}}}		
HandlingUnitOne	Required: Cond Type: Container Max Allowed: 1 Length: N/A	HandlingUnit Container. Required for Ground Shipments.
{“FreightShipRequest” :{“Shipment” : {“HandlingUnitOne” : {“Quantity” : “” }}}}		
Quantity	Required: Yes* Type: String Max Allowed: 1 Length: 8	Quantity of the handling unit.
{“FreightShipRequest” :{“Shipment” : {“HandlingUnitOne” : {“Type” : {}}}}}		
Type	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	HandlingUnit Type Container.
{“FreightShipRequest” :{“Shipment” : {“HandlingUnitOne” : {“Type” : {“Code” :“” }}}}}		
Code	Required: Yes Type: String Max Allowed: 1 Length: 3	The code associated with handling unit type. For valid values, see Handling Unit Codes in the Appendix.
{“FreightShipRequest” :{“Shipment” : {“HandlingUnitTwo” : {}}}}		
HandlingUnitTwo	Required: No Type: Container Max Allowed: 1 Length: N/A	HandlingUnit Container.
{“FreightShipRequest” :{“Shipment” : {“HandlingUnitTwo” : {“Quantity” : “” }}}}		
Quantity	Required: Yes* Type: String Max Allowed: 1 Length: 8	Quantity of the handling unit.
{“FreightShipRequest” :{“Shipment” : {“HandlingUnitTwo” : {“Type” : {} }}}}		
Type	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	HandlingUnit Type Container.
{“FreightShipRequest” :{“Shipment” : {“HandlingUnitTwo” : {“Type” : {“Code” : “” }}}}}		
Code	Required: Yes* Type: String Max Allowed: 1 Length: 3	The code associated with handling unit type. For valid values, see Handling Unit Codes in the Appendix.
{“FreightShipRequest” :{“Shipment” : {“ExistingShipmentID” : {} }}}		
ExistingShipmentID	Required: No Type: Container Max Allowed: 1 Length: N/A	ExistingShipmentID Container.

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Name	Constraint	Description
{“FreightShipRequest” :{“Shipment” : {“ExistingShipmentID” :{“ShipmentNumber” : “”}}}}		
ShipmentNumber	Required: Yes* Type: String Max Allowed: 1 Length: 9	The PRO Number assigned to the shipment.
{“FreightShipRequest” :{“Shipment” : {“ExistingShipmentID” : {“BOLID” : “”}}}}		
BOLID	Required: Cond Type: String Max Allowed: 1 Length: 35	The retrieval key for the stored BOL. Deprecated. retained for backward compatibility… ConfirmationNumber should be used.
{“FreightShipRequest” :{“Shipment” : {“ExistingShipmentID” : {“ConfirmationNumber” : {}}}}}		
ConfirmationNumber	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Container for the existing shipment pickup confirmation number. Required only for Shipment Updates.
{“FreightShipRequest” :{“Shipment” : {“ExistingShipmentID” : {“ConfirmationNumber” : {“Type” : {}}}}}}		
Type	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Container for the type of unique pickup confirmation number. Required only for Shipment Updates.
{“FreightShipRequest” :{“Shipment” : {“ExistingShipmentID” : {“ConfirmationNumber” : {“Type” : {“Code” : “” }}}}}}		
Code	Required: Yes* Type: String Max Allowed: 1 Length: 5	Valid values: 01 = BOLID 02 = PRQ Required only for Shipment Updates.
{“FreightShipRequest” :{“Shipment” : {“ExistingShipmentID” : {“ConfirmationNumber” : {“Value” : “” }}}}}		
Value	Required: Yes* Type: String Max Allowed: 1 Length: 35	The unique pickup confirmation number or BOLID value. Required only for Shipment Updates.
{“FreightShipRequest” :{“Shipment” : {“HandlingInstructions” : “” }}}		
HandlingInstructions	Required: No Type: String Max Allowed: 1 Length: 500	General purpose instructions to the driver. Example: Call 30 minutes before
{“FreightShipRequest” :{“Shipment” : {“DeliveryInstructions” : “” }}}		
DeliveryInstructions	Required: No Type: String Max Allowed: 1 Length: 500	Delivery Instructions.
{“FreightShipRequest” :{“Shipment” : {“PickupInstructions” : “” }}}		
PickupInstructions	Required: No Type: String Max Allowed: 1 Length: 500	Pickup Instructions.
{“FreightShipRequest” :{“Shipment” : {“Commodity” : {}}}}		
Commodity	Required: Yes Type: Container Max Allowed: 99 Length: N/A	Commodity Container.
{“FreightShipRequest” :{“Shipment” : {“Commodity” : {“CommodityID” : “”}}}}		
CommodityID	Required: No Type: String Max Allowed: 1 Length: 35	Unique identifier for the commodity.

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Name	Constraint	Description
{“FreightShipRequest” :{“Shipment” : {“Commodity” : {“Description” :”” }}}}		
Description	Required: Yes Type: String Max Allowed: 1 Length: 755	Description of the line item.
{“FreightShipRequest” :{“Shipment” : {“Commodity” : {“Weight” : {}}}}		
Weight	Required: Yes Type: Container Max Allowed: 1 Length: N/A	CommodityWeight Container.
{“FreightShipRequest” :{“Shipment” : {“Commodity” : {“Weight” : {“UnitOfMeasurement” : {}}}}}}		
UnitOfMeasurement	Required: Yes Type: Container Max Allowed: 1 Length: N/A	CommodityWeight UnitOfMeasurement Container.
{“FreightShipRequest” :{“Shipment” : {“Commodity” : {“Weight” : {“UnitOfMeasurement” : {“Code” : “”}}}}}}		
Code	Required: Yes Type: String Max Allowed: 1 Length: 3	The code associated with the unit of measure for the line item. Valid value: LBS – Pounds
{“FreightShipRequest” :{“Shipment” : {“Commodity” : {“Weight” : {“Value” : “”}}}}}		
Value	Required: Cond Type: String Max Allowed: 1 Length: 16	The value for the line item weight associated with the shipment.
{“FreightShipRequest” :{“Shipment” : {“Commodity” : {“Dimensions” : {}}}}}		
Dimensions	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Dimensions Container.
{“FreightShipRequest” :{“Shipment” : {“Commodity” : {“Dimensions” : {“UnitOfMeasurement” : {}}}}}}		
UnitOfMeasurement	Required: Yes Type: Container Max Allowed: 1 Length: N/A	UnitOfMeasurement Container.
{“FreightShipRequest” :{“Shipment” : {“Commodity” : {“Dimensions” : {“UnitOfMeasurement” : {“Code” : “”}}}}}}		
Code	Required: Yes Type: String Max Allowed: 1 Length: 3	The code associated with the unit of measure for the line item dimension. Valid values: IN – Inches CM - Centimeters
{“FreightShipRequest” :{“Shipment” : {“Commodity” : {“Dimensions” : {“Length” : “” }}}}}		
Length	Required: Yes* Type: String Max Allowed: 1 Length: 1..19	The length of the line item used to determine dimensional weight. Valid characters: 0-9 and "." (Decimal point). Maximum of 2 digits after the decimal. Maximum field length: 16 characters. The decimal ".", does not count as a character. Examples: 12345678912345.67 123456789123456.71234567891234567
{“FreightShipRequest” :{“Shipment” : {“Commodity” : {“Dimensions” : {“Width” : “” }}}}}		

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Name	Constraint	Description
Width	Required: Yes* Type: String Max Allowed: 1 Length: 1..19	The width of the line item used to determine dimensional weight. For valid formatting, see Length above.
{“FreightShipRequest” :{“Shipment” : {“Commodity” : {“Dimensions” : {“Height” : “” }}}}}		
Height	Required: Yes* Type: String Max Allowed: 1 Length: 1..19	The height of the line item used to determine dimensional weight. For valid formatting, see Length above.
{“FreightShipRequest” :{“Shipment” : {“Commodity” : {“NumberOfPieces” : “”}}}}		
NumberOfPieces	Required: Yes Type: String Max Allowed: 1 Length: 6	Number of piece of the commodity in the handling unit.
{“FreightShipRequest” :{“Shipment” : {“Commodity” : {“PackagingType” : {} }}}}		
PackagingType	Required: Yes Type: Container Max Allowed: 1 Length: N/A	PackagingType Container.
{“FreightShipRequest” :{“Shipment” : {“Commodity” : {“PackagingType” : {“Code” : “” }}}}}		
Code	Required: Yes Type: String Max Allowed: 1 Length: 3	The code for the TForce Freight packaging type associated with the shipment. Refer to Packaging Type Codes in the Appendix for valid values.
{“FreightShipRequest” :{“Shipment” : {“Commodity” :{“DangerousGoodsIndicator” : “” }}}}		
DangerousGoodsIndicator	Required: Cond Type: String Max Allowed: 1 Length: 0	The presence of the tag DangerousGoodsIndicator indicates that the commodity is of type dangerous goods. Required for at least one commodity when the dangerous goods accessorial is passed.
{“FreightShipRequest” :{“Shipment” : {“Commodity” : {“Commodity” {“Value” : {} }}}}}		
CommodityValue	Required: No Type: Container Max Allowed: 1 Length: N/A	CommodityValue Container.
{“FreightShipRequest” :{“Shipment” : {“Commodity” : {“Commodity” {“Value” : {“CurrencyCode” : “” }}}}}}		
CurrencyCode	Required: Cond* Type: String Max Allowed: 1 Length: 3	Commodity value currency code type. Required when value of commodity is entered. Valid values: USD – United States Dollar
{“FreightShipRequest” :{“Shipment” : {“Commodity” : {“Commodity” {“Value” : {“MonetaryValue” : “”}}}}}}		
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 16	Commodity value amount.
{“FreightShipRequest” :{“Shipment” : {“Commodity” :{“FreightClass” : {}}}}}		
FreightClass	Required: Yes Type: String Max Allowed: 1 Length: 10	Freight Classification. For valid values, see Freight Classes in the Appendix.
{“FreightShipRequest” :{“Shipment” : {“Commodity” :{“NMFCCommodityCode” : “”}}}}		
NMFCCommodityCode	Required: No Type: String Max Allowed: 1 Length: 0..8	National Motor Freight Classification Commodity code. The first 6 digits represent the Prime Code and the remaining 2 digits represent the Sub Prime Code.
{“FreightShipRequest” :{“Shipment” : {“Commodity” : {“NMFCCommodity” : {}}}}}		

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Name	Constraint	Description
NMFCCommodity	Required: No Type: Container Max Allowed: 1 Length: N/A	Container for National Motor Freight Classification Commodity. This Container is for customers who choose to send the NMFC Prime and sub code as two different fields. This container is mutually exclusive with NMFCCommodityCode element above.
{“FreightShipRequest” :{“Shipment” : {“Commodity” : {“NMFCCommodity” : {“PrimeCode” : “” }}}}}		
PrimeCode	Required: Cond Type: String Max Allowed: 1 Length: 3..6	National Motor Freight Classification Commodity prime code. Must be 6 digits representing the NMFC prime code. This field is required if NMFCCommodity/SubCode is supplied.
{“FreightShipRequest” :{“Shipment” : {“Commodity” : {“NMFCCommodity” :{“SubCode” : “”}}}}}		
SubCode	Required: No Type: String Max Allowed: 1 Length: 0..2	National Motor Freight Classification Commodity sub code. Must be 2 digits representing the NMFC sub code. If this field is supplied, NMFCCommodity {“PrimeCode” : also has to be supplied.
{“FreightShipRequest” :{“Shipment” : {“Reference” : {}}}}		
Reference	Required: No Type: Container Max Allowed: 200 Length: N/A	Reference Container. Max number of references allowed: 200
{“FreightShipRequest” :{“Shipment” : {“Reference” : {“Number” : {}}}}}		
Number	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Reference Number Container.
{“FreightShipRequest” :{“Shipment” : {“Reference” : {“Number” : {“Code” : “” }}}}}		
Code	Required: Yes Type: String Max Allowed: 1 Length: 5	Reference number type code for the entire shipment. For valid values, see Reference Codes in the Appendix.
{“FreightShipRequest” :{“Shipment” : {“Reference” : {“Number” : {“Value” : “” }}}}}		
Value	Required: Yes Type: String Max Allowed: 1 Length: 35	Customer supplied reference number.
{“FreightShipRequest” :{“Shipment” : {“Reference” :{“BarCodeIndicator” : “”}}}}		
BarCodeIndicator	Required: No Type: String Max Allowed: 1 Length: 0	The presence of the tag BarCodeIndicator indicates that the reference at index 1 is bar-coded.
{“FreightShipRequest” :{“Shipment” : {“Reference” : {“NumberOfCartons” :””}}}}		
NumberOfCartons	Required: No Type: String Max Allowed: 1 Length: 6	Number of cartons attached to this reference. Strongly recommended for ground services.
{“FreightShipRequest” :{“Shipment” : {“Reference” : {“Weight” : {}}}}}		
Weight	Required: No Type: Container Max Allowed: 1 Length: N/A	Reference Weight Container. Strongly recommended for ground services.Ignored for air services.
{“FreightShipRequest” :{“Shipment” : {“Reference” : {“Weight” : {“UnitOfMeasurement” : {}}}}}}		

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Name	Constraint	Description
UnitOfMeasurement	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Reference Weight UnitOfMeasurement Container.
{“FreightShipRequest” :{“Shipment” : {“Reference” : {“Weight” : {“UnitOfMeasurement” : {“Code” : “”}}}}}}		
Code	Required: Yes Type: String Max Allowed: 1 Length: 3	The code associated with the unit of measure for the total weight for this reference. Valid value: LBS – Pounds
{“FreightShipRequest” :{“Shipment” : {“Reference” : {“Weight” : {“Value” : “” }}}}}		
Value	Required: Yes* Type: String Max Allowed: 1 Length: 16	The value for the total weight associated with this reference. Valid characters: 0-9 and "." (Decimal). Maximum of 2 digits after the decimal. Maximum field length: 16 characters. The decimal ".", does not count as a character. Examples: ###############.## ################.# #################
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {}}}}		
ShipmentServiceOptions	Required: No Type: Container Max Allowed: 1 Length: N/A	ShipmentServiceOptions Container.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“EMailInformation” : {}}}}}		
EMailInformation	Required: No Type: Container Max Allowed: Unbounded Length: N/A	EmailInformation Container. Multiple Email Information Containers with the same EMail Type Code is not allowed.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“EMailInformation” : {“EMailType” : {}}}}}		
EMailType	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	EmailType Container.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“EMailInformation” : {“EMailType” : {“Code” :“”}}}}}}		
Code	Required: Yes Type: String Max Allowed: 1 Length: 3	The code associated with the email type for the shipment service options. Valid values: 001- Ship Notification 002- Delivery Notification 003 – Exception Notification 004 – BOL/Labels(Ground Only)
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“EMailInformation” : {“EMail” : {}}}}}}		
EMail	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Email Container.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“EMailInformation” : {“EMail” :{“EMailAddress” : “” }}}}}}		
EMailAddress	Required: Yes Type: String Max Allowed: 5 Length: 50	Email address where the notification is sent.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“EMailInformation” : {“EMail” : {“EMailText” :“”}}}}}}		

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Name	Constraint	Description
EMailText	Required: No Type: String Max Allowed: 1 Length: 400	Contents of the email to be sent. Only used for BOL Email Types. Otherwise ignored.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“EMailInformation” : {“EMail” : {“UndeliverableEMailAddress” : “”}}}}}}		
UndeliverableEMailAddress	Required: Yes Type: String Max Allowed: 1 Length: 50	The address where an undeliverable email message is sent if the email with the notification is undeliverable.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“EMailInformation” : {“EMail” : {“Subject”: “” }}}}}}		
Subject	Required: No Type: String Max Allowed: 1 Length: 0..256	Email subject line. Only used for BOL Email Types. Otherwise ignored.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“PickupOptions” : {}}}}}		
PickupOptions	Required: No Type: Container Max Allowed: 1 Length: N/A	PickupOptions Container.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“PickupOptions” :{“HolidayPickupIndicator” :””}}}}		
HolidayPickupIndicator	Required: No Type: String Max Allowed: 1 Length: 0	The presence of the tag HolidayPickupIndicator indicates that the shipment requires a holiday pickup.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“PickupOptions” :{“InsidePickupIndicator” :””}}}}		
InsidePickupIndicator	Required: No Type: String Max Allowed: 1 Length: 0	The presence of the tag InsidePickupIndicator indicates that the shipment requires an inside pickup.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“PickupOptions” : {“ResidentialPickupIndicator” :””}}}}		
ResidentialPickupIndicator	Required: No Type: String Max Allowed: 1 Length: 0	The presence of the tag ResidentialPickupIndicator indicates that the shipment requires a residential pickup.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“PickupOptions” : {“WeekendPickupIndicator” :””}}}}		
WeekendPickupIndicator	Required: No Type: String Max Allowed: 1 Length: 0	The presence of the tag WeekendPickupIndicator indicates that the shipment requires a weekend pickup.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“PickupOptions” :{“LiftGateRequiredIndicator” :””}}}}		
LiftGateRequiredIndicator	Required: No Type: String Max Allowed: 1 Length: 0	The presence of the tag LiftGateRequiredIndicator indicates that the shipment requires a lift gate.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“PickupOptions” : {“LimitedAccessPickupIndicator” :””}}}}		
LimitedAccessPickupIndicator	Required: No Type: String Max Allowed: 1 Length: 0	The presence of the tag LimitedAccessPickupIndicator indicates that there is limited access for pickups.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” :{“DeliveryOptions” :{}}}}		

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Name	Constraint	Description
DeliveryOptions	Required: No Type: Container Max Allowed: 1 Length: N/A	DeliveryOptions Container.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“DeliveryOptions” :{“CallBeforeDeliveryIndicator” :””}}}}}		
CallBeforeDeliveryIndicator	Required: No Type: String Max Allowed: 1 Length: 0	The presence of the tag CallBeforeDeliveryIndicator indicates that the shipment is going to be delivered after calling the consignee.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“DeliveryOptions” :{“HolidayDeliveryIndicator” :””}}}}}		
HolidayDeliveryIndicator	Required: No Type: String Max Allowed: 1 Length: 0	The presence of the tag HolidayDeliveryIndicator indicates that the shipment is going to be delivered on a holiday.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“DeliveryOptions” :{“InsideDeliveryIndicator” :””}}}}}		
InsideDeliveryIndicator	Required: No Type: String Max Allowed: 1 Length: 0	The presence of the tag InsideDeliveryIndicator indicates that the shipment requires an inside delivery.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“DeliveryOptions” :{“ResidentialDeliveryIndicator” :””}}}}}		
ResidentialDeliveryIndicator	Required: No Type: String Max Allowed: 1 Length: 0	The presence of the tag ResidentialDeliveryIndicator indicates that the shipment requires a residential delivery.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“DeliveryOptions” :{“WeekendDeliveryIndicator” :””}}}}}		
WeekendDeliveryIndicator	Required: No Type: String Max Allowed: 1 Length: 0	The presence of the tag WeekendDeliveryIndicator indicates that the shipment is going to be delivered on a weekend.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“DeliveryOptions” :{“LiftGateRequiredIndicator” :””}}}}}		
LiftGateRequiredIndicator	Required: No Type: String Max Allowed: 1 Length: 0	The presence of the tag LiftGateRequiredIndicator indicates that the shipment requires a lift gate.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“DeliveryOptions” :{“LimitedAccessDeliveryIndicator” :””}}}}}		
LimitedAccessDeliveryIndicator	Required: No Type: String Max Allowed: 1 Length: 0	The presence of the tag LimitedAccessDeliveryIndicator indicates that there is limited access for delivery.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“OverSeasLeg” : {}}}}}		
OverSeasLeg	Required: No Type: Container Max Allowed: 1 Length: N/A	OverSeasLeg Container. Accessorial required when origin or destination is Hawaii, Alaska, and Puerto Rico.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“OverSeasLeg” : {“Dimensions” : {}}}}}}		
Dimensions	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Dimensions Container.

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Name	Constraint	Description
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“OverSeasLeg” : {“Dimensions” : {“Volume” : “”}}}}}		
Volume	Required: Cond Type: String Max Allowed: 1 Length: 16	Represents the size as volume. Volume being required if height, length, width is not specified. If volume is present then height, length, width is ignored. Valid characters: 0-9 and "." (Decimal). Maximum of 2 digits after the decimal. Maximum field length: 16 characters. The decimal ".", does not count as a character. Examples: 12345678912345.67 123456789123456.7 1234567891234567
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“OverSeasLeg” : {“Dimensions” : {“Height” : “”}}}}}		
Height	Required: Cond Type: String Max Allowed: 1 Length: 18	The height used to determine dimensional size.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“OverSeasLeg” : {“Dimensions” : {“Length” : “”}}}}}		
Length	Required: Cond Type: String Max Allowed: 1 Length: 18	The length used to determine dimensional size.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“OverSeasLeg” : {“Dimensions” : {“Width” : “”}}}}}		
Width	Required: Cond Type: String Max Allowed: 1 Length: 18	The width used to determine dimensional size.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“OverSeasLeg” : {“Dimensions” : {“UnitOfMeasurement” : {}}}}}		
UnitOfMeasurement	Required: Yes Type: Container Max Allowed: 1 Length: N/A	UnitOfMeasurement Container.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“OverSeasLeg” : {“Dimensions” : {“UnitOfMeasurement” : {“Code” : “”}}}}}		
Code	Required: Yes Type: String Max Allowed: 1 Length: 3	The code associated with the unit of measure for the OverSeasLeg dimension. Valid value: CF - Cubic Feet
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“OverSeasLeg” : {“Value” :{}}}}}		
Value	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Dimensions Value Container.

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Name	Constraint	Description
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“OverSeasLeg” : {“Value” :{“Cube” : {}}}}}}		
Cube	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Dimensions Value Cube Container. Request should contain PricerPerCubicFoot, PricerPerCWT, or both.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“OverSeasLeg” : {“Value” :{“Cube” : {“CurrencyCode” : “”}}}}}}		
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	Currency code type for Price per cubic feet. Valid value: USD - United States Dollar
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“OverSeasLeg” : {“Value” : {“Cube” :{“MonetaryValue”: “”}}}}}}		
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 16	Price per cubic feet. Valid characters: 0-9 and "." (Decimal). Maximum of 2 digits after the decimal. Maximum field length: 16 characters. The decimal ".", does not count as a character. Examples: 12345678912345.67 123456789123456.7 1234567891234567
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“OverSeasLeg” : {“Value” : {“CWT” : {}}}}}}		
CWT	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Dimensions Value CWT Container. Request should contain PricerPerCubicFoot, PricerPerCWT, or both.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“OverSeasLeg” : {“Value” : {“CWT” : {“CurrencyCode” : “”}}}}}}		
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	Currency code type for Price per CWT. Valid value: USD - United States Dollar
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“OverSeasLeg” : {“Value” : {“CWT” : {“MonetaryValue” : “”}}}}}}		
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 16	Price per CWT. Valid characters: 0-9 and "." (Decimal). Maximum of 2 digits after the decimal. Maximum field length: 16 characters. The decimal ".", does not count as a character. Examples: 12345678912345.67 123456789123456.7 1234567891234567
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“COD” : {}}}}		
COD	Required: No Type: Container Max Allowed: 1 Length: N/A	COD Container.

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Name	Constraint	Description
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“COD” : {“CODValue” :{}}}}}}		
CODValue	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	CODValue Container.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“COD” : {“CODValue”: {“CurrencyCode” : “”}}}}}}		
CurrencyCode	Required: Yes Type: String Max Allowed: 1 Length: 3	COD amount currency code type. Valid value: USD – United States Dollar
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“COD” : {“CODValue”: {“MonetaryValue” :””}}}}}}		
MonetaryValue	Required: Yes Type: String Max Allowed: 1 Length: 16	COD Amount. Valid characters: 0-9 and "." (Decimal). Maximum of 2 digits after the decimal. Maximum field length: 16 characters. The decimal ".", does not count as a character. Examples: 12345678912345.67 123456789123456.7 1234567891234567
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“COD” : {“CODPaymentMethod” : {}}}}}}		
CODPaymentMethod	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	CODPaymentMethod Container.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“COD” : {“CODPaymentMethod” : {“Code” : “”}}}}}}		
Code	Required: Yes Type: String Max Allowed: 1 Length: 1	The code associated with the COD payment method for the shipment service options. Valid values: M - Company Check R - Certified Check
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“COD” : {“CODBillingOption”: {}}}}}}		
CODBillingOption	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	CODBillingOption Container.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“COD” : {“CODBillingOption”: {“Code” : “”}}}}}}		
Code	Required: Yes Type: String Max Allowed: 1 Length: 2	The code associated with the COD billing option for the shipment service options. Valid values: 01 - Prepaid 02 - Freight Collect
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“COD” : {“RemitTo” : {} }}}}}		
RemitTo	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	RemitTo Container.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“COD” : {“RemitTo” :{“Name” : “” }}}}}}		

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Name	Constraint	Description
Name	Required: Yes Type: String Max Allowed: 1 Length: 35	The payee company name for the COD charges.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“COD” : {“RemitTo” :{“Address” : {}}}}}}		
Address	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Address Container.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“COD” : {“RemitTo” :{“Address” : {“AddressLine” : “” }}}}}}		
AddressLine	Required: Yes Type: String Max Allowed: 3 Length: 35	Payee Street address for the COD charges.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“COD” : {“RemitTo” :{“Address” : {“City” : “”}}}}}}		
City	Required: Yes Type: String Max Allowed: 1 Length: 30	Payee city code for the COD charges.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“COD” : {“RemitTo” :{“Address” : {“StateProvinceCode” : “”}}}}}}		
StateProvinceCode	Required: No Type: String Max Allowed: 1 Length: 5	Payee stare or province code for the COD charges. Required for certain countries or territories.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“COD” : {“RemitTo” :{“Address” : {“Town” : “”}}}}}}		
Town	Required: No Type: String Max Allowed: 1 Length: 30	Payee town code for the COD charges.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“COD” : {“RemitTo” :{“Address” : {“PostalCode” : “”}}}}}}		
PostalCode	Required: No Type: String Max Allowed: 1 Length: 10	Payee postal code for the COD charges. Required if the country or territory code is US or CA.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“COD” : {“RemitTo” :{“Address” : {“CountryCode” : “”}}}}}}		
CountryCode	Required: Yes Type: String Max Allowed: 1 Length: 2	Payee country or territory code for the COD charges.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“COD” : {“RemitTo” :{“AttentionName” : “”}}}}}}		
AttentionName	Required: No Type: String Max Allowed: 1 Length: 35	Payee contact name for the COD charges.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“COD” : {“RemitTo” :{“Phone” : {} }}}}}		
Phone	Required: No Type: Container Max Allowed: 1 Length: N/A	Phone Container.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“COD” : {“RemitTo” :{“Phone” : “” {“Number” : “”}}}}}}		

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Name	Constraint	Description
Number	Required: Yes Type: String Max Allowed: 1 Length: 15	Payee Phone number for the COD charges.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“COD” : {“RemitTo” :{“Phone” : {“Extension” : “”}}}}}}}		
Extension	Required: No Type: String Max Allowed: 1 Length: 4	Payee phone extension for the COD charges.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“COD” : {“RemitTo” :{“FaxNumber” : “”}}}}}}		
FaxNumber	Required: No Type: String Max Allowed: 1 Length: 15	Payee fax number for the COD charges.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“COD” : {“RemitTo” :{“EMailAddress” : “”}}}}}}		
EMailAddress	Required: No Type: String Max Allowed: 1 Length: 50	Payee email address for the COD charges.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“DangerousGoods” :{}}}}}		
DangerousGoods	Required: No Type: Container Max Allowed: 1 Length: N/A	DangerousGoods Container.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“DangerousGoods” :{“Name” : “”}}}}}}		
Name	Required: Yes* Type: String Max Allowed: 1 Length: 35	The contact name for question re: Dangerous Goods.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“DangerousGoods” :{“Phone” : {}}}}}}		
Phone	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Phone Container.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“DangerousGoods” :{“Phone” : {“Number” : “”}}}}}}		
Number	Required: Yes Type: String Max Allowed: 1 Length: 15	The contact phone number for question re: Dangerous Goods
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“DangerousGoods” :{“Phone” : {“Extension” :”” }}}}}}		
Extension	Required: No Type: String Max Allowed: 1 Length: 4	The contact phone extension for question re: Dangerous Goods
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“SortingAndSegregating” : {}}}}}		
SortingAndSegregating	Required: No Type: Container Max Allowed: 1 Length: N/A	SortingAndSegregating Container.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“SortingAndSegregating” : {“Quantity” : “” }}}}}		

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Name	Constraint	Description
Quantity	Required: Yes* Type: String Max Allowed: 1 Length: 6	Quantity of units to be sorted/segregated.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“DeclaredValue” : {}}}}}		
DeclaredValue	Required: No Type: Container Max Allowed: 1 Length: N/A	DeclaredValue Container.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“DeclaredValue” : {“CurrencyCode” :””}}}}}		
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	Declared value amount currency type. Valid value: USD - United States Dollar
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“DeclaredValue” : {“MonetaryValue” :””}}}}}		
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 16	Declared value amount. Valid characters: 0-9 and "." (Decimal). Maximum of 2 digits after the decimal. Maximum field length: 16 characters. The decimal ".", does not count as a character. Examples: 12345678912345.67 123456789123456.7 1234567891234567
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“ExcessDeclaredValue” :{}}}}}		
ExcessDeclaredValue	Required: No Type: Container Max Allowed: 1 Length: N/A	ExcessDeclaredValue Container.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“ExcessDeclaredValue” : {“CurrencyCode” :””}}}}}		
CurrencyCode	Required: No Type: String Max Allowed: 1 Length: 3	Excess Declared value amount currency type. Valid value: USD - United States Dollar
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“ExcessDeclaredValue” : {“MonetaryValue” :””}}}}}		
MonetaryValue	Required: Yes Type: String Max Allowed: 1 Length: 16	Excess Declared value amount.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“HandlingCharge” : {}}}}}		
HandlingCharge	Required: No Type: Container Max Allowed: 1 Length: N/A	HandlingCharge Container.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“HandlingCharge” :{“Percentage” :””}}}}}		

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Name	Constraint	Description
Percentage	Required: Cond Type: String Max Allowed: 1 Length: 7	Percentage amount consistent with the handling charge. Either Percentage or Amount needs to be present, not both. Negative value allowed. Valid characters: 0-9 and "." (Decimal). Maximum of 2 digits after the decimal. Maximum field length: 7 characters. The decimal ".", does not count as a character.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“HandlingCharge” :{“Amount”:{}}}}}}		
Amount	Required: Cond Type: Container Max Allowed: 1 Length: N/A	HandlingCharge Amount Container. Either Percentage or Amount needs to be present, not both.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“HandlingCharge” :{“Amount {“CurrencyCode” :” ”}}}}}		
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	Handling charge amount currency type.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” : {“HandlingCharge” :{“Amount {“MonetaryValue” :” ”}}}}}		
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 16	Handling Charge amount. Negative value allowed. Valid characters: 0-9 and "." (Decimal). Maximum of 2 digits after the decimal. Maximum field length: 16 characters. The decimal ".", does not count as a character. Examples: 12345678912345.67 123456789123456.7 1234567891234567
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” :{“FreezableProtectionIndicator”:””}}}}}		
FreezableProtectionIndicator	Required: No Type: String Max Allowed: 1 Length: 0	The presence of the tag FreezableProtectionIndicator indicates that the customs clearance is required.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” :{“ExtremeLengthIndicator”:””}}}}}		
ExtremeLengthIndicator	Required: No Type: String Max Allowed: 1 Length: 0	The presence of the tag ExtremeLengthIndicator indicates that the customs clearance is required. It is recommended to provide 'LinearFeet' if this indicator is sent.
{“FreightShipRequest” :{“Shipment” :{“ShipmentServiceOptions” :{“LinearFeet”:””}}}}		

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Name	Constraint	Description
LinearFeet	Required: No Type: String Max Allowed: 1 Length: 2	Dimensional length of the article(s), in 'feet'. Numeric value greater than ‘0’ (Zero) should be given in LinearFeet. If Proper LinearFeet is not provided, accurate charge for extreme length articles might not be returned. If linear feet ‘0’ (Zero) or any non-numeric/invalid character is sent, accurate charge for extreme length articles might not be returned. Ignored if ExtremeLengthIndicator is not present.
{“FreightShipRequest” :{“Shipment” :{“PickupRequest”:{}}}}		
PickupRequest	Required: Cond Type: Container Max Allowed: 1 Length: N/A	PickupRequest Container.
{“FreightShipRequest” :{“Shipment” :{“PickupRequest” :{“AdditionalComments” :{}}}}		
AdditionalComments	Required: No Type: String Max Allowed: 1 Length: 500	Additional pickup comments or instructions
{“FreightShipRequest” :{“Shipment” :{“PickupRequest” :{“Requester” :{}}}}		
Requester	Required: Cond* Type: Container Max Allowed: 1 Length: N/A	Requester Container. Also referred to as caller. Required for ground shipments if PickupRequest container is present.
{“FreightShipRequest” :{“Shipment” :{“PickupRequest” :{“Requester” :{“ThirdPartyIndicator” : “”}}}}		
ThirdPartyIndicator	Required: No Type: String Max Allowed: 1 Length: 0	Indicates whether the requester is Consignee, Third Party, Shipper, other.
{“FreightShipRequest” :{“Shipment” :{“PickupRequest” :{“Requester” :{“AttentionName” : “”}}}}		
AttentionName	Required: Yes Type: String Max Allowed: 1 Length: 35	Requester’s name.
{“FreightShipRequest” :{“Shipment” :{“PickupRequest” :{“Requester”: {“EMailAddress” : “”}}}}		
EMailAddress	Required: Yes Type: String Max Allowed: 1 Length: 50	Requester’s email address.
{“FreightShipRequest” :{“Shipment” :{“PickupRequest” :{“Requester” :{“Name” : “”}}}}		
Name	Required: Yes Type: String Max Allowed: 1 Length: 35	Requester’s company name.
{“FreightShipRequest” :{“Shipment” :{“PickupRequest” :{“Requester” :{“Phone” : “”}}}}		
Phone	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Phone Container
{“FreightShipRequest” :{“Shipment” :{“PickupRequest” :{“Requester{“PhoneNumber” : “”}}}}		

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Name	Constraint	Description
Number	Required: Yes Type: String Max Allowed: 1 Length: 14	Requester's phone number.
{"FreightShipRequest" :{"Shipment" :{"PickupRequest" :{"Requester{"PhoneExtension": ""}}}}}		
Extension	Required: No Type: String Max Allowed: 1 Length: 4	Requester's phone extension.
{"FreightShipRequest" :{"Shipment" :{"PickupRequest" :{"PickupDate" : ""}}}}}		
PickupDate	Required: Yes* Type: String Max Allowed: 1 Length: 8	Date of the Pickup. Format: YYYYMMDD. Ground pickup may be scheduled up to 42 days in the future. Note: This element will act as PickupDate or DropOffDate based on the presence of PickupTimeReady or DropOffTimeReady element.
{"FreightShipRequest" :{"Shipment" :{"PickupRequest" :{"EarliestTimeReady" : ""}}}}}		
EarliestTimeReady	Required: Cond Type: String Max Allowed: 1 Length: 4	The earliest time a shipment is ready to be picked up. The time is on a 24 hour clock. Format: HHMM HH = Hour values 00 to 23 MM = Minute values 00 to 59
{"FreightShipRequest" :{"Shipment" :{"PickupRequest" :{"LatestTimeReady" : ""}}}}}		
LatestTimeReady	Required: Yes* Type: String Max Allowed: 1 Length: 4	The latest time a shipment can be picked up. Can be also referred as the Closing Time for a pickup time window. The time is on a 24 hour clock. Format: HHMM HH = Hour values 00 to 23 MM = Minute values 00 to 59 Optional if the account type is House.
{"FreightShipRequest" :{"Shipment" :{"PickupRequest" :{"POM" :{}}}}}		
POM	Required: No Type: Container Max Allowed: 1 Length: N/A	Pickup Order Management (POM) container.
{"FreightShipRequest" :{"Shipment" :{"PickupRequest" :{"POM " :{"POMNumber" :""}}}}}		
POMNumber	Required: Yes* Type: String Max Allowed: 1 Length: 16	An identifier associated to the pickup request (may or may not be created by the user)
{"FreightShipRequest" :{"Shipment" :{"PickupRequest" :{"POM" : {"POMNumberType" :""}}}}}		
POMNumberType	Required: Yes* Type: String Max Allowed: 1 Length: 2	Identifies the kind of number used to identify the POM shipment. For valid values, see POMNumberType Values in the Appendix.
{"FreightShipRequest" :{"Shipment" :{"PickupRequest" :{"POM" :{"PickupNotifications" : {}}}}}}		
PickupNotifications	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Container for pre-pickup notifications events
{"FreightShipRequest" :{"Shipment" :{"PickupRequest" :{"POM" :{"PickupNotifications" :{"CompanyName" :""}}}}}}		

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Name	Constraint	Description
CompanyName	Required: No Type: String Max Allowed: 1 Length: 1..35	Name of company
{“FreightShipRequest” :{“Shipment” :{“PickupRequest” :{“POM” :{“PickupNotifications” :{“EMailNotification” :{}}}}}}}		
EMailNotification	Required: Yes* Type: Container Max Allowed: 5 Length: N/A	Container for email notifications
{“FreightShipRequest” :{“Shipment” :{“PickupRequest” :{“POM” :{“PickupNotifications” :{“EMailNotification” : {“EMailAddress” : “” }}}}}}}		
EMailAddress	Required: Yes* Type: String Max Allowed: 1 Length: 50	Email address which should receive pre-pickup notification
{“FreightShipRequest” :{“Shipment” :{“PickupRequest” :{“POM” :{“PickupNotifications” :{“EMailNotification” :{“EventType” :””}}}}}}}		
EventType	Required: Yes* Type: String Max Allowed: 4 Length: 2	Type of event for POM Notification. Add up to four events. 01 = PICKUP_REQUEST_CONFIRM 02 = DRIVER_EN_ROUTE 03 = PICKUP_SECURED 04 = PICKUP_EXCEPTION
{“FreightShipRequest” :{“Shipment” :{“PickupRequest” :{“POM” :{“PickupNotifications” :{“FailedEMail” :””}}}}}}		
FailedEMail	Required: Yes* Type: String Max Allowed: 1 Length: 50	Alternate email address to receive failure notifications
{“FreightShipRequest” :{“Shipment” :{“Documents” :{}}}}		
Documents	Required: No Type: Container Max Allowed: 1 Length: N/A	Documents Container.
{“FreightShipRequest” :{“Shipment” :{“Documents” :{“Image” : {}}}}}		
Image	Required: No Type: Container Max Allowed: Unbounded Length: N/A	Image Container.
{“FreightShipRequest” :{“Shipment” :{“Documents” :{“Image” : {“Type” :{}}}}}}		
Type	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Image Type Container.
{“FreightShipRequest” :{“Shipment” :{“Documents” :{“Image” : {“Type” : {“Code” :””}}}}}}		
Code	Required: Yes Type: String Max Allowed: 1 Length: 2	Type of the image contained in Documents Image. Valid values: 20 – TForce Freight BOL 21 – VICS BOL 30 - Label
{“FreightShipRequest” :{“Shipment” :{“Documents” :{“Image” :{“LabelsPerPage” :””}}}}}		
LabelsPerPage	Required: Cond Type: String Max Allowed: 1 Length: 1	Number of Labels to print per page. Required when label type is “Label”. Otherwise the element and child elements are ignored.
{“FreightShipRequest” :{“Shipment” :{“Documents” :{“Image” :{“Format” :{}}}}}}		

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Name	Constraint	Description
Format	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	ImageFormat Container.
{“FreightShipRequest” :{“Shipment” :{“Documents” :{“Image” :{“Format” : {“Code” : “”}}}}}}		
Code	Required: Yes Type: String Max Allowed: 1 Length: 2	Format of the image contained in Documents Image. Valid value: 01 - pdf
{“FreightShipRequest” :{“Shipment” :{“Documents” :{“Image” :{“PrintFormat” :{}}}}}}		
PrintFormat	Required: No Type: Container Max Allowed: 1 Length: N/A	PrintFormat Container. Required when label type is “Label”. Otherwise the element and child elements are ignored.
{“FreightShipRequest” :{“Shipment” :{“Documents” :{“Image” :{“PrintFormat” : {“Code” : “”}}}}}}		
Code	Required: Yes* Type: String Max Allowed: 1 Length: 2	Print Format of the image contained in Documents Image. Valid values: 01 – Laser 02 - Thermal
{“FreightShipRequest” :{“Shipment” :{“Documents” :{“Image” :{“PrintSize” :{}}}}}}		
PrintSize	Required: No Type: Container Max Allowed: 1 Length: N/A	PrintSize Container. Required when label type is “Label”. Otherwise the element and child elements are ignored. Valid combination of Length and Width children are: (Length X Width) 4 X 64 X 88 X 11 (Recommended for Laser Printer type)
{“FreightShipRequest” :{“Shipment” :{“Documents” :{“Image” :{“PrintSize” : {“Length” : “”}}}}}		
Length	Required: Yes* Type: String Max Allowed: 1 Length: 16	The lengths of the image print size.
{“FreightShipRequest” :{“Shipment” :{“Documents” :{“Image” :{“PrintSize” : {“Width” :””}}}}}}		
Width	Required: Yes* Type: String Max Allowed: 1 Length: 16	The widths of the image print size.
{“FreightShipRequest” :{“Shipment” :{“TimeInTransitIndicator” : “”}}}		
TimeInTransitIndicator	Required: No Type: String Max Allowed: 1 Length: 0	Presence of the tag indicates Time in Transit information is requested and will be returned if available.
{“FreightShipRequest” :{“Shipment” :{“HandlingUnits” :{}}}}		
HandlingUnits	Required: Type: Container Max Allowed: Unbounded Length: N/A	Handling Unit for Density based Rating.
{“FreightShipRequest” :{“Shipment” :{“HandlingUnits {“Quantity” :””}}}}		
Quantity	Required: Yes Type: String Max Allowed: 1 Length: 8	Handling Unit Quantity for Density based Rating
{“FreightShipRequest” :{“Shipment” :{“HandlingUnits {“Type” :{}}}}}		

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Name	Constraint	Description
Type	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Handling Unit Type for Density based Rating.
{“FreightShipRequest” :{“Shipment” :{“HandlingUnits {“Type” : {“Code” :”” }}}}}		
Code	Required: Yes Type: String Max Allowed: 1 Length: 3	The code associated with Handling Unit Type.
{“FreightShipRequest” :{“Shipment” :{“HandlingUnits {“Dimensions” :{}}}}}		
Dimensions	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Dimension of the handling unit for density based pricing.
{“FreightShipRequest” :{“Shipment” :{“HandlingUnits {“Dimensions” : {“UnitOfMeasurement” :{}}}}}}		
UnitOfMeasurement	Required: Yes Type: Container Max Allowed: 1 Length: N/A	UnitOfMeasurement Container.
{“FreightShipRequest” :{“Shipment” :{“HandlingUnits {“Dimensions” : {“UnitOfMeasurement” : {“Code” :””}}}}}		
Code	Required: Yes Type: String Max Allowed: 1 Length: 3	The code associated with the unit of measure for the line item dimension.
{“FreightShipRequest” :{“Shipment” :{“HandlingUnits {“Dimensions” : {“Length” :”” }}}}}		
Length	Required: Yes Type: String Max Allowed: 1 Length: 1…19	The length of the line item used to determine density rate rating.
{“FreightShipRequest” :{“Shipment” :{“HandlingUnits {“Dimensions” : {“Width” :”” }}}}}		
Width	Required: Yes Type: String Max Allowed: 1 Length: 1…19	The width of the line item used to determine the density based rating.
{“FreightShipRequest” :{“Shipment” :{“HandlingUnits {“Dimensions” : {“Height” :”” }}}}}		
Height	Required: Yes Type: String Max Allowed: 1 Length: 1…19	The height of the line item used to determine density based rating.
{“FreightShipRequest” :{“Shipment” :{“DensityEligibleIndicator” :””}}}		
DensityEligibleIndicator	Required: No Type: String Max Allowed: 1 Length: 0	The presence of the tag DensityEligibleIndicator indicates that the density based rate is requested.

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Response

Name	Constraint	Description
{“FreightShipResponse” : {}}		
FreightShipResponse	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Freight Ship Response Container.
{“FreightShipResponse” :{“Response” : {}}}		
Response	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Response Container.
{“FreightShipResponse” :{“Response” :{“ResponseStatus” :{}}}}		
ResponseStatus	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Response Status Container.
{“FreightShipResponse” :{“Response” :{“ResponseStatus” :{“Code” :””}}}}		
Code	Required: Yes Type: String Max Allowed: 1 Length: 1	Identifies the success or failure of the transaction. 1 = Successful
{“FreightShipResponse” :{“Response” :{“ResponseStatus” :{“Description” :””}}}}		
Description	Required: Yes Type: String Max Allowed: 1 Length: 1…35	Describes Response Status Code.Returns text of "Success".
{“FreightShipResponse” :{“Response” :{“Alert” : {}}}}		
Alert	Required: No Type: Container Max Allowed: Unbounded Length: N/A	Alert Container. There can be zero to many alert containers with code and description.
{“FreightShipResponse” :{“Response” :{“Alert” :{“Code” :””}}}}		
Code	Required: Yes* Type: String Max Allowed: 1 Length: 1…10	Warning code returned by the system.

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Name	Constraint	Description
{“FreightShipResponse” :{“Response” :{“Alert” :{“Description”: “”}}}}		
Description	Required: Yes* Type: String Max Allowed: 1 Length: 1…150	Warning messages returned by the system.
{“FreightShipResponse” :{“Response” :{“TransactionReference” : {} }}}		
TransactionReference	Required: No Type: Container Max Allowed: 1 Length: N/A	Transaction Reference Container.
{“FreightShipResponse” :{“Response” :{“TransactionReference” : {“CustomerContext” :”” }}}}		
CustomerContext	Required: No Type: String Max Allowed: 1 Length: 1…512	The CustomerContext Information which will be echoed during response.
{“FreightShipResponse” :{“ShipmentResults” : {}}}		
ShipmentResults	Required: Yes Type: Container Max Allowed: 1 Length: N/A	ShipmentResults Container.
{“FreightShipResponse” :{“ShipmentResults” : {“PickupRequestConfirmationNumber” :””}}}		
PickupRequestConfirmationNumber	Required: No Type: String Max Allowed: 1 Length: 35	Shipment pickup number.
{“FreightShipResponse” :{“ShipmentResults” :{“DeliveryDate” :””}}}		
DeliveryDate	Required: No Type: String Max Allowed: 1 Length: 8	Estimated date that the shipment will be delivered. Format: YYYYMMDD.
{“FreightShipResponse” :{“ShipmentResults” :{“ShipmentNumber” : “”}}}		
ShipmentNumber	Required: No Type: String Max Allowed: 1 Length: 9	The shipment Number assigned to the shipment.
{“FreightShipResponse” :{“ShipmentResults” :{“BOLID” :””}}}		

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Name	Constraint	Description
BOLID	Required: No Type: String Max Allowed: 1 Length: 35	The retrieval key for the stored BOL.
{“FreightShipResponse” :{“ShipmentResults” :{ “GuaranteedIndicator” :”” }}}		
GuaranteedIndicator	Required: No Type: Container Max Allowed: 1 Length: 0	This indicator indicates that the rate returned is guaranteed. Can only be returned if the billing option is prepaid.
{“FreightShipResponse” :{“ShipmentResults” : {“MinimumChargeAppliedIndicator” :””}}}		
MinimumChargeAppliedIndicator	Required: No Type: Container Max Allowed: 1 Length: 0	This is an empty tag. The presence of the tag indicates the rate returned has a minimum charge applied to it. Can only be returned if the billing option is prepaid.
{“FreightShipResponse” :{“ShipmentResults” : {“Rate” : {}}}}		
Rate	Required: No Type: Container Max Allowed: Unbounded Length: N/A	Rate Container. Returned only if the billing option is prepaid.
{“FreightShipResponse” :{“ShipmentResults” : {“Rate” : {“Type” : {}}}}		
Type	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Rate Type Container.
{“FreightShipResponse” :{“ShipmentResults” : {“Rate” : {“Type” :{“Code” :””}}}}}		
Code	Required: Yes Type: String Max Allowed: 1 Length: 10	The code associated with the rate charge. For valid values, see Freight Charge Codes in the Appendix.
{“FreightShipResponse” :{“ShipmentResults” : {“Rate” : {“Type” :{“Description” :””}}}}}		
Description	Required: No Type: String Max Allowed: 1 Length: 80	A text description of the code for the rate charge.

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Name	Constraint	Description
{“FreightShipResponse” :{“ShipmentResults” : {“Rate” : {“Factor” :		
Factor	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Factor Container.
{“FreightShipResponse” :{“ShipmentResults” : {“Rate” : {“Factor” : {“Value” :””}}}}}		
Value	Required: Yes Type: String Max Allowed: 1 Length: 16	Contains value pertaining to rate type code. For e.g. if discount rate is 25% then rate type code will have code type as DISCOUNT_RATE" and rate factor value will have 25"
{“FreightShipResponse” :{“ShipmentResults” : {“Rate” : {“Factor” : {“UnitOfMeasurement” : “”}}}}}		
UnitOfMeasurement	Required: No Type: Container Max Allowed: 1 Length: N/A	Unit of measurement container for factors related to Rate Types.
{“FreightShipResponse” :{“ShipmentResults” : {“Rate” : {“Factor” : {“UnitOfMeasurement” : {“Code” :””}}}}}}		
Code	Required: Yes Type: String Max Allowed: 1 Length: 3	This will contain measurement unit (e.g. LBS for weight, USD for dollar amount). Rate should have code type that pertains to Unit Of Measurement Code. For e.g. if rate type code has code type DISCOUNT" then Unit Of Measurement Code should be "USD" to represent the measurement unit of discounted dollar amount"
{“FreightShipResponse” :{“ShipmentResults” : {“Rate” : {“Factor” : {“UnitOfMeasurement” :{“Description” :””}}}}}}		
Description	Required: No Type: String Max Allowed: 1 Length: 35	Description of unit of measurement code for rate factors

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Name	Constraint	Description
{“FreightShipResponse” :{“ShipmentResults” : {“FreightDensityRate” : {}}}}		
FreightDensityRate	Required: No Type: Container Max Allowed: 1 Length: N/A	FreightDensityRate container for Density based rating.
{“FreightShipResponse” :{“ShipmentResults” : {“FreightDensityRate” : {“Density” : “”}}}}		
Density	Required: No Type: String Max Allowed: 1 Length: N/A	Density is returned if the Shipper is eligible for Density based rate.
{“FreightShipResponse” :{“ShipmentResults” : {“FreightDensityRate” : {“TotalCubicFeet” :””}}}}		
TotalCubicFeet	Required: No Type: String Max Allowed: 1 Length: N/A	TotalCubic feet is returned if the Shipper is eligible for Density based rate.
{“FreightShipResponse” :{“ShipmentResults” : {“TotalShipmentCharge” : {}}}}		
TotalShipmentCharge	Required: No Type: Container Max Allowed: 1 Length: N/A	TotalShipmentCharge Container. Can only be returned if the billing option is prepaid.
{“FreightShipResponse” :{“ShipmentResults” : {“TotalShipmentCharge” : {“CurrencyCode” :””}}}}		
CurrencyCode	Required: Yes Type: String Max Allowed: 1 Length: 3	Total shipment Charge currency code type.
{“FreightShipResponse” :{“ShipmentResults” : {“TotalShipmentCharge” : {“MonetaryValue” :””}}}}		
MonetaryValue	Required: Yes Type: String Max Allowed: 1 Length: 1…19	Total shipment charge.
{“FreightShipResponse” :{“ShipmentResults” : {“BillableShipmentWeight” : {}}}}		
BillableShipmentWeight	Required: No Type: Container Max Allowed: 1 Length: N/A	BillableShipmentWeight Container. Can only be returned if the billing option is prepaid.

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Name	Constraint	Description
{“FreightShipResponse” :{“ShipmentResults” : {“BillableShipmentWeight” : {“UnitOfMeasurement” : {}}}}}		
UnitOfMeasurement	Required: Yes Type: Container Max Allowed: 1 Length: N/A	UnitOfMeasurement Container.
{“FreightShipResponse” :{“ShipmentResults” : {“BillableShipmentWeight” : {“UnitOfMeasurement” : {“Code” : “”}}}}		
Code	Required: Yes Type: String Max Allowed: 1 Length: 3	The code associated with the unit of measure for the billable weight of a shipment.
{“FreightShipResponse” :{“ShipmentResults” : {“BillableShipmentWeight” : {“UnitOfMeasurement” : {“Description” : “‘ }}}}		
Description	Required: No Type: String Max Allowed: 1 Length: 35	The description for the billable weight associated with the shipment.
{“FreightShipResponse” :{“ShipmentResults” : {“BillableShipmentWeight” :{“Value” :“”}}}}		
Value	Required: Yes Type: String Max Allowed: 1 Length: 16	The value for the billable weight associated with the shipment.
{“FreightShipResponse” :{“ShipmentResults” : {“Service” : {}}}}		
Service	Required: No Type: Container Max Allowed: 1 Length: N/A	Service Container.
{“FreightShipResponse” :{“ShipmentResults” : {“Service” : {“Code” : “” }}}}		
Code	Required: Yes Type: String Max Allowed: 1 Length: 3	The code for the TForce Freight Service associated with the shipment.
{“FreightShipResponse” :{“ShipmentResults” : {“Service” : {“Description” : “‘ }}}}		
Description	Required: No Type: String Max Allowed: 1 Length: 35	A text description of the TForce Freight Service associated with the shipment.

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Name	Constraint	Description
{“FreightShipResponse” :{“ShipmentResults” : {“Documents” : {} }}}		
Documents	Required: No Type: Container Max Allowed: 1 Length: N/A	Documents Container.
{“FreightShipResponse” :{“ShipmentResults” : {“Documents” : {“Image” : {}}}}}		
Image	Required: No Type: Container Max Allowed: Unbounded Length: N/A	Image Container.
{“FreightShipResponse” :{“ShipmentResults” : {“Documents” : {“Image” : {“Type” : {} }}}}}		
Type	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Image Type Container.
{“FreightShipResponse” :{“ShipmentResults” : {“Documents” : {“Image” : {“Type” : {“Code” : “”}}}}}}		
Code	Required: Yes Type: String Max Allowed: 1 Length: 2	Code representing the image type.
{“FreightShipResponse” :{“ShipmentResults” : {“Documents” : {“Image” : {“Type” : {“Description” : “” }}}}		
Description	Required: Yes Type: String Max Allowed: 1 Length: 35	Description of the image type code.
{“FreightShipResponse” :{“ShipmentResults” : {“Documents” : {“Image” : {“GraphicImage” : “”}}}}}		
GraphicImage	Required: Yes Type: String Max Allowed: 1 Length: Unbounded	Base 64 encoded graphic image.
{“FreightShipResponse” :{“ShipmentResults” : {“Documents” : {“Image” : {“Format” :””}}}}}		
Format	Required: Yes Type: Container Max Allowed: 1 Length: N/A	ImageFormat Container.

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Name	Constraint	Description
{“FreightShipResponse” :{“ShipmentResults” : {“Documents” : {“Image” : {“Format” : {“Code” : “”}}}}}}		
Code	Required: Yes Type: String Max Allowed: 1 Length: 3	Code representing the image format.
{“FreightShipResponse” :{“ShipmentResults” : {“Documents” : {“Image” : {“Format” : {“Description” : “” }}}}		
Description	Required: Yes Type: String Max Allowed: 1 Length: 35	Description of the image format code.
{“FreightShipResponse” :{“ShipmentResults” : {“Documents” : {“Forms” : {} }}}}}		
Forms	Required: No Type: Container Max Allowed: Unbounded Length: N/A	Forms Container.
{“FreightShipResponse” :{“ShipmentResults” : {“Documents” : {“Forms” : {“Type” : {} }}}}}		
Type	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Forms Type Container.
{“FreightShipResponse” :{“ShipmentResults” : {“Documents” : {“Forms” : {“Type” : {“Code” : “”}}}}}		
Code	Required: Yes Type: String Max Allowed: 1 Length: 2	Code representing the form type
{“FreightShipResponse” :{“ShipmentResults” : {“Documents” : {“Forms” : {“Type” : {“Description” : “” }}}}		
Description	Required: Yes Type: String Max Allowed: 1 Length: 35	Description of the form type code.
{“FreightShipResponse” :{“ShipmentResults” : {“Documents” : {“Forms” : {“GraphicImage” : “”}}}}}		
GraphicImage	Required: Yes Type: String Max Allowed: 1 Length: Unbounded	Base 64 encoded graphic image.

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Name	Constraint	Description
{“FreightShipResponse” :{“ShipmentResults” : {“Documents” : {“Forms” : {“Format” : {}}}}}}		
Format	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Forms Format Container.
{“FreightShipResponse” :{“ShipmentResults” : {“Documents” : {“Forms” : {“Format” : {“Code” : “” }}}}}		
Code	Required: Yes Type: String Max Allowed: 1 Length: 3	Code representing the format of the form. Currently only pdf is supported.
{“FreightShipResponse” :{“ShipmentResults” : {“Documents” : {“Forms” :/Format {“Description” : “” }}}}}		
Description	Required: Yes Type: String Max Allowed: 1 Length: 35	Description of the format code of the form.
{“FreightShipResponse” :{“ShipmentResults” : {“TimeInTransit” : {} }}}		
TimeInTransit	Required: No Type: Container Max Allowed: 1 Length: N/A	Time In transit information.
{“FreightShipResponse” :{“ShipmentResults” : {“TimeInTransit” : {“DaysInTransit” : “”}}}}		
DaysInTransit	Required: No Type: String Max Allowed: 1 Length: N/A	Number of days in transit.

TFI International Inc. All Rights Reserved. Confidential and Proprietary

API Sample Scenario

Scenario:

Client application is requesting a ground freight ship request with version v1 and requestoption ground

Method	POST
Header Elements	Content-Type: application/json Accept: application/json Username: username Password: password AccessLicenseNumber: accesslicensenumber
Path parameters	version: v1 requestoption: ground
Example URL	https://onlinetools.ups.com/ship/v1/freight/shipments/ground

Example Request	{
	"FreightShipRequest": {
	
	"Shipment": {
	"ShipFrom": {
	"Name": "Ship From Name",
	"Address": {
	"AddressLine": "AddressLine",
	"City": "City",
	"StateProvinceCode": "State",
	"PostalCode": "PostalCode",
	"CountryCode": "CountryCode"
	},
	"AttentionName": "AttentionName",
	"Phone": {
	"Number": "AttentionPhone"
	}
	},
	"ShipperNumber": "888144",
	"ShipTo": {
	"Name": "Ship To Name",
	"Address": {
	"AddressLine": "AddressLine",
	"City": "City",
	"StateProvinceCode": "StateProvince”",
	"PostalCode": "PostalCode",
	"CountryCode": "CountryCode"
	},

TFI International Inc. All Rights Reserved. Confidential and Proprietary

```
    "AttentionName": "AttentionName",
    "Phone": {
      "Number": "AttentionPhone"
    }
  },
  "PaymentInformation": {
    "Payer": {
      "Name": "PayerName",
      "Address": {
        "AddressLine": "AddressLine",
        "City": "City",
        "StateProvinceCode": "StateProvince",
        "PostalCode": "PostalCode",
        "CountryCode": "CountryCode"
      },
      "ShipperNumber": "ShipperNumber",
      "AccountType": "1",
      "AttentionName": "AttentionName",
      "Phone": {
        "Number": "AttentionPhone"
      }
    },
    "ShipmentBillingOption": {
      "Code": "10"
    }
  },
  "Service": {
    "Code": "308"
  },
  "HandlingUnitOne": {
    "Quantity": "2",
    "Type": {
      "Code": "PLT"
    }
  },
  "Commodity": {
    "Description": "Goods",
    "Weight": {
      "UnitOfMeasurement": {
        "Code": "LBS"
      },
```


TFI International Inc. All Rights Reserved. Confidential and Proprietary

```
        "Value": "190"
      },
      "Dimensions": {
        "UnitOfMeasurement": {
          "Code": "IN"
        },
        "Length": "11",
        "Width": "11",
        "Height": "11"
      },
      "NumberOfPieces": "10",
      "PackagingType": {
        "Code": "PKG"
      },
      "FreightClass": "110"
    },
    "DensityEligibleIndicator": "",
    "PickupRequest": {
      "Requester": {
        "AttentionName": "AttentionName",
        "EMailAddress": "AttentionEmail",
        "Name": "DG",
        "Phone": {
          "Number": "AttentionPhone"
        }
      },
      "PickupDate": "20181228",
      "EarliestTimeReady": "0723",
      "LatestTimeReady": "1700"
    },
    "TimeInTransitIndicator": ""
  },
  "Miscellaneous": {
    "WSVersion": "21.0.11",
    "ReleaseID": "07.12.2008"
  }
```


Example Response

// SUCCESS RESPONSE


```
{
  "FreightShipResponse": {
```

```
"Response": {
    "ResponseStatus": {
        "Code": "1",
        "Description": "Success"
    },
    "Alert": [
        {
            "Code": "9369054",
            "Description": "User is not registered for freight processing."
        },
        {
            "Code": "9369055",
            "Description": "User is not eligible for contract rates."
        }
    ],
    "TransactionReference": {
        "CustomerContext": "test",
        "TransactionIdentifier": "xwsspta21d57mXchCHhJST"
    }
},
"ShipmentResults": {
    "OriginServiceCenterCode": "SLO",
    "PickupRequestConfirmationNumber": "WBU4760605",
    "ShipmentNumber": "071666884",
    "BOLID": "44468128",
    "GuaranteedIndicator": "",
    "Rate": [
        {
            "Type": {
                "Code": "DSCNT",
                "Description": "DSCNT"
            },
            "Factor": {
                "Value": "1061.78",
                "UnitOfMeasurement": {
                    "Code": "USD"
                }
            }
        },
        {
            "Type": {
```

```
            "Code": "DSCNT_RATE",
            "Description": "DSCNT_RATE"
        },
        "Factor": {
            "Value": "70.00",
            "UnitOfMeasurement": {
                "Code": "%"
            }
        }
    },
    {
        "Type": {
            "Code": "2",
            "Description": "2"
        },
        "Factor": {
            "Value": "116.49",
            "UnitOfMeasurement": {
                "Code": "USD"
            }
        }
    },
    {
        "Type": {
            "Code": "CA_BORDER",
            "Description": "CA_BORDER"
        },
        "Factor": {
            "Value": "30.00",
            "UnitOfMeasurement": {
                "Code": "USD"
            }
        }
    },
    {
        "Type": {
            "Code": "HICST",
            "Description": "HICST"
        },
        "Factor": {
            "Value": "7.50",
```


TFI International Inc. All Rights Reserved. Confidential and Proprietary

```
                "UnitOfMeasurement": {
                    "Code": "USD"
                }
            }
        },
        {
            "Type": {
                "Code": "LND_GROSS",
                "Description": "LND_GROSS"
            },
            "Factor": {
                "Value": "1516.83",
                "UnitOfMeasurement": {
                    "Code": "USD"
                }
            }
        },
        {
            "Type": {
                "Code": "AFTR_DSCNT",
                "Description": "AFTR_DSCNT"
            },
            "Factor": {
                "Value": "455.05",
                "UnitOfMeasurement": {
                    "Code": "USD"
                }
            }
        }
    ],
    "TotalShipmentCharge": {
        "CurrencyCode": "USD",
        "MonetaryValue": "609.04"
    },
    "BillableShipmentWeight": {
        "UnitOfMeasurement": {
            "Code": "LBS"
        },
        "Value": "190"
    },
    "Service": {
```

	"Code": "308"
	},
	"TimeInTransit": {
	"DaysInTransit": "5"
	}
	}
	}
	}

Example Error Response	{
	"response": {
	"errors": [
	{
	"code": "9370701",
	"message": "Invalid processing option."
	}
	]
	}
	}

Chapter 5: Ground Freight Ship API FAQs

Category	Question	Answer
General	What is the minimum weight limit for LTL Freight shipments?	1lb.
LTL Shipping	What are the supported LTL Freight countries and territories?	LTL Freight country or territory origins include US, CA & MX. The US territory means the contiguous 48 states of the US and Washington DC. While we service Hawaii, Alaska, Guam, Puerto Rico and the US Virgin Islands, those rates can only be obtained by calling TForce Freight Customer Service at (800) 333-7400.
LTL Shipping	Does the API rate offshore shipments?	No. Please call Customer Service at 1-800-333-7400 for offshore rating
Negotiated Rates	How do I get access to LTL Freight negotiated rates?	Contact your Account Representative and ensure that you have a myLTL ID set up with LTL Freight at www.upsfreight.com
Fuel Surcharge	Is the Fuel Surcharge listed as a separate line item in the response for the Rating API for LTL?	Yes. The fuel surcharge is listed as a separate line item within the response.
Maximum Shipment Weight	What is the maximum shipment weight for LTL Freight?	Maximum LTL weight is 19,999 lbs. Anything 20,000 lbs. or over is considered a Truckload (TL) movement. Our public rate engine will not return a rate on shipments weighing equal to or more than 19,999lbs. Instead, the user gets the following message: Rate a Shipment is not available for this shipment. Please call Customer Service at 1-800-333-7400 for assistance with this rate.
Rates	Are there any rate structures that are not allowable for LTL Freight?	No.
Rates	I have CZAR rates…are they available for use with the LTL Freight Rating or Shipping APIs?	Yes. Czar and Czar Lite rate structures are permitted for use with the Rating or Shipping API for LTL Freight / TForce Freight approval required.
Rates	Are Third Party or Freight Collect available through either the Rating or Shipping APIs?	Yes. The LTL Freight Rating and Shipping APIs are only available for the customers who are paying the invoice. However, the Shipper, Consignee, or the 3rd Party can create a Bill of Lading.
Rates	What rates can be returned using the rating API?	Published rates based on the TForce 560 tariff or a contract rate negotiated with TForce Freight.
Rates	Can I choose the rate I want returned in the rate request?	No. The API supports a single rate type based on your setup with TForce Freight. Examples: 1 – You do not have a negotiated rate contract with TForce Freight; Published rates will be returned. 2 – You have a negotiated rate contract with TForce Freight; your negotiated rate will be returned.

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Category	Question	Answer
Time in Transit	Is Time in Transit available through the LTL Freight Rating or Shipping APIs?	Yes. Time in Transit (Days in Transit) for Ground Freight is available in the Freight Ship and Freight Rate Web Services. The API's return the number of days from the origin to the destination. The days do not take into account Holidays.
Shipping Label and BOL	How is the Bill of Lading (BOL) formatted within the LTL Freight Shipping API response?	The BOL is returned within the LTL Freight Shipping API response as image/elements that can be printed immediately or assembled to create a .pdf for printing. Within the Shipping API - LTL Freight Developer Guide the Bill of Lading document is returned in the response as a base64 encoded string which, when decoded and saved, is a .pdf document ready to print.
Support for Air Freight	Does the Shipping API - LTL Freight also support Air Freight?	No.
Maximum Linear Feet	What is the maximum Linear feet allowed for LTL Ground Freight?	The maximum dimensional length of the extreme length articles is 26 feet. The max allowed may change in the future based on Ground Freight business rules. Please contact TForce Freight Customer Service at 800-333-7400 for assistance
GF (LTL) Shipping	How can I add locations to a contract? Do I need to work through my Tforce Freight Account Manager?	Yes. Please contact our Freight sales representative to ensure accounts and locations are added to the TForce Freight LTL negotiated rates. For more information, visit TForce Freight.
GF (LTL) Shipping	Can I use any combination of origin/destination postal codes to receive ABR with Shipping - Ground Freight API?	In order to see negotiated rates for freight, the origin postal code must match the postal code on file with TForce Freight. When the correct origin postal code is not used the response will not include the correct rates.
General	Is phone support provided for the UPS Developer Kit - Developer APIs? If so, what is the number and what are the hours of operation?	Phone support is provided for very basic API questions. Questions that cannot be answered verbally will be directed to the email support form at ups.com. Please go to the Developer Resource Center on ups.com for more information.
General	How do I get technical support for the APIs at ups.com?	Go to ups.com. Under the Help Center, select Technology Support. Under Tools and Resources click on Developer Resource Center. If your questions are not answered on this page, then click on email UPS.

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Appendices

Error Codes

When the UPS system is unable to respond to a request, be it from a malformed request, an illegal or invalid value, or other issues, the API generates an error response.

HTTP Status Codes

Code	Message	Description
200	OK	**Success:** Everything is working
400	Bad Request	The request was invalid or cannot be served. The exact error should be explained in the error payload. E.g. The JSON is not valid“
401	Unauthorized	The request requires authentication
404	Not found	URL does not exist or resource not found
405	Method not allowed	Method not allowed
500	An internal server error occurred	An internal server error occurred; API developers should avoid this error. If an error occurs in the global catch blog, the stracktrace should be logged and not returned as response.
503	Internal Server Error	The service/resource is not available. There are external component DOWN issues that the client will not be able to resolve

Common Error Codes

Code	HTTP Status	Description
10013	400	The message is too large to be processed by the Application.
20001	500	General process failure.
20002	400	The specified service name, {0}, and version number, {1}, combination is invalid.
20003	400	Please check the server environment for the proper J2EE ws apis.
20006	400	Invalid request action.
20007	400	Missing Required field, {0}.
20008	400	The field, {0}, contains invalid data, {1}.
20012	400	The Client Information exceeds its Maximum Limit of {0}.
250001	401	Invalid Access License for the tool. Please re-license.
250002	401	Invalid Authentication Information.
250003	401	Invalid Access License number.
250005	401	No Access and Authentication Credentials provided.
250006	401	The maximum number of user access attempts was exceeded.
250009	401	License Number not found in the UPS database.
250019	401	Invalid Field value.

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Code	HTTP Status	Description
250050	500	License system not available.

Ground Freight Ship Error Codes

Error Code	HTTP Status	Description
9360081	400	Shipment is not eligible for TForce Freight LTL Guaranteed A.M. service.
9368782	400	Invalid request type. Valid values are L, F, B and P.
9360017	400	Invalid Origin Location
9360032	400	Confirmation Number not found.
9360033	400	Invalid Tariff Point Code
9360034	400	Cannot update completed shipment.
9360077	400	Origin and Destination are the same
9360078	400	Invalid Destination Location.
9360079	400	TForce Freight LTL Guaranteed A.M. service is not valid for the destination postal code you entered.
9360080	400	Shipment is not eligible for LTL guaranteed service.
9360082	400	LTL guaranteed Service not available.
9360083	400	Invalid destination postal code, please verify and resubmit.
9360117	400	3rd Party Payment terms and 3rd country payer not allowed.
9360481	400	Customs Value is Missing or Invalid.
9360482	400	Hazmat Transportation Mode is Missing or Invalid.
9360483	400	Invalid Saturday Delivery Accessorial.
9360484	400	Hold At Airport For Pickup accessorial is not valid for service selected.
9360500	400	Invalid Accessorial Code
9360558	400	Same-day pickups scheduled at 3pm or later may be rescheduled for the following day.
9360559	400	Ready Time and Drop off Time both provided.
9360560	400	Pickup date is a Saturday, Sunday or Holiday and cannot be accommodated
9360561	400	Same day pickup not available. Pickup the next available pickup date.
9360562	400	Drop off time is not valid. After last drop off time
9360563	400	Missing or Invalid Ready Time
9360564	400	Pickup date is not valid. No pickups on Sat, Sun or Holiday
9360565	400	Requested Pickup date future date maximum
9360566	400	Insufficient Last Pickup Time and Lead Time data to calculate cut-off. Ready Time must be prior to 9:00:00 AM

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Error Code	HTTP Status	Description
9360567	400	Missing POM Number
9360568	400	Missing POM Number Type
9360569	400	Invalid failed Email address.
9360570	400	Two or more of the selected services cannot be combined. Please resubmit using another combination.
9360572	400	Missing PickupNotifications element.
9360573	400	Missing email notification element
9360574	400	Missing failed email address.
9360575	400	Email address is missing.
9360576	400	Event type is missing.
9360577	400	POM not available for this origin
9360578	400	Not more than 5 EmailNotification elements allowed
9360579	400	Not more than 4 EventTypes allowed
9360580	400	Invalid Confirmation Number
9360581	400	Missing Confirmation Number
9360583	400	Invalid Event type
9360584	400	Invalid POM Number
9360585	400	Invalid POM Number type
9360586	400	POM is only available for Ground Freight shipments.
9360600	400	Invalid Service Code
9360654	400	Missing or Invalid Handling Unit {0} Quantity.
9360655	400	Missing or Invalid Handling Unit {0} Packaging Type Code.
9360656	400	Missing or Invalid Handling Unit {0} Dimension Length.
9360657	400	Missing or Invalid Handling Unit {0} Dimension Width.
9360658	400	Missing or Invalid Handling Unit {0} Dimension Height.
9360659	400	Missing or Invalid Unit of Measurement Code for Handling Unit {0}.
9360660	400	Shipper has density pricing. Handling unit dimension required.
9360661	400	Density rate is not available but NMFC and class number are missing for class based rating.
9360662	400	Missing Handling Unit {0} Package Type Container.
9360663	400	Missing Handling Unit {0} Dimension Container.
9360664	400	Missing Handling Unit {0} UOM Container.
9360665	400	Excess liability cannot be greater than 100000.00.
9360728	400	Shipment total weight under 151 pounds.

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Error Code	HTTP Status	Description
9360729	400	Linear feet is required for total weight more than 10,000 lbs.
9360730	400	Missing required shipment parties.
9360731	400	Duplicate Shipment Number.
9368775	400	Invalid NMFC Prime Number for commodity{0}
9368780	400	Invalid ship date. Ship date should not be in the past.
9368781	400	Invalid numbers of handling units. Should be between 1 and 9999.
9368783	400	Invalid request party. Valid values are S, C and T.
9368784	400	At least one shipment is required.
9368785	400	Please contact TForce Freight Customer Service for Rates at 800-333-7400.
9368786	400	Please contact TForce Freight Customer Service for Rates at 800-333-7400.
9368787	400	Invalid Ship From Address.
9368788	400	Shipment weight must be less than 10,000 lbs.
9368789	400	Please contact TForce Freight Customer Service for Rates at 800-333-7400.
9368790	400	Weight unit of measure is invalid
9368791	400	Please contact TForce Freight Customer Service for Rates at 800-333-7400
9369061	400	The origin is located in an extended area requiring an estimated 2 days additional transit time.
9369062	400	The destination is located in an extended area requiring an estimated 1 day additional transit time.
9369063	400	The destination is located in an extended area requiring an estimated 2 day additional transit time.
9369064	400	UPS 3 Day transit time is greater than 3 days.
9369065	400	Payment Terms and lane selected requires pre-authorization.
9370000	500	Freight Shipping Web Service is Unavailable
9370001	400	Missing Ship From Phone
9370041	400	Missing or Invalid Shipper Number
9370060	400	Missing Confirmation Number container.
9370061	400	Missing or Invalid Account Type Code.
9370062	400	Missing Confirmation Number Type.
9370063	400	Missing or invalid Code for Confirmation Number Type.
9370064	400	Missing or invalid Confirmation Number Value.
9370065	400	BOLID and confirmation number cannot be used together. Please use confirmation number instead.
9370066	400	Missing or Invalid Creation Date.
9370101	400	Missing Payment Information

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Error Code	HTTP Status	Description
9370151	400	Missing Shipment Billing Option
9370175	400	Missing or Invalid Manufacturer Country Code.
9370201	400	Missing Service
9370216	400	Missing or Invalid Handling Unit One Quantity
9370217	400	Missing Handling Unit One Type
9370231	400	Missing or Invalid Handling Unit Two Quantity
9370232	400	Missing Handling Unit Two Type
9370245	400	Missing or Invalid Shipment Total Weight Value.
9370246	400	Missing Unit of Measurement for Shipment Total Weight.
9370247	400	Missing or Invalid Unit of Measurement Code for Shipment Total Weight.
9370256	400	Missing Commodity {cardinality} Weight
9370257	400	Missing Commodity {cardinality} Weights Unit Of Measure
9370258	400	Missing the Commodity {cardinality} Dimensions Unit of Measurement
9370259	400	Missing Packaging Type of Commodity {cardinality}
9370260	400	Missing or Invalid Monetary Value of Commodity {cardinality}s Commodity Value
9370261	400	NMFC Commodity Prime Code is required when NMFC Commodity Sub Code is supplied for Commodity{0}
9370262	400	NMFCCommodity container and NMFCCommodityCode are mutually exclusive for Commodity{0}
9370327	400	Missing Reference {cardinality}s Number.
9370328	400	Invalid Number of Cartons in Reference {cardinality}.
9370329	400	Missing Reference {cardinality} Weights Unit of Measure
9370376	400	For a shipment, the maximum number of Email Information allowed for {Email Type} is 1
9370377	400	Missing Email Information {cardinality}s Email Type
9370378	400	Missing or Invalid Email Information {cardinality}s Email Type Code.
9370379	400	Missing Shipment Notification Email.
9370380	400	Missing or Invalid Shipment Notification undeliverable email address.
9370381	400	Missing Delivery Notification Email.
9370382	400	Missing or Invalid Delivery Notification undeliverable email address.
9370383	400	Missing Exception Notification Email.
9370384	400	Missing or Invalid Exception Notification undeliverable email address.
9370385	400	Missing Air Way Bill Notification Email.
9370386	400	Missing or Invalid Air Way Bill Notification undeliverable email address.

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Error Code	HTTP Status	Description
9370387	400	Missing BOL/Label Bill Notification Email.
9370388	400	Missing or Invalid BOL/Label Notification undeliverable email address.
9370421	400	Missing COD Value.
9370422	400	Missing the COD Payment Method.
9370423	400	Missing the COD Billing Option.
9370424	400	Missing Remit To Address
9370425	400	Missing COD Remit To
9370446	400	Missing Overseas Leg Dimensions
9370447	400	Missing the Unit of Measurement for the Overseas Leg Dimensions
9370448	400	Missing or Invalid Overseas Leg Value
9370449	400	Missing or Invalid Overseas Leg Volume
9370450	400	Missing or Invalid Overseas Leg Height
9370451	400	Missing or Invalid Overseas Leg Length
9370452	400	Missing or Invalid Overseas Leg Width
9370453	400	Missing or Invalid Monetary Value for the Overseas Leg Price per Cubic Foot.
9370454	400	Missing or Invalid Monetary Value for the Overseas Leg Price per CWT.
9370455	400	Missing Value for Overseas Leg.
9370466	400	Invalid combination of Percentage and Value for the Handling Charge service option.
9370467	400	Missing Dangerous Goods Contact Name
9370468	400	Missing Dangerous Goods Phone
9370469	400	Missing Dangerous Goods Phone Number
9370470	400	Missing or Invalid Handling Charge Percentage or value
9370471	400	Invalid Combination of Handling Charge Percentage and Value
9370527	400	Missing Pickup Requester Phone.
9370651	400	Missing or Invalid document image labels per page for image {cardinality}
9370652	400	Missing or Invalid document image type code for image {cardinality}
9370653	400	Missing or invalid format code for image {cardinality}
9370654	400	Missing print size for image {cardinality}
9370655	400	Missing or invalid print size width for image {cardinality}
9370656	400	Missing or invalid print size length for image {cardinality}
9370657	400	Missing print format for image {cardinality}.
9370658	400	Missing or invalid print format code for image {cardinality}.
9370659	400	Missing document image type for image{cardinality}.

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Error Code	HTTP Status	Description
9370660	400	Missing format for image {cardinality}.
9370661	400	Invalid document image {cardinality} print sizes.
9370701	400	Invalid processing option
9370751	400	Missing or invalid ship from company name in packing list.
9370752	400	Invalid ship from attention name in packing list.
9370753	400	Missing or invalid ship from address line one in packing list.
9370754	400	Invalid ship from address line two in packing list.
9370755	400	Invalid ship from address line three in packing list.
9370756	400	Missing or invalid ship from city in packing list.
9370757	400	Invalid ship from state code in packing list.
9370758	400	Missing or invalid ship from country code in packing list.
9370759	400	Invalid ship from postal code in packing list.
9370760	400	Invalid ship from town in packing list.
9370761	400	Invalid ship from phone number in packing list.
9370762	400	Invalid ship from phone extension in packing list.
9370764	400	Missing or invalid ship to company name in packing list.
9370765	400	Invalid ship to attention name in packing list.
9370766	400	Missing or invalid ship to address line one in packing list.
9370767	400	Invalid ship to address line two in packing list.
9370768	400	Invalid ship to address line three in packing list.
9370769	400	Missing or invalid ship to city in packing list.
9370770	400	Invalid ship to state code in packing list.
9370771	400	Missing or invalid ship to country code in packing list.
9370772	400	Invalid ship to postal code in packing list.
9370773	400	Invalid ship to town in packing list.
9370774	400	Invalid ship to phone number in packing list.
9370775	400	Invalid ship to phone extension in packing list.
9370777	400	Missing or invalid packing list reference value one.
9370778	400	Missing or invalid packing list reference value two.
9370779	400	Invalid packing list reference label one.
9370780	400	Invalid packing list reference label two.
9370781	400	Invalid total number of commodities in packing list.
9370782	400	Invalid handling unit instructions in packing list.

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Error Code	HTTP Status	Description
9370783	400	Invalid handling unit total number of pieces in packing list.
9370784	400	Invalid handling unit total weight in packing list.
9370785	400	Missing or invalid handling unit UOM in packing list.
9370786	400	Invalid handling unit currency code in packing list.
9370787	400	Invalid number of pieces for commodity {index} in packing list.
9370788	400	Missing or invalid packaging type for commodity{index} in packing list.
9370790	400	Invalid description for commodity{index} in packing list.
9370791	400	Invalid NMFCCommodityCode for commodity{index} in packing list.
9370792	400	Invalid freight class for commodity{index} in packing list.
9370793	400	Missing or invalid length for commodity{index} in packing list.
9370794	400	Missing or invalid width for commodity{index} in packing list.
9370795	400	Missing or invalid height for commodity{index} in packing list.
9370796	400	Invalid weight for commodity{index} in packing list.
9370797	400	Invalid price for commodity{index} in packing list.
9370798	400	Invalid total number of handling units in packing list.
9371000	400	Invalid Freight Shipping Request Document
9372000	400	Missing TaxID Type Container.
9372001	400	Missing or Invalid Code for TaxID Type.
9372002	400	Missing or Invalid TaxID Number.

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Country or Territory Codes

Rating and Shipping Ground Freight LTL API Supported Countries or Territories

TForce Freight country or territory code abbreviations generally follow the recommendations of the International Standards Organization (ISO), which publishes a list of country or territory abbreviations in ISO Standard 3166.

The following table lists the country or territory codes defined by ISO at the time of this publication. The latest information is available from the ISO web site: http://www.iso.org/.

NOTE: Not all TForce Freight services are available in every country or territory. Refer to the UPS Rate and Service Guide at UPS.com for more information on TForce Freight services.

LTL Freight Country or Territory Origins

LTL Freight country or territory origins include US, CA & MX. The US territory means the contiguous 48 states of the US and Washington DC. While we service Hawaii, Alaska, Guam, Puerto Rico and the US Virgin Islands, those rates can only be obtained by calling TForce Freight Customer Service at (800) 333-7400.

Destination Country or Territory Name	Country or Territory Code	Supported Forward Origin
Canada	CA	X
Mexico	MX	X
Puerto Rico	PR	X
United States	US	X

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Freight Classes

Freight Class
50
55
60
65
70
77.5
85
92.5
100
110
125
150
175
200
250
300
400
500

Handling Unit Codes

Description	Code	Valid for Handling Unit One	Valid for Handling Unit Two
SKID	SKD	X	
CARBOY	CBY	X	
PALLET	PLT	X	
TOTES	TOT	X	
LOOSE	LOO		X
OTHER	OTH		X

TFI International Inc. All Rights Reserved. Confidential and Proprietary

LTL Event Types

Code	Description
EN	DRIVER_EN_ROUTE
PS	PICKUP_SECURED
PX	PICKUP_EXCEPTION
RR	PICKUP_REQUEST_CONFIRM

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Packaging Type Codes

Ground Freight Packaging Types for Rating, Shipping, and Packaging

Code	Description
BAG	Bag
BAL	Bale
BAR	Barrel
BDL	Bundle
BIN	Bin
BOX	Box
BSK	Basket
BUN	Bunch
CAB	Cabinet
CAN	Can
CAR	Carrier
CAS	Case
CBY	Carboy
CON	Container
CRT	Crate
CSK	Cask
CTN	Carton
CYL	Cylinder
DRM	Drum
LOO	Loose
OTH	Other
PAL	Pail
PCS	Pieces
PKG	Package
PLN	Pipe Line
PLT	Pallet
RCK	Rack
REL	Reel
ROL	Roll
SKD	Skid
SPL	Spool

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Code	Description
TBE	Tube
TNK	Tank
UNT	Unit
VPK	Van Pack
WRP	Wrapped

POM Number Type Values

Freight Class:

- BOL number
- Load number
- Other
- P&M
- Pickup number
- Pickup Reference number
- PO number
- PRO number
- Project
- Quote number
- RA number
- Release number
- SID number
- Task
- VPRC

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Charge Type Codes

Code	Charge Description
2	Fuel Surcharge
ADV_NOTF	Arrival Notification
AFTR_DSCNT	Amount after Discount
CA_BORDER	Border Processing Fee
CA_CSTM_MNFST	Custom Manifest Fee
COD	Collect on Delivery fee
DEFICITRATE	Deficit Rate
DEFICITWGHT	Deficit Weight
DFCT_AMT	Deficit Charge
DSCNT	Discounted Amount
DSCNT_RATE	Discount Rate (as a percentage)
EXC_LEN	Extreme Length
EXLI	Excess Declared Value Charges
FREEZE_PROT	Freezable Protection
GUAR_SERVICE	Guaranteed Service Charges
HAZMAT	Hazardous Materials Charge
HICST	High Cost Service Area Surcharge
HOL_WE_PU_DEL	Holiday/Weekend Pickup or Delivery
INSD_PU_DEL	Inside Pickup/Delivery
L_UPGF_016	Custom Charge
LIFTGATE	Liftgate Fee
LIM_ACC_PU_DEL	Limited Access Pickup/Delivery
LND_GROSS	Gross Charges
MINCHARGE	Minimum Charge Applies
OFUELSURCHG	Ocean Fuel Surcharge
RESI_PU_DEL	Residential Pickup/Delivery
RMTLOC	Remote Location Fee
SORTSEG	Sorting and Segregation
TOTI	Total Island Charges
TOTO	Total Ocean Charges

TFI International Inc. All Rights Reserved. Confidential and Proprietary

Reference Codes

Freight shipments may include a reference number. The only reference numbers that can be tracked are Bill of Lading Number and Purchase Order Number.

All other reference numbers up to five references can be printed on the BOL. The following table lists the reference number code values.

Code	Reference Number Type
57	Bill of Lading Number
28	Purchase Order Number
OTHER	TYPE_OTHER
PM	TYPE_PM
PROJ	TYPE_PROJ
QUOTE	TYPE_QUOTE
SID	TYPE_SID
TASK	TYPE_TASK
VPRC	TYPE_VPRC
SH	Shipper Reference (Shipment Level Reference for E2K)
CO	Consignee Reference (Shipment Level Reference for E2K)
Code	Reference Number Type
SH	Shipper Reference (Shipment Level Reference for E2K)
CO	Consignee Reference (Shipment Level Reference for E2K)

Service Codes

Code	Charge
308	TForce Freight LTL
309	TForce Freight LTL – Guaranteed
334	TForce Freight LTL - Guaranteed A.M.
349	TForce Freight Standard LTL

TFI International Inc. All Rights Reserved. Confidential and Proprietary