

jeudi 15 janvier 2026

Installer cycle analyst app sur un raspberry

1 - flasher une carte

-> Raspberry pi imager

-> OS lite (64bit)

Nom d'hôte : cycle

Nom d'utilisateur : jeandard

SSID : réseau wifi local ou Hotspot telephone

Clé ssh du Mac

2 - initialiser le pi

-> connect :

```
ssh jeandard@cycle.local
```

-> update :

```
sudo apt update && sudo apt install -y git
```

-> créer clé ssh pour GitHub :

```
ssh-keygen -t ed25519 -C "supercycle3"
```

-> copier clé

```
cat ~/.ssh/id_ed25519.pub
```

-> coller dans GitHub (settings)

```
cmd+v
```

-> configurer l'identité

```
git config --global user.name "regenbox-team"
```

```
git config --global user.email "gestion@regenfab.fr"
```

-> cloner le repo

```
git clone git@github.com:regenbox-team/Cycle-Analyst-App.git
```

-> si « -bash: git: command not found »

```
sudo apt update  
sudo apt install -y git
```

-> update python

```
sudo apt update  
sudo apt full-upgrade  
sudo apt install python3 python3-venv python3-pip
```

-> créer un venv (dans le repo)

```
cd Cycle-Analyst-App  
python3 -m venv .venv  
source .venv/bin/activate  
pip install --upgrade pip  
pip install flask pyserial  
pip install -r requirements.txt
```

-> créer un systemd

```
sudo nano /etc/systemd/system/cycle.service
```

--

```
[Unit]  
Description=Cycle Analyst Dashboard  
After=network.target  
  
[Service]  
Type=simple  
User=jeandard  
WorkingDirectory=/home/jeandard/Cycle-Analyst-App  
Environment="PATH=/home/jeandard/Cycle-Analyst-App/.venv/bin"  
ExecStart=/home/jeandard/Cycle-Analyst-App/.venv/bin/python  
cycle_server.py  
Restart=always  
RestartSec=3  
  
[Install]  
WantedBy=multi-user.target
```

--

ctrl+o

Entrée

ctrl+x

-> activer le service

```
sudo systemctl daemon-reload  
sudo systemctl enable cycle  
sudo systemctl start cycle
```

-> Vérifier qu'il tourne

```
sudo systemctl status cycle
```

-> debug :

```
journalctl -u cycle -f
```

3 - configurer vs code

-> ajouter le pi

Cmd + Shift + P

Remote-SSH: Add New SSH Host

```
ssh jeandard@cycle.local
```

4 - rajouter au monitor dashboard

-> ajouter la connectivité à l'app

```
sudo systemctl edit cycle.service
```

```
[Service]
Environment="MONITOR_URL=http://91.134.243.157:8080"
Environment="MONITOR_USER=jean"
Environment="MONITOR_PASS=oklm"
Environment=« MONITOR_DEVICE_ID=Supercycle-01"
```

```
sudo systemctl daemon-reload
sudo systemctl restart cycle.service
sudo systemctl show cycle.service --property=Environment
```

Supercycle-01 → customize

-> vérifier la connectivité

```
curl -u jean:oklm http://91.134.243.157:8080/api/health
```