Version 4.0 · 2026-10-20 · original issue copy

Child-Safer Spaces · Complete implementation handbook

General framework with U.S. and Canadian worked examples and a global adaptation layer (documents 50 to 55). No site, product, approval, partner, funding, insurer concession, endorsement or efficacy is assumed. Sources checked 2026-10-19 to 2026-10-20. Local drafts made in the workspace are not included in this static copy; use "Download working handbook" in the workspace for those.

Labels used in the text: **Source fact** (narrow statement supported by the cited source), **Program rule / recommendation** (our proposal), **Illustration** (invented inputs to explain a method), **Unresolved** (the site must obtain it). Bracketed codes such as [S28] point to the source register.

Contents

01 · Prompt audit and final master prompt

02 · Program decision and executive brief

03 · Sequence, ownership and first-day plan

04 · Evidence and hazard map

05 · Stakeholder appeal and adoption strategy

06 · Jurisdiction and obligation register

07 · Authority consultation and approval request

08 · Performance specification and acceptance schedule

09 · Supplier RFI, bid comparison and purchase terms

10 · Pilot charter and operating agreement

11 · Installation and commissioning checklist

12 · Daily inspection, cleaning and spill response SOP

13 · Staff training and competency record

14 · Incident, stop, removal and restart protocol

15 · Pilot evaluation protocol

16 · Data dictionary and reporting specification

17 · Business case and financial model

18 · Privacy, records and information governance

19 · Insurer and broker review package

20 · Government and public-health proposal

21 · Manufacturer, laboratory and installer work order

22 · Landlord, tenant and cleaning responsibility schedule

23 · Public explanation and communications kit

24 · Adult stakeholder interview and feedback forms

25 · Scale, pause or stop decision memo

26 · Repository, document control and bundle guide

27 · Intervention comparison and selection library

28 · Site assessment and exposure-mapping workbook

29 · Verification test plan and laboratory acceptance form

30 · Inclusive access and worker-ergonomics review

31 · Fire, hygiene and materials coordination brief

32 · Evidence register and commissioned research protocol

33 · U.S. localization pathway with California example

34 · Canada localization pathway with Ontario example

35 · Statistical analysis and feasibility planning appendix

36 · Delivery work breakdown and 90-day operating calendar

37 · Funding, incentives and commercial adoption pathways

38 · Coalition governance and independent assurance charter

39 · Ready-to-adapt procurement statement of work

40 · Audit, corrective action and effectiveness verification

41 · Worked fictional example and completed sample records

42 · Outreach sequence and ready-to-adapt messages

43 · Ethics determination and data-sharing agreement outline

44 · Year-by-year economics and scenario interpretation

45 · Master-prompt coverage and acceptance matrix

46 · Entity playbooks and first deliverables

47 · Operational job aids and scenario exercises

48 · Launch dossier and go/no-go review agenda

49 · Workflow cards and decision rights

50 · Two-page brief for officials

51 · Note de deux pages pour les responsables publics (traduction provisoire)

52 · Nota de dos páginas para autoridades (traducción provisional)

53 · Country and organization adaptation kit

54 · From one site to many — deployment pathway and ways to help

55 · Glossary

Evidence ledger

Source register

Decisions that still need local professionals, authorities, evidence or signatures

Prompt audit and final master prompt

What the original request gets right

It identifies a worthwhile setting, a preventable-harm objective, possible materials, several adoption audiences and the need to proceed in sequence. It separates fall prevention from impact mitigation and asks for a material-neutral approach.

Changes applied across versions

Original gap	Revision	Where resolved
"Childproof" promise	Use Child-Safer Spaces; promise a process, not zero injuries	02, 23
Foam as default	Compare source removal, operations, design and commercial cushioning	04, 27
Most common child-retail mechanism missing (v3)	Shopping-cart falls, tip-over and falling merchandise routed to accountable owners	02, 04, 27, task T35
Broad appeal assumed	Treat appeal as hypotheses and test with adults	05, 24
Government requirements unspecified	Distinguish law, contract, program rule and proposed incentive	06, 07, 20
No implementation owners or decision rights (v3)	Workflow cards with trigger, owner, decision authority, acceptance and escalation	49, 14, 03
No failure pathway	Stop, removal, incident and restart procedures with named authority	12, 14, 49
No cost/evidence standard	Whole-life scenarios, uncertainty ranges, early withdrawal, evaluation planning	15–17, 35, 44
No product or procurement assurance	Performance schedule, dossier, in-situ verification and supplier terms	08, 09, 21, 29
No usable operating system	Offline workspace, editable documents, CSV registers, backup, recovery and print	Workspace, registers
No privacy/change control	Separate sensitive records; pattern check; version drafts against corrected originals	18, 26

Final master prompt

Develop Child-Safer Spaces, a performance-based, material-neutral program to reduce slips, trips, falls and fixture-impact injuries in businesses children frequent, with access and safety for all customers and workers. Use the U.S. and Canada as initial frameworks, leaving explicit site-specific jurisdiction gates. Treat Walmart only as an example; imply no partnership.

Complete the work sequentially: define scope and stakeholder hypotheses; critically assess evidence and its transferability to children in retail; map laws, authorities and candidate standards; compare interventions, including the controls that could create new hazards; specify procurement and testing of the actual installed system; design a bounded pilot whose conclusions match its power; build an economic model with uncertainty, adverse outcomes and lifecycle costs; assign governance, decision rights and maintenance; prepare adoption materials; and deliver an operational offline HTML bundle.

Separate verified facts from recommendations, illustrative figures and unresolved decisions. Cite primary sources with jurisdiction, scope, edition, retrieval date and limits, and never imply foam, playground testing, or an absence of incidents proves retail safety. Do not invent approvals, efficacy, insurance savings, partners, signatures or funding.

Completion boundary

This bundle fulfils the planning and template deliverables. Actual sites, products, quotes, legal applicability, permits, signatures, customer research and pilot outcomes are not supplied and cannot truthfully be completed here. The workflow assigns each to an owner rather than marking it complete. The list of decisions that still need local professionals, authorities, evidence or signed commitments is in the "Local decisions" section of the Start view and in LOCAL-DECISIONS.md.

Version 3 continuation prompt

Audit version 2 as a draft: verify claims against primary sources, record findings by severity, and correct the files. Add the missing child-retail mechanisms, accessibility constraints on padding and edge guards, fire routing for fixture padding, decision rights for stop, withdrawal, correction, restart and scale, workflow cards, uncertainty and withdrawal economics, and evaluation planning. Make the application safe against data loss, migrate v1/v2 planning data without overwriting it, and test it in a real browser. Keep every unresolved local decision visible.

No external source cited; program guidance.

Program decision and executive brief

Recommendation

Program recommendation: launch a voluntary, evaluated Child-Safer Spaces program. Start with documented hazards and operational controls; consider purpose-designed protective products only where a specific impact hazard survives simpler remedies. Do not install household foam tiles, pool noodles or improvised padding in retail aisles.

Purpose and scope

Reduce avoidable slips, trips, falls and fixture collisions in entrances, aisles, queues and waiting spaces, while keeping access and safety for every customer and worker. Planning population: visitors under 18, reported in the age bands of document 16, with all-visitor and worker balancing measures. Confirm age bands and legal definitions locally.

Mechanisms in scope and how each is routed

Mechanism	What the evidence shows	Route
Slips on contaminated floors	**Source fact:** contamination is implicated in almost all retail slip accidents [S2]	Core workstream: source control, cleaning, isolation (W04)
Trips at mats, transitions, damaged finishes	**Source fact:** ADA limits changes in level and requires secured carpet edges [S28]	Core workstream: repair and transition control (W03)
Falls from shopping carts	**Source fact:** an estimated 82% of cart injuries to U.S. children under five in 2003–2008 were falls from carts; 84% involved the head or face [S32]	Separate owned control set (document 27, task T35); floor padding is never presented as the remedy
Child head contact with fixture edges	**Unresolved:** no controlled retail study of edge guards was found in this targeted review	Redesign or relocate first; a protective product only through G3
Fixture tip-over, falling merchandise	**Unresolved:** not quantified in this review	Merchandising and fixture-stability owner (T35)
Escalators, stairs, doors, play areas	Specialist equipment with its own rules	Routed to the responsible specialist and authority; play areas are a separate workstream

Decisions requested of the sponsor

- Appoint a site lead, facilities owner and an evaluation lead independent of product suppliers.
- Authorize an assessment budget and a capped pilot budget with a separate removal reserve (amounts and currency set by the sponsor; none is assumed here).
- Adopt the gate sequence and the decision-rights matrix (document 49), including every worker's authority to isolate a hazard.
- Permit publication of aggregate positive, neutral and adverse findings after privacy review.

Intervention order

First remove the hazard: repair leaks, broken transitions and obstructing fixtures. Next redesign exposure: rounded or recessed fixtures, layout and secure entrance systems. Then strengthen inspection, cleaning and response. Only then evaluate protective products where the remaining mechanism and operating conditions justify it.

What success means

A site can demonstrate that its chosen controls are installed as specified, maintained, accessible and monitored. A pilot can establish operational feasibility long before it can establish injury effectiveness: document 35 shows why a single-site 90-day pilot cannot support an injury-reduction claim. Neither participation nor this workspace creates a safety certification.

Decision record

Sponsor [role]; site [code]; budget [currency/amount]; scope exclusions [ ]; authorized actions [ ]; conditions [ ]; decision date [ ]; next review [ ]; signature in the controlled record [reference].

Sources cited: S2, S28, S32

Sequence, ownership and first-day plan

Three kinds of work

Kind	Meaning	Examples
No approval needed	Ordinary safety work and internal planning. In G0 and G1 it can begin today; later tasks of this kind start when their gate is reached	Appoint owners, walk the site, isolate and correct hazards with existing procedures, open registers, request reviews
Needs local review	A professional, authority or institution must determine requirements first	Code applicability, accessibility review, privacy and ethics determinations, test criteria
Needs signed commitment	An authorized person must sign in a controlled record	Budget, charter, contracts, landlord consent, go/no-go, scale decision

Each task in the Implementation plan carries one of these labels. A workspace checkbox is never a signature.

Day 1 — can begin now

1. Sponsor names a site lead and deputy (W02). Record a non-identifying site code, country, state/province and municipality in the site profile.
2. Site manager walks the site with facilities and a worker representative (W03), including accessible routes, wet entrances, queues, cart corrals and fixture edges in the child head-height band (document 28). Correct known hazards through existing safe procedures immediately; never preserve a hazard for research.
3. Open the hazard and action registers. Give every isolated area a safe accessible alternative and a named owner.
4. Assign shift responders and deputies for spills and isolation (W04), and start the handoff log (W16).
5. Export the first planning backup to an approved location (W01).

Week 1 — begin, then route for review

1. Risk team requests existing de-identified incident trends and visitor counts; the privacy officer decides what may be shared (W05). No child names, injury details or footage enter this workspace.
2. Facilities sends the authority, accessibility and landlord requests in documents 07 and 22 (W07). Silence is never approval.
3. Evaluation lead routes adjacent mechanisms — carts, tip-over, falling merchandise, doors, escalators — to accountable owners (task T35).
4. Finance proposes assessment and removal reserves for sponsor signature (task T03).

Suggested schedule — planning targets, not permission deadlines

Gate	Window	Accountable owner	Evidence to advance
G0 Scope	Day 1–5	Sponsor	Charter, site, roles, immediate hazard controls
G1 Baseline	Week 1–4 or longer	Evaluation lead	Hazard map, usable exposure data, adjacent mechanisms routed, privacy/ethics pathway
G2 Local pathway	Before any procurement commitment	Facilities/legal lead	Adopted requirements, permits and landlord determinations
G3 Product suitability	Before purchase	Procurement lead with specialists	Accepted dossier, approved criteria, mock-up results
G4 Installation	Before public use	Site manager	Commissioning, training, maintenance and withdrawal readiness
G5 Pilot review	Weekly; formal at day 90	Steering group	Adverse-event review, operational data, independent analysis
G6 Scale	Evidence-dependent	Executive sponsor	Documented benefits and uncertainties, costs, no unresolved critical defects

Responsibility matrix

Work	Accountable	Responsible	Consulted
Budget, stop and scale decisions	Sponsor	Site lead	Finance, insurer, evaluation lead
Legal applicability	Business legal lead	Local counsel / code professional	Authorities, landlord
Design and installation	Facilities lead	Designer / installer	Accessibility, fire, cleaning specialists
Daily controls and isolation	Site manager	Shift and cleaning teams	Worker representatives
Evaluation and data	Evaluation lead	Analyst / data steward	Privacy lead, community representatives
External claims	Communications lead	Writer	Legal and evaluation leads

An authority decides within its remit; a consultant or insurer cannot substitute for that determination. Who may stop, suspend, withdraw, restart or scale is set out in the decision-rights matrix in document 49.

No external source cited; program guidance.

Evidence and hazard map

Evidence assessment

This is a targeted primary-source review checked on 19–20 October 2026. It is not a systematic review and no meta-analysis was attempted. Some studies were read at abstract level only; the source register states the access level for each. No quantitative estimate of child-retail injury reduction from any environmental control was found.

What transfers to children in retail

Evidence	Population and setting	Transfer to children in retail	Use in this program
Contamination implicated in almost all retail slips; signs only warn [S2]	Great Britain retail, workers and public	Plausible for the mechanism; no effect size	Core control: source removal, barriers, cleaning in sections
Shopping-cart injuries: about 24,000 U.S. children under 15 a year in emergency departments, 1990–2011; head injuries 78% [S31]	U.S. national surveillance (abstract level)	Direct population and setting; no store denominators	Route cart controls (T35); measure restraint use, not just floors
Children under five, 2003–2008: falls from carts 82%, tip-overs 4%, head/face 84%, hospital admission 3% [S32]	CPSC analysis of national surveillance	Direct; surveillance estimates with sampling error	Prioritize cart falls over floor cushioning
Store greeters plus a coupon raised correct restraint use from 15% to 49%; half still unrestrained [S34]	Seven U.S. stores, 2006 (secondary news release)	Direct setting; process outcome only, injuries not measured	Candidate operational control to evaluate
Compliant flooring trial: no effect on serious fall injuries (rate ratio 1.04, 95% CI 0.45–2.39); falls 1.21 (0.87–1.68); harms not assessed [S8]	Older adults, one long-term care site	Low; different users, product and setting	Do not claim cushioning efficacy
Compliant flooring cuts laboratory impact forces but may raise fall risk and the force needed to push carts, beds and wheelchairs [S35]	Older adults and health-care workers (scoping review)	Mechanisms transfer: wheeled loads and balance	Treat rolling effort and stability as pass/fail

Evidence	Population and setting	Transfer to children in retail	Use in this program
Multi-component worker program followed by 58% fewer slip, trip and fall claims; no comparison group reported [S36]	Hospital employees, conference abstract	Partial: housekeeping parts may transfer; footwear does not	Supports operational controls; not a customer estimate
Playground surfacing method addresses head-injury risk in a playground use zone; laboratory results do not account for aging or maintenance [S7]	Playground equipment	None for retail aisles	Separate play-area workstream only

Hazard map

Hazard	Mechanism	Program decision
Wet or contaminated floor	Slip	Source control, cleaning, physical isolation, accessible alternative (document 12)
Broken, shifting or curling surface; mat edges	Trip	Repair; fixed or recessed matting; changes in level within limits [S28]
Soft, cushioned or loose surface	Trip, instability, rolling effort	Access and wheeled-load review is pass/fail [S28] [S35]
Fixture corners and edges in the child head-height band	Collision	Remove, round, recess or relocate first; guards only through G3
Cart seats and restraints	Fall from height	Restraint use, cart maintenance, design per candidate standard (document 27)
Displays, stacked stock, freestanding fixtures	Tip-over, falling objects	Stability, anchoring and stocking rules; owner assigned (T35)
Doors, escalators, stairs, play areas	Entrapment, falls	Specialist owner and applicable rules

Site survey

Map each hazard by zone, mechanism, exposure, existing control, suspected injury route, photographs without people, and immediate action. Survey fixture edges from the floor up to at least the tallest planned child height: for children aged two to five, WHO growth standards put the 97th-percentile height at about 92–93 cm at age two and about 118–119 cm at age five [S37], so a 0–120 cm band is a reasonable **program default** for that age group. Raise the band for older children. Observe restocking and cleaning as well as trading, and review small-wheel and cane-tip interactions.

Risk triage — program method

Use severity 1–5 and likelihood 1–5 only to sort work. Describe each rating and its uncertainty; multiplying them is not a legal safety determination. Potentially serious hazards, blocked escape or accessible routes, loose parts and unstable walking surfaces are isolated immediately regardless of score. Other work gets an owner and due date; overdue actions escalate to the site manager.

Evidence gaps to commission

Child-retail incidence by mechanism with store denominators; effectiveness of edge guards and fixture redesign; loaded-cart and mobility performance of cushioned systems; aged, wet and cleaned performance; guard durability; life-cycle costs; and comparative injury outcomes. Assign these questions (document 32) before claiming effectiveness.

Sources cited: S2, S7, S8, S28, S31, S32, S34, S35, S36, S37

Stakeholder appeal and adoption strategy

Value propositions to validate

Audience	Proposed appeal	Proof needed	First ask
Parents/caregivers	Fewer avoidable hazards during everyday visits, including carts	Visible fixes, credible reporting, honest limits	Review a walk-through and feedback form
Disabled visitors/older adults	Safer routes without extra mobility effort	User involvement, accessible transitions and routes	Paid adult accessibility advisory session
Store staff	Clear response duties and fewer repeat hazards	Workable time, training and repair support	Join a shift walkthrough and usability trial
Business leadership	Manageable risk and predictable whole-life costs	Budget, operating feasibility, honest outcome data	Fund a bounded assessment, then decide
Insurer/self-insured risk team	Auditable prevention and reliable data	Exposure-adjusted trends, maintenance and product evidence	Agree evidence criteria in writing
Government/public health	Prevention with equitable access	Independent results and feasible enforcement	Support evaluation and coordination
Suppliers/landlords	Clear specifications and responsibility	Traceable acceptance and maintenance terms	Provide dossier and written permissions

Adoption sequence

Recruit one sponsor and a small set of suitable sites; engage disability representatives and staff before selecting products. Agree evidence questions with the insurer and authorities, then obtain competing supplier responses. Publish a factual notice before any physical pilot. Review operational findings at 30, 60 and 90 days. Expand only after Gate G6; replication should include different exposure levels and store sizes.

Selection rubric

Score each site 0–2 for documented hazard burden, data quality, management capacity, representative traffic, feasible comparison, and ability to isolate and reverse changes. These are

program screening scores, not risk certifications. Exclude sites that cannot keep a safe accessible route or fund removal. Include smaller businesses when maintenance capacity can be supported.

Prevent adoption friction

Offer standard documents, shared testing, training time and procurement options. Keep public claims specific. Do not promise lower premiums, tax credits, grants or a universal return on investment. A large retailer is an example, not an assumed partner.

No external source cited; program guidance.

Jurisdiction and obligation register

Four distinct requirement types

LAW: a binding rule applicable to this site. CONTRACT: a lease, insurer or purchase obligation. PROGRAM: an internal criterion adopted for this pilot. PROPOSAL: an incentive or future policy request. Record the type, citation, edition, scope, decision-maker and evidence for every requirement in the jurisdiction register. A "not applicable" entry needs a written reason and a reviewer.

U.S. starting map — verified references, local applicability unresolved

Topic	Reference (checked 2026-10-20)	What it says that matters here	Local action and owner
Accessible surfaces	2010 ADA Standards §§302–303 [S28] [S30]	Surfaces stable, firm and slip resistant; carpet securely attached with firm or no cushion, pile ≤ 1/2 in; changes in level ≤ 1/4 in vertical, ≤ 1/2 in bevelled at 1:2, larger ramped. No minimum friction value [S1]	Accessibility professional/counsel confirms coverage and stricter state or local rules
Protrusions and route width	2010 ADA Standards §§307, 403.5.1 [S28] [S24]	Objects with leading edges 27–80 in above the floor protrude ≤ 4 in; protrusions may not reduce required clear width; route width 36 in, 32 in for ≤ 24 in	Check every guard or padding addition at the real fixture
Keeping access during work	28 CFR 36.211 [S29]; DOJ primer [S14]	Accessible features must be maintained; isolated or temporary interruptions for maintenance or repair are allowed; DOJ advises retrieving merchandise when an aisle is blocked	Isolation procedure includes assistance and an accessible alternative
Existing facilities	DOJ primer [S14]	Barrier removal in existing facilities and alterations follow different tests	Counsel classifies the proposed work
Employee surfaces	29 CFR 1910.22 [S3]	Surfaces kept clean and, where feasible, dry; inspected regularly; hazards corrected or guarded before employee use; no friction number	Safety lead confirms federal or state-plan regime

Topic	Reference (checked 2026-10-20)	What it says that matters here	Local action and owner
Building/fire/egress	Locally adopted codes, e.g. California's 2025 code for permits applied for from 1 Jan 2026 [S17]	Edition depends on the permit application date and local amendments	Code professional identifies occupancy, alteration classification, tests and permits
Food areas	FDA Food Code, 2026 edition released 17 Sep 2026 [S4][S44]	A model code; not law until adopted	Health authority identifies the adopted edition and floor-surface provisions
Carpet and rug flammability	16 CFR 1630/1631 via CPSC [S12]	Surface flammability tests for carpets and rugs	Supplier/counsel classifies the actual product
Customer injury liability	State law and facts	Not codified in one place	Local counsel maps duties, preservation and claims notices

Canada starting map

Provinces and territories adopt, amend or replace the national model codes; the 2025 national codes are published [S6] but publication does not set the edition at a site. Ontario's 2024 Building Code sets accessibility requirements for most new construction and extensive renovations and does not affect existing buildings unless an extensive renovation is planned [S18]. Ontario's customer-service guidance tells organizations to give public notice when facilities or services that people with disabilities use are temporarily disrupted, with the reason, expected duration and any alternative [S43]; confirm the regulation text (O. Reg. 191/11) locally. CSA/ASC B651:23 is referenced in the National Building Code and other legislation [S27], but whether it binds a site depends on the adopting instrument. Confirm the worker-safety regime, occupiers' liability, public-health requirements and the applicable privacy law with local specialists. Do not apply U.S. ADA dimensions as Canadian legal requirements.

Fire questions to put to the code official

Model codes treat floor coverings, wall and ceiling finishes, trim, decorative materials, furnishings and foam plastics under different provisions, and a floor-covering report does not answer a fixture question. E648-25a measures one aspect of floor-covering fire behaviour and was developed for corridors and exitways [S11]. Ask: which provisions apply to (a) the floor system, (b) padding fixed to walls or fixtures, (c) freestanding padded items; which test, classification and edition are required for each; and whether the change affects means of egress or sprinkler performance.

Required site record before G2

Site code [ ]; jurisdiction [ ]; occupancy/use [ ]; work description [ ]; adopted code and amendments [ ]; section [ ]; applicability reasoning [ ]; permit yes/no/undetermined [ ]; issuing authority [ ]; responsible professional [ ]; evidence reference [ ]; inspection stage [ ]; recheck date [ ].

Open items

No site jurisdiction has been provided. This is a localization framework, not a compliance opinion. Obtain written determinations before modifying regulated assemblies, escape routes, food areas or required accessible routes. Recheck after design, occupancy or code changes.

Sources cited: S1, S3, S4, S6, S11, S12, S14, S17, S18, S24, S27, S28, S29, S30, S43, S44

Authority consultation and approval request

Workflow: W07 in document 49. Send only through the organization's normal channel after local review.

Draft request — adapt before sending

Subject: Pre-installation review request — Child-Safer Spaces pilot at [site]

We are assessing [specific hazards] at [address, occupancy, tenant/owner]. The proposed work comprises [surface system or fixture change, edge protection, extent, substrate, attachment, transitions]. We request guidance on the applicable adopted requirements, permit pathway and inspections before purchase or installation.

Attached: marked plan with accessible and egress routes; existing and proposed dimensions, including route widths and protrusions; product and assembly dossier; fire and surface test reports for the configuration proposed; installation and adhesive details; sanitation and maintenance procedure; landlord consent status; commissioning plan and withdrawal design.

Please identify: applicable code edition, amendments and sections; whether the work is a regulated alteration; required drawings or professional seals; the fire-performance test and classification for this assembly and location, separately for floor and fixture elements; accessibility review; health review for food-related zones; permits and inspection hold points; and any conditions or additional evidence needed. Please tell us if any question is outside your authority and which office to consult.

Contact: [authorized project contact]. Intended dates: [ ]. We will not treat silence or receipt as approval, and we can revise or withdraw the proposed system if required.

Meeting record

Authority/office [ ]; official's role [ ]; date [ ]; remit [ ]; questions [ ]; answer and cited basis [ ]; written response reference [ ]; unresolved matters [ ]; action owner/date [ ]; next submission [ ].

Separate decision log

Record submitted, more information requested, conditional approval, approved, rejected or not required, with the written basis, in the consultation register. Do not combine building, fire, accessibility and health permissions into one unsupported "compliant" field. Approval for one site or configuration does not transfer automatically to another.

No external source cited; program guidance.

Performance specification and acceptance schedule

Procurement principle

Specify and test the whole installed system: surface, underlay, seams, trims, adhesive, substrate, fixtures and cleaning method, in the location where it will be used. Any substitution reopens review.
Program rule: thresholds are written and approved before testing, never chosen after results are seen. No universal friction, impact or rolling-load pass value exists in the sources reviewed [S1] [S10].

Attribute	Required supplier evidence	Site acceptance decision
Slip behaviour	Named method and edition, validated instrument [S10], wet/dry and representative contaminants, lab and in-situ conditions	Independent specialist sets a method-specific threshold before testing; in-situ check at commissioning
Firmness, stability, access	Deformation, secured edges, transition details; full-scale mock-up	Accessibility professional accepts routes and mobility performance
Route geometry	Added thickness of guards and padding; resulting protrusion and clear width	Meets the applicable rule (in the U.S., §§307 and 403.5.1 [S28]) at the real fixture
Fire	Assembly report matching thickness, adhesive, substrate and use (floor versus fixture)	Code professional or authority confirms the applicable test, class and location [S11]
Rolling and static loads	Loaded carts, strollers, wheelchairs, stocking equipment, cleaning machines	No unacceptable rutting, delamination, push effort or instability under approved cycles [S25][S35]
Durability	Aged, abraded and wet results; seam and bond data	Criteria, sampling and retest interval fixed in the test plan
Hygiene	Compatible chemicals, drying, seams, spill ingress, replaceability	Cleaning lead and, where relevant, the health authority accept a demonstration
Edge guards	Attachment, tear resistance, projection, small detached parts, reach	Designer accepts no new snag, ingestion, detachment or collision hazard
Impact mitigation	Relevant geometry, energies, body-region surrogate, limits	Specialist accepts the method; no translation into injury reduction without outcome evidence

Attribute	Required supplier evidence	Site acceptance decision
Materials	Traceability, composition disclosures, emissions evidence and SDS where applicable	Relevant product and indoor-air restrictions checked locally

Accessibility detail (U.S. example)

Source fact: the 2010 ADA Standards require accessible floor surfaces to be stable, firm and slip resistant; carpet must be securely attached with a firm cushion, pad or backing or none, pile no more than 1/2 in, and exposed edges fastened with trim; vertical changes up to 1/4 in are allowed, up to 1/2 in if bevelled no steeper than 1:2, and larger changes must be ramped [S28]. The standards set no minimum friction value [S1]. **Unresolved:** whether a given element is covered, and any stricter state or local rule, must be decided for the actual site.

Mandatory acceptance fields

Attribute [ ]; method/edition [ ]; sample/system [ ]; conditioning [ ]; threshold and rationale [ ]; approving specialist [ ]; laboratory [ ]; report [ ]; result [ ]; pass/fail/undetermined [ ]; corrective action [ ]. Any critical undetermined criterion blocks public installation.

Sources cited: S1, S10, S11, S25, S28, S35

Supplier RFI, bid comparison and purchase terms

Workflow: W09 in document 49. Requests can be prepared now; award needs G2 and a signed sponsor decision.

Request for information

Provide product name/version, intended commercial application, exclusions, full assembly, thickness, seams, substrate conditions, installation instructions, cure time, cleaning requirements, service-life assumptions, disposal route and warranty. Supply independent reports with laboratory scope/accreditation where relevant, sample identity, dates, methods and editions, conditions, failures and limitations. Identify every difference between the tested and the offered system, including the added thickness of any guard or padding at real fixtures.

Quote quantities and unit basis, preparation, moisture testing, labour, closures, taxes, freight, training, spare stock, inspections, periodic tests, repairs and removal. State currency, validity, lead time, warranty remedy and who bears failed-acceptance costs. Disclose conflicts and who funded each study. Do not describe a product as "childproof" or rely on playground certification [S7].

Comparison process

First pass/fail the mandatory legal, fire, accessibility, hygiene, stability and operational criteria (document 08). A cheaper bid cannot offset a failure. For surviving bids use proposed weights: operating suitability 30%, durability/maintenance 25%, whole-life cost 25%, relevant independent evidence 15%, support/traceability 5%. Score 0–5 with written reasons; record dissent and missing evidence. Fix the weights before opening bids.

Draft purchase schedule for contract review

- Approved assembly and exact manufacturer/version: [ ]. No substitution without written reapproval.
- Installer competence and insurance evidence: [ ]. Work area and reopening conditions: [ ].
- Hold points: substrate acceptance, concealed-work inspection, commissioning and final acceptance.
- Defect/removal responsibilities, response times and payment holdback: [negotiated terms].
- Warranty covers [ ]; exclusions [ ]; remedy [ ]; labour/removal costs [ ].
- Batch/lot traceability, recall notice and product-change notice: [ ].
- Required handover documents, spare materials, training and ongoing service: [ ].
- Indemnity, liability allocation, governing law and insurance terms: counsel drafts for the actual parties.

This is a commercial term sheet, not an executed contract. Keep an approved alternative and a funded removal plan.

Sources cited: S7

Pilot charter and operating agreement

Workflow: W02 (charter) and W13 (operation) in document 49. Needs signed commitment.

Charter fields

Project [ ]; sponsor [ ]; site codes and addresses held in the controlled record [ ]; participating entities [ ]; problem statement with baseline reference [ ]; intervention and comparator [ ]; affected zones [ ]; exclusions [ ]; start/end/review dates [ ]; budget/currency [ ]; removal reserve [ ]; success and stop criteria [ ]; document version [ ].

Agreed commitments

The operator maintains ordinary safety controls at every participating site, supplies staff time and logs, and promptly addresses reported hazards. The facilities lead owns design and product configuration. The evaluation lead predefines measures and independently reviews results. The supplier supports traceability, failure investigation and warranty obligations. Disability and community advisors review practical access and communication; participation does not make them guarantors of safety.

Governance

Weekly site review examines open defects, exposure completeness, incidents (by protected reference only), mobility concerns and cost. Monthly steering review includes sponsor, operations, facilities, accessibility, evaluation and risk leads. Declare supplier funding and conflicts; people with a commercial interest do not approve their own product evidence.

Decision rights

Adopt the decision-rights matrix in document 49 as part of this charter. In short: any trained worker may start the site's hazard isolation process; the site manager controls closure, suspension and emergency escalation; restart needs the owners listed in document 14, plus authorities when relevant; only the sponsor can authorize withdrawal, scope or budget increases, and no approval can waive an applicable legal requirement.

Data and publication

Keep claims and personal records in the organization's protected system. Share only agreed aggregate or appropriately de-identified data. Publish methods, denominators, adverse effects, costs and uncertainty; do not suppress neutral findings. Privacy and legal review govern release.

Signatures and unresolved conditions

Operator [ ]; property owner [ ]; facilities [ ]; evaluation [ ]; supplier [ ]; date [ ]; conditions precedent [ ]; separate legally executed agreement reference [ ]. Store signed records under document control. Workspace checkboxes are reminders, not signatures.

No external source cited; program guidance.

Installation and commissioning checklist

Workflow: W10 in document 49. Needs G0–G3 complete and signed releases.

Before work

Confirm G0–G3 evidence, permits, landlord consent, accepted drawings and the tested assembly. Record installer competence, work schedule and safe public separation. Confirm storage, ventilation/cure instructions and removal materials. Inspect substrate moisture, flatness, damage and contamination against supplier criteria, and record failures before covering them. Post any required notice of temporary disruption to accessible routes or facilities (in Ontario, see [S43]).

During installation

Capture batch/lot numbers, surface preparation, adhesive quantities, cure conditions, seam and trim configuration, and every deviation. Keep access and escape routes open or use an approved alternative. Protect adjacent fixtures and food-related operations. Do not accept unreviewed substitutions to solve a schedule problem.

Before public reopening

- Verify surface bond, seams, movement, transitions, openings and clearances against approved drawings, including route width and protrusions at every guarded fixture.
- Repeat the approved slip-resistance check in situ, on the installed and cleaned surface, with the approved method; record instrument validation and conditions.
- Verify the approved cleaning method, dry condition, cure time and any required tests.
- Demonstrate mobility aids, strollers, loaded carts and cleaning equipment in a controlled setting with consenting adults, including disabled advisors using their own devices where they agree; no deliberate falls and no child impact trials.
- Check guard retention, projections, snagging, tear/detachment and cleaning access.
- Close all critical defects; record non-critical punch-list owners and deadlines.
- Obtain required authority inspections; hand over as-built details, reports, warranty, spare parts, training and the inspection schedule.

Commissioning record

Site/zone [ ]; assembly/lot [ ]; installer [ ]; installed date [ ]; inspection/test references [ ]; accessibility reviewer [ ]; fire/code review [ ]; cleaning acceptance [ ]; operator acceptance [ ]; defects and closure [ ]; authorized reopening date/time [ ].

Follow-up

Proposed checks: immediately before reopening, after the first peak trading period, after the first full cleaning, at one week and one month, then risk-based. Increase checks after spills, restocking damage, complaints or unusual loading. These are program defaults that need site approval, not code intervals.

Sources cited: S43

Daily inspection, cleaning and spill response SOP

Workflow: W04 in document 49. Can begin now with existing procedures.

Owner and coverage

The site manager owns this procedure; each shift names a responder and a deputy. Set inspection frequency by hazard, weather, traffic and incident history. Proposed planning points: opening, shift handover, closing, and after cleaning, spills or restocking; high-risk zones need more frequent checks. Record the approved interval in the inspection register. **Source fact:** U.S. employers must inspect walking-working surfaces regularly and as necessary and correct or guard hazards before employees use them again [S3].

Inspection

Walk entrances, transitions, queues, aisles, cart corrals and guards. Check water, debris, curling, movement, seam gaps, loose parts, contamination, new projections and blocked routes. Record time, zone, defect, action and reopening verification. A blank log is not a completed inspection.

Spill and hazard response

1. Protect people: physically prevent entry to the affected area and keep or create a safe accessible alternative; notify the shift lead. **Source fact:** signs and cones only warn — they do not stop people entering; use barriers, close the area or clean in sections [S2]. Never block an emergency exit.
2. Offer assistance: if an aisle or route is closed, staff retrieve goods or guide customers who cannot use the alternative. U.S. guidance expects merchandise retrieval when an aisle is blocked and temporary interruptions to be remedied as soon as possible [S14][S29].
3. Identify the hazard and call the appropriate trained responder. Unknown chemicals, blood or other specialist hazards use the existing specialist procedure.
4. Remove contamination and fix the source with the approved product, dilution and equipment. Keep the area isolated while wet or unsafe; damp mopped floors can be extremely slippery [S2].
5. Verify dryness, residue, seams, attachment and the surrounding area; record verification before reopening.
6. Log detection, isolation, clean-up and reopening times in the spill register; investigate repeated sources and escalate repairs.

Cleaning plan

Surface/zone [ ]; approved chemical and dilution [ ]; equipment [ ]; drying method [ ]; scheduled time [ ]; guard/seam inspection [ ]; waste route [ ]; responsible contractor [ ]. Do not change polish,

coating, chemical or pad without a compatibility review (change-control register).

Escalation

Immediately isolate lifting edges, unstable surfaces, detached guards, blocked access or sanitation failures. Escalate missed inspections, overdue repair and recurrent wetting to the site manager the same shift. Document interim controls and restart under document 14. Keep records under the approved retention policy.

Sources cited: S2, S3, S14, S29

Staff training and competency record

Workflow: W10 (before go-live) and W04 (daily) in document 49.

Suggested 25-minute shift module

Five minutes: prevention versus cushioning and the actual site hazards, including carts. Five minutes: demonstrate inspection of entrances, seams, guards and routes. Ten minutes: practise a spill response and an isolation/reopening decision, including how to assist a customer when an aisle is closed. Five minutes: report a concern and complete the log. Adapt language, format and duration to workers' needs; include contractors and temporary staff.

Trainer script

Our purpose is to reduce avoidable hazards for children and everyone else. A soft surface can still slip, move or obstruct wheels. Report defects promptly. Do not improvise repairs or attach household foam to fixtures. Keep the designated safe route open. Signs warn; the site procedure determines how to keep people out of an unsafe area. Only the authorized role reopens the area after checks. Never write a child's name, injury details or contact details into a planning log.

Competency demonstration

Each learner identifies three hazards, isolates a simulated spill without blocking escape, offers assistance to a customer who cannot use the alternative route, locates the approved cleaning instructions, records all four response times, and names who can authorize restart. Repeat instruction if any critical step is missed. Never practise on a live dangerous spill.

Record template

Worker internal code (not a name) [ ]; role/shift [ ]; trainer [ ]; date [ ]; module version [ ]; language/accommodation [ ]; demonstration passed or retraining required [ ]; retraining action/date [ ]; supervisor verification [ ]. Maintain worker records in the approved personnel system.

Refresher triggers

New worker or contractor, changed product or cleaning process, observed unsafe practice, material failure, incident-investigation finding or the site's refresher date. Display a short job aid: Protect people → Assist → Notify → Correct with the approved method → Verify → Log → Reopen by the authorized role.

Supervisor check

Observe one real inspection and review logs on a risk-based schedule. Address workload and missing supplies; never punish good-faith reporting or use low reported incident counts as the only performance incentive.

No external source cited; program guidance.

Incident, stop, removal and restart protocol

Workflows: W11 (stop, suspend, withdraw) and W12 (correct and restart) in document 49.

Incident response

Use the site's emergency procedure and call emergency services when needed. Trained first aiders act within their training; staff do not diagnose injuries. Secure the area and preserve relevant evidence through authorized processes. Notify the manager and the claims contact by the deadlines in the actual policy; record those deadlines in the contact sheet.

Immediate stop triggers — program rules

Any new unstable or lifting surface; a loose or detached guard or small part; a blocked or materially impaired accessible or escape route; a sanitation failure; an installation-related fire concern; or a serious incident plausibly related to the intervention triggers isolation and suspension of the affected installation pending review. **Program rule:** protective action never waits for proof of causation.

Who decides — summary of the decision-rights matrix (full matrix in document 49)

Decision	Who may start it	Who decides	Minimum evidence
Isolate a hazard	Any trained worker	Shift lead confirms	Observed condition; safe alternative route
Suspend an installed system	Any worker, shift lead or reviewer	Site manager	Stop trigger observed; isolation in place
Withdraw permanently	Site manager, facilities or evaluation lead	Sponsor	Root cause or unresolved critical risk; removal plan
Approve a correction	Facilities lead	Facilities lead with the relevant specialist	Root cause; corrected design; retest plan against pre-agreed criteria
Restart after suspension	Facilities lead	Site manager and facilities lead; accessibility reviewer for access issues; authority where required; sponsor for pilot continuation	Retest passed; retraining done; procedure revised

Record and investigate

Assign a coded incident ID. Capture zone, time, mechanism, observed conditions, immediate controls, where the witness record is held, and the product batch. Keep identities, photographs showing people, footage and medical or claims information only in protected systems. Preserve originals and chain of custody; avoid speculative blame. Privacy and legal leads set retention and legal holds.

Withdrawal plan

Facilities arranges competent removal, restores an approved walking surface, checks substrate/adhesive residues and transitions, and manages waste under applicable instructions. Keep the safe alternative route and closure notices in place. Reserve funds and removal lead time before installation. Check other sites with the same batch or assembly; notify the supplier and relevant authorities where required.

Restart authorization

Document the root-cause assessment, corrected design, retesting against pre-agreed criteria, access/fire/health review as relevant, staff retraining and the revised procedure. Record the decision and rationale in the decisions register even if permanent removal is chosen.

Contact sheet

Emergency process [ ]; duty manager/deputy [ ]; facilities [ ]; cleaning [ ]; installer [ ]; supplier recall contact [ ]; insurer claims [ ]; privacy/legal [ ]; authorities [ ]; after-hours route [ ]. Keep the completed sheet in the controlled record, not in this workspace.

No external source cited; program guidance.

Pilot evaluation protocol

Workflow: W13 in document 49. Needs a privacy and research-ethics determination before structured data collection.

Design

Stage A is operational feasibility, with a suggested 90-day observation window after commissioning. It cannot by itself establish reduced injury rates. Stage B is a larger comparative effectiveness study only if feasibility and statistical planning justify it. An independent analyst sets sample size and duration from actual baseline rates, target effect, site clustering, exposure, attrition and acceptable uncertainty.

Illustration (document 35 and the Evaluation planning view): at an assumed 2 injury events per 100,000 entries, detecting a 20% lower rate with 80% power at a two-sided 5% level needs about 355 events in the comparison group — roughly 17.7 million entries per arm before any adjustment for clustering. A single store's 90-day pilot is far below that.

Use matched comparison sites or randomized/staggered introduction where feasible. Provide standard safety corrections everywhere. Pre-register components, primary outcome, analysis, stop rules and exclusions before outcome review. Record weather, promotions, traffic changes, reporting changes and concurrent renovations. A multi-component pilot estimates the package effect; it cannot isolate cushioning without a component comparison.

Outcomes

Primary effectiveness outcome proposed: reported fall events with injury per 100,000 visitor entries, all visitors. Report child events separately; use child-visit denominators only if measured credibly, otherwise label child events per total visits as a proxy. Track fixture collisions separately from falls and cart-related events separately from floor events. Secondary measures: severity bands, all falls, near misses, mobility barriers, staff push effort, sanitation defects, response time, downtime, restraint use where carts are in scope, and total cost.

Operational acceptance targets — proposed program defaults

Zero unresolved critical defects; all required approvals recorded; staff demonstrate critical procedure steps; inspection completion at least 95%; exposure-data completeness at least 95%; no unresolved access or sanitation barrier. These percentages are program proposals to adopt or change locally before the pilot; they are not drawn from any standard. Review deviations individually; aggregate scores never override critical failures.

Analysis

Report counts, exposure, missingness, rates and uncertainty. A rate ratio is not causal without design assumptions. For baseline changes, compare rate changes across groups and account for clustering and trends. Training and attention usually raise reporting, so a rise in near misses can reflect better reporting rather than more hazards. Zero events are not proof of zero risk. Report adverse outcomes even if injury counts improve.

Ethical oversight

Obtain the institution's research or quality-improvement determination before any human research [S21][S22][S41]; in Canada, pilot studies fall within the TCPS 2 definition of research requiring review where the policy applies [S22]. Obtain appropriate adult consent and accessibility accommodations; research with children needs separate ethics, consent/assent and safeguarding review. No induced falls or child impact experiments. Publish protocol deviations and conflicts.

Sources cited: S21, S22, S41

Data dictionary and reporting specification

Definitions

Field/measure	Definition	Rule
Site ID, zone ID	Stable non-identifying facility and area codes	Never reuse codes
Fall event	Unintentional coming to rest on the ground, floor or a lower level	One event even if several injuries
Cart-related event	Fall from, tip-over of, or entrapment in a shopping cart	Keep separate from floor falls
Collision event	Contact with a fixture without a fall	Keep separate; link to a fall ID if both occurred
Near miss	Loss of balance or hazard encounter without a defined injury event	Separate from the injury numerator
Age band	Under 5; 5–11; 12–17; adult; unknown	No inferred exact age; unknown stays unknown
Severity	No reported injury; minor reported; professional assessment reported; serious/hospital reported; unknown	Not a staff medical diagnosis; apply approved coding rules
Visitor entries	Measured entrances during the stated period	Not unique persons; document staff exclusions and sensor outages
Child entries	Credible measured or estimated child visits	Document sampling and uncertainty; never infer from total visits alone
Inspection completion	Completed required checks ÷ scheduled checks	Include missed checks
Response times	Detection→isolation, isolation→clean-up, clean-up→reopening	Use timestamps; record unknown detection time as unknown

Data flow

Operations records source events in the existing secure system. The data steward removes identifiers, checks duplicates and aligns time windows. The analyst receives approved aggregate data. The steering group receives rates and adverse-condition summaries. Public reports undergo

small-cell and re-identification review; the default proposal is to suppress cells below 5 and complementary cells that reveal them, subject to privacy approval. This workspace holds aggregate planning counts only.

Quality checks

Reconcile incident IDs, exposure periods, duplicate reports and severity updates. Missing data is not zero. Report excluded periods and reasons; audit a sample against secure originals. Keep a revision log. Calculate rates only for matching events and exposure windows.

Monthly report template

Sites and period [ ]; intervention version [ ]; count/exposure/rate [ ]; uncertainty [ ]; child proxy caveat [ ]; near misses [ ]; cart-related events [ ]; critical defects [ ]; access/hygiene findings [ ]; inspection completeness [ ]; costs [ ]; limitations [ ]; corrective actions [ ]; decision [ ].

No external source cited; program guidance.

Business case and financial model

Decision approach

Use the cost of operating a verified control, and treat injury savings as uncertain. Obtain supplier quotes and actual claims analysis before investment approval. Separate insured losses from costs the business retains; do not count an insurer's payment as a business saving. **Program rule:** assumed premium reductions are excluded. Count an insurance change only after the insurer confirms it in writing, and then only once.

Input schedule

Currency [ ]; study/assessment [ ]; design/permits [ ]; materials [ ]; substrate preparation [ ]; installation [ ]; closure [ ]; training [ ]; independent testing [ ]; advisory compensation [ ]; contingency [ ]; removal reserve [ ]; incremental annual maintenance and cleaning labour [ ]; annual retesting [ ]; replacements by year [ ]; annual retained addressable loss [ ]; assumed loss reduction [ ]; documented other savings and their basis [ ]; discount rate [ ]; evaluation horizon [ ]; early-withdrawal year and removal cost beyond the reserve [ ].

Formulas

Initial cost = all one-time implementation and assessment costs including the reserve. Annual net benefit = retained addressable loss × assumed reduction + documented, non-overlapping other savings − incremental annual cost. NPV = −initial cost + Σ (net benefit − replacement − removal + salvage in year t) / (1 + discount rate)^t. Simple payback = initial cost ÷ positive annual net benefit; otherwise no payback. With zero initial cost, "recovery" is not applicable. This simplified model excludes tax, inflation and salvage unless entered.

Illustrative scenario only — not a quote or an efficacy claim

Illustration: initial cost 15,000 currency units; annual added cost 2,000; annual retained addressable loss 20,000; horizon 5 years; discount 5%; no replacements or other savings. At 0% loss reduction, annual net benefit is −2,000 and NPV about −23,659. At 10%, net is 0 and NPV −15,000. At 25%, net is 3,000 and NPV about −2,012. Simple payback at 25% is 5 years, while discounted recovery takes longer. The five-year discounted break-even reduction is about 27.3% under these assumptions; it is not a predicted effect.

Illustration — early withdrawal: with the 25% case, if the system is withdrawn at the end of year 2 at a removal cost of 3,000 beyond the reserve, NPV is about −12,143. A no-go decision still has a cost, which is why the reserve and removal cost are planned before purchase.

Uncertainty

Enter low and high values for initial cost, annual cost, retained loss, reduction and discount rate in the Cost scenarios view. It shows how far each assumption moves NPV and the result when every assumption is pessimistic or optimistic together. Include a worsening case (negative reduction) for new trip, access or cleaning problems. Ranges are your assumptions, not probabilities.

Sensitivities and approval

Vary reduction, service life, replacement, cleaning labour and disruption. Record who owns each cost and benefit. Approve pilot spending for evidence generation only if the sponsor accepts the possibility of no financial return.

Extended scenarios

Document 44 explains escalation, scheduled replacement, salvage and withdrawal in the year-by-year table. Conditional accessibility tax mechanisms are described in document 37; no eligibility is assumed.

No external source cited; program guidance.

Privacy, records and information governance

Workspace boundary

This offline HTML tool stores optional planning edits in browser storage and exports plain JSON. It has no accounts, encryption, shared audit trail or access controls. Do not enter child identities, injury narratives, health information, witness details, CCTV, claims records or confidential contracts. Use approved organizational systems for those records and store only non-sensitive references here.

Built-in pattern check

When you save a register row, task evidence, gate note or site profile, the workspace looks for patterns such as email addresses, phone numbers, identity-style numbers, ages, injury terms, claim numbers and footage references and asks you to confirm or edit. Document drafts get a lighter check. It is a reminder, not a privacy review: it cannot recognise every name or detail.

Data minimization

Collect only information needed for the stated safety or evaluation purpose. Where PIPEDA applies, organizations should collect only the personal information needed for a legitimate identified purpose [S13]; other national, state and provincial requirements need local review. Do not assume consent alone satisfies every obligation. Avoid new child tracking, facial recognition or unnecessary video collection. Canada's privacy regulator advises considering less privacy-invasive alternatives before video surveillance, limiting use to the stated purpose, posting notice, securing recordings and deleting them when no longer needed [S42].

Required decisions before data collection

Data owner [ ]; purpose [ ]; lawful basis/consent determination [ ]; data fields [ ]; permitted users [ ]; storage location [ ]; retention period [ ]; legal-hold process [ ]; deletion method [ ]; individual-rights contact [ ]; breach-response owner [ ]; sharing agreements [ ]; cross-border transfer assessment [ ]; ethics determination [ ]. Counsel or the privacy officer sets the actual retention periods; this template does not invent a universal period.

Access and release

Limit raw records to authorized incident and claims staff. Analysts use approved de-identified extracts. Review small groups and combinations that could reveal a family or employee. No names

or identifiable photographs in public reports. Keep consent separate from safety assistance and never make assistance conditional on research participation.

Local planning backup

Export a planning backup after each session to an approved location. Anyone with the file can read it. Before any import or CSV replacement the workspace keeps an automatic undo copy, but browser data can still disappear when site data is cleared or the HTML file is moved. Different devices, browsers and file locations do not synchronize. Prefer named, dated exports and a single assigned editor.

Sources cited: S13, S42

Insurer and broker review package

Workflow: W07 (notice and conditions) in document 49.

Draft review request

Subject: Risk-control review requested for a bounded retail safety pilot

We propose [intervention] at [site] to address [documented mechanisms]. Please review the attached hazard map, baseline incident/exposure summary, exact product dossier, approval pathway, maintenance and training plans, evaluation protocol and removal process.

We request your written comments on relevant coverage conditions, notice obligations, claims documentation, product/contractor responsibilities, and the evidence you would need to evaluate any risk recognition. We are not assuming a premium reduction or that your review constitutes regulatory approval.

Meeting questions

- Which losses are addressable and which are outside this intervention's mechanism (for example, cart falls versus floor slips)?
- What loss-development period, severity data and exposure denominator would support a credible comparison?
- Does the proposed installation or trial require notification, endorsement or underwriting review under our actual policy?
- What exclusions, deductibles, retentions, reporting deadlines and contractor requirements need counsel or broker attention?
- Can risk-control specialists review wet/dry surfaces, inspection and maintenance?
- What evidence could support future terms or incentives, decided by whom and at what renewal stage?

Evidence pack index

Policy review reference [ ]; claims summary [ ]; site map [ ]; technical dossier [ ]; approvals [ ]; operations procedure [ ]; training [ ]; maintenance logs [ ]; adverse-event record [ ]; independent report [ ]; costs [ ].

Interpretation

One insurer describes analyzing loss history, evaluating walking surfaces and maintenance, and measuring wet and dry slip resistance [S9]. That supports asking for a risk-control review; it does

not establish industry-wide approval, an endorsement of any product or a discount. Record insurer feedback as advice or a contract condition as appropriate. A broker conversation is not an insurer commitment unless an authorized party confirms it in writing.

Sources cited: S9

Government and public-health proposal

Policy brief

Problem: everyday commercial environments contain preventable walking, cart and fixture hazards. U.S. surveillance estimated an average of about 24,000 children under 15 a year treated in emergency departments for shopping-cart injuries in 1990–2011, most with head injuries [S31]. Child-specific retail benefit from cushioning remains unestablished in this review. Proposal: support a voluntary, material-neutral demonstration program with independent evaluation and accessible design.

Requested actions — proposals, not existing entitlements

1. Convene building, fire, accessibility, public-health, business, labour, disability and injury-prevention representatives.
2. Publish a common assessment and evidence framework without specifying one material.
3. Invite competitively selected pilots with public methods, cost reporting and adverse-effect disclosure.
4. Consider capped small-business technical assistance, testing vouchers or grants, subject to legal authority and funding.
5. Demonstrate suitable measures in public-facing procurement where permitted.
6. Review whether evidence justifies future requirements through the normal consultation and rulemaking process.

Draft funding concept

Program sponsor [ ]; authority/funding source [ ]; total budget [ ]; eligible sites [ ]; eligible costs [assessment, design, independent tests, accessibility participation, evaluation, approved work, removal]; maximum award [ ]; matching contribution [ ]; milestones [ ]; procurement/conflict rules [ ]; audit and repayment terms [ ]. Funding should not depend on positive injury results; it should require honest reporting and safe conduct.

Proposed evaluation criteria

Need and exposure 25%; practical maintenance capacity 20%; accessibility and community participation 20%; evaluation quality 20%; cost and replicability 15%. These are proposed weights. Require independent review and exclude unverified product marketing.

Decision before stronger policy

Assess effect size and uncertainty, unintended harms, implementation cost, burden on small businesses, enforcement capacity, accessible alternatives and equity. Compare with enhanced existing controls. Any future performance requirement needs locally valid methods and reasonable transition arrangements; a blanket foam mandate is not supported by this package.

Submission cover fields

Submitting organization [ ]; requested meeting/decision [ ]; evidence references [ ]; requested funding [ ]; responsible lead [ ]; publication commitment [ ]; unresolved research [ ].

Sources cited: S31

Manufacturer, laboratory and installer work order

Work order scope

Client [ ]; site [ ]; product/system revision [ ]; laboratory/installer [ ]; quotation reference [ ]; approved drawings [ ]; sample selection [ ]; methods/editions [ ]; acceptance criteria [ ]; schedule [ ]; deliverables [ ]; named reviewer [ ].

Laboratory brief

Test representative as-installed assemblies, including substrate, adhesive, joints and trims where relevant. Document sample provenance, conditioning, aging, contamination, equipment calibration/validation, measurement uncertainty, deviations and raw results. Distinguish accredited methods from bespoke engineering tests and state limitations. Agree conditions and pass criteria with the relevant specialists before testing.

Standards routing (editions checked 2026-10-20)

F2508-23 validates walkway tribometry and is not intended to establish a "safe" threshold for any surface [S10]. E648-25a measures critical radiant flux of floor-covering systems and was developed for corridors and exitways [S11]; the required method, class and edition depend on the adopted code and location. F1292-26 is a playground surfacing specification focused on head-injury risk [S7]; use it only for a justified play-area application, never as retail certification. Obtain licensed current or adopted texts as needed; public scope pages do not replace test procedures.

Installer hold points

Verify substrate and environment before work; submit deviations before proceeding; inspect concealed components; keep batch and installation records; protect public routes; meet cure and commissioning requirements. Provide removal instructions that restore a compliant surface.

Supplier change and recall control

Notify the buyer of changes to composition, thickness, adhesive, source factory or installation instructions that could affect performance. List installed sites and batches in the asset register. Define notice recipients, defect response times, spare-stock availability and recall/removal costs in the contract.

Completion evidence

Signed report [ ]; sample/configuration match [ ]; independent review [ ]; installer handover [ ]; acceptance/defects [ ]; payment milestone [ ]; ongoing obligations [ ]. Product certification alone does not validate every installed site.

Sources cited: S7, S10, S11

Landlord, tenant and cleaning responsibility schedule

Workflow: W07 (permissions) and W16 (handoffs) in document 49. Needs signed commitment.

Agreement outline for the actual parties

Property [ ]; owner [ ]; tenant/operator [ ]; facilities provider [ ]; cleaning contractor [ ]; lease/service contract reference [ ]; permitted work [ ]; plan/version [ ]; authority approvals [ ]; execution record [ ]. Counsel must integrate this schedule into the parties' binding documents.

Allocation table

Item	Proposed lead	Confirmed party and evidence
Permission to alter substrate/fixtures	Owner or authorized property manager	[ ]
Design/permit application	Operator facilities lead	[ ]
Installation and damage repair	Contracted installer	[ ]
Routine inspection	Operator shift manager	[ ]
Scheduled cleaning and compatibility	Cleaning contractor, supervised by operator	[ ]
Spill response during trading	Operator; contracted coverage only if explicit	[ ]
Capital repair and leak source	Allocation under lease	[ ]
Cart fleet maintenance (restraints, seats, wheels)	Operator or cart service contractor	[ ]
Removal and reinstatement at exit	Negotiated before installation	[ ]

Service schedule

Zones [ ]; opening hours [ ]; inspection/cleaning frequency [ ]; chemicals and equipment [ ]; competence evidence [ ]; defect escalation contact [ ]; after-hours coverage [ ]; supplies [ ]; logs [ ]; audit schedule [ ]; change approval [ ]. A contractor leaving the premises does not leave a known hazard unowned: hand over to a named role and record it in the handoff log.

Financial and legal schedule

Capital contribution [ ]; maintenance [ ]; closure costs [ ]; damage/defect costs [ ]; insurance evidence [ ]; warranty beneficiary [ ]; access rights [ ]; removal/reinstatement [ ]; dispute procedure [ ]; governing law [ ]. Avoid broad waiver language that could undermine safety duties or remedies without local legal review.

Exit and handover

Before a tenant or contractor change, transfer approved instructions, the asset register, open defects, spare materials and next inspection dates. Review suitability after a change of use or cleaning provider. Require documented acceptance by the incoming responsible party.

No external source cited; program guidance.

Public explanation and communications kit

Workflow: W15 in document 49. Publish only approved, dated statements.

Customer notice — replace fields before use

We are improving everyday walking areas at [site]. Our work focuses on finding hazards, keeping routes clear, responding to spills, keeping carts in good repair and checking selected design improvements. Some measures are being evaluated in a limited pilot. Please tell a staff member about a loose edge, wet floor, broken cart strap or difficulty moving through an area. For urgent help, use [site assistance route]. Feedback: [accessible channel].

This program does not make an area injury-proof. We will review maintenance, accessibility, customer feedback and incidents before deciding whether to expand it.

FAQ

Why not cover all floors in foam? Softer materials can move, create seams and edges, be hard to clean, and make carts, strollers and wheelchairs harder to push. We choose controls for the actual hazard and test the installed system.

Will injuries fall by a certain percentage? No local reduction has been shown. We will report findings and limitations.

Is this a certification? No. Participation describes a safety-improvement process, not an independent certification or government endorsement.

How can disabled visitors contribute? Contact [channel] for accessible feedback or a voluntary, compensated advisory session. Safe access remains available during any work, and we post notice of temporary disruptions.

Business announcement draft

[Organization] is beginning a bounded Child-Safer Spaces pilot at [locations]. The pilot will assess [specific controls] alongside maintenance, accessibility and operational measures. [Evaluation organization, only if confirmed in writing] will review [scope]. Findings, including limitations, will inform future decisions. No injury-prevention guarantee or insurance saving is claimed.

Claims approval checklist

Verify each factual statement against a dated record in the publication-claims register. Get permission before naming partners or showing logos. Never use "childproof", "zero risk", "certified

safe", unsupported percentages or implied insurer/government endorsement. Communications and evaluation leads approve; legal reviews material claims. Offer translated and accessible formats appropriate to the site.

No external source cited; program guidance.

Adult stakeholder interview and feedback forms

Workflow: W06 in document 49. Structured testing may need an ethics determination first.

Recruitment and consent introduction

We are seeking voluntary feedback from adult caregivers, disabled customers, older customers and staff about walking routes, carts and proposed improvements. This is feedback, not a safety test. You may skip questions or stop at any time. Please do not give a child's name or medical details; personal incidents go through the site's protected reporting channel. We explain any recording, retention and compensation before you agree.

Caregiver/customer questions

1. Which areas are hardest to get through, and when?
2. What makes you feel confident that hazards are handled?
3. How do you usually seat or carry young children while shopping, and what gets in the way of using the cart strap?
4. Looking at [neutral description of proposed change], what seems useful and what concerns you?
5. Would it affect your ability to use a mobility aid, stroller or cart? How?
6. How would you prefer to report a concern?
7. What evidence would you need before believing the change improves safety?
8. Is anything missing from this proposal?

Staff/manager questions

What recurring hazards are hardest to control? Which shift conditions matter? Can the proposed inspection and cleaning work fit available staffing? Which carts have broken or missing straps? What tools or training are missing? What would prompt you to stop use? What maintenance cost or disruption would make this impractical?

Insurer/government questions

What evidence is necessary for your decision? Which approvals or constraints are often missed? Which parts could be standardized? What incentives are within your authority, and what would need new policy or funding?

Proposed discovery sample and analysis

Start with roughly 5–8 adults in each relevant group as qualitative discovery, with disability representation and varied visit times. This is a convenience sample, not representative polling.

Report group counts, recruitment, non-response and themes, including objections. Do not present preference percentages as population estimates. Revise messages and design, then test with new participants.

Feedback log

Date [ ]; group [ ]; channel [ ]; theme [ ]; barrier [ ]; proposed action [ ]; owner [ ]; resolution shared [ ]. Keep identifying contact information separately, with permission, outside this workspace.

No external source cited; program guidance.

Scale, pause or stop decision memo

Workflow: W14 in document 49. Needs a signed sponsor decision.

Decision options and the evidence each needs

Option	Use when	Minimum evidence before deciding
STOP / REMOVE	Critical risks remain, the system is unsuitable, or safe maintenance cannot be funded	Unresolved critical finding or failed mandatory criterion; funded removal plan
REVISE	An addressable failure needs redesign and retesting	Root cause; corrected design; retest plan against pre-agreed criteria
EXTEND EVALUATION	Operations are acceptable but injury evidence is insufficient	Feasibility criteria met; analysis plan showing the exposure an effectiveness claim needs (document 35)
SCALE IN STAGES	Evidence, local approvals, capacity and funding all support it	Independent review; no unresolved critical defects; site-by-site approvals; maintenance and removal funded

Operational feasibility supports further testing, not an injury-reduction claim.

Required evidence summary

Sites, periods and exposure [ ]; intervention configuration [ ]; comparator [ ]; primary outcome and uncertainty [ ]; adverse outcomes [ ]; accessibility findings [ ]; cleaning and worker effort [ ]; defects and maintenance [ ]; total cost and withdrawal cost [ ]; protocol deviations [ ]; conflicts [ ]; missing data [ ]; independent review [ ].

Gate G6 questions

- Were the intended controls actually used and maintained?
- Are all critical defects and required approvals resolved?
- Are gains distinguishable from reporting, exposure or seasonal changes?
- Does the study support effectiveness, or only feasibility?
- Do child-specific data support any child-specific claim?
- Can new sites replicate the tested configuration and maintenance?
- Are removal, replacement, staff time and independent oversight funded?
- What uncertainty or adverse evidence argues against expansion?

Controlled expansion plan

Define a new cohort, site eligibility and budget cap; repeat jurisdiction and commissioning reviews for every site. Keep a configuration register and change notices. Monitor weekly at first and at locally approved intervals thereafter. Reopen the decision after adverse trends, material substitution, new evidence or changed use.

Decision record

Decision [ ]; rationale [ ]; conditions [ ]; dissent [ ]; sponsor [ ]; facilities [ ]; accessibility [ ]; evaluation [ ]; legal/risk [ ]; date [ ]; next review/expiry [ ]; published summary reference [ ]. Keep unfavourable results. Do not create a safety badge without a separate, credible certification scheme with independent surveillance.

No external source cited; program guidance.

Repository, document control and bundle guide

Version 3 guide

Version 3.0; issued 20 October 2026. Open index.html after extracting the full bundle, or open standalone.html on its own. The workspace includes 49 documents, workflow cards and decision rights, role entry points, search, editable templates, implementation tasks, sequential gates, 24 editable planning registers, cost scenarios with uncertainty and withdrawal, evaluation planning, the evidence ledger and the source register.

Records and limits

This is an offline, single-user planning tool. It has no authentication, encryption, tamper-resistant audit trail, organizational approvals or live collaboration. Never store sensitive incident, medical, child, witness, claims or contract information. Browser edits and CSV records are planning copies; official evidence and signatures stay in controlled systems.

Saving, recovery and transfer

Document drafts save as you type; other fields save when changed. The storage indicator shows whether this browser saved your work. If saved data cannot be read, the workspace keeps an untouched recovery copy and will not overwrite it until you choose. Before a backup import, CSV replacement, row removal or draft restore, an undo copy is kept. Version 1 and version 2 data in the same browser are copied into version 3 and the older copies are left unchanged. Export a JSON backup regularly; different file paths, browsers and devices do not synchronize.

Drafts and corrected originals

Version 3 corrects several original documents. A draft started from an earlier original is labelled "original updated — review", and the document view can show the differences line by line. Keep the draft, replace it with the current original, or merge by hand.

Print and source

The original handbook (handbook.html and handbook.pdf) and role packs are static issue copies. Use "Download working handbook" or "Print working handbook" to include local edits. documents/NN.md are the editable sources; source/content.json holds tasks, gates, registers, workflows, decision rights and sources; source/build.cjs regenerates everything; source/tests.cjs and source/browser-tests.py are the automated checks.

Document control

Assign owner, approver, version, effective date and review date when adopting a procedure. Recheck after incidents, design/material/cleaning changes, new evidence or new rules. Fictional examples are labelled and kept apart from live records. See VERIFICATION.md and TEST-REPORT.md for software checks and remaining limits.

Completion boundary

The pack supplies the general framework and adaptable work products. It does not supply a selected site, local legal opinion, approved product, signed commitments, insurer concession, grant award, ethics approval or demonstrated injury benefit. LOCAL-DECISIONS.md lists what remains.

No external source cited; program guidance.

Intervention comparison and selection library

Substantive solution

Adopt a layered program in which each intervention answers a documented mechanism. Spend first on recurring contamination, damaged walking surfaces, obstructed routes, cart condition and avoidable fixture geometry. Test a purpose-designed protective system only after considering removal, repair, relocation and redesign. Apply the same access, fire, hygiene and durability gates to every material.

Candidate comparison — engineering recommendations, not comparative efficacy estimates

Candidate	Mechanism and suitable use	Main failure risks	Evidence before adoption	Position
Leak/source repair	Stops recurrent wetting	Incomplete repair; water rerouted	Dry- and wet-weather inspection; repair acceptance	First priority where applicable
Entrance water management	Reduces tracked-in contamination	Saturation, curled mats, threshold conflict	Mat layout, saturation checks, change-in-level limits [S28]	Core site-specific control
Repair/replace damaged finish	Removes trip and surface defects	Poor bond, moisture, new transitions	Substrate investigation, approved finish, commissioning	Core remediation
Floor treatment/coating	Changes traction	Wears off, chemical mismatch, misleading laboratory rating	Relevant-condition testing and reapplication plan [S10]	Conditional; not a cure for leaks
Cart restraint use and cart maintenance	Falls from cart seats	Broken or missing straps; children unrestrained; car seats perched on carts [S32]	Fleet inspection log; observed correct restraint use [S34]	Core control where carts with child seats are used
Cart design and selection	Falls and tip-over	Older carts outside current design practice	Supplier evidence against the candidate cart standard F2372-15(2021) [S33]	Procurement criterion for cart replacement

Candidate	Mechanism and suitable use	Main failure risks	Evidence before adoption	Position
Display stability and stocking rules	Tip-over, falling merchandise	Unanchored freestanding fixtures; heavy stock high	Anchoring per manufacturer; stocking rules; audit	Core control; owner via task T35
Rounded/recessed fixtures	Removes or reduces contact geometry	New reach or clearance issues; structural modification	Manufacturer/designer approval and route review	Preferred design option
Commercial edge guard	May reduce local contact severity	Detachment, tearing, added projection, narrower route, cleaning access	Actual attachment, aging and cleaning evidence; protrusion and width check [S28]	Bounded candidate for a residual hazard
Resilient commercial flooring	May attenuate some impacts	Rolling effort, deformation, joints, fire and cleaning behaviour [S35]	Complete assembly and relevant impact evidence	Evaluate case by case
Engineered underlay with finish	Separates wearing layer and cushioning	Assembly mismatch, moisture trapping; FLIP found no injury benefit for one such system [S8]	Tested system with finish, underlay, adhesive and substrate	Requires system-level engineering
Interlocking household foam	Potential cushioning	Loose seams, uplift, loading, sanitation and fire uncertainty	Commercial evidence not normally established by domestic labelling	Not a retail specification
Pool noodles on fixtures	Informal padding	Weak attachment, tearing, loose parts, unknown fire behaviour	Redesign as a purpose-engineered commercial assembly	Never improvise an installation
Playground surfacing	Playground fall exposure	Wrong scope in retail; operational conflicts	Separate play-area design and applicable standards [S7]	Separate workstream

Selection worksheet

Hazard ID [ ]; mechanism [ ]; users/exposure [ ]; options including no capital work [ ]; elimination option [ ]; mandatory failures [ ]; supporting evidence [ ]; cost/maintenance comparison [ ];

preferred candidate [ ]; residual risks [ ]; independent reviewer [ ]; next gate [ ]. A scored preference never overrides a failed mandatory criterion.

Zone examples

Grocery entrance: investigate the water source, entrance coverage and cleaning response before any cushioning. Cart corral: inspect straps and seats; post restraint reminders; remove damaged carts. Dry toy-store aisle: inspect transitions and displays; never suggest that padding makes climbing safe. Queue: relocate sharp contact points and keep turning and escape space. Restaurant: zoning and sanitation compatibility may dominate floor selection. These are design starting points, not site specifications.

Sources cited: S7, S8, S10, S28, S32, S33, S34, S35

Site assessment and exposure-mapping workbook

Workflow: W03 in document 49. Can begin now.

Prepare the assessment

Owner: site lead with facilities and worker participation. Gather a floor plan, trading and cleaning schedules, de-identified incident mechanisms, maintenance history, cart fleet condition, known access concerns and planned renovations. Invite disability advisors through an accessible, voluntary and compensated process. Never stage hazards or ask children to demonstrate falls.

Site profile form

Site code [ ]; country [ ]; state/province/territory [ ]; municipality [ ]; occupancy/business type [ ]; tenant/owner [ ]; operating hours [ ]; typical/peak visitor entries [ ]; counting method [ ]; worker shifts [ ]; food/play zones [ ]; carts with child seats yes/no [ ]; stocking equipment [ ]; landlord restrictions [ ]; emergency plan reference [ ].

Walk each zone at different operating states

Observe opening, peak traffic, cleaning, restocking and wet weather where safely feasible. Record whether each condition is observed, reported or inferred. Inspect fixture edges, corners and projections from the floor to at least 120 cm for planning ages two to five — about the 97th-percentile height of five-year-olds in the WHO growth standards [S37] — and higher if older children are in scope. Record route widths, protrusions and transition heights for specialist review; a guessed dimension is not a compliance conclusion.

Zone	Observe	Required record
Exterior/entrance	Rain paths, drainage, mat coverage, threshold and drying	Weather, location, water source, maintenance owner
Cart corral and seats	Straps present and working, seat condition, wheels, signage	Cart IDs with defects; removal from service
Aisles/endcaps	Display bases, stacked stock, projections, visibility	Plan reference, obstruction source, restocking time
Queues/service	Pinch points, turns, fixtures, manoeuvring	Busy-period configuration and alternative route

Zone	Observe	Required record
Food-adjacent	Grease, spills, cleaning residues, ingress below finish	Contaminant, method, affected food zone
Equipment routes	Loaded wheels, turning, braking, stationary loads	Equipment mass/loading and wheel data
Separate play area	Boundaries and specialist requirements	Separate design owner; no retail-floor substitution

Hazard register completion

Write an observable condition — "entrance mat edge lifting at northwest corner after cart traffic" — rather than "unsafe floor". Record immediate containment, responsible role, permanent remedy, due date, verification and recurrence check. Critical conditions are isolated immediately; the rest of the assessment continues elsewhere.

Exposure protocol

Count entries over the same times and zones as events. Record sensor placement, exclusion of staff and re-entry, outages and manual validation samples. If only whole-store counts exist, report whole-store rates and do not label them zone rates. Child denominators need a separately approved, credible method. No facial recognition or identity tracking is required or allowed for this program.

Do not record here

Children's names, ages tied to an event, injury descriptions, photographs showing people, CCTV, witness details or claim numbers. Record only a coded reference to the protected record.

Review output

Rank recurring mechanisms, flag incomplete records, select one bounded intervention area and a comparable area or site, and issue a signed assessment summary. Keep photographs without people and a dated plan as evidence references in controlled storage.

Sources cited: S37

Verification test plan and laboratory acceptance form

Workflow: W08 in document 49. Criteria need specialist approval before any test.

Test plan must precede testing

Plan ID/version [ ]; system and intended zone [ ]; commissioning owner [ ]; test designer [ ]; independent lab [ ]; manufacturer [ ]; relevant authority requirements [ ]; specimen selection [ ]; approved acceptance schedule [ ]; conflicts [ ]. Numerical limits that the sources leave open must be set by competent specialists before ordering a public installation.

Test matrix

Test family	Conditions to specify	Results and pass decision
Traction	Dry; water; representative contaminants; cleaning residue; aged surface; direction; in situ after installation	Method/edition, instrument validation [S10], readings, uncertainty and site-specific acceptance
Seams/edges	New and aged; loaded crossing/turning; wetting/cleaning cycles	Gap/uplift/movement, bond failure, photographs and disposition
Static/rolling load	Maximum intended load, wheel type/contact area, turning radius, cycles and dwell	Residual indentation, delamination, rolling force and recovery time [S25]
Attachment	Exact guard/substrate/adhesive/fastener; foreseeable cleaning and contact abuse	Detachment, tearing, exposed fastener, loose parts and geometry
Route geometry	Guard thickness at real fixtures	Protrusion and clear width under the applicable rule [S28]
Cleanability	Actual soil, chemical, machine/pad, dilution, drying and seam access	Residue, ingress and damage; specialist-selected sanitation verification
Fire performance	Actual floor or fixture assembly and intended location	Required code test/classification and report applicability [S11]
Impact attenuation	Relevant surrogate/geometry, energy, substrate and conditioning	Measured force/acceleration and uncertainty; limited to the tested mechanism
Access/ergonomics	Routes, transitions, wheels, cane tips, turns, start/stop, loaded equipment	Specialist/user review with predefined tolerances and stop rules

Sampling and evidence integrity

The lab proposes replicate numbers from method, variability and decision confidence, and records why samples represent production lots. Record instrument identifiers and calibration, environmental conditions, specimen thickness and the full assembly. Keep failures and raw observations, not only a favourable mean. Test worn and cleaned systems where aging could change performance. Retest after composition or installation changes.

Acceptance form

Criterion [ ]; required value/qualitative condition [ ]; source of requirement [law/program/contract]; approving specialist/date [ ]; test report [ ]; actual result and uncertainty [ ]; pass/fail/undetermined [ ]; deviations [ ]; corrective action [ ]; independent reviewer [ ]. The most favourable result never overrides an unfavourable safety result.

Candidate methods register — applicability to be determined (editions checked 2026-10-20)

Topic	Candidate reference	Status and qualification
Tribometer validation	ASTM F2508-23 [S10]	Active. Validates instruments; explicitly not a safe threshold
Hard-surface tile traction	ANSI A326.3-2021 [S39]	Most recent edition; includes DCOF specifications and product-use classifications for hard surfaces; values not audited here. Program position: a laboratory classification does not by itself establish safety in use
Workplace slip missteps	ANSI/ASSP A1264.2-2022 [S40]	Workplace guidance on reducing slip missteps; full text not audited
Safe walking surfaces	ASTM F1637-21 [S38]	Active. Design, construction and maintenance practice; states it may not be adequate for some mobility impairments
Dynamic rolling loads	ASTM F2753-21 [S25]	Active. Resilient floor-covering systems, including joints; specify the actual equipment and loading
U.S. floor-covering fire	ASTM E648-25a [S11]	Active. Developed for corridors and exitways; the required class comes from the adopted code
Canadian surface burning	CAN/ULC-S102.2-18 (R2024) [S26]	Flooring, floor coverings and miscellaneous materials; listing status should be confirmed; code professional confirms edition, class and location

Topic	Candidate reference	Status and qualification
Canadian accessible design	CSA/ASC B651:23 [S27]	Referenced in the National Building Code and other legislation; confirm whether it binds this site
Shopping carts	ASTM F2372-15(2021) [S33]	Active. Carts and restraint systems for children 6 months–4 years; excludes infant carriers
Playground attenuation	ASTM F1292-26 [S7]	Active. Playground use zones only; no retail inference

A public listing identifies a method; it is not a compliance assessment. Record the required versus latest edition, licensed text, reviewer, approved threshold and report in the standards register.

Limits

F2508 does not convert a friction reading into an injury rate [S10]. Laboratory impact attenuation is a surrogate outcome. Never substitute a playground laboratory claim for whole-system operational acceptance.

Sources cited: S7, S10, S11, S25, S26, S27, S28, S33, S38, S39, S40

Inclusive access and worker-ergonomics review

Workflow: W08 and W10 in document 49. Needs a qualified accessibility reviewer.

Purpose

Assess whether the intervention keeps safe and dignified movement for everyone. Legal access review and practical usability review are complementary; neither a satisfied volunteer nor a code checklist alone establishes all-user suitability.

Planning requirements

Accessibility professional [ ]; worker ergonomics reviewer [ ]; adult advisory participants [voluntary, compensated as agreed] [ ]; accessible briefing format [ ]; privacy/ethics determination [ ]; tested configuration [ ]; comparator [ ]; predefined stop criteria [ ]. Provide a safe way to decline and stop; never ask a person to attempt an obviously hazardous route.

U.S. dimensions that padding and guards commonly affect

Source fact (2010 ADA Standards [S28]; scoping and stricter rules decided locally):

Requirement	Value	Why it matters here
Accessible route clear width	36 in (915 mm) minimum; 32 in (815 mm) allowed for up to 24 in (610 mm)	Guards on both sides of an aisle can take the width below the minimum
Protruding objects	Leading edges 27–80 in (685–2030 mm) above the floor may protrude 4 in (100 mm) maximum; protrusions may not reduce required clear width	Padding adds projection that a cane may not detect
Headroom	80 in (2030 mm) minimum	Overhead padding or signs
Changes in level	≤ 1/4 in vertical; ≤ 1/2 in bevelled no steeper than 1:2; larger must be ramped	Mat and underlay edges
Carpet	Securely attached; firm cushion, pad or backing, or none; pile ≤ 1/2 in; exposed edges trimmed	Soft or cushioned coverings on routes

In Canada, use the adopted provincial code and, where it applies, CSA/ASC B651:23 [S27]; do not convert U.S. dimensions into a Canadian compliance statement.

Controlled mock-up tasks

First inspect the configuration without users. Then, if accepted for testing, trained consenting adults — including disabled advisors using their own devices, where they agree — assess approach, entry, straight travel, turning, stopping, fixture reach and exit. Include representative manual and powered wheelchairs, walkers, canes, strollers and loaded carts. A few devices do not represent every user. No induced slips or falls, no child impact trials and no excessive exertion.

Measurement sheet

Task [ ]; device/wheel configuration [ ]; loading [ ]; surface/transition [ ]; direction [ ]; baseline and proposed condition [ ]; measured starting/sustained force where professionally specified [ ]; self-reported effort/discomfort [ ]; assistance required [ ]; snag/instability [ ]; action [ ]. Randomize task order where appropriate; provide rest and record incomplete tasks.

Review conditions

Predetermine tolerances with the relevant professional rather than inventing a universal acceptable increase in push force. Compliant flooring can raise the force needed to push carts, beds and wheelchairs [S35]. Inability to navigate, wheel or cane trapping, unexpected instability, pain or fatigue, or a new barrier suspends that test for review. A smooth alternate route must not become an inferior, obstructed or segregating service route.

Fixture and visual review

Check added guard thickness, circulation-path projections, cane detection [S24], visual contrast, glare and patterns that could be misread as steps or holes. Review the real fixture layout; cushioning can worsen projection hazards.

During works and closures

Keep accessible features in operable condition; interruptions must be isolated or temporary [S29]. Offer assistance such as retrieving goods when an aisle is closed [S14], and post notice of temporary disruptions where required (in Ontario, with reason, duration and alternatives [S43]).

Sign-off

Physical compliance review [ ]; user concerns and responses [ ]; worker workload review [ ]; unresolved limitations [ ]; conditions of acceptance [ ]; retest triggers [ ]; responsible reviewer/date [ ].

Sources cited: S14, S24, S27, S28, S29, S35, S43

Document 31, Supplier

Fire, hygiene and materials coordination brief

One assembly, several reviewers

The same change can affect flame behaviour, escape, cleaning, moisture and access. Facilities coordinates; fire/code, hygiene, accessibility and operations reviewers each decide within their remit. A supplier's "commercial grade" description is not an approval.

Fire and egress inquiry

Identify occupancy, installation location, floor versus wall/fixture use, thickness, exposed area, substrate, adhesive and proximity to escape routes or heat sources. Ask the code professional which test, classification and edition apply to each element. E648-25a is a floor-covering critical-radiant-flux method developed for corridors and exitways and does not by itself assess fire hazard [S11]; padding on fixtures or walls may fall under different provisions (interior finish, trim, decorative materials, furnishings or foam plastics, depending on the adopted code). Never reuse one material's floor report as evidence for a fixture guard or an untested adhesive combination. Carpet and rug products have their own federal flammability tests in the U.S. [S12], which do not classify every mat or foam product.

Record report scope, specimen match, laboratory, code reference, required class, result and the authority's determination. Confirm that trims, barriers and installation staging keep the escape route. Fire approval does not imply traction or hygiene acceptance.

Cleaning validation

Before procurement, cleaning staff demonstrate the routine on a mock-up using the actual product, soil, dilution, machine/pad and drying method. Look for residue, tackiness, odour, staining, tearing, slippery film, liquid ingress, inaccessible seams and inability to dry within the operating window. Health or food-safety reviewers set any microbial or other verification; appearance alone cannot demonstrate sanitation.

Food zones

The FDA Food Code is a model code; the 2026 edition was released on 17 September 2026 [S4] [S44]. Determine the locally adopted text and the requirements for the specific food preparation, storage or customer area. Do not assume an allowance or prohibition from another zone or jurisdiction. Obtain the applicable public-health determination for Canadian food premises.

Worker effort

Softer floors can increase the force needed to move carts, beds and wheelchairs [S35]. Include stocking and cleaning staff in the mock-up and record effort, not just appearance.

Material and environmental dossier

Request composition restrictions relevant to the market, emissions evidence if applicable, SDS for installation and cleaning chemicals where required, safe curing/ventilation conditions, expected degradation, repair method and disposal instructions. "Non-toxic", "eco-friendly" and "antimicrobial" need defined evidence and do not establish suitability. Do not add antimicrobial claims as a program benefit without relevant support.

Disposal and continuity

Budget for adhesive removal, substrate restoration, waste segregation and locally applicable disposal. Do not promise recycling without an accepting facility. Keep spare stock and an approved temporary control; never improvise an untested material during a supply shortage.

Sources cited: S4, S11, S12, S35, S44

Evidence register and commissioned research protocol

Status of the evidence

This pack uses a targeted review of official guidance, regulations, standards scopes, surveillance reports and a small number of primary studies. It does not establish a pooled child-retail injury reduction, a preferred commercial product or a universal benefit-cost ratio. A plausible biomechanical effect and a retail clinical benefit are different claims.

Evidence categories used

VERIFIED SOURCE FACT: a narrow statement supported by the cited source as read (access level recorded). PROGRAM RECOMMENDATION: our proposed operating rule or engineering approach. ILLUSTRATION: invented inputs used to explain a method. UNRESOLVED: information the site must obtain. These labels are not formal GRADE ratings. Every source keeps its population, setting, product and jurisdiction limits.

Priority claim ledger (full ledger in the Evidence view)

Claim	Category	Evidence	Transfer to children in retail	Decision implication
Contamination is implicated in almost all retail slips; signs only warn	Source fact (guidance)	[S2]	Mechanism plausible; no effect size	Source control and physical isolation
Cart falls dominate cart injuries to children under five	Source fact (surveillance)	[S31][S32]	Direct; no store denominators	Route cart controls before buying floor products
ADA limits on changes in level, carpet, protrusions and route width	Source fact (regulation)	[S28]	U.S. sites only	Padding and guards need geometry review
One compliant-flooring trial found no injury benefit	Source fact (RCT)	[S8]	Low	Do not claim generic cushioning efficacy
Compliant flooring raises push/pull forces	Source fact (scoping review)	[S35]	Mechanism transfers	Rolling effort is pass/fail

Claim	Category	Evidence	Transfer to children in retail	Decision implication
Playground surfacing method is specific to head-injury risk in playgrounds	Public standards scope	[S7]	None for aisles	No retail safety inference
This program reduces child-retail injuries by X%	Unresolved	None	—	Never publish a percentage claim
Edge guards reduce child injuries in retail	Unresolved	No controlled study found in targeted searches (2026-10-20)	—	Treat as an untested residual-hazard option

Search record for this review

Targeted searches and retrievals on 19–20 October 2026 covered regulator and standards pages, U.S. and Canadian surveillance programs, shopping-cart injury studies, compliant-flooring trials and reviews, and workplace slip-trip-fall programs. One literature database was not reachable (rate-limited), so a press release was used for one study and labelled as secondary. This is a record of a targeted review, not a systematic search.

Reproducible review to commission

Question: in public-facing retail environments involving children, which environmental or operational controls reduce same-level falls, cart falls, collisions or injury severity without increasing access or worker burdens? Define interventions, comparators, age groups, outcomes and eligible designs before searching. Search health and engineering databases and trial registries plus regulator sources; log the exact query, platform, date and coverage. Include adverse and null findings; search references and manufacturer evidence with conflict flags. Two reviewers independently screen and extract; document exclusions and resolve disagreements.

Extract population, setting, system, comparator, denominators, duration, outcome definitions, effect and interval, confounding, attrition, reporting changes and funding. Separate child-retail evidence from adult-care and laboratory evidence. Assess design-appropriate bias; do not combine incompatible outcomes. Do not call the review complete until the search and screening records exist.

Burden-data research

NEISS can inform product-associated emergency-department injury patterns [S19]; CHIRPP records what the injured person was doing and where, from 20 mostly paediatric hospitals, with coverage limits [S20]. Neither supplies store visits or proves a product caused an injury. Predefine narrative

coding, duplicate handling and ambiguous-setting rules; obtain a methods review before weighted estimates. No national retail-child total is invented in this pack.

Sources cited: S2, S7, S8, S19, S20, S28, S31, S32, S35

U.S. localization pathway with California example

Workflow: W07 in document 49. Needs local review.

National framework, local determination

Use the ADA and the relevant worker rules as starting layers, then establish state and local building, fire, public-health, liability and privacy requirements for the actual site. The DOJ distinguishes readily achievable barrier removal in existing facilities from alterations, which must be accessible to the maximum extent feasible [S14]. Do not assume an existing store is exempt because no large renovation is planned. Accessible features must be kept in operable working condition, with only isolated or temporary interruptions for maintenance or repair [S29].

Required routing

1. Operator supplies jurisdiction, ownership, occupancy and intended work.
2. Counsel or an accessibility professional determines ADA and state obligations.
3. Code professional identifies adopted construction and fire editions, local amendments and the alteration classification.
4. Building and fire officials confirm permit and inspection routes within their remit.
5. Health authority reviews food-related zones; the safety lead checks the federal or state-plan worker-safety regime [S3].
6. Property, insurance and procurement parties finalize contractual permissions and acceptance evidence.

California illustration — not a selected pilot location

California Building Standards Commission Bulletin 25-01 (1 July 2025) states that 1 January 2026 is the statewide effective date of the 2025 California Building Standards Code, that permit applications submitted on or after that date must comply with it, and that the 2022 code continues for applications received by 31 December 2025; local amendments must be ratified and filed for each edition [S17]. A purchase date alone does not set the governing code.

California Title 8, section 3273 ("Working Area") requires permanent floors and platforms to be free of dangerous projections or obstructions, kept in good repair and reasonably free of oil, grease or water, and slippery working surfaces to be protected [S16]. This protects workers; it is not a complete statement of duties to child customers. Ask counsel separately about premises obligations and preservation and reporting rules.

Illustrative completed routing row

Topic: walking surface. Type: LAW — applicability pending. Candidate reference: California Title 8 section 3273. Proposed reviewer: employer safety lead. Missing evidence: an actual California site and covered work conditions. Decision: UNRESOLVED. This example shows honest recording, not compliance approval.

No universal product approval

Ask whether a floor or guard is subject to product-specific rules as well as building installation requirements. The federal carpet and rug flammability standards [S12] cannot simply be assigned to every resilient material. Classification, warnings, documentation and installation obligations must match the actual product.

Release criteria

Signed local applicability matrix; permits or a documented "not required" determination; reviewed as-built configuration; required inspections; operator ownership; no critical open conditions. Archive the source and version, and recheck when scope or regulations change.

Sources cited: S3, S12, S14, S16, S17, S29

Canada localization pathway with Ontario example

Workflow: W07 in document 49. Needs local review.

National framework, provincial implementation

Use the national model codes as reference material and establish provincial or territorial adoption and local enforcement. The NRC lists the 2025 national model codes and directs readers to provincial or territorial officials to learn which codes apply [S6]. Confirm the responsible building and fire offices and any local health, worker-safety, accessibility, human-rights and occupiers' liability duties.

Ontario illustration — not a selected pilot

Ontario's accessibility page (updated 24 March 2025) says the 2024 Building Code defines accessibility requirements for most new construction and extensive renovations, that existing buildings are not affected unless an extensive renovation is planned, and that the code works together with the Design of Public Spaces standard [S18]. Ontario's customer service guidance (updated 21 September 2026) says organizations should give public notice when accessible facilities or services are temporarily disrupted, stating the reason, how long, and any alternative, for example at the entrance or on the website [S43]. A local professional must verify the current regulation text, amendments, transition provisions and project scope before relying on either page.

Do not read the building-code treatment of existing buildings as removing separate customer-service or human-rights obligations. Conversely, do not treat every indoor floor change as falling under an outdoor public-space standard. Record the precise provisions and reasoning.

Routing worksheet

Province/territory [ ]; municipality [ ]; property/occupancy [ ]; proposed work [ ]; building legislation and edition [ ]; fire requirements [ ]; public-health office [ ]; worker-safety regime [ ]; applicable accessibility/human-rights requirements [ ]; product/material restrictions [ ]; privacy law [ ]; lease responsibilities [ ]; permits and inspections [ ]; professional and authority references [ ].

Safety and research interfaces

CCOHS guidance treats good housekeeping as the first level of preventing slips and trips and recommends securing mats and rugs that do not lie flat [S15]; it is good practice, not the province's statute. An academic research partner should determine how TCPS 2 and institutional rules apply. TCPS 2 treats quality assurance and improvement as outside its research scope but states that pilot

studies fall within its definition of research requiring REB review [S22]. Do not treat the public visibility of a store as an automatic consent exemption for an intervention study.

Release criteria and language

Use the same evidence gates as the U.S. framework, with Canadian requirements and metric units. Provide language and access formats appropriate to the community and the applicable obligations. Do not translate U.S. legal labels or inches into a Canadian compliance statement. Record unresolved points and route them to a named local reviewer before purchasing an installed system.

Sources cited: S6, S15, S18, S22, S43

Statistical analysis and feasibility planning appendix

Pre-analysis plan fields

Protocol/version [ ]; primary estimand [ ]; unit of allocation [ ]; unit of analysis [ ]; sites [ ]; periods [ ]; exposure definition [ ]; event adjudication [ ]; statistical method [ ]; missingness rules [ ]; confounders [ ]; multiplicity approach [ ]; software/reproducibility record [ ]; independent analyst [ ]. Lock the plan before reviewing comparative results; label later analyses exploratory.

Rates and comparisons

Rate = events ÷ matching exposure × 100,000. Distinguish falls, falls with injury, cart-related events, collisions and injured persons. Report intervention and comparison counts and exposure with uncertainty. Use appropriate Poisson, negative-binomial or other justified models with an exposure offset and site/time structure; check overdispersion and clustering. A before/after difference alone does not remove seasonal or reporting effects.

Rare-event illustration

Illustration: assume a baseline of 2 injury events per 100,000 entries. A pilot with 100,000 entries would expect only 2 events. Under a simple Poisson model with perfect ascertainment, zero observed events give a one-sided 95% upper bound of $-\ln(0.05) \approx 3.0$ events per 100,000 entries — not zero. One observed event gives an upper bound of about 4.7. Clustering, ascertainment and exposure error make real bounds wider.

How much exposure would an effectiveness claim need?

Illustration (planning arithmetic, not a design): with the same 2 per 100,000 baseline, detecting a 20% lower rate (rate ratio 0.8) with 80% power at a two-sided 5% level, using the normal approximation for a log rate ratio with equal exposure, needs about 355 events in the comparison group — roughly 17.7 million entries per arm, about 177 times a 100,000-entry pilot, before any design effect for clustering. The Evaluation planning view repeats this calculation with your own inputs.

Sample-size commissioning

Specify the minimum effect worth detecting, acceptable error rates, baseline-rate uncertainty, cluster size and variation, between-site correlation, exposure forecasts, dropout and loss development. Ask the statistician for scenarios rather than one falsely precise number. If the

required exposure exceeds available resources, state that the study is a feasibility pilot and choose operational outcomes accordingly. Do not present a powered design without these inputs.

Missing and changing data

Keep unknown age and severity separate; do not assign missing reports to "no injury". Define exposure-outage handling before analysis. Check whether reporting rises after training; interpret near-miss increases alongside safety culture and conditions. Keep a versioned correction log and a reproducible aggregate dataset.

Decision interpretation

Report confidence intervals, potential biases and external validity, not only statistical significance. Lack of significance is not proof of equivalence or of no harm. A significant package effect does not isolate cushioning's contribution. Report all pre-specified balancing outcomes and explain deviations. Decide scale, redesign, extension or removal using document 25.

No external source cited; program guidance.

Delivery work breakdown and 90-day operating calendar

Dependencies, not just dates

Dates below are planning targets. Required reviews, procurement evidence and commissioning may take longer. Ordinary hazard correction continues immediately. The 90-day pilot clock starts after G4, not on the day this bundle is opened.

Workstream	Target	Owner	Required output	Dependency	Workflow
Workspace set-up	Day 1	Site lead	First backup; acceptance check	None	W01
Sponsor and site scope	Day 1–5	Sponsor	Charter, budget envelope, stop authority	None	W02
Hazard walk and urgent fixes	Day 1–3, then continuous	Operations	Hazard/action logs, safe routes	Existing safety procedures	W03, W04
Data and stakeholder discovery	Week 1–4+	Evaluation/community lead	Baseline quality, feedback, exposure plan, adjacent mechanisms routed	Privacy review	W05, W06
Jurisdiction and property routing	Week 1 onward	Facilities/legal	Written requirements and permissions	Exact work scope	W07
Options and test criteria	Week 2 onward	Designer/specialists	Selection rationale and acceptance schedule	Hazard map	W08
RFI, evidence and mock-up	After scope	Procurement	Comparable submissions, failures resolved	G2 pathway	W09
Installation and commissioning	Evidence-dependent	Site manager/facilities	Acceptance, training, handover, signed release	G3	W10
Feasibility operation	Pilot days 1–90	Operations/evaluation	Weekly logs and adverse review	G4	W13

Workstream	Target	Owner	Required output	Dependency	Workflow
Final review	Day 90 or justified extension	Independent reviewer	Decision memo and public summary	Complete dataset and caveats	W14, W15

During the pilot

Day 1: inspect after initial trading and cleaning; review all concerns. Week 1: verify workflows, material condition and logs daily. Weeks 2–4: weekly joint review; resolve recurring sources; confirm exposure quality. Days 30 and 60: formal operational, budget and access review; revise only through change control. Day 90: assess feasibility; extend effectiveness research if required rather than declare success from small counts.

Meeting agenda template

Previous decisions [ ]; critical defects/closures [ ]; incidents (protected record references only) [ ]; inspections [ ]; mobility/worker burden [ ]; exposure completeness [ ]; supplier changes [ ]; cost and schedule [ ]; community feedback [ ]; decisions, owner, deadline and evidence [ ].

Escalation and dependency control

Every task has an owner role, due date, status and evidence. Blocked tasks name the external dependency and the next contact. Changing a task's status or evidence reopens its gate and later gates; changing an owner or date does not. Late work never silently becomes approval. The task board holds non-sensitive planning status; official signatures stay in the organization's controlled system.

No external source cited; program guidance.

Funding, incentives and commercial adoption pathways

Separate existing mechanisms from new proposals

Source fact: the IRS describes a Disabled Access Credit (Form 8826) for small businesses that earned $1 million or less or had no more than 30 full-time employees in the previous year, and a barrier-removal deduction of up to $15,000 a year for qualified expenses that remove architectural and transportation barriers for people with disabilities and older adults (page reviewed 30 June 2026) [S23]. **Unresolved:** these apply only to qualifying expenditures under their rules — not automatically to cushioning, general child-safety work or participation in this program. Obtain current-year tax advice and documentation before assuming any benefit. No tax amount is included in the calculator.

Proposals only: municipal, provincial or state pilot grants, shared testing vouchers, philanthropic injury-prevention funding, group procurement and insurer incentives. No available award, open application window or insurer commitment is established here. Canadian funding must be researched for the actual applicant and location rather than asserted nationwide.

Funding stack worksheet

Source [ ]; existing/proposed [ ]; administering body [ ]; applicant eligibility [ ]; eligible expense [ ]; amount/cap [ ]; match [ ]; deadline [ ]; award/approval evidence [ ]; restrictions [ ]; duplicate-funding rule [ ]; reporting [ ]; owner [ ]. Count only confirmed awards in a committed budget; show speculative sources separately.

Pitch structure by funder

Business sponsor: capped learning investment, maintained legal controls and an explicit removal reserve. Public funder: shared evidence, equitable access, small-business feasibility and transparent procurement. Foundation: a defined prevention question and independent evaluation. Insurer: measurable risk controls and loss/exposure data. Manufacturer: testing/service contribution with independence and publication protections; support does not buy favourable conclusions.

Small-business route

Offer an assessment-first option emphasizing repairs, layout, cart maintenance and operating procedures before capital flooring. Pool independent technical advice or purchasing only after each site establishes fit. Standardize paperwork and training, not assumptions about identical hazards. Budget for staff participation, accessible advisory input and removal.

Procurement and competition

Use performance criteria and allow equivalent approaches. Declare conflicts, keep rejected-bid reasons and never use a sponsor's product as the mandatory standard. A shared testing program should define ownership of and access to results and the treatment of system variants.

Decision memo

Confirmed financing [ ]; unconfirmed opportunities [ ]; minimum viable safe scope [ ]; maintenance funding [ ]; removal funding [ ]; downside affordability [ ]; approval conditions [ ]. If safe maintenance cannot be funded, reduce or defer the candidate installation while continuing ordinary hazard correction.

Sources cited: S23

Coalition governance and independent assurance charter

Proposed structure

Create a steering group chaired by the operator/sponsor, with facilities, frontline workers, accessibility and disability representatives, community caregivers, insurer/risk advisors and independent evaluation expertise. Invite authorities within their remit without implying endorsement. Suppliers contribute technical information but do not adjudicate their own evidence.

Decisions and accountability

The operator keeps responsibility for safe premises and work. The steering group coordinates, budgets and reviews the program; it cannot waive law or shift duties to unpaid advisors. Professional reviewers sign only within their competence. Authorities keep their statutory powers. Public participation is advisory unless a specific governance agreement says otherwise. Decision rights are set out in document 49.

Charter fields

Purpose [ ]; members/roles [ ]; chair/deputy [ ]; terms [ ]; meeting frequency [ ]; quorum [ ]; decision method [ ]; conflict policy [ ]; independent review rights [ ]; budget authority [ ]; records custodian [ ]; public-report policy [ ]; complaint route [ ]; renewal/closure [ ]. Suggested quorum: sponsor/operator, operations, the relevant technical reviewer and the evaluation lead, with accessibility input for access decisions. Adopt locally; this is not a statutory requirement.

Independence controls

Declare financial and professional interests at appointment and whenever an agenda item changes them. Recuse conflicted members from supplier award and outcome judgement. Contracts should preserve access to necessary data and the right to report adverse or neutral findings within agreed privacy and confidentiality limits. Never allow a funder to rewrite scientific conclusions.

Assurance plan

First line: staff inspections and manager follow-up. Second line: corporate risk/facilities review of records and configuration. Third line: independent technical and evaluation audits at defined milestones. These are proposed layers, scaled to program size. Independence must be documented, not inferred from a job title.

Complaints and escalation

Offer accessible channels, acknowledge complaints within a locally adopted target, triage urgent hazards immediately, and report resolution without exposing personal details. Record complaints about accessibility, cleaning, worker burden and communications as safety information. Allow dissent in decision records. Escalate unresolved critical conditions to the sponsor and the relevant authority as required.

Program identity

Use "participating pilot site" only while participation is real and current. Do not issue "certified child-safe" badges. A future certification scheme would need separate standards, independent conformity assessment, surveillance, appeals, misuse controls and governance; none is created by this kit.

No external source cited; program guidance.

Ready-to-adapt procurement statement of work

Workflow: W09 in document 49. Award needs a signed decision after G2.

1. Invitation and objective

[Buyer] invites proposals to address [hazard IDs] at [site/zone] under the Child-Safer Spaces program. Bids may propose repair, redesign, operational improvement or a purpose-designed protective assembly. Selection is based on demonstrated suitability and whole-life cost; no particular foam or brand is required.

2. Scope and site information

Provide site access for assessment at [time]. Buyer supplies [plan, exposure, loads, substrate facts, cleaning methods, known constraints]. Bidder verifies conditions relevant to its design and lists assumptions. Scope includes design coordination, applicable submissions, mock-up/testing, installation, in-situ verification, commissioning, training, maintenance instructions, traceability and removal/restoration planning. Exclusions must be explicit.

3. Required submission

Technical approach and alternatives; exact system/configuration; compliance and approval assumptions; independent evidence and limits; completed acceptance schedule (document 08); risk/failure analysis; work and closure plan; accessibility, route-geometry, cleaning and load compatibility; qualifications; warranty/remedies; itemized pricing; recurring/replacement/removal costs; lead times; conflicts; references for comparable uses. Supply reports, not marketing summaries.

4. Evaluation and clarification

Mandatory criteria in document 08 are pass/fail. Unresolved mandatory evidence prevents award for public installation. Weighted scoring applies only to eligible submissions (document 09). The buyer may request clarification or independent testing; changes are documented and shared fairly with bidders. Do not turn a lowest-price decision into a claim of safety equivalence.

5. Deliverables and hold points

D1 survey and design; D2 accepted test/approval plan; D3 mock-up and dossier; D4 installation records; D5 in-situ verification, commissioning and required inspections; D6 training and handover; D7 scheduled follow-up; D8 defects/removal support. No concealed work or public reopening past a hold point without the designated written release.

6. Commercial schedule for legal completion

Contract price/currency [ ]; taxes/freight [ ]; milestones and retainage [ ]; insurance [ ]; permits [ ]; defects response [ ]; warranty [ ]; change control [ ]; recall/product-change notices [ ]; ownership of reports [ ]; confidentiality/privacy [ ]; indemnity/liability [ ]; termination/restoration [ ]; dispute/governing law [ ]. Local counsel completes and aligns this with the actual contract.

7. Acceptance

Acceptance requires evidence against every applicable criterion, resolved critical defects and signed operator and technical releases. Payment, use of the space or a vendor certificate is never a substitute for the agreed acceptance process. Preserve statutory rights and duties as determined by counsel.

No external source cited; program guidance.

Audit, corrective action and effectiveness verification

Audit scope

Audit whether the actual installed system, people and procedures match the approved program. Sampling cannot prove the absence of all hazards. Audit high-risk zones and adverse findings deliberately; do not sample only the easiest sites. Proposed cadence: commissioning, first month, formal pilot review, and after material changes or serious concerns, plus risk-based independent reviews.

Audit checklist

Area	Evidence to inspect	Failure requiring action
Configuration	As-built, lot IDs, approved substitutions	Unreviewed material/adhesive change
Routes	Actual layout during busy/restocking periods	Obstruction, narrowed route or new access/escape barrier
Carts	Strap and seat condition, removal of defective carts	Defective cart in service
Maintenance	Logs, observed work, chemical compatibility	Missing inspections, incompatible treatment
Product condition	Seams, movement, guards, ingress	Detachment, instability, contamination
Training	Demonstration and shift coverage	Staff cannot perform the critical response
Data	Event/exposure windows, duplicates, missingness	Invalid rates or understated missing data
Privacy	Workspace registers and exports	Personal or sensitive details stored in planning records
Claims	Notices, presentations and partner references	Unsupported efficacy or certification claim
Governance	Open actions and signed releases	Gate treated as complete without evidence

Finding classification — program definitions

Critical: immediate serious safety, access or egress concern, or an unaccepted system creating plausible harm; isolate and escalate. Major: required process or evidence absent, or systematic failure; prompt containment and sponsor review. Minor: bounded documentation or process defect without a known critical condition; correct by the assigned date. Review facts rather than relying on labels to delay protection.

Corrective action form

Finding ID [ ]; site/zone [ ]; condition/evidence [ ]; classification [ ]; containment [ ]; root-cause analysis [ ]; correction [ ]; systemic prevention [ ]; owner [ ]; due date [ ]; retest/verification method [ ]; verifier independent of the correction where feasible [ ]; result [ ]; recurrence review date [ ].

Effectiveness check

Verify the cause is addressed, not merely that a task was marked done. Example: after replacing a curling mat, check whether saturation, cart movement or fit caused recurrence. Sample later operating periods and cleaning cycles. Reopen the finding if the defect returns. Link recurring product issues across sites and batches.

Audit report

Scope and sample [ ]; limitations [ ]; findings [ ]; overdue actions [ ]; unresolved critical conditions [ ]; management response [ ]; independent reviewer [ ]; next review [ ]. Never average critical failures into an overall passing percentage.

No external source cited; program guidance.

Worked fictional example and completed sample records

Illustration only

Example site EX-001 is a fictional family-oriented general retailer. No real company, product, incident history, price, person or approval is represented. Each register in the workspace has a matching fictional example row (Planning registers → "Show fictional example"), and the CSV files in examples/ are labelled fictional. None of them is ever copied into live registers.

Assumed observations

At the entrance, a mat moves after loaded carts cross it and rainwater tracks around its edge. At one queue fixture, an exposed corner at about 90 cm is contacted by passing carts. Two carts at the corral have broken child-seat straps. The rest of the aisle floor appears intact during this limited walk; that does not establish whole-site safety.

Proposed response

Isolate the unstable area under the existing procedure and keep a safe accessible route. Remove the two carts from service and log them. Investigate entrance water management and mat fit/securement. Ask facilities to assess relocating or replacing the queue fixture with rounded geometry. Do not begin by covering the store in foam. If a commercial guard is still proposed, review attachment, projection, route width, cleaning and fire requirements before procurement.

Completed sample records (fictional)

Template	Example entry	Why it matters
Hazard H-EX-01	Entrance mat edge lifts after loaded carts; isolated; facilities notified	Observable condition and immediate action
Hazard H-EX-02	Two carts with broken child-seat straps; removed from service	Cart falls are the leading documented child-store mechanism
Action A-EX-01	Facilities to investigate water path and fixed-mat option; status in progress	Owner and pending work, not invented completion
Jurisdiction R-EX-01	Fire/code route for a fixture guard: UNDETERMINED; consultation sent	Honest jurisdiction gate

Template	Example entry	Why it matters
Test plan TP-EX-01	Attachment after cleaning cycles: threshold not yet approved; blocked	No post-hoc pass threshold
Decision D-EX-01	G0: approve assessment only; no installation	A plan is not a test report
Claim PC-EX-01	"This store is now child-proof" — rejected	Prohibited claim
Handoff HO-EX-01	Morning to evening shift: entrance east door closed, west route open; acknowledged	No hazard left unowned

Completed charter extract (fictional)

Project: EX pilot assessment. Sponsor: Regional operations director (role). Sites: EX-001. Intervention: hazard correction and cart maintenance; protective products only through G3. Comparator: none yet (feasibility only). Removal reserve: to be set before any purchase. Stop criteria: document 14 triggers. Signature: held in the controlled record CHARTER-EX v1 — not in this workspace.

Illustrative rate calculation

Illustration: 3 reported injury falls in 150,000 baseline entries and 2 in 120,000 follow-up entries give rates of 2.0 and 1.67 per 100,000. Raw counts and the apparent change do not establish benefit: counts are small, exposure or reporting may differ and no valid comparator is specified. The one-sided 95% upper bound for 2 events in 120,000 entries is about 5.2 per 100,000 — compatible with no change. Record uncertainty and follow the analysis plan rather than advertise a reduction.

Illustrative financial result

Use document 17's hypothetical 15,000 initial cost and its sensitivity and withdrawal cases to learn the calculator. They are not quotes for this fictional site. If costs, tests or maintenance are unaffordable, narrow the capital pilot and continue ordinary hazard correction. A no-go decision on a product can be a successful, evidence-based outcome.

No external source cited; program guidance.

Outreach sequence and ready-to-adapt messages

Workflow: W15 in document 49. These drafts are unsent; nothing is sent by this workspace.

Send only after local review

Replace placeholders and use authorized organizational channels. Do not name a partner, claim endorsement or imply an approved installation unless documented. Sequence outreach to resolve actual decisions: sponsor → facilities/property/accessibility → authorities → insurer → suppliers → community/evaluation partners.

Sponsor request

We request a capped assessment and feasibility pilot for [site] addressing [hazard mechanisms, including carts if relevant]. The program compares repair, design and operational controls with commercially engineered protective options. Please appoint accountable leads and authorize [assessment amount], with any installation subject to evidence gates and a funded removal plan. The initial decision is to investigate and control hazards, not to promise a reduction in injuries or premiums.

Disability/community advisor invitation

We are reviewing walking routes and fixture hazards at [site] and invite adult advisors to help identify practical access issues. Participation is voluntary; accessible formats and [compensation arrangements] are available. We will explain the proposed activity, privacy handling and any ethics review before participation. Advisors are not asked to certify safety, attempt dangerous tasks or provide children's personal information.

Independent evaluator inquiry

We seek an independent partner to refine a feasibility protocol and determine the evidence needed for an effectiveness study. Please propose outcome definitions, exposure measurement, comparison design, sample-size scenarios, ethics/privacy pathway, analysis and publication arrangements. Disclose relevant commercial relationships. Null and adverse findings must be reportable under agreed privacy protections.

Supplier clarification request

Please identify the exact assembly your report represents and any differences from our proposed substrate, adhesive, finish, thickness or use. Provide relevant wet, aged, loaded and cleaned results

and limitations, and the added thickness at our fixtures. Explain what would require retesting. Marketing claims or playground-only evidence cannot substitute for the acceptance schedule.

Follow-up and meeting close

Thank you for reviewing [specific question]. Our outstanding items are [ ]. Please identify the responsible decision-maker, required evidence and expected review steps. We will record the matter as unresolved until a written determination is received. Meeting close: decisions [ ]; advice versus binding conditions [ ]; actions/owners/dates [ ]; next review [ ].

Public-facing start

Use document 23's factual notice once the site's details and contacts are confirmed. Report changes people can actually see and use. Never recruit support by exaggerating injury burden or blaming caregivers for environmental hazards.

No external source cited; program guidance.

Ethics determination and data-sharing agreement outline

Workflow: W05 and W06 in document 49. Needs local review before any research activity.

Research versus operations

Routine hazard correction proceeds through existing safety processes. A planned intervention study, structured participant testing or secondary data research needs an applicable ethics and privacy determination before that activity begins. U.S. federal regulations define research as a systematic investigation, including development, testing and evaluation, designed to develop or contribute to generalizable knowledge [S41]. OHRP explains that most quality-improvement work is not research under those regulations but that intent to publish alone does not decide the question [S21]. Canada's TCPS 2 treats quality assurance and improvement and program evaluation as outside its research scope, but states that pilot studies fall within its definition of research requiring REB review [S22]. None of these sources grants an exemption for this project.

Determination request

Institution/site [ ]; sponsor/funding [ ]; purpose and research questions [ ]; activities [ ]; participants/age groups [ ]; intervention [ ]; identifiable information [ ]; recruitment/consent [ ]; risks and mitigation [ ]; data linkage [ ]; intended dissemination [ ]; applicable institutional policies [ ]. Obtain the authorized office's written determination and conditions; record its reference against G1/G3 tasks.

Participant protection

Use adults for initial usability discovery. Separate consent from access to ordinary services or employment expectations. Explain withdrawal, recording and compensation. Avoid collecting personal injury stories in public feedback. Research involving children needs separate expertise, parental permission/assent arrangements and safeguarding review as applicable; this pack does not authorize it.

Data-sharing schedule for legal review

Parties and roles [ ]; purpose [ ]; permitted dataset/fields [ ]; prohibited re-identification [ ]; legal basis/consent [ ]; security/access [ ]; transfer method and location [ ]; retention/deletion [ ]; onward sharing [ ]; breach notification [ ]; audit rights [ ]; publication and small-cell review [ ]; intellectual property [ ]; termination [ ]; signatories [ ]. No raw claims or CCTV transfer is presumed; if footage is used at all, follow the purpose, notice, security and retention principles in [S42].

Minimum analytical dataset

Prefer site-period aggregate counts, exposure, intervention dates and operational measures. If coded event-level data is necessary, justify each field and keep keys separate; coded data can remain identifiable in context. Keep time and location granularity only as needed and assess linkage risks. Removing names is not sufficient anonymization.

Release gate

The privacy officer and evaluation lead confirm that analysis and publication match the approved purpose, disclosures and data controls. Keep negative results; protect identities. An organizational confidentiality review must not become a hidden way to suppress unfavourable findings.

Sources cited: S21, S22, S41, S42

Year-by-year economics and scenario interpretation

Extended model

The workspace supports annual operating costs and retained-loss assumptions, annual escalation, a scheduled replacement, terminal salvage and an optional early withdrawal. It shows each year's cash flow, discounting and cumulative position, the effect of your low/high assumptions, and the all-pessimistic and all-optimistic combinations. All inputs are user assumptions. No actuarial loss development, tax calculation, probability distribution or validated efficacy estimate is embedded.

Inputs and conventions

Initial cost includes design, approvals, testing, materials, installation, closure, training and the removal reserve. Year-1 retained addressable loss means the business's expected costs for mechanisms this intervention could affect, net of costs borne by others. Reduction may be negative to model worsening losses. Other savings need a written, documented basis; assumed insurance-premium reductions and insurer payments are excluded. Escalation applies to loss, other savings and operating cost from year 2. Replacement is a one-time nominal amount at the chosen year-end; salvage is a year-end amount at the horizon. If a withdrawal year is set, benefits and costs stop after that year, later replacement and salvage are cancelled, and the removal cost beyond the reserve is charged in that year. Discount rate and cash flows must be consistently nominal or real.

Calculation

Annual gross benefit in year t = (year-1 retained loss × assumed reduction + year-1 documented other savings) × (1 + escalation)^(t−1), while the system is in place. Net cash flow subtracts escalated operating cost, scheduled replacement and any removal cost, and adds terminal salvage. Present value divides by (1 + discount)^t. NPV includes the negative initial cost at time zero. First cumulative recovery is reported only when there is an initial cost; a later replacement can reverse it, so read the whole table.

Scenarios

Run worsening, no-effect, modest-benefit and favourable-benefit cases without treating any as a forecast. Evaluate shorter life, more cleaning labour, closure cost, recurring replacement, early withdrawal and lower retained loss. A discounted break-even reduction tells you the effect needed under the assumptions; it does not say that effect is achievable or likely. Above 100%, the modelled loss reduction cannot pay for the program; at or below 0%, documented other savings already cover costs.

Cost of evidence and equity

Include independent review, advisory compensation, accessible materials and staff time. These are real costs even if no injury improvement is detected. A sponsor can choose to fund learning or accessibility outcomes without claiming financial payback; state that objective explicitly. Keep societal benefits separate from business cash flows rather than adding them to ROI.

Review and export

Finance validates quotations, currency, timing and allocation. Risk/actuarial staff validate retained-loss inputs and loss development. The evaluation lead owns the uncertainty in the reduction. Export the scenario and the year table with assumptions so another reviewer can reproduce it.

No external source cited; program guidance.

Master-prompt coverage and acceptance matrix

Coverage map

Required deliverable	Documents/tools	Completion boundary
Revised prompt and substantive solution	01, 02, 27	General framework complete; local scope needed
Stakeholder appeal and briefs	05, 19, 20, 23, 24, 42, 46	Hypotheses and drafts; research and outreach not performed
Evidence, transferability and uncertainty	04, 32, 35; Evidence view	Targeted review; systematic review not completed
Laws, authorities and standards	06, 07, 21, 29, 33, 34; Source register	References verified on 2026-10-20; local applicability unresolved
Controls that could create new hazards	08, 27, 29, 30, 31	Failure modes listed; testing of actual systems required
Charter, responsibilities and decision rights	03, 10, 14, 22, 38, 49	Draft terms; signatures and commitments external
Procurement and acceptance of the installed system	08, 09, 11, 21, 29, 39	Criteria framework; actual reports and thresholds required
Commissioning, daily work and training	11–14, 28, 36, 40, 47; Workflows	Ready-to-adapt procedures; competency and adoption external
Evaluation, data, privacy and ethics	15, 16, 18, 35, 43; Evaluation planning	Protocol, dictionary and planning arithmetic; determinations external
Economics and funding	17, 37, 44; Cost scenarios	Illustrations, ranges and withdrawal; quotes and eligibility unverified
Scale and launch decisions	25, 48; Decision gates	Evidence-based templates; no approval invented
Operational bundle	Workspace, handbook, CSVs, source, tests	Local single-user planning; not a regulated system of record

Software acceptance criteria

The release opens without external libraries or network access; role entry points, workflows, filters and full-text search work; documents are editable and recoverable; drafts based on corrected originals are flagged; backups and CSVs import only after validation and preview, with undo; unreadable saved data is quarantined rather than overwritten; v1/v2 data migrate without being modified; gate dependencies are enforced and reopening is explicit; CSV export neutralizes formula-like text; calculations match independent fixtures; invalid inputs never silently produce results. TEST-REPORT.md lists the checks executed and those not verified.

Content acceptance criteria

No invented partner, insurer concession, code approval, threshold or product efficacy. Every legal and standards statement keeps its scope, edition and retrieval date. Illustrative examples stay separate from live records. Critical unresolved requirements block readiness. Public statements distinguish participation, feasibility and effectiveness. Templates name owners, evidence and the decision they support.

Unfinished real-world work

Select site and team; verify local requirements; collect baseline and exposure; engage advisors; obtain supplier and independent reports; approve thresholds; secure funding and permissions; install and commission if authorized; train staff; run and evaluate the pilot; make and sign the scale decision. The "Local decisions" list on the Start view and in LOCAL-DECISIONS.md names who decides each item. These are implementation dependencies, not missing documents to be filled with guesses.

No external source cited; program guidance.

Entity playbooks and first deliverables

Each role's entry point is also on the Start view: choose your role to see what you can do today, what needs local review, what needs a signed commitment, and who you hand off to.

Business sponsor

Start with 02, 03, 10, 17 and 49. Today: name the site lead and deputies and authorize the assessment. Needs review: legal and insurance conditions. Needs signature: charter, budget envelope and removal reserve. First deliverable: signed charter plus budget envelope. Hand off to: site lead (W02→W03). Do not instruct procurement to buy a material before the suitability review.

Store manager and workers

Start with 12–14, 28, 36 and 47. Today: walk hazards including carts, assign response coverage, keep safe routes and log defects. Needs review: changes to cleaning chemicals or methods. Needs signature: release of a closed area after a system defect (document 14). First deliverable: current hazard/action list and shift procedure. Hand off at every shift change (W16). Ordinary safety work never waits for a research protocol.

Facilities, accessibility and fire/code reviewers

Start with 06–08, 29–31 and 11. Today: define the actual assembly and work scope. Needs review: applicable rules and measurable acceptance criteria. Needs signature: commissioning release. First deliverable: coordinated requirements/test schedule with unresolved conditions. Review dimensions and operations at the actual installation, not only drawings.

Insurer, broker or self-insured risk team

Start with 19, 15–17 and 44. Today: share loss-data definitions and notice requirements. Needs review: coverage and contractor conditions. Needs signature: any premium or term change, in writing. First deliverable: written review questions and policy-specific conditions. No premium reduction is presumed.

Government and public-health staff

Start with 07, 20, 33 or 34. Today: identify your remit and the correct office. Needs review: determinations within your authority. Needs signature: permits or written determinations. First deliverable: local requirements, an authority response or a policy-review pathway. Taking part in discussion is not endorsement.

Suppliers, laboratories and installers

Start with 08, 09, 21, 29 and 39. Today: identify the exact configuration and every untested assumption. Needs review: acceptance criteria set by the buyer's specialists. Needs signature: contract and hold-point releases. First deliverable: completed dossier and acceptance schedule.

Landlord and contractors

Start with 22, 11, 12 and 31. Today: identify alteration permissions, leak/substrate ownership and cart-fleet responsibility. Needs review: compatibility of cleaning methods. Needs signature: responsibility schedule incorporated into actual contracts. First deliverable: agreed responsibility schedule.

Community advisors and researchers

Start with 24, 30, 32, 35 and 43. Today: share practical access concerns and evidence questions. Needs review: ethics determination for structured testing. Needs signature: data-sharing agreement. First deliverable: feedback themes or an evaluation proposal with limitations. Advisors are never asked to certify safety.

Everyone

Use the task board for non-sensitive coordination, the gate tracker for evidence references, the workflows view for who decides what, and the document library for role packs. Keep official signatures, personal records and confidential contracts in approved systems. Review G0–G6 together at handovers.

No external source cited; program guidance.

Operational job aids and scenario exercises

Opening checklist — adopt and localize

Confirm designated responders and deputies; walk entrance, aisle, queue and cart-corral routes; inspect mats, seams, guards and cart straps; verify supplies and barriers; check open defects and closures; verify safe accessible and escape routes; review weather, restocking and cleaning plans; record time, findings and owner. Reopening a previously closed area needs its release, not just an opening checklist tick.

Handover checklist

Outgoing lead communicates open hazards, isolated zones, temporary routes, incomplete clean-up, repair visits, product changes and missed checks. Incoming lead acknowledges ownership and records the next required action in the handoff log. Never leave "contractor will handle it" without a named responsible role and confirmation.

Scenario A: wet entrance with curled mat

Expected response: protect customers and workers; keep safe access and egress; notify the lead; address water and the unstable mat under the approved procedure; verify before reopening; log the response and the source investigation. Wrong inference: more padding automatically fixes the hazard. Debrief: who owns saturation and replacement checks?

Scenario B: guard partly detached after cleaning

Expected response: isolate the contact area as needed, prevent access to loose parts, preserve product/batch evidence and notify facilities. Do not push it back or use an unapproved adhesive. Review cleaning compatibility and attachment; inspect matching installations. Restart only after an approved correction and verification.

Scenario C: customer reports wheelchair difficulty

Expected response: offer assistance through the site's accessible service process, record the barrier without unnecessary personal data, and escalate the route for review. Do not dismiss the complaint because a lab report passed. Stop use of a system that creates an unresolved access barrier.

Scenario D: zero injuries in month one

Expected response: report counts and exposure honestly, inspect data completeness and balancing measures, and continue the planned review. Do not display a claim that the floor prevents injuries. Ask whether reporting changed and whether exposure is enough for any inference: zero events in 100,000 entries still leaves an upper bound of about 3 per 100,000 (document 35).

Scenario E: a child-seat strap is broken

Expected response: take the cart out of service, tag it, log it in the hazard register without any customer details, and tell the cart-fleet owner. Check the rest of the corral. Wrong inference: the floor program covers cart falls.

Scenario F: someone types incident details into the workspace

Expected response: when the workspace flags a name, age, injury or claim number, edit the entry to a coded reference to the protected system. If sensitive details were already saved or exported, tell the privacy lead, remove them from the planning record and replace any exported copies.

Knowledge check and answer key

Can a warning sign alone isolate a hazard? No; use the site control procedure. Does playground testing approve a retail aisle? No. Who sets test thresholds? The competent reviewer, before testing. Who can stop use? Any trained worker starts isolation; the site manager suspends; the sponsor decides permanent withdrawal. Where do medical and claims details go? The protected organizational system.

Competency release

Learner role/code [ ]; exercise [ ]; critical steps demonstrated [ ]; missed steps/retraining [ ]; trainer [ ]; date [ ]; supervisor verification [ ]. Review whether staff have time, equipment and authority to carry out the process; training cannot compensate for an impossible workload.

No external source cited; program guidance.

Launch dossier and go/no-go review agenda

Workflow: W10 (go/no-go) in document 49. Needs signed releases.

What may launch today

The planning program: name owners, approve assessment resources, inspect and correct hazards through existing procedures, maintain carts, organize records and request specialist, authority and supplier input. This launch does not authorize an unreviewed physical installation or an intervention study.

Physical pilot launch dossier

Index the signed charter; site/zone plan; local applicability and permits; landlord agreement; exact accepted assembly; independent reports and mock-up; approved installation, in-situ verification and commissioning records; training and shift coverage; cleaning/maintenance plan; removal reserve and method; privacy/ethics determination; evaluation protocol; incident contacts; public notice and any notice of temporary disruption; and all open conditions.

Go/no-go meeting agenda

1. Confirm scope and actual configuration, including substitutions.
2. Review each mandatory criterion and required authority determination.
3. Demonstrate operating readiness and the safe alternative route.
4. Review all adverse findings, dissent and unresolved questions.
5. Confirm data quality, evaluation limits and honest public claims.
6. Confirm budget, maintenance capacity and removal ability.
7. Record a decision: go under stated conditions, revise/retest, defer, or reject/remove — with the decision rights in document 49.

Non-negotiable no-go conditions — program rules

An unresolved critical safety, access, fire or health condition; a required permission missing; unknown performance of the offered system against a mandatory criterion; no competent operator or maintenance coverage; inability to restore a safe surface; or a research activity lacking the required determination. A sponsor's enthusiasm or a supplier warranty cannot waive these conditions.

Decision form

Site [ ]; scope/version [ ]; meeting date [ ]; attendees by role [ ]; evidence index [ ]; conditions [ ]; no-go items [ ]; decision and rationale [ ]; dissent [ ]; authorized signatories [ ]; launch date if approved [ ]; first inspection/review [ ]; expiry/review trigger [ ]. Formal signatures belong in the controlled record, not a browser checkbox.

After launch

Publish only the approved factual notice, inspect early operating and cleaning cycles, keep response capacity and review all concerns. Report material adverse findings promptly through the defined channels. Changes reopen affected gates. At pilot end, decide to scale, extend, redesign or remove using document 25 and keep the evidence for future sites.

No external source cited; program guidance.

Workflow cards and decision rights

How to use these cards

Each workflow names its trigger, prerequisites, owner, decision authority, inputs, steps, record, acceptance criteria and escalation route. The label says whether the work needs no new approval, needs local review, or needs a signed commitment; gates still run in order. The Workflows view in the workspace shows the same cards with links to documents and registers. This document is generated from source/content.json; edit the workflows there, or keep a local draft here.

Decision rights and evidence

Decision	Who may start it	Who decides	Minimum evidence	Timing (program default)	Record	Escalation
Isolate a hazard or close an area	Any trained worker	Shift lead confirms	An observed condition; a safe accessible alternative	Immediately (program rule)	Hazard or spill row	Site manager if it cannot be made safe
Reopen an isolated area	Shift lead	Designated reopening role	Verification that the condition is corrected	After verification only	Spill or inspection row	Site manager
Suspend an installed system	Any worker, shift lead or reviewer	Site manager	A stop trigger (document 14); isolation in place	Same shift (program rule)	Decision row; coded incident reference	Sponsor and facilities
Withdraw a system permanently	Site manager, facilities or evaluation lead	Sponsor	Unresolved critical risk or failed mandatory criterion; removal plan	As soon as the decision is evidenced	Decision row; asset status	Authority or supplier where required

Decision	Who may start it	Who decides	Minimum evidence	Timing (program default)	Record	Escalation
Approve a correction	Facilities lead	Facilities lead with the relevant specialist	Root cause; corrected design; retest plan against pre-agreed criteria	Before restart	Change-control row	Sponsor if criteria would change
Restart after suspension	Facilities lead	Site manager and facilities lead; accessibility reviewer for access; authority where required; sponsor for pilot continuation	Retest passed; retraining done; procedure revised	After all signatures	Decision row	Sponsor
Change product, adhesive, chemical or configuration	Anyone	Facilities lead after review	Change-control review; retest if performance could change	Before the change	Change-control row	Specialists; authority if regulated
Start public use (go-live)	Site manager	Sponsor at go/no-go	Commissioning passed; approvals; training; withdrawal readiness	Only after G4	Signed release; decision row	No-go conditions in document 48 cannot be waived
Extend the evaluation	Evaluation lead	Steering group	Feasibility met; analysis plan for effectiveness	At pilot review	Decision row	Sponsor

Decision	Who may start it	Who decides	Minimum evidence	Timing (program default)	Record	Escalation
Scale to new sites	Sponsor	Executive sponsor	Independent review; no unresolved critical defects; site-by-site approvals; funded maintenance and removal	After G6	Signed decision memo	Repeat W07 and W10 at each site
Publish a claim	Communications lead	Communications and evaluation leads; legal for material claims	Dated evidence for every statement	Before publication	Publication-claims row	Reject if unsupported
Stop the whole program	Any steering-group member	Sponsor	Unmanageable risk, cost or loss of capacity	When evidenced	Decision row	Ordinary hazard correction continues regardless

No decision right here can waive an applicable legal requirement or an authority's determination.

W01 · Open the bundle and set up the workspace

No approval needed · Gate: G0 · Owner: Site lead · Decision authority: None needed (set-up only)

Part	Detail
Trigger	First use of the bundle, a new device or browser, or a new version.
Prerequisites	The full ZIP extracted to an approved folder; one assigned editor.
Inputs	The bundle; a non-identifying site code; an approved backup location.
Output or record	A dated backup file; a software-acceptance row.
Acceptance or completion	The indicator shows "Saved in this browser" (or you have chosen to work from exports); the backup preview opens without errors.

Part	Detail
Exceptions and escalation	Storage unavailable or blocked: keep working and export before closing. Pages do not load: try standalone.html, then ask IT. Never bypass device or browser security settings.
Documents	26, 18
Registers	software_acceptance, site_profile

Steps

1. Open index.html (or standalone.html) and check the storage indicator in the status bar at the bottom of the page.
2. Enter the non-identifying site profile in the Implementation plan.
3. Export the first planning backup to the approved location and name it with the date.
4. Re-import that backup to see the validation preview, then cancel.
5. Record the browser and result in the software-acceptance register (source/MANUAL-CHECKS.md).

W02 · Appoint owners, scope and charter (G0)

Needs signed commitment · Gate: G0 · Owner: Sponsor · Decision authority: Sponsor (budget, scope, stop authority)

Part	Detail
Trigger	A decision to explore the program at one or more sites.
Prerequisites	A sponsor willing to hold stop and withdrawal authority.
Inputs	Site list, organization chart, budget envelope, existing safety procedures.
Output or record	Signed charter in the controlled system; G0 decision row.
Acceptance or completion	T01–T05 have dispositions with evidence references; the G0 note cites the signed record.
Exceptions and escalation	No sponsor accepts stop authority: do not proceed beyond ordinary hazard correction. Budget refused: continue W03/W04 only.
Documents	02, 03, 10
Registers	decisions, budget, site_profile

Steps

1. Name the sponsor, site lead, facilities owner, evaluation lead and deputies (T01).
2. Define sites, jurisdiction and scope, including exclusions and adjacent mechanisms (T02).
3. Propose assessment budget and removal-reserve approach for signature (T03).
4. Adopt the charter, responsibility matrix and decision rights (document 10; document 49) (T05).
5. Record the G0 decision reference after the signed record exists.

W03 · Initial hazard walk, immediate controls and routing

No approval needed · Gate: G0 · Owner: Site manager · Decision authority: Site manager (isolation and closure)

Part	Detail
Trigger	Day 1; any layout, product, season or traffic change; a reported concern.
Prerequisites	Existing safety and emergency procedures; barriers and supplies available.
Inputs	Floor plan, the 0–120 cm child survey band (document 28), cart-fleet status, hazard checklist.
Output or record	Hazard and action rows; routing decisions for adjacent mechanisms.
Acceptance or completion	Every critical condition is isolated with an owner and verification; no hazard is kept for research; every adjacent mechanism has a named owner.
Exceptions and escalation	No capacity to repair: tell the sponsor the same day. Regulated systems (egress, fire protection, structure) affected: landlord and the authority.
Documents	04, 28, 27
Registers	hazards, actions

Steps

1. Walk every zone at opening, peak, cleaning and restocking where safely feasible, with facilities and a worker representative.
2. Record each observable condition in the hazard register — never people's details.
3. Isolate critical conditions at once with a physical barrier and an accessible alternative; offer assistance.
4. Take defective carts out of service and log them.
5. Assign owners and due dates in the action register.
6. Route carts, tip-over, falling merchandise, doors and escalators to their accountable owners (T35).

W04 · Daily inspection, spill response and reopening

No approval needed · Gate: any · Owner: Shift lead · Decision authority: Shift lead isolates; the designated role reopens after verification

Part	Detail
Trigger	Scheduled inspection, a spill or contamination report, cleaning, restocking or weather.
Prerequisites	Trained responder and deputy on shift; approved cleaning methods; barriers.
Inputs	Inspection schedule, approved chemicals and dilution, spill kit.
Output or record	Spill-response and inspection rows; handoff rows.
Acceptance or completion	All four timestamps recorded; reopening verified by the authorized role; recurring sources escalated.
Exceptions and escalation	Recurring source or overdue repair: site manager the same shift. Product defect: suspend under W11.
Documents	12, 13, 47
Registers	spill_response, inspection, handoffs

Steps

1. Protect people: physically block entry and keep an accessible alternative.
2. Offer assistance (for example, retrieve goods from a closed aisle).
3. Identify the hazard; call a specialist for unknown chemicals or blood.
4. Clean and fix the source with the approved method; keep the area closed while wet.
5. Verify dryness, residue, seams and guards before reopening.
6. Log the four timestamps; hand over open items at shift change (W16).

W05 · Baseline data, exposure and evidence plan (G1)

Needs local review · Gate: G1 · Owner: Evaluation lead · Decision authority: Privacy officer (data access); research-ethics office (if research)

Part	Detail
Trigger	G0 complete or near complete.
Prerequisites	Privacy and research-ethics determinations requested (T07).

Part	Detail
Inputs	De-identified aggregate incident counts, visitor counts and their methods, the evidence ledger.
Output or record	Aggregate-outcome rows; evidence rows; determination references.
Acceptance or completion	Event and exposure windows match; missingness documented; no identifiable data in the workspace; determinations recorded.
Exceptions and escalation	Identifiable data offered or requested: stop and refer to the privacy officer. Determination refused or pending: operational controls only.
Documents	15, 16, 35, 43, 32
Registers	aggregate_outcomes, evidence

Steps

1. Ask the privacy officer which aggregate data may be shared and how.
2. Request a research or quality-improvement determination before any structured study.
3. Enter aggregate counts and exposure by period; record missing exposure.
4. Use Evaluation planning to see what the data can and cannot show.
5. Record evidence gaps and lock a pre-analysis plan (T09, T10).

W06 · Community, disability and worker consultation

Needs local review · Gate: G1 · Owner: Community lead · Decision authority: Ethics office if the activity is research; sponsor for compensation

Part	Detail
Trigger	Before selecting products, and before any physical pilot.
Prerequisites	Accessible formats; compensation arrangements; privacy notice.
Inputs	Interview guide (document 24), invitation (document 42).
Output or record	Stakeholder-feedback rows.
Acceptance or completion	Each group's themes and objections recorded; responses assigned owners.
Exceptions and escalation	Structured testing proposed: obtain an ethics determination first. Advisor raises a safety concern: treat as a hazard report (W03).

Part	Detail
Documents	05, 24, 30, 42
Registers	stakeholder_feedback

Steps

1. Invite adult advisors through accessible, voluntary and compensated channels.
2. Explain recording, retention and withdrawal before participation.
3. Record themes and objections without personal details.
4. Feed barriers into the hazard and action registers.

W07 · Jurisdiction, permits, landlord and insurer routing (G2)

Needs local review · Gate: G2 · Owner: Facilities / legal lead · Decision authority: Authorities having jurisdiction; landlord; insurer (each within its remit)

Part	Detail
Trigger	A proposed physical change, or before any procurement commitment.
Prerequisites	An exact work scope and site profile.
Inputs	Documents 06, 07, 19, 22, 33/34; drawings and dossier.
Output or record	Jurisdiction and consultation rows; written determinations.
Acceptance or completion	Every requirement has type, citation, edition and reviewer; every "not applicable" has a reason; written determinations exist for regulated work.
Exceptions and escalation	Conflicting advice: code professional or counsel decides. Silence: treat as unresolved, never as approval.
Documents	06, 07, 19, 22, 33, 34
Registers	jurisdiction, consultation

Steps

1. List every requirement as LAW, CONTRACT, PROGRAM or PROPOSAL with citation, edition and reviewer.
2. Send the authority consultation request (document 07) and record answers as advice or binding conditions.
3. Obtain landlord consent and responsibility allocation in writing.

4. Ask the insurer for policy-specific notice and conditions in writing.

W08 · Option selection and acceptance criteria (G3, part 1)

Needs local review · Gate: G3 · Owner: Designer with specialists · Decision authority: Competent specialists approve criteria before any test

Part	Detail
Trigger	G2 pathway known for the proposed work.
Prerequisites	Hazard mechanisms documented; intervention library reviewed.
Inputs	Documents 08, 27, 29, 30, 31; hazard register.
Output or record	Selection worksheet; product-acceptance, test-plan and standards rows.
Acceptance or completion	Every mandatory criterion is pass/fail with an approved threshold or qualitative condition set before testing.
Exceptions and escalation	No competent specialist available: no protective installation; continue ordinary controls.
Documents	08, 27, 29, 30, 31
Registers	product_acceptance, test_plan, standards

Steps

1. Compare elimination, repair, redesign, operational and protective options for each mechanism.
2. Write acceptance criteria for the whole installed system with method, edition and threshold basis.
3. Have specialists approve thresholds before any test is ordered.
4. Record candidate methods and required editions in the standards register.

W09 · Procurement, dossier and mock-up (G3, part 2)

Needs signed commitment · Gate: G3 · Owner: Procurement lead · Decision authority: Sponsor signs the award after mandatory criteria pass

Part	Detail
Trigger	Approved criteria exist (W08).
Prerequisites	G2 pathway established; budget envelope.

Part	Detail
Inputs	Statement of work (document 39), RFI (document 09), acceptance schedule.
Output or record	Dossier; mock-up records; signed award in the controlled record.
Acceptance or completion	All mandatory criteria pass; no critical criterion undetermined; removal funded.
Exceptions and escalation	Supplier withholds data: exclude the bid. Mock-up fails: return to W08.
Documents	09, 21, 39
Registers	budget, test_plan

Steps

1. Issue the RFI/SOW with the acceptance schedule.
2. Pass/fail mandatory criteria before scoring.
3. Run the mock-up with loaded carts, mobility devices and the actual cleaning routine.
4. Commission an independent review of reports; resolve critical gaps.
5. Finalize contract, budget and restoration plan for signature (T20).

W10 · Installation, commissioning and go/no-go (G4)

Needs signed commitment · Gate: G4 · Owner: Site manager with facilities · Decision authority: Site manager and facilities sign the release; authorities inspect where required; sponsor decides go/no-go

Part	Detail
Trigger	Signed award and approvals in place.
Prerequisites	G0–G3 complete; permits; landlord consent; notice of temporary disruption where required.
Inputs	Approved drawings and assembly; commissioning checklist (document 11).
Output or record	Commissioning and asset rows; signed release and go/no-go decision.
Acceptance or completion	Every commissioning criterion passes; no critical defect open; training demonstrated; removal reserve available.
Exceptions and escalation	Any critical defect: no public use. A no-go condition in document 48: decision is "no-go" regardless of schedule.
Documents	11, 13, 48, 30

Part	Detail
Registers	commissioning, assets, training, decisions

Steps

1. Enforce installer hold points; record batches and deviations.
2. Repeat the approved slip-resistance check in situ; measure route widths, protrusions and transitions.
3. Demonstrate mobility aids, strollers, loaded carts and cleaning with consenting adults.
4. Demonstrate staff competency on every shift (T23).
5. Confirm maintenance, data and withdrawal readiness (T24).
6. Hold the go/no-go review and record signed releases (T25).

W11 · Stop, isolate, suspend or withdraw

No approval needed · Gate: any · Owner: Any trained worker starts; site manager suspends; sponsor withdraws · Decision authority: See the decision-rights matrix

Part	Detail
Trigger	A stop trigger in document 14, or any concern that a system is unsafe.
Prerequisites	None — protective action never waits for proof of causation.
Inputs	Stop triggers; isolation equipment; contact sheet.
Output or record	Decision row; incident reference in the protected system; asset status.
Acceptance or completion	The area is isolated promptly; the decision is recorded; affected batches are checked.
Exceptions and escalation	Serious injury: emergency services, then legal/claims contacts under existing policy.
Documents	14, 47
Registers	decisions, assets, change_control

Steps

1. Isolate the area and keep an accessible alternative.
2. Notify the shift lead and site manager; use the emergency process for any injury.
3. Site manager suspends the affected installation.
4. Record the decision with a coded incident reference.
5. Check other sites with the same batch or assembly.

6. Sponsor decides permanent withdrawal if the risk cannot be corrected.

W12 · Correct and restart

Needs local review · Gate: G4 · Owner: Facilities lead · Decision authority: Site manager and facilities; accessibility reviewer for access issues; authority where required; sponsor for pilot continuation

Part	Detail
Trigger	A suspended system with a proposed correction.
Prerequisites	Root cause identified; corrected design.
Inputs	Original acceptance criteria; change-control record.
Output or record	Change-control and decision rows; retest report reference.
Acceptance or completion	Retest passes the pre-agreed criteria; signatures recorded; staff retrained.
Exceptions and escalation	Repeated failure: sponsor considers withdrawal (W11).
Documents	14, 40
Registers	change_control, decisions, test_plan

Steps

1. Record the root cause and the proposed correction in change control.
2. Retest against the pre-agreed criteria — never new criteria chosen after results.
3. Retrain staff and revise the procedure.
4. Collect the required signatures and record the restart decision.

W13 · Pilot operation and review (G5)

Needs local review · Gate: G5 · Owner: Site lead with evaluation lead · Decision authority: Steering group; independent reviewer for assurance

Part	Detail
Trigger	Go decision recorded (W10).
Prerequisites	Protocol, data flow and determinations in place.
Inputs	Weekly logs, aggregate outcomes, audit checklist (document 40).

Part	Detail
Output or record	Weekly and monthly reports; audit findings; independent review.
Acceptance or completion	Locally adopted feasibility criteria assessed honestly; adverse findings reported.
Exceptions and escalation	Critical finding: W11. Data invalid: report as invalid, do not compute rates.
Documents	15, 16, 36, 40
Registers	aggregate_outcomes, audit_findings, inspection

Steps

1. Inspect after the first trading and cleaning cycles.
2. Review defects, complaints and data quality weekly.
3. Hold 30- and 60-day operational and budget reviews.
4. Analyze results and balancing outcomes with the evaluation lead.
5. Commission an independent assurance review.

W14 · Scale, extend, redesign or remove (G6)

Needs signed commitment · Gate: G6 · Owner: Executive sponsor · Decision authority: Executive sponsor, after independent review

Part	Detail
Trigger	Pilot review complete (G5).
Prerequisites	Evidence summary and independent review.
Inputs	Document 25 evidence table; cost scenarios; decision record.
Output or record	Signed decision memo; budget; replication plan.
Acceptance or completion	The decision matches the evidence: feasibility alone never supports an injury-reduction claim.
Exceptions and escalation	Evidence insufficient: extend evaluation rather than scale.
Documents	25, 44
Registers	decisions, budget

Steps

1. Assemble the evidence summary, including adverse results and costs.
2. Answer the G6 questions in document 25.
3. Choose stop, revise, extend or staged scale, with the evidence each option needs.
4. Fund maintenance, replacement and withdrawal before any expansion.
5. Record conditions, dissent and the next review date.

W15 · Public claims and outreach

Needs local review · Gate: any · Owner: Communications lead · Decision authority: Communications and evaluation leads; legal for material claims

Part	Detail
Trigger	Any planned public statement, notice or outreach message.
Prerequisites	Confirmed facts and permissions.
Inputs	Documents 23 and 42; publication-claims register.
Output or record	Publication-claims rows.
Acceptance or completion	Every statement is tied to a dated record and approved; no prohibited claim.
Exceptions and escalation	Evidence missing: reject or revise the statement.
Documents	23, 42
Registers	publication_claims

Steps

1. Draft the statement from dated records only.
2. Check for prohibited claims ("childproof", "zero risk", "certified safe", unsupported percentages, implied endorsements).
3. Record evidence, scope limit and decision in the publication-claims register.
4. Publish only approved statements through authorized channels.

W16 · Handoffs between shifts, contractors, tenants and roles

No approval needed · Gate: any · Owner: Outgoing lead · Decision authority: Incoming lead acknowledges

Part	Detail
Trigger	Shift change, contractor visit end, tenant or provider change, role change.
Prerequisites	Current hazard and action lists.
Inputs	Handoff checklist (document 47).
Output or record	Handoff rows.
Acceptance or completion	Every open hazard has an acknowledged owner.
Exceptions and escalation	Not acknowledged: the outgoing lead keeps ownership and escalates to the site manager.
Documents	22, 47
Registers	handoffs

Steps

1. List open hazards, isolated zones, temporary routes and next required actions.
2. Hand over in person or by the approved channel.
3. Incoming lead acknowledges and records the time.

No external source cited; program guidance.

Two-page brief for officials

The problem

Falls are the second leading cause of unintentional injury death worldwide, and nearly 40% of the disability-adjusted life years (healthy years lost to illness, disability or early death) lost to falls occur in children [S45]. Most child falls are not fatal: falls are a leading cause of non-fatal child injury [S46]. Shops, malls and other buildings open to the public are only part of that picture, and no international data say how large a part. Where retail data exist, ordinary hazards matter: in the United States, about 24,000 children under 15 a year were treated in emergency departments for shopping-cart injuries (1990–2011 average), most with head injuries [S31].

What Child-Safer Spaces offers

A free, offline planning kit for businesses and public buildings that children visit. It helps a site find and fix walking-surface, cart and fixture-edge hazards, check proposed changes against local rules, run a small accountable pilot, and decide honestly whether to continue. It is **performance-based** (it says what a fix must achieve and how it will be checked) and **material-neutral** (it recommends no product). It works without accounts, networks or tracking; planning data stay on the user's own device.

What it is not

- Not a standard, a certification, legal advice or an approval. It never replaces building, fire, accessibility, workplace, consumer-safety or privacy rules.
- Not proven to reduce injuries. No outcome evaluation has been completed. A randomized trial of soft flooring for older adults did not show fewer serious fall injuries [S8], and soft floors can make carts and wheelchairs harder to push [S35]. Playground surfacing tests do not transfer to shop aisles [S7].
- Not a reason to collect data about children, carers or workers. The kit uses aggregate, non-identifying information only.

Why it is relevant to your mandate

If your mandate covers	The relevant commitment	What the kit offers
Disability and accessibility	CRPD article 9: access to facilities open to the public, including privately run ones; article 4(3): consult disabled people, including disabled children, through their organizations [S48]	A rule that no safety change may reduce access, and a consultation workflow (W06)
Public space and urban policy	SDG target 11.7: safe, inclusive and accessible public spaces, in particular for children, older persons and persons with disabilities [S49]	Site-level methods as policy context (the SDG indicator measures urban open space, not shops)
Workplace safety	A safe and healthy working environment has been an ILO fundamental principle since 2022 [S54]	Cleaning, cart handling and ergonomics are part of every assessment (document 30)
Injury prevention and public health	WHO prevention strategies emphasise safer environments, training, research and policy [S45]	An evaluation protocol with honest statistical limits (documents 15 and 35)

What adoption could look like

1. You or a colleague read this brief and the adaptation kit (document 53). No commitment is needed.
2. A local lead records which laws and standards apply and who must be consulted: disability organizations, worker representatives, families and businesses, including small ones (gate G2).
3. A few sites run a voluntary pilot with named owners, a removal reserve and independent evaluation (gates G0 to G5).
4. The sponsors decide in writing to stop, change or expand, using the results and their uncertainty (gate G6). Small pilots usually cannot show fewer injuries; document 35 explains why.

What you can do now

- Share this brief with the people responsible for building, workplace, consumer-safety and public-health policy.
- Name a contact who can answer "which rules apply here?" for pilot sites.
- Offer a forum where disability, worker and family organizations can review proposals.
- If you fund or convene pilots, ask for honest reporting of costs, adverse effects and null results, not for positive results.

Decisions that stay with you

Which laws and editions apply; whether any requirement should ever follow, and only through your normal consultation and rule-making; privacy and research-ethics rules; funding; and which language versions are official. Checkboxes in the workspace are never approvals.

Safeguards

No personal data, no surveillance, no enforcement against individuals and no blaming of parents or carers. A change that helps children must not make a space harder to use for wheelchair users, people with low vision, older adults or workers.

Read next

Document 20 (government and public-health proposal for the U.S. and Canada), document 53 (adapting the kit to another country or organization), document 54 (from one site to many, and ways to help) and the evidence ledger in the workspace. Draft translations of this brief: document 51 (French) and document 52 (Spanish).

Sources cited: S7, S8, S31, S35, S45, S46, S48, S49, S54

Note de deux pages pour les responsables publics (traduction provisoire)

Draft translation that no native speaker has reviewed yet.

Avertissement sur la traduction

Traduction provisoire du document 50, qu'aucune personne de langue maternelle française n'a encore relue. Faites-la vérifier par une personne qualifiée avant tout usage officiel. En cas de doute, reportez-vous au document 50 (anglais).

Le problème

Les chutes sont la deuxième cause de décès par traumatisme involontaire dans le monde, et près de 40 % des années de vie ajustées sur l'incapacité (années de vie en bonne santé perdues à cause de la maladie, du handicap ou d'un décès prématuré) perdues à cause des chutes concernent des enfants [S45]. La plupart des chutes d'enfants ne sont pas mortelles : elles figurent parmi les principales causes de blessures non mortelles chez l'enfant [S46]. Les commerces, les centres commerciaux et les autres bâtiments ouverts au public ne représentent qu'une partie de ce tableau, et aucune donnée internationale ne dit quelle part. Là où des données existent pour le commerce de détail, les dangers ordinaires comptent : aux États-Unis, environ 24 000 enfants de moins de 15 ans par an ont été soignés aux urgences pour des blessures liées aux chariots de supermarché (moyenne 1990–2011), le plus souvent à la tête [S31].

Ce que propose Child-Safer Spaces

Une trousse de planification gratuite, utilisable hors ligne, destinée aux commerces et aux bâtiments publics fréquentés par des enfants. Elle aide un site à repérer et corriger les dangers liés aux sols, aux chariots et aux arêtes des présentoirs, à vérifier les changements proposés au regard des règles locales, à mener un petit projet pilote responsable et à décider honnêtement de la suite. Elle est **axée sur la performance** (elle dit ce qu'une solution doit accomplir et comment on le vérifiera) et **neutre quant aux matériaux** (elle ne recommande aucun produit). Elle fonctionne sans compte, sans réseau et sans pistage ; les données de planification restent sur l'appareil de la personne qui l'utilise.

Ce qu'elle n'est pas

- Ni une norme, ni une certification, ni un avis juridique, ni une autorisation. Elle ne remplace jamais les règles de construction, d'incendie, d'accessibilité, de santé et sécurité au travail, de sécurité des produits ou de protection de la vie privée.

- Elle n'a pas fait la preuve qu'elle réduit les blessures : aucune évaluation des résultats n'a été menée à terme. Un essai randomisé de revêtements de sol souples chez des personnes âgées n'a pas montré moins de blessures graves dues aux chutes [S8], et les sols souples peuvent rendre plus difficile la poussée des chariots et des fauteuils roulants [S35]. Les essais des surfaces d'aires de jeux ne s'appliquent pas aux allées des magasins [S7].
- Ce n'est pas une raison de recueillir des données sur les enfants, les personnes qui les accompagnent ou le personnel. La trousse n'utilise que des informations agrégées et non identifiantes.

Pourquoi elle concerne votre mandat

Si votre mandat porte sur	L'engagement concerné	Ce que propose la trousse
Handicap et accessibilité	CDPH, article 9 : accès aux installations ouvertes au public, y compris celles gérées par des entités privées ; article 4(3) : consulter les personnes handicapées, y compris les enfants handicapés, par l'intermédiaire de leurs organisations [S48]	Une règle : aucun changement de sécurité ne doit réduire l'accessibilité ; un processus de consultation (W06)
Espaces publics et politique urbaine	Cible 11.7 des ODD : des espaces publics sûrs, inclusifs et accessibles, en particulier pour les enfants, les personnes âgées et les personnes handicapées [S49]	Des méthodes à l'échelle du site, comme contexte de politique publique (l'indicateur des ODD mesure les espaces ouverts urbains, pas les magasins)
Santé et sécurité au travail	Un milieu de travail sûr et salubre est un principe fondamental de l'OIT depuis 2022 [S54]	Le nettoyage, la manutention des chariots et l'ergonomie font partie de chaque évaluation (document 30)
Prévention des traumatismes et santé publique	Les stratégies de prévention de l'OMS mettent l'accent sur des environnements plus sûrs, la formation, la recherche et les politiques [S45]	Un protocole d'évaluation qui reconnaît honnêtement ses limites statistiques (documents 15 et 35)

À quoi pourrait ressembler une adoption

1. Vous ou une ou un collègue lisez cette note et la trousse d'adaptation (document 53). Aucun engagement n'est nécessaire.
2. Une personne responsable sur place consigne les lois et normes applicables et les parties à consulter : organisations de personnes handicapées, représentants du personnel, familles et entreprises, y compris les petites (étape G2).
3. Quelques sites mènent un projet pilote volontaire, avec des responsables désignés, une réserve pour le retrait et une évaluation indépendante (étapes G0 à G5).

4. Les promoteurs décident par écrit d'arrêter, de modifier ou d'étendre, à partir des résultats et de leur incertitude (étape G6). Les petits projets pilotes ne peuvent généralement pas démontrer une baisse des blessures ; le document 35 explique pourquoi.

Ce que vous pouvez faire dès maintenant

- Transmettre cette note aux personnes chargées des politiques de construction, de travail, de sécurité des produits et de santé publique.
- Désigner une personne-ressource capable de répondre à la question « quelles règles s'appliquent ici ? » pour les sites pilotes.
- Offrir un lieu où les organisations de personnes handicapées, de travailleurs et de familles peuvent examiner les propositions.
- Si vous financez ou réunissez des projets pilotes, demander des rapports honnêtes sur les coûts, les effets indésirables et les résultats nuls, plutôt que des résultats positifs.

Les décisions qui vous reviennent

Les lois et éditions applicables ; l'opportunité d'une éventuelle exigence future, uniquement par vos processus habituels de consultation et de réglementation ; les règles de protection de la vie privée et d'éthique de la recherche ; le financement ; et les versions linguistiques officielles. Les cases cochées dans l'espace de travail ne valent jamais autorisation.

Garde-fous

Aucune donnée personnelle, aucune surveillance, aucune mesure coercitive contre des personnes, et aucune mise en cause des parents ou des personnes qui accompagnent les enfants. Un changement qui aide les enfants ne doit pas rendre un lieu plus difficile à utiliser pour les personnes en fauteuil roulant, les personnes malvoyantes, les personnes âgées ou le personnel.

À lire ensuite

Le document 20 (proposition aux gouvernements et à la santé publique, États-Unis et Canada), le document 53 (adapter la trousse à un autre pays ou à une autre organisation), le document 54 (d'un site à plusieurs, et comment aider) et le registre des preuves dans l'espace de travail. Ces documents ne sont disponibles qu'en anglais pour le moment.

Sources cited: S7, S8, S31, S35, S45, S46, S48, S49, S54

Nota de dos páginas para autoridades (traducción provisional)

> Draft translation that no native speaker has reviewed yet.

Aviso sobre la traducción

Traducción provisional del documento 50 que todavía no ha revisado ninguna persona de lengua materna española. Pida que la revise una persona cualificada antes de cualquier uso oficial. En caso de duda, consulte el documento 50 (en inglés).

El problema

Las caídas son la segunda causa de muerte por traumatismos no intencionales en el mundo, y cerca del 40 % de los años de vida ajustados por discapacidad (años de vida sana perdidos por enfermedad, discapacidad o muerte prematura) que se pierden por caídas corresponden a niñas y niños [S45]. La mayoría de las caídas infantiles no son mortales: las caídas están entre las principales causas de lesiones no mortales en la infancia [S46]. Las tiendas, los centros comerciales y otros edificios abiertos al público son solo una parte de ese panorama, y ningún dato internacional indica qué parte. Donde existen datos del comercio minorista, los peligros cotidianos importan: en Estados Unidos, unos 24 000 menores de 15 años al año recibieron atención en urgencias por lesiones relacionadas con carritos de compra (promedio de 1990–2011), la mayoría en la cabeza [S31].

Qué ofrece Child-Safer Spaces

Un kit de planificación gratuito, que funciona sin conexión, para comercios y edificios públicos que visitan niñas y niños. Ayuda a cada sitio a encontrar y corregir peligros en suelos, carritos y bordes de exhibidores, a comprobar los cambios propuestos frente a las normas locales, a realizar un pequeño piloto con rendición de cuentas y a decidir con honestidad si continuar. Se **basa en el desempeño** (dice lo que una solución debe lograr y cómo se comprobará) y es **neutral respecto a los materiales** (no recomienda ningún producto). Funciona sin cuentas, sin red y sin rastreo; los datos de planificación permanecen en el dispositivo de quien lo usa.

Qué no es

- No es una norma, una certificación, asesoramiento jurídico ni una autorización. Nunca sustituye las normas de construcción, incendios, accesibilidad, seguridad laboral, seguridad de productos o privacidad.

- No está demostrado que reduzca las lesiones: no se ha completado ninguna evaluación de resultados. Un ensayo aleatorizado de suelos blandos en personas mayores no mostró menos lesiones graves por caídas [S8], y los suelos blandos pueden dificultar empujar carritos y sillas de ruedas [S35]. Los ensayos de superficies de parques infantiles no se trasladan a los pasillos de las tiendas [S7].
- No es un motivo para recopilar datos sobre niñas y niños, sus acompañantes o el personal. El kit utiliza solo información agregada y no identificativa.

Por qué es pertinente para su mandato

Si su mandato abarca	El compromiso pertinente	Lo que ofrece el kit
Discapacidad y accesibilidad	CDPD, artículo 9: acceso a instalaciones abiertas al público, incluidas las gestionadas por entidades privadas; artículo 4(3): consultar a las personas con discapacidad, incluidos niñas y niños con discapacidad, a través de sus organizaciones [S48]	Una regla: ningún cambio de seguridad puede reducir la accesibilidad; un flujo de consulta (W06)
Espacio público y política urbana	Meta 11.7 de los ODS: espacios públicos seguros, inclusivos y accesibles, en particular para niñas y niños, personas mayores y personas con discapacidad [S49]	Métodos a escala de sitio como contexto de política (el indicador de los ODS mide espacios abiertos urbanos, no tiendas)
Seguridad y salud en el trabajo	Un entorno de trabajo seguro y saludable es un principio fundamental de la OIT desde 2022 [S54]	La limpieza, el manejo de carritos y la ergonomía forman parte de cada evaluación (documento 30)
Prevención de lesiones y salud pública	Las estrategias de prevención de la OMS destacan entornos más seguros, formación, investigación y políticas [S45]	Un protocolo de evaluación que reconoce con honestidad sus límites estadísticos (documentos 15 y 35)

Cómo podría ser la adopción

1. Usted o una persona de su equipo leen esta nota y el kit de adaptación (documento 53). No hace falta ningún compromiso.
2. Una persona responsable registra qué leyes y normas se aplican y a quién hay que consultar: organizaciones de personas con discapacidad, representantes del personal, familias y empresas, incluidas las pequeñas (etapa G2).
3. Algunos sitios realizan un piloto voluntario con responsables designados, una reserva para retirar los cambios y una evaluación independiente (etapas G0 a G5).
4. Quienes patrocinan deciden por escrito detener, cambiar o ampliar, a partir de los resultados y su incertidumbre (etapa G6). Los pilotos pequeños no suelen poder demostrar menos lesiones; el

documento 35 explica por qué.

Qué puede hacer ahora

- Compartir esta nota con quienes se ocupan de las políticas de construcción, trabajo, seguridad de productos y salud pública.
- Designar una persona de contacto que pueda responder «¿qué normas se aplican aquí?» para los sitios piloto.
- Ofrecer un espacio donde organizaciones de personas con discapacidad, de trabajadores y de familias puedan revisar las propuestas.
- Si financia o convoca pilotos, pedir informes honestos de costos, efectos adversos y resultados nulos, no resultados positivos.

Decisiones que le corresponden

Qué leyes y ediciones se aplican; si alguna vez debería existir un requisito, y solo mediante sus procesos habituales de consulta y regulación; las normas de privacidad y ética de la investigación; la financiación; y qué versiones lingüísticas son oficiales. Las casillas marcadas en el espacio de trabajo nunca equivalen a una autorización.

Salvaguardas

Ningún dato personal, ninguna vigilancia, ninguna medida coercitiva contra personas y ninguna culpa para madres, padres o acompañantes. Un cambio que ayuda a la infancia no debe hacer un lugar más difícil de usar para personas en silla de ruedas, con baja visión, mayores o para el personal.

Para seguir leyendo

El documento 20 (propuesta para gobiernos y salud pública, Estados Unidos y Canadá), el documento 53 (adaptar el kit a otro país u organización), el documento 54 (de un sitio a muchos, y cómo ayudar) y el registro de evidencias del espacio de trabajo. Por ahora, esos documentos solo están en inglés.

Sources cited: S7, S8, S31, S35, S45, S46, S48, S49, S54

Country and organization adaptation kit

Who this is for

Officials, agencies, associations and organizations that want to use Child-Safer Spaces outside the United States and Canada, or in a large organization with its own rules. The rest of the package uses U.S. and Canadian laws and standards as worked examples. This kit shows how to replace them with your own without losing the program's safeguards.

What stays the same everywhere

- **Program rule:** performance-based and material-neutral. Write what a fix must achieve and how it will be checked; never name a product as the answer.
- **Program rule:** no safety change may reduce access for disabled visitors or make work harder or riskier for workers.
- **Program rule:** non-sensitive planning only. No children's identities, injury or health details, footage, witness details or claim numbers in this workspace.
- **Program rule:** decisions run through gates G0 to G6, and a checkbox is never a signature.
- **Program rule:** honest evaluation. Report costs, adverse effects and null results; never claim fewer injuries without an evaluation that can show it.

What changes

Laws and their editions, standards and test methods, the authorities who decide, injury data sources, languages and sign conventions, consultation bodies, funding routes and procurement rules.

Step 1. Map the rules that apply

For each area, find the rule, its edition and the authority that applies it. Record each one as a row in the jurisdiction register (type LAW, CONTRACT, PROGRAM or PROPOSAL) with the edition and a recheck date.

Area	What to find	Usually decided by
Building and accessibility	Adopted building code, accessibility rules, protruding-object and route rules, local amendments	Building authority; accessibility office
Fire	Rules for floor coverings and fixture materials, exit routes	Fire authority

Area	What to find	Usually decided by
Workplace safety	Duties for walking surfaces, cleaning, manual handling and training	Labour inspectorate or workplace-safety regulator
Consumer and product safety	Rules for carts, fixtures and products children use or touch	Consumer-safety or market-surveillance authority
Food hygiene (where food is sold)	Floor and cleaning requirements in food areas	Food or health inspectorate
Privacy and data protection	Rules for incident records, footage and research data	Data-protection authority
Research ethics	When an evaluation counts as research and needs review	Research ethics committee
Public procurement (for public buildings)	How works and products may be bought	Procurement office

If you cannot find a rule, record it as UNDETERMINED with the question you asked and who you asked. Silence from an authority is never approval.

Step 2. Use international references as context

These references help you explain the program and find local equivalents. None of them approves a site change.

Reference	How it helps	What it does not do
WHO falls fact sheet [S45] and World report on child injury prevention [S46] [S47]	Shows why child falls matter and which prevention approaches exist	Gives no retail data; the report notes weak trial evidence for environmental changes in homes [S46]
WHO injury surveillance guidelines [S55]	Practical advice for setting up injury data collection, including with few resources	Does not set privacy rules or retail exposure measures
UN Convention on the Rights of Persons with Disabilities, articles 4 and 9 [S48]	Access to facilities open to the public, and consultation with disabled people, including children	Binds States Parties, not businesses directly; ratification varies
SDG target 11.7 [S49]	Policy language on safe, inclusive and accessible spaces for children and disabled people	Its indicator measures urban open space, not shops

Reference	How it helps	What it does not do
ILO fundamental principle on a safe and healthy working environment [S54]	Places worker safety at the centre of site changes	National law and ratification still decide duties
ISO 21542 [S50] and ISO/IEC Guide 71 [S52]	International references for accessible buildings and accessibility in standards	Not adopted everywhere; texts not audited here
ISO/IEC Guide 50 [S51]	Child-safety considerations for people who write product standards	Sets no thresholds for sites
ISO 7010 [S53]	Registered safety signs that can replace text-only warnings	A sign warns; it does not control a hazard
WCAG 2.2 [S56]	If you publish the workspace on an agency website, a reference for checking accessibility	Not a conformance statement for this package

Step 3. Translate test methods, not just words

The package names U.S. and Canadian test methods (for example ASTM, ANSI, CSA and ULC methods). Your country may use national or international equivalents. A qualified person must confirm each equivalence in writing in the standards register. Never convert a threshold by changing units alone, and never adopt a threshold the package marks as unresolved.

Step 4. Find local injury information

Ask your health ministry, hospitals or national injury surveillance programme which aggregate data exist for falls and impacts in shops and public buildings. The WHO guidelines [S55] describe how surveillance systems are built. Request counts and rates only. Store any approved data-sharing agreement in your protected system and record only its reference here.

Step 5. Consult before you adapt

Invite, early and with enough time to respond:

- disabled people's organizations, including those representing disabled children [S48];
- worker representatives and workplace-safety committees (a safe and healthy working environment is an ILO fundamental principle [S54]);
- parents' and carers' organizations and child-safety groups;
- businesses of different sizes, landlords and cleaning contractors;
- building, fire, health and workplace authorities.

Record each consultation in the consultation register: the question, the response reference, any binding condition and what is still unresolved. Use workflow W06 for the steps.

Step 6. Run a pre-mortem

Imagine it is two years later and the program has caused harm. Ask what happened, then add a safeguard and an owner for each answer. Record the results in the decisions register.

What could go wrong	Example	Safeguard to consider
Access gets worse	A soft mat creates an edge that catches wheelchair castors	Accessibility review before any change; disabled people test mock-ups (G3)
Workers carry the cost	Extra cleaning or harder cart pushing without more time or tools	Worker review; ergonomic checks; staffing in the budget
Data creep	Staff start recording children's names or footage "to be safe"	The personal-data check; coded references; training
Blame shifts to families	Signs or staff imply carers are at fault	Public wording review (document 23); no blame language
False confidence	A pilot with zero events is announced as proof of safety	Claims register; evaluation planning (document 35)
Small businesses are left out	Requirements copied from large chains	Proportionate options; technical help; no mandate without consultation
Product capture	A supplier markets the program as an endorsement	No endorsements; material-neutral specifications (document 08)

Step 7. Translate and review the materials

1. Decide which documents your users need first. A good order is: this brief (document 50), the public explanation kit (document 23), daily procedures (document 12) and the feedback forms (document 24).
2. Use qualified translators and a native-speaker review by someone who knows the field. Keep plain language.
3. In the workspace, open each document, edit a local draft in the new language, and use the comparison to check nothing was lost. Export the working handbook to share the draft for review.
4. Replace text-only warnings with the safety signs your rules require, for example registered signs from ISO 7010 where adopted [S53].
5. Record which language versions are approved, by whom, as a decision. Draft translations included in this package (documents 51 and 52) have not yet been reviewed.

Step 8. Record decisions and continue

Record the rules, standards, consultations and translation decisions in the registers, then complete gate G2 for each pilot site. Use document 54 for the route from one site to many.

What you can skip for now

Site checklists, commissioning forms and cost scenarios can wait until the rules that apply have been recorded.

Sources cited: S45, S46, S47, S48, S49, S50, S51, S52, S53, S54, S55, S56

From one site to many — deployment pathway and ways to help

Why a pathway

Good ideas cause harm when they spread faster than the evidence. This pathway describes how Child-Safer Spaces can move from one site to an organization, a city, a country and international exchange, and what must be true before each step. **Program rule:** move to the next stage only when the evidence for the current one exists, never on enthusiasm alone.

The six stages

Stage	What happens	Who decides	Needed before moving on	Main risk
1. Explore	Someone reads the brief (document 50) and tries the workspace	Nobody; no commitment	A named sponsor willing to run a pilot	Mistaking the kit for an approval
2. Site pilot	One to a few sites work through gates G0 to G5	The site sponsor, in writing	A completed pilot review (G5) with costs, adverse effects and limits	Changes that reduce access or burden workers
3. Organization	An organization repeats the pilot at more of its own sites	The executive sponsor (G6)	Results from several sites, including null or negative findings	Copying a fix to sites with different conditions
4. City or region	Officials convene several organizations and offer local guidance	The relevant authorities, through their usual processes	Consultation with disabled people's organizations, workers, families and small businesses	Turning a voluntary pilot into a de facto requirement
5. Country	A national agency or association publishes adapted guidance (document 53)	National authorities and associations	Locally valid methods; reviewed translations; an independent evaluation	Exporting U.S. or Canadian rules as if they applied
6. International exchange	Countries share adaptations, methods and results	Each participant for its own work	A chosen licence for sharing, and honest reporting of results	Claims of proven benefit before evaluations exist

Ways to help, by who you are

If you are	You can help by	Start with	Please avoid
An elected official or policy adviser	Asking for a voluntary pilot with honest reporting; protecting time for consultation	Document 50	Announcing benefits before evaluation
A public-health or injury-prevention agency	Sharing aggregate injury data and evaluation expertise	Documents 15, 35 and 53	Requesting identifiable records
A building, fire or accessibility official	Answering "which rules apply here?" for pilot sites	Documents 06 and 07	Approving by silence or informal remarks
A workplace-safety regulator or inspector	Reviewing cleaning, cart handling and ergonomics	Document 30	Treating worker burden as out of scope
A retail, property or business association	Recruiting a mix of large and small pilot sites	Documents 02 and 46	Presenting the kit as an industry standard
An insurer or risk adviser	Reviewing pilots and sharing loss-prevention experience	Document 19	Implying premium discounts that do not exist
A disabled people's organization	Reviewing proposals and testing mock-ups	Documents 30 and 24	Being consulted after decisions are made; ask to be involved early
A worker representative or union	Reviewing procedures, training and staffing	Documents 12, 13 and 30	Accepting new duties without time or tools
A parents', carers' or child-safety organization	Reviewing public wording and sharing families' experience	Documents 23 and 24	Blame-based messages about carers
A researcher or university	Designing an independent evaluation with honest power limits	Documents 15, 32, 35 and 43	Evaluating a pilot you have a stake in without disclosure
A standards body	Considering whether a performance method is needed	Documents 08 and 29	Copying program defaults as thresholds
A translator or interpreter	Reviewing the draft French and Spanish briefs, or translating others	Documents 51, 52 and 53	Publishing unreviewed translations as official

If you are	You can help by	Start with	Please avoid
A developer or IT team	Checking the workspace in your browsers and hosting it safely	The maintainer guide (source/README.md)	Adding tracking, accounts or network calls
A funder or foundation	Funding evaluation, accessibility participation and removal reserves	Documents 20 and 37	Making funding depend on positive results

Spreading responsibly

- **Program rule:** participation is voluntary. Nobody should be pressured to join, to stay or to report favourably.
- **Program rule:** no endorsement, partnership or approval exists unless it is in writing from the organization concerned.
- **Program rule:** no product is endorsed. Suppliers may meet published performance criteria; they may not claim the program recommends them.
- **Program rule:** publish adverse effects and null results as readily as good news.
- **Program rule:** local ownership. Each place adapts the kit to its own rules and people, and records its decisions.
- Before anyone republishes or translates the package, the owner needs to choose a licence. Until then, ask the owner before copying it beyond reading and internal evaluation.

Outreach

Document 42 contains ready-to-adapt messages and an outreach sequence. For international outreach, translate and review a message before sending it, name the program as a draft planning kit, attach the two-page brief, and never claim that another organization supports the program unless it has said so in writing.

What progress looks like

Honest signs of progress, none of which is a claim about injuries:

- sites with a complete gate record and a removal reserve;
- consultations completed before changes, with their responses recorded;
- hazards found, fixed and checked again;
- costs reported, including cleaning and worker time;
- evaluations completed and published, whatever the result;
- translations reviewed and approved locally.

No external source cited; program guidance.

Glossary

How to use this glossary

Plain-language definitions of the words used in this package. The workspace has a searchable version (Glossary). This document is generated from source/content.json; edit the glossary there, or keep a local draft here.

Term	In plain words	More detail	Where it matters
Accessible route	A path that people using wheelchairs, walkers, canes or strollers can actually use.	Width, slope, surface, level changes and protruding objects are set by the accessibility rules that apply to the site.	Document 30
Adverse effect	A harm caused by the change itself, such as a new trip edge or harder cart pushing.	Pilots must look for and report adverse effects as well as benefits.	Document 15
Aggregate data	Counts and rates about groups, never about named people.	This workspace only holds aggregate, non-identifying planning information.	Document 16
Authority having jurisdiction	The official body that decides which rules apply to a site and whether work is allowed.	Often a building, fire or health official; there can be several for one site.	Document 06
Baseline	How things are before you change anything, so later changes can be compared.	Gate G1 records the baseline, its quality and its limits.	Document 15
Child survey band	The zone from the floor to 120 cm where the kit looks for edges and corners at young children's height.	Set from WHO growth standards [S37]: tall five-year-olds are about 118–119 cm (97th percentile). Raise it for older children.	Document 28
Coded reference	A short code that points to a record kept in a protected system, instead of copying the details here.	For example INC-REF-0042 rather than a child's name or injury.	Document 18
Comparison group	Similar sites or periods without the change, used to judge whether the change made a difference.	Without one, a drop in incidents may be chance or a trend.	Document 35

Term	In plain words	More detail	Where it matters
Content-security policy	A rule built into the page that stops it loading or sending anything over a network.	It is how the workspace keeps its no-network promise; you can read it in the page source.	Workspace: About, credits & licences
Decision gate	A checkpoint where named people decide, with evidence, whether work may continue.	Seven gates, G0 to G6, run in order. A gate reopens if its evidence changes.	Workspace: Decision gates
Design effect	How much bigger a study must be because sites, not single visits, are compared.	A design effect of 2 doubles the number of events needed.	Document 35
DCOF	Dynamic coefficient of friction: a measure of how slippery a hard floor is while something slides on it.	Results depend on the method, the device and the conditions; a number alone is not a safety verdict.	Document 29
Disability-adjusted life year	One year of healthy life lost to illness, disability or early death.	WHO's falls fact sheet uses it to describe the burden of falls [S45].	Document 50
Formula injection	A trick where text in a spreadsheet cell runs as a formula when the file is opened.	The workspace adds an apostrophe to risky cells on export and removes it on import.	Workspace: Planning registers
Hazard	Something that could hurt someone, such as a wet patch, a loose mat or a sharp shelf corner.	The hazard register records the hazard, who it affects and what was done.	Workspace: Planning registers
IndexedDB	A database built into your browser, where this workspace keeps your planning work on your own device.	If the browser does not allow it, the workspace falls back to simpler browser storage, then to memory only.	Workspace: Your data
Jurisdiction	The place whose laws apply: a country, state, province or city.	Most rules in this kit are U.S. or Canadian worked examples; other places need their own review.	Workspace: Adapt to your country
Material-neutral	Not favouring any product or material; the kit says what a solution must achieve, not what to buy.	Products are compared against written performance criteria (document 08).	Document 08
Net present value	Future costs and savings added up in today's money.	A discount rate turns later amounts into present amounts; the calculator shows ranges, not a forecast.	Workspace: Cost scenarios

Term	In plain words	More detail	Where it matters
Performance-based	Describing what has to be achieved, and how it will be checked, instead of naming a product.	Acceptance criteria are written before buying anything (gate G3).	Document 08
Pilot	A small, time-limited trial at a few sites, with a plan to stop or reverse it if needed.	A pilot tests whether a change can be run well; it usually cannot prove fewer injuries.	Document 10
Pre-mortem	Imagining that a plan has failed and listing the reasons, before you start.	Used in the adaptation kit to find harms early.	Document 53
Protruding object	Something sticking out into a walking route, such as a shelf edge or sign, that a person may not see.	Accessibility rules limit how far objects may protrude at certain heights.	Document 24
Quarantine (of saved data)	When saved work cannot be read, the workspace keeps an untouched copy and stops saving over it.	You can download the copy, then start fresh or import a backup.	Workspace: Your data
Rate ratio	One rate divided by another; 0.8 means 20% lower.	Used in evaluation planning to describe the change you want to detect.	Workspace: Evaluation planning
Removal reserve	Money set aside in advance to take a change out again if it causes problems.	Required before installation so that stopping is always affordable.	Document 17
Service worker	A small browser helper that keeps a copy of the workspace files so a hosted copy opens without a connection.	It is used only when the workspace is served from a secure web address; it never stores your planning data.	Workspace: Your data
Slip resistance	How well a floor stops feet from sliding.	It changes with water, cleaning products, wear and footwear, so it is checked in use, not only in a lab.	Document 12
Statistical power	The chance that a study detects a real effect of the size you care about.	Small pilots usually have low power for injuries, which is why the kit sets realistic aims.	Document 35
Surveillance (injury)	Systematic collection of injury counts, for example from hospital emergency departments.	It counts injuries; it does not watch people. Store CCTV is a separate, sensitive matter.	Document 15

Term	In plain words	More detail	Where it matters
Tribometer	A device that measures how slippery a floor is.	Different devices give different numbers; the method must be validated and agreed in advance.	Document 29
Zero events	No injuries recorded during a period.	Zero events are not proof of safety: small pilots often see none either way.	Document 35

Sources cited: S37, S45

Evidence ledger

ID	Claim	Category	Sources	Transfer to children in retail	Limits	Implication
E01	Contamination is implicated in almost all retail slip accidents; cleaning itself can create slippery floors	VERIFIED SOURCE FACT	S2, S15	Mechanism plausible for children; no effect size	Regulator guidance. Guidance only	Prioritize source control, cleaning method and response time
E02	Signs and cones only warn of a hazard; they do not prevent entry	VERIFIED SOURCE FACT	S2	Directly relevant: children do not read signs	Regulator guidance. No effect size	Isolation means a physical barrier or closure plus an accessible alternative
E03	ADA accessible surfaces must be stable, firm and slip resistant; no minimum friction value is set	VERIFIED SOURCE FACT	S1, S28	Applies to all visitors including children with disabilities	Regulation text (unofficial copy) and agency guide. Coverage and stricter local rules decided locally	Do not cite an "ADA friction number"; specialists set method-specific thresholds
E04	ADA carpet rules: securely attached, firm or no cushion, pile ≤ 1/2 in, exposed edges trimmed	VERIFIED SOURCE FACT	S28	Constrains cushioned coverings	Regulation text (unofficial copy). Whether a product is "carpet" and whether the area is covered must be decided	Soft or cushioned coverings on routes need access review before purchase
E05	ADA changes in level: ≤ 1/4 in vertical; ≤ 1/2 in bevelled at 1:2 maximum; larger changes ramped	VERIFIED SOURCE FACT	S28	Applies to mat, underlay and padding edges	Regulation text (unofficial copy). Local rules may be stricter	Measure every new edge and transition at commissioning

ID	Claim	Category	Sources	Transfer to children in retail	Limits	Implication
E06	ADA protruding objects: 27–80 in leading edges protrude ≤ 4 in; protrusions may not reduce required clear width; 80 in headroom	VERIFIED SOURCE FACT	S28, S24	Edge guards add projection	Regulation text and agency guide. Coverage decided locally	Check guard thickness at the real fixture
E07	ADA accessible route clear width 36 in, reducible to 32 in for ≤ 24 in	VERIFIED SOURCE FACT	S28	Padding on aisle fixtures can narrow routes	Regulation text (unofficial copy). Other width rules (turns, passing spaces) also apply	Measure route width after guards are fitted
E08	Accessible features must be maintained; isolated or temporary interruptions for maintenance or repair are allowed; DOJ expects merchandise retrieval when an aisle is blocked	VERIFIED SOURCE FACT	S29, S14	Shapes how closures and isolations are run	Regulation and agency guidance. "Temporary" is not defined numerically	Isolation procedure includes assistance and prompt reopening
E09	U.S. employers must inspect walking-working surfaces and correct or guard hazards before employees use them; no friction number	VERIFIED SOURCE FACT	S3	Worker rule; customer duties differ	Regulation. State plans may differ	Use as the worker-safety floor; customer duties need counsel

ID	Claim	Category	Sources	Transfer to children in retail	Limits	Implication
E10	Ontario guidance: give public notice of temporary disruptions to accessible facilities, with reason, duration and alternatives	VERIFIED SOURCE FACT	S43	Applies to closures during installation or isolation	Provincial guidance. Regulation text not retrieved	Add notices to the installation and closure procedures for Ontario sites
E11	Tribometer validation (F2508-23) is not intended to establish a safe threshold	VERIFIED SOURCE FACT	S10	Applies to any floor	Public scope. Licensed text not audited	Thresholds must be set by specialists before testing
E12	Playground surfacing test F1292-26 is specific to head-injury risk in playground use zones; laboratory results ignore aging and maintenance	VERIFIED SOURCE FACT	S7	None for retail aisles	Public scope. Licensed text not audited	Never cite playground certification for retail floors or fixtures
E13	Floor-covering fire method E648-25a was developed for corridors and exitways and is not alone a fire-hazard assessment	VERIFIED SOURCE FACT	S11	Floor elements only	Public scope. Required class comes from the adopted code	Fixture padding needs its own code determination
E14	A randomized trial of compliant flooring found no effect on serious fall injuries; falls were non-significantly higher; harms were not assessed	VERIFIED SOURCE FACT	S8	Low	Randomized trial (abstract/results read). One product; different population	Do not claim cushioning efficacy for children or retail

ID	Claim	Category	Sources	Transfer to children in retail	Limits	Implication
E15	Compliant flooring reduces laboratory impact forces but may raise fall risk and increases force to move wheeled equipment	VERIFIED SOURCE FACT	S35	Mechanisms transfer (wheels, balance)	Scoping review. No risk-of-bias assessment	Rolling effort and stability are pass/fail criteria
E16	An average of about 24,000 U.S. children under 15 a year were treated in emergency departments for shopping-cart injuries (1990–2011); most involved the head	VERIFIED SOURCE FACT	S31	Direct population and setting	Surveillance study (abstract level). No store denominators	Route cart controls to an owner (task T35) before buying floor products
E17	For children under five, falls from carts were 82% of cart injuries and tip-overs 4%; 84% involved the head or face	VERIFIED SOURCE FACT	S32	Direct	Federal analysis (full report). Older data; sampling error	Prioritize restraint use and cart condition
E18	Cart-related concussion/closed-head-injury rates rose 1990–2011 and totals did not fall after the 2004 cart standard	VERIFIED SOURCE FACT	S31	Direct	Surveillance study (abstract level). Diagnostic trends may contribute	A design standard alone is not enough; operational controls matter
E19	The shopping-cart standard F2372-15(2021) covers carts and restraints for children 6 months–4 years and excludes infant carriers	VERIFIED SOURCE FACT	S33	Direct for cart design	Public scope. Licensed text not audited	Use as a procurement criterion when replacing carts

ID	Claim	Category	Sources	Transfer to children in retail	Limits	Implication
E20	A store-entrance intervention raised correct cart-restraint use from 15% to 49%; about half remained unrestrained	VERIFIED SOURCE FACT	S34	Direct setting; process outcome	Secondary news release. Injuries not measured; primary article not retrieved	Candidate operational control to evaluate, not an injury claim
E21	A multi-component hospital-employee program was followed by 58% fewer slip, trip and fall claims	VERIFIED SOURCE FACT	S36	Partial: housekeeping parts may transfer; footwear does not	Conference abstract. No comparison group described	Supports operational controls; not a customer estimate
E22	No controlled study of retail edge guards or corner padding was found in this targeted review	UNRESOLVED	—	—	Absence in a targeted search. Not a systematic search	Treat guards as an untested residual-hazard option
E23	WHO 97th-percentile height is about 92–93 cm at age two and 118–119 cm at age five	VERIFIED SOURCE FACT	S37	Direct for survey height	Reference tables. Height, not head height	Basis for the survey band below
E24	Survey fixture edges from the floor to at least 120 cm for ages two to five	PROGRAM RECOMMENDATION	S37	—	Derived from E23. Raise for older children; not a legal requirement	Use in the hazard walk (document 28)
E25	Use a 90-day operational feasibility window after commissioning	PROGRAM RECOMMENDATION	—	—	Program proposal. Not a powered effectiveness study	Agree locally; extend if needed

ID	Claim	Category	Sources	Transfer to children in retail	Limits	Implication
E26	At 2 events per 100,000 entries, detecting a 20% reduction needs about 355 comparison events (about 17.7 million entries per arm)	ILLUSTRATION	—	—	Normal approximation for a log rate ratio. Ignores clustering; assumptions invented	A single-site pilot cannot support an injury-reduction claim
E27	15,000 initial cost and 20,000 retained loss scenario	ILLUSTRATION	—	—	Invented currency-unit inputs. Not quotes or loss data	Replace with quotes and validated loss data
E28	Local injury reduction and insurance savings	UNRESOLVED	—	—	No results or insurer commitment. Nothing established	No public benefit claim; premium changes excluded from models
E29	U.S. disabled-access tax mechanisms exist with eligibility limits (credit for small businesses; deduction up to $15,000 a year)	VERIFIED SOURCE FACT	S23	—	Federal agency guidance. Eligibility of this work not established	Tax review before any budget recognition
E30	Research is defined by systematic investigation for generalizable knowledge (U.S.); TCPS 2 treats pilot studies as research requiring REB review	VERIFIED SOURCE FACT	S41, S22, S21	—	Regulation and policy. Institutional determination required	Obtain a determination before structured testing or evaluation

ID	Claim	Category	Sources	Transfer to children in retail	Limits	Implication
E31	Video surveillance: consider less intrusive alternatives, limit to purpose, notify, secure and delete	VERIFIED SOURCE FACT	S42	—	Regulator guidance. Guidance, not law	No new CCTV for this program; footage stays in protected systems
E32	Code editions depend on adoption and timing (2025 California code for permits from 1 Jan 2026; Ontario 2024 code for new construction and extensive renovation; 2025 national model codes published)	VERIFIED SOURCE FACT	S17, S18, S6	—	Official bulletins and pages. Local amendments and project scope decide	Record edition and basis per requirement in the jurisdiction register
E33	The FDA Food Code 2026 edition was released on 17 September 2026 as a model code	VERIFIED SOURCE FACT	S4, S44	—	Federal agency pages. Adoption varies; floor provisions not audited	Health authority confirms the adopted text for food zones
E34	Falls are the second leading cause of unintentional injury death worldwide, and nearly 40% of the disability-adjusted life years lost to falls occur in children	VERIFIED SOURCE FACT	S45	Shows the scale of child falls; says nothing about retail's share	WHO fact sheet (2021). Global estimate across settings	Child falls are a legitimate public-health priority; measure the retail share locally before claiming it
E35	Falls are a leading cause of non-fatal child injury but account for a small share of child injury deaths	VERIFIED SOURCE FACT	S46, S47	Supports measuring non-fatal outcomes; retail share unknown	WHO/UNICEF report chapter and news release. 2008 data	Plan evaluations around non-fatal injuries and hazards, not deaths

ID	Claim	Category	Sources	Transfer to children in retail	Limits	Implication
E36	In 2008 there was insufficient trial evidence that environmental changes in homes reduce the number of child injuries	VERIFIED SOURCE FACT	S46	Caution transfers: environmental change is plausible but unproven	WHO/UNICEF report chapter. Homes, not retail; 2008	Present site changes as reasonable precautions under evaluation, never as proven injury reductions
E37	CRPD States Parties must take measures so that facilities open to the public, including privately run ones, take accessibility into account, and must consult disabled people, including disabled children	VERIFIED SOURCE FACT	S48	Applies to every site change	Treaty text. Obligations fall on States, not businesses; ratification and national law vary	No child-safety change may reduce access; consult disability organizations before changing a site
E38	A safe and healthy working environment has been an ILO fundamental principle since 2022	VERIFIED SOURCE FACT	S54	Retail cleaning, cart handling and ergonomics	ILO statement. National ratification and law vary	Worker safety is part of every assessment, not a side issue
E39	ISO 21542 (building accessibility) and ISO/IEC Guide 50 (child safety in product standards) are useful reference points; their public scopes do not describe retail child-impact thresholds	PROGRAM RECOMMENDATION	S50, S51	Reference points for local reviews	Public scope pages. Standard texts not audited	Cite them as references in local reviews; never as an approval or a threshold

Source register

Full licensed standards and all state, provincial and local laws were not audited. Access levels are stated per source.

S1 · Guide to the ADA Standards, Chapter 3: Floor and ground surfaces

Publisher	U.S. Access Board
Link	https://www.access-board.gov/ada/guides/chapter-3-floor-and-ground-surfaces/
Jurisdiction	United States (ADA Titles II and III)
Type	Federal agency guidance
Edition / date	Online guide (page undated)
Retrieved	2026-10-20
Access	Full page read
What it supports	Explains §§302–303: accessible floor surfaces must be stable, firm and slip resistant; the standards do not specify a minimum level of slip resistance; thick, cushioned or loose carpet impairs accessibility.
Limits	Guidance, not the enforceable text (see S28 and S30). U.S. only. Does not decide whether a site or element is covered.

S2 · Slips and trips in retail

Publisher	Health and Safety Executive (Great Britain)
Link	https://www.hse.gov.uk/retail/slips-and-trips.htm
Jurisdiction	Great Britain
Type	Regulator guidance
Edition / date	Page updated 2026-01-15
Retrieved	2026-10-20
Access	Full page read
What it supports	Slips and trips are the single most common cause of major injury in retail; contamination is implicated in almost all slip accidents; signs and cones only warn and do not stop people entering — use barriers, close doors or clean in sections; damp mopped smooth floors are very slippery.
Limits	British law and workplace context; used here only as operational practice, not as U.S. or Canadian law. No effect sizes.

S3 · 29 CFR 1910.22 Walking-working surfaces: general requirements

Publisher	U.S. Occupational Safety and Health Administration
Link	https://www.osha.gov/laws-regs/regulations/standardnumber/1910/1910.22
Jurisdiction	United States (federal OSHA; state plans may differ)
Type	Regulation
Edition / date	Current text displayed by OSHA
Retrieved	2026-10-20
Access	Paragraphs (a) and (d) read
What it supports	Walking-working surfaces kept clean, orderly and, to the extent feasible, dry; free of hazards such as leaks and spills; inspected regularly and as necessary; hazards corrected or guarded before employees use the surface again. No numerical coefficient of friction.
Limits	Protects employees, not customers. State-plan rules may be stricter.

S4 · FDA Food Code (landing page)

Publisher	U.S. Food and Drug Administration
Link	https://www.fda.gov/food/retail-food-protection/fda-food-code
Jurisdiction	United States (model code adopted by states, localities, tribes and territories)
Type	Model code
Edition / date	2026 edition is the most recent full edition (page current as of 2026-09-17)
Retrieved	2026-10-20
Access	Landing page read; Chapter 6 text not audited
What it supports	Regulators use the Food Code as a model for their own food-safety rules.
Limits	Not law until adopted; adopted editions and amendments vary. Floor-surface provisions must be confirmed in the locally adopted text.

S5 · Codes Canada frequently asked questions (archived)

Publisher	National Research Council Canada
Link	https://nrc.canada.ca/en/certifications-evaluations-standards/codes-canada/codes-canada-frequently-asked-questions
Jurisdiction	Canada
Type	Federal agency FAQ (archived)

Edition / date	Archived page
Retrieved	2026-10-19 (v2 check; not re-checked)
Access	Read in v2
What it supports	Historical explanation of how national model codes are adopted.
Limits	Historical; not a current register of provincial or territorial adoption.

S6 · Codes Canada publications

Publisher	National Research Council Canada
Link	https://nrc.canada.ca/en/certifications-evaluations-standards/codes-canada/codes-canada-publications
Jurisdiction	Canada
Type	Publication list
Edition / date	Lists 2025 national model codes (page modified 2025-12-22)
Retrieved	2026-10-20
Access	Full page read
What it supports	Lists the 2025 National Building, Fire, Plumbing and Energy codes first; directs readers to provincial or territorial officials to find which codes apply.
Limits	Publication is not adoption; provinces and territories adopt, amend or replace model codes.

S7 · ASTM F1292-26 Impact attenuation of surfacing materials within the use zone of playground equipment (public scope)

Publisher	ASTM International
Link	https://store.astm.org/f1292-26.html
Jurisdiction	Voluntary consensus standard
Type	Standard — public scope page
Edition / date	F1292-26, active (page updated 2026-09-14)
Retrieved	2026-10-20
Access	Public scope only; licensed text not audited
What it supports	Playground surfacing in the use zone of playground equipment; laboratory critical height or drop-height performance using g-max and HIC; laboratory results do not account for aging, moisture, maintenance or compaction; specific to the risk of head injury, with limited evidence for other serious injuries such as long-bone fractures.

Limits	Not a retail floor or fixture method; cannot certify retail safety.

S8 · Mackey DC et al. (2019) FLIP randomized trial of compliant flooring in long-term care. PLoS Medicine 16(6): e1002843

Publisher	PLoS Medicine (peer reviewed)
Link	https://journals.plos.org/plosmedicine/article?id=10.1371/journal.pmed.1002843
Jurisdiction	Canada (single long-term care site)
Type	Randomized controlled trial
Edition / date	Published 2019
Retrieved	2026-10-20
Access	Abstract and results text read
What it supports	150 rooms randomized; 2.54 cm compliant underlay beneath vinyl versus plywood. Serious fall-related injury rate ratio 1.04 (95% CI 0.45–2.39); falls rate ratio 1.21 (0.87–1.68), i.e. a non-significant point estimate of more falls; adverse outcomes were not assessed.
Limits	Older adults in long-term care; one product and assembly. Low transferability to children in retail.

S9 · Slip, trip and fall prevention (risk control services)

Publisher	Travelers (insurer)
Link	https://www.travelers.com/risk-control/specialties/slips-trips-falls-prevention
Jurisdiction	U.S. commercial insurer
Type	Insurer service description
Edition / date	Page undated
Retrieved	2026-10-20
Access	Full page read
What it supports	Risk-control consultants analyze past loss history, evaluate walking surfaces, premises use and maintenance, and can measure wet and dry slip resistance.
Limits	One company's service description; no premium discount or endorsement is stated or implied.

S10 · ASTM F2508-23 Validation of walkway tribometry using research-based reference materials (public scope)

Publisher	ASTM International
Link	https://store.astm.org/standards/f2508
Jurisdiction	Voluntary consensus standard
Type	Standard — public scope page
Edition / date	F2508-23, active (page updated 2024-07-26)
Retrieved	2026-10-20
Access	Public scope only; licensed text not audited
What it supports	Procedure for validating walkway tribometers against reference materials ranked by human subjects; explicitly not intended to establish a "safe" threshold for any walkway surface.
Limits	Validation practice only; does not convert readings into injury risk.

S11 · ASTM E648-25a Critical radiant flux of floor-covering systems using a radiant heat energy source (public scope)

Publisher	ASTM International
Link	https://store.astm.org/e0648-25a.html
Jurisdiction	Voluntary consensus standard (adopted by reference in some codes)
Type	Standard — public scope page
Edition / date	E648-25a, active (page updated 2025-12-17)
Retrieved	2026-10-20
Access	Public scope only; licensed text not audited
What it supports	Measures critical radiant flux of horizontally mounted floor-covering systems; developed for corridors and exitways; not intended for routine estimation of flame spread elsewhere; does not by itself incorporate the factors needed for fire-hazard assessment.
Limits	Corrected in v3: version 2 cited an ASTM work-item page (WK95872) that does not name this standard. The required edition and class come from the adopted code and location.

S12 · Flammable Fabrics Act business guidance (carpets and rugs, 16 CFR 1630/1631)

Publisher	U.S. Consumer Product Safety Commission
Link	https://www.cpsc.gov/Business--Manufacturing/Business-Education/Business-Guidance/Flammable-Fabrics-Act
Jurisdiction	United States
Type	Federal agency guidance
Edition / date	Page undated
Retrieved	2026-10-20
Access	Full page read
What it supports	Parts 1630 and 1631 provide surface-flammability tests for large and small carpets and rugs exposed to a small ignition source; certificates of compliance are required.
Limits	Applies to carpets and rugs as defined; does not classify every resilient mat, foam tile or fixture padding.

S13 · PIPEDA fair information principle 4: Limiting collection

Publisher	Office of the Privacy Commissioner of Canada
Link	https://www.priv.gc.ca/en/privacy-topics/privacy-laws-in-canada/the-personal-information-protection-and-electronic-documents-act-pipeda/p_principle/principles/p_collection/
Jurisdiction	Canada (where PIPEDA applies)
Type	Regulator guidance
Edition / date	Page modified 2020-08-13
Retrieved	2026-10-20
Access	Full page read
What it supports	Collect only the personal information needed for a legitimate identified purpose, by fair and lawful means.
Limits	Not a determination of which privacy law applies (provincial laws may apply instead).

S14 · ADA Update: A Primer for Small Business

Publisher	U.S. Department of Justice
Link	https://www.ada.gov/resources/title-iii-primer/
Jurisdiction	United States (ADA Title III)
Type	Federal agency guidance
Edition / date	Page last updated 2020-02-28
Retrieved	2026-10-20
Access	Full page read
What it supports	Readily achievable barrier removal in existing facilities is a continuing duty; alterations must be accessible to the maximum extent feasible; temporary access interruptions must be remedied as soon as possible, and businesses should retrieve merchandise for customers who cannot get through a blocked aisle.
Limits	Guidance; does not decide a specific project.

S15 · Prevention of slips, trips and falls

Publisher	Canadian Centre for Occupational Health and Safety
Link	https://www.ccohs.ca/oshanswers/safety_haz/falls.html
Jurisdiction	Canada
Type	Federal agency guidance
Edition / date	Fact sheet last revised 2023-03-28
Retrieved	2026-10-20
Access	Full page read
What it supports	Good housekeeping is the first and most important level of prevention; clean spills immediately; secure mats, rugs and carpets that do not lie flat.
Limits	Good practice; does not state provincial or territorial legal requirements.

S16 · California Code of Regulations, Title 8, section 3273 ("Working Area")

Publisher	California Department of Industrial Relations
Link	https://www.dir.ca.gov/title8/3273.html
Jurisdiction	California (workplaces)
Type	Regulation
Edition / date	Latest listed amendment operative 2017-04-01

Retrieved	2026-10-20
Access	Full section read
What it supports	Permanent floors and platforms free of dangerous projections or obstructions, maintained in good repair and reasonably free of oil, grease or water; slippery work surfaces protected with mats, grates, cleats or equivalent.
Limits	Worker protection; not a statement of duties to customers.

S17 · Information Bulletin 25-01: 2025 California Building Standards Code effective date

Publisher	California Building Standards Commission
Link	https://www.dgs.ca.gov/-/media/Divisions/BSC/06-News/Information-Bulletins/2025/BSC-Bulletin-25-01-FINAL.pdf
Jurisdiction	California
Type	State agency bulletin
Edition / date	Dated 2025-07-01
Retrieved	2026-10-20
Access	Full bulletin read (direct retrieval)
What it supports	1 January 2026 is the statewide effective date; permit applications submitted on or after that date comply with the 2025 code; the 2022 code remains for applications received by 31 December 2025; local amendments must be ratified and filed for each edition.
Limits	Does not determine a specific project, local amendments or existing-building provisions.

S18 · Accessibility in Ontario's Building Code

Publisher	Government of Ontario
Link	https://www.ontario.ca/page/accessibility-ontarios-building-code
Jurisdiction	Ontario
Type	Provincial government guidance
Edition / date	Page updated 2025-03-24
Retrieved	2026-10-20
Access	Full page read (direct retrieval; v2 had only a search extract)
What it supports	The 2024 Building Code defines accessibility requirements for most new construction and extensive renovations; existing buildings are not affected unless

	an extensive renovation is planned; the code works together with the Design of Public Spaces standard.
Limits	Guidance page; verify the regulation text, amendments and transition provisions.

S19 · National Electronic Injury Surveillance System (NEISS)

Publisher	U.S. Consumer Product Safety Commission
Link	https://www.cpsc.gov/Research--Statistics/NEISS-Injury-Data
Jurisdiction	United States
Type	Surveillance system description
Edition / date	Page undated
Retrieved	2026-10-20
Access	Full page read
What it supports	Nationally representative probability sample of hospital emergency departments reporting consumer-product-related visits; national estimates from the sample.
Limits	Product-associated ED visits only; no store-visit denominators; product codes do not cover every scenario.

S20 · Canadian Hospitals Injury Reporting and Prevention Program (CHIRPP)

Publisher	Public Health Agency of Canada
Link	https://www.canada.ca/en/public-health/services/injury-prevention/canadian-hospitals-injury-reporting-prevention-program.html
Jurisdiction	Canada
Type	Surveillance system description
Edition / date	Page modified 2026-03-02
Retrieved	2026-10-20
Access	Full page read
What it supports	Emergency-department injury surveillance at 20 sites (11 paediatric, 9 general); records what the person was doing, what went wrong and where the injury occurred.
Limits	Not representative of all injuries in Canada; urban paediatric hospitals over-represented; fatal injuries under-represented.

S21 · Quality improvement activities FAQs

Publisher	U.S. HHS Office for Human Research Protections
Link	https://www.hhs.gov/ohrp/regulations-and-policy/guidance/faq/quality-improvement-activities/index.html
Jurisdiction	United States (HHS-regulated research)
Type	Federal agency guidance
Edition / date	Undated; issued before the 2018 Requirements took effect
Retrieved	2026-10-20
Access	Full page read
What it supports	Most quality-improvement efforts are not research subject to the HHS regulations; some are; intent to publish is an insufficient criterion for deciding.
Limits	Pre-2018 guidance; does not say who makes the determination; institutional policies apply.

S22 · TCPS 2 (2022), Chapter 2: Scope and approach

Publisher	Panel on Research Ethics (Government of Canada)
Link	https://ethics.gc.ca/eng/tcps2-eptc2_2022_chapter2-chapitre2.html
Jurisdiction	Canada (institutions bound by TCPS 2)
Type	Research-ethics policy
Edition / date	TCPS 2 (2022), issued 2023-01-11; current edition per the policy page
Retrieved	2026-10-20
Access	Chapter read
What it supports	Article 2.1 defines research; Article 2.5: quality assurance/improvement, program evaluation and performance reviews are not research under the policy; pilot studies fall within the definition of research requiring REB review.
Limits	Applies where the policy binds the institution; institutional REB decides.

S23 · Tax benefits for businesses who have employees with disabilities

Publisher	U.S. Internal Revenue Service
Link	https://www.irs.gov/businesses/small-businesses-self-employed/tax-benefits-for-businesses-who-have-employees-with-disabilities
Jurisdiction	United States (federal tax)

Type	Federal agency guidance
Edition / date	Page reviewed 2026-06-30
Retrieved	2026-10-20
Access	Full page read
What it supports	Disabled Access Credit (Form 8826) for small businesses that earned $1 million or less or had no more than 30 full-time employees in the previous year; barrier-removal deduction of up to $15,000 a year for qualified expenses removing architectural and transportation barriers.
Limits	No determination that this program or any flooring or padding expense qualifies.

S24 · Guide to the ADA Standards, Chapter 3: Protruding objects

Publisher	U.S. Access Board
Link	https://www.access-board.gov/ada/guides/chapter-3-protruding-objects/
Jurisdiction	United States
Type	Federal agency guidance
Edition / date	Online guide (page undated)
Retrieved	2026-10-20
Access	Full page read
What it supports	Objects with leading edges above the 27 in cane-detection height and below 80 in headroom are limited in how far they project into circulation paths (4 in); post-mounted objects 12 in; 80 in headroom.
Limits	Guidance; enforceable text in S28/S30.

S25 · ASTM F2753-21 Effect of dynamic rolling load over resilient floor covering systems (public scope)

Publisher	ASTM International
Link	https://store.astm.org/f2753-21.html
Jurisdiction	Voluntary consensus standard
Type	Standard — public scope page
Edition / date	F2753-21, active (page updated 2021-09-02)
Retrieved	2026-10-20
Access	Public scope only; licensed text not audited
What it supports	Practice for determining the effect of dynamic rolling load on resilient floor coverings, including joints; intended for resilient, adhesive and underlayment

	manufacturers; diagnostic and comparative use.
Limits	No universal wheel or load acceptance value.

S26 · CAN/ULC-S102.2-18 (R2024) Surface burning characteristics of flooring, floor coverings and miscellaneous materials (listing)

Publisher	UL Standards & Engagement / ULC
Link	https://www.shopulstandards.com/ProductDetail.aspx?productId=ULC102.2
Jurisdiction	Canada
Type	Standard — public listing
Edition / date	Edition 8 (2018), reaffirmed 2024; listing shows both "Archived" and "Active" labels
Retrieved	2026-10-20
Access	Listing read
What it supports	Compares flame spread and smoke developed values of floor surfaces and coverings and of materials that cannot be tested under CAN/ULC-S102.
Limits	Does not set performance requirements for specific uses; listing status should be confirmed; code professional decides edition, class and location.

S27 · CSA/ASC B651:23 Accessible design for the built environment (summary)

Publisher	Accessibility Standards Canada
Link	https://accessible.canada.ca/standards-and-technical-guides/standards-and-technical-guides-database/csa-asc-b651-accessible-design-built-environment
Jurisdiction	Canada
Type	Standard — official summary
Edition / date	2023 edition
Retrieved	2026-10-20
Access	Summary page read
What it supports	Requirements for making buildings and facilities accessible to people with physical, sensory and cognitive disabilities; referenced in the National Building Code and other legislation.
Limits	Whether it binds a site depends on the adopting instrument; technical text not audited.

S28 · 36 CFR part 1191, appendix D — ADA technical requirements §§302, 303, 307, 403 (unofficial copy)

Publisher	Legal Information Institute (copy of U.S. Access Board regulation)
Link	https://www.law.cornell.edu/cfr/text/36/appendix-D_to_part_1191
Jurisdiction	United States
Type	Regulation text (unofficial copy)
Edition / date	Current CFR text as mirrored
Retrieved	2026-10-20
Access	Sections 302, 303, 307 and 403.5.1 read
What it supports	302.1 floor surfaces stable, firm and slip resistant; 302.2 carpet securely attached with firm cushion, pad or backing or none, pile ≤ 1/2 in (13 mm), exposed edges fastened with trim; 302.3 openings pass no sphere > 1/2 in; 303 changes in level ≤ 1/4 in vertical, 1/4–1/2 in bevelled no steeper than 1:2, > 1/2 in ramped; 307.2 objects with leading edges 27–80 in (685–2030 mm) protrude ≤ 4 in (100 mm); 307.4 headroom 80 in; 307.5 protruding objects shall not reduce required clear width; 403.5.1 clear width 36 in (915 mm), reducible to 32 in (815 mm) for ≤ 24 in (610 mm).
Limits	Unofficial copy — confirm against the official DOJ 2010 Standards (S30) or eCFR before citing in a compliance file. Scoping (which elements must comply) is set elsewhere.

S29 · 28 CFR 36.211 Maintenance of accessible features

Publisher	eCFR (U.S. Government Publishing Office)
Link	https://www.ecfr.gov/current/title-28/chapter-I/part-36/subpart-C/section-36.211
Jurisdiction	United States (ADA Title III public accommodations)
Type	Regulation
Edition / date	eCFR up to date as of 2026-10-16
Retrieved	2026-10-20
Access	Full section read
What it supports	Public accommodations maintain accessible features in operable working condition; isolated or temporary interruptions in service or access due to maintenance or repairs are not prohibited.
Limits	Does not define how long "temporary" may be; see DOJ guidance (S14).

S30 · 2010 ADA Standards for Accessible Design

Publisher	U.S. Department of Justice
Link	https://www.ada.gov/law-and-regs/design-standards/2010-stds/
Jurisdiction	United States (ADA Titles II and III)
Type	Official standards page
Edition / date	Published 2010-09-15 with the revised Title II and III regulations
Retrieved	2026-10-20
Access	Introductory sections read (chapter text via S28)
What it supports	Identifies the 2010 Standards as the DOJ regulations plus the 2004 ADAAG (36 CFR part 1191, appendices B and D).
Limits	Retrieval of chapters 3–4 was truncated in this environment; technical text was read through S28.

S31 · Martin K, Chounthirath T, Xiang H, Smith GA (2014) Pediatric shopping-cart-related injuries treated in US emergency departments, 1990–2011. Clinical Pediatrics 53(3):277–285

Publisher	Clinical Pediatrics (peer reviewed); abstract via PCOM Digital Commons
Link	https://digitalcommons.pcom.edu/scholarly_papers/198
Jurisdiction	United States
Type	Surveillance study (NEISS)
Edition / date	Published 2014
Retrieved	2026-10-20
Access	Abstract only
What it supports	An estimated 530,494 children under 15 were treated in U.S. emergency departments for shopping-cart injuries over 1990–2011 (about 24,113 a year); the head was injured in 78.1%; the concussion/closed-head-injury rate rose 213% (0.64 to 2.02 per 10,000); numbers did not decline after the 2004 cart standard.
Limits	Abstract-level reading; surveillance estimates without store-visit denominators; diagnostic trends can affect concussion counts.

S32 · O'Brien CW (2009) Shopping cart injuries to children under five, 2003–2008

Publisher	U.S. Consumer Product Safety Commission, Directorate for Epidemiology

Link	https://www.cpsc.gov/s3fs-public/shopcart2008.pdf
Jurisdiction	United States
Type	Federal agency analysis of NEISS
Edition / date	December 2009
Retrieved	2026-10-20
Access	Full report read
What it supports	About 121,989 emergency-department-treated injuries 2003–2008 (95% CI 101,115–142,863); 2006–2008 annual average 21,065; falls from carts 82%, tip-overs 4%; head/face 84%; hospitalized 3%; ages one and two 59%; reported incidents included broken or missing restraint straps and car seats falling from carts.
Limits	Older data (2003–2008); estimates carry sampling error; no store denominators.

S33 · ASTM F2372-15(2021) Consumer safety performance specification for shopping carts (public scope)

Publisher	ASTM International
Link	https://store.astm.org/f2372-15r21.html
Jurisdiction	Voluntary consensus standard
Type	Standard — public scope page
Edition / date	F2372-15, reapproved 2021, active (page updated 2022-05-24)
Retrieved	2026-10-20
Access	Public scope only; licensed text not audited
What it supports	Performance requirements, test methods and labelling for shopping carts and restraint systems for children at least six months and 15 lb up to four years and 35 lb; excludes infant carriers.
Limits	Voluntary; applies to cart design, not to how carts are used or maintained in a store.

S34 · Study finds safety intervention increases use of child safety restraints in shopping carts (news release on a 2006 Pediatrics study)

Publisher	Nationwide Children's Hospital
Link	https://www.nationwidechildrens.org/newsroom/news-releases/2006/08/study-finds-safety-intervention-successfully-increases-use-of-child-safety-restraints-in-shopping
Jurisdiction	United States (seven stores)

Type	Hospital news release (secondary source)
Edition / date	August 2006
Retrieved	2026-10-20
Access	News release read; primary article not retrieved
What it supports	Three intervention and four comparison stores; greeters encouraged restraint use and caregivers received a coupon; correct restraint use in intervention stores rose from 15% to 49%; about half of children remained unrestrained or incorrectly restrained; injuries were not measured.
Limits	Secondary source; process outcome only; sample sizes and comparison figures not reported in the release.

S35 · Lachance CC et al. (2017) Compliant flooring to prevent fall-related injuries in older adults: a scoping review. PLoS ONE 12(2): e0171652

Publisher	PLoS ONE (peer reviewed)
Link	https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0171652
Jurisdiction	International literature (older adults; health-care settings)
Type	Scoping review
Edition / date	Published 2017
Retrieved	2026-10-20
Access	Abstract and results text read
What it supports	Compliant flooring reduced fall-related impact forces in laboratory studies; may reduce injuries but may increase fall risk; clinical evidence was small studies without a powered trial; most workplace-safety records found more force was needed to push, pull or turn carts, beds, wheelchairs and lifts.
Limits	Older-adult and health-care evidence; no risk-of-bias assessment; predates the FLIP results (S8).

S36 · Bell J et al. (2008) Evaluation of a comprehensive slip, trip, and fall prevention program for hospital employees (NOIRS 2008 abstract)

Publisher	National Institute for Occupational Safety and Health (CDC Stacks)
Link	https://stacks.cdc.gov/view/cdc/181530
Jurisdiction	United States (three acute-care hospitals)
Type	Conference abstract (not peer reviewed)
Edition / date	October 2008

Retrieved	2026-10-20
Access	Abstract read
What it supports	A multi-component program (injury-record analysis, hazard assessments, housekeeping changes, flooring changes, ice and snow removal, footwear for some groups) was followed by a 58% fall in workers' compensation slip, trip and fall claims, adjusted rate ratio 0.42 (95% CI 0.33–0.54); liquid contamination was the most common cause.
Limits	Employees, not customers; before/after design without a comparison group described; footwear components do not transfer to customers.

S37 · WHO Child Growth Standards: height-for-age percentiles, boys and girls 2–5 years

Publisher	World Health Organization
Link	https://www.who.int/tools/child-growth-standards/standards/length-height-for-age
Jurisdiction	International growth reference
Type	Reference data tables
Edition / date	WHO Child Growth Standards (percentile tables, PDF)
Retrieved	2026-10-20
Access	Boys and girls 2–5 year percentile tables read
What it supports	97th-percentile height: boys 92.9 cm at 2 years and 118.7 cm at 5 years; girls 91.8 cm and 118.4 cm. 3rd percentile at 2 years: boys 81.4 cm, girls 79.6 cm.
Limits	Height, not head or eye height; used only to set a program survey band. Older children need a 5–19 year reference.

S38 · ASTM F1637-21 Standard practice for safe walking surfaces (public scope)

Publisher	ASTM International
Link	https://store.astm.org/f1637-21.html
Jurisdiction	Voluntary consensus standard
Type	Standard — public scope page
Edition / date	F1637-21, active (page updated 2026-09-24)
Retrieved	2026-10-20
Access	Public scope only; licensed text not audited
What it supports	Design and construction guidelines and minimum maintenance criteria for walking surfaces in new and existing buildings, for pedestrians in ordinary footwear; may

	not be adequate for people with certain mobility impairments; conformance will not remove all hazards.
Limits	Voluntary practice; applicability is a program or contract decision unless adopted by law.

S39 · ANSI A326.3-2021 Dynamic coefficient of friction (DCOF) of hard surface flooring materials (listing)

Publisher	ANSI Webstore (content provider: Tile Council of North America)
Link	https://webstore.ansi.org/standards/tca/ansia3262021
Jurisdiction	Voluntary consensus standard (U.S.)
Type	Standard — public listing
Edition / date	A326.3-2021 (revises 2017 edition); most recent per listing
Retrieved	2026-10-20
Access	Listing read; full text not audited
What it supports	Describes a DCOF test method for hard surface flooring and includes DCOF specifications, product-use classifications and guidance on specifying.
Limits	Hard-surface flooring only; specification values were not audited here and are not a guarantee of in-use safety.

S40 · ANSI/ASSP A1264.2-2022 Reducing slip missteps on walking-working surfaces (listing)

Publisher	ANSI Webstore (content provider: American Society of Safety Professionals)
Link	https://webstore.ansi.org/standards/asse/ansiasspa12642022
Jurisdiction	Voluntary consensus standard (U.S. workplaces)
Type	Standard — public listing
Edition / date	A1264.2-2022 (revises 2006 edition)
Retrieved	2026-10-20
Access	Listing read; full text not audited
What it supports	Provisions for reducing the risk of slip missteps in workplace situations, for safety, design and facility professionals.
Limits	Workplace scope; numeric values, if any, not audited.

S41 · 45 CFR 46.102 Definitions for purposes of the human subjects policy

Publisher	eCFR (U.S. Government Publishing Office)
Link	https://www.ecfr.gov/current/title-45/subtitle-A/subchapter-A/part-46/subpart-A/section-46.102
Jurisdiction	United States (federally conducted or supported research and institutions that apply it)
Type	Regulation
Edition / date	eCFR up to date as of 2026-10-15
Retrieved	2026-10-20
Access	Definitions read
What it supports	Research is a systematic investigation, including research development, testing and evaluation, designed to develop or contribute to generalizable knowledge; a human subject involves interaction/intervention or identifiable private information.
Limits	Applicability of part 46 depends on funding and institutional assurances (46.101, not retrieved).

S42 · Guidelines for overt video surveillance in the private sector

Publisher	Office of the Privacy Commissioner of Canada
Link	https://www.priv.gc.ca/en/privacy-topics/surveillance/video-surveillance-by-businesses/gl_vs_080306/
Jurisdiction	Canada
Type	Regulator guidance
Edition / date	Issued 2008-03-06
Retrieved	2026-10-20
Access	Full page read
What it supports	Consider less privacy-invasive alternatives first; use surveillance only for its stated purpose; notify the public before entry; secure recordings and limit access; delete when no longer needed; review periodically.
Limits	Guidance, not law; the binding sources are PIPEDA and provincial private-sector laws.

S43 · How to make customer service accessible (temporary disruptions)

Publisher	Government of Ontario
Link	https://www.ontario.ca/page/how-make-customer-service-accessible
Jurisdiction	Ontario
Type	Provincial government guidance
Edition / date	Page updated 2026-09-21; refers to O. Reg. 191/11
Retrieved	2026-10-20
Access	Full page read
What it supports	When accessible facilities or services are temporarily out of service, give public notice stating the reason, how long, and any alternative; post at the entrance or another high-traffic area, or on the website or phone line.
Limits	Guidance page; the regulation text (e-Laws) could not be retrieved in this environment.

S44 · The FDA releases 2026 Food Code

Publisher	U.S. Food and Drug Administration (constituent update)
Link	https://www.fda.gov/food/hfp-constituent-updates/fda-releases-2026-food-code
Jurisdiction	United States
Type	Federal agency announcement
Edition / date	2026-09-17
Retrieved	2026-10-20
Access	Full page read
What it supports	Announces the 2026 edition on 17 September 2026; adoption by state, local, tribal and territorial agencies is voluntary.
Limits	Announcement; does not cover floor-surface provisions.

S45 · Falls (fact sheet)

Publisher	World Health Organization
Link	https://www.who.int/news-room/fact-sheets/detail/falls
Jurisdiction	Global
Type	Intergovernmental fact sheet
Edition / date	2021-04-26

Retrieved	2026-10-20
Access	Full page read
What it supports	Falls are the second leading cause of unintentional injury death worldwide (an estimated 684 000 deaths a year); nearly 40% of the disability-adjusted life years lost to falls worldwide occur in children; children are named as a high-risk group, with falls linked to developmental stages, supervision and hazardous environments; prevention should emphasise education, training, safer environments, research and policy.
Limits	Global estimates across all settings, mostly homes and daily life; no retail-specific data. Published 2021: check for a newer edition before quoting.

S46 · World report on child injury prevention, chapter 1: Child injuries in context

Publisher	World Health Organization and UNICEF (NCBI Bookshelf copy); editors Peden M, Oyegbite K, Ozanne-Smith J and others
Link	https://ncbi.nlm.nih.gov/books/NBK310643
Jurisdiction	Global
Type	Intergovernmental report (book chapter)
Edition / date	2008
Retrieved	2026-10-20
Access	Chapter 1 read (first 100 000 characters); the dedicated falls chapter could not be opened because the site showed a browser check
What it supports	Falls are leading causes of non-fatal child injury but a small share of fatal child injuries; standards, product design and environmental modification are named prevention approaches; the chapter notes there was insufficient trial evidence that environmental changes in homes reduce the number of injuries.
Limits	Published 2008; general and home settings, not retail. The falls chapter was not reviewed here.

S47 · Preventable injuries kill 2000 children every day (news release on the World report on child injury prevention)

Publisher	World Health Organization
Link	https://www.who.int/news/item/10-12-2008-preventable-injuries-kill-2000-children-every-day
Jurisdiction	Global
Type	Intergovernmental news release

Edition / date	2008-12-10
Retrieved	2026-10-20
Access	Full page read
What it supports	Falls are one of the five leading causes of child injury death in the 2008 estimate (nearly 47 000 child deaths a year), with hundreds of thousands more less serious fall injuries; proven measures listed include standards and redesigning nursery furniture, toys and playground equipment.
Limits	2008 estimates; a news summary of the report, not the report itself.

S48 · Convention on the Rights of Persons with Disabilities (articles 4 and 9)

Publisher	United Nations, Office of the High Commissioner for Human Rights
Link	https://www.ohchr.org/en/instruments-mechanisms/instruments/convention-rights-persons-disabilities
Jurisdiction	International treaty (binding on States Parties)
Type	Treaty text
Edition / date	General Assembly resolution A/RES/61/106 (2006)
Retrieved	2026-10-20
Access	Article 4(3) and article 9 read
What it supports	Article 9 requires States Parties to take measures for access to the physical environment and to facilities and services open to the public, including minimum accessibility standards and ensuring that private entities offering facilities open to the public take accessibility into account; article 4(3) requires close consultation with persons with disabilities, including children with disabilities, through their representative organizations.
Limits	Obligations fall on States Parties, not directly on businesses; ratification and national implementation vary. Check the country's status and its own laws.

S49 · Sustainable Development Goal 11: targets 11.2 and 11.7

Publisher	United Nations Department of Economic and Social Affairs
Link	https://sdgs.un.org/goals/goal11
Jurisdiction	Global (voluntary framework)
Type	UN goal, target and indicator text
Edition / date	2030 Agenda (adopted 2015); page as published
Retrieved	2026-10-20

Access	Target and indicator text read
What it supports	Target 11.7: by 2030, provide universal access to safe, inclusive and accessible, green and public spaces, in particular for women and children, older persons and persons with disabilities.
Limits	Indicator 11.7.1 measures urban open space for public use, which privately run shops are not. Use as policy context, never as a business obligation.

S50 · ISO 21542:2021 Building construction — Accessibility and usability of the built environment

Publisher	International Organization for Standardization (ISO/TC 59/SC 16)
Link	https://www.iso.org/standard/71860.html
Jurisdiction	International voluntary standard (applies where adopted or referenced)
Type	International standard (public scope page)
Edition / date	Edition 2, 2021-06; systematic review recorded in 2026
Retrieved	2026-10-20
Access	Public scope page only; standard text not purchased
What it supports	Requirements and recommendations for construction elements, fittings and products that affect getting into, moving within and leaving buildings, including evacuation; also applies to common spaces in multi-unit residential buildings.
Limits	Text not audited; national adoption varies; does not address child impact injuries specifically.

S51 · ISO/IEC Guide 50:2014 Safety aspects — Guidelines for child safety in standards and other specifications

Publisher	International Electrotechnical Commission webstore (joint ISO/IEC guide)
Link	https://webstore.iec.ch/en/publication/11940
Jurisdiction	International guidance for standards writers
Type	ISO/IEC guide (public abstract)
Edition / date	Edition 3.0, 2014-12-08
Retrieved	2026-10-20
Access	Public abstract only
What it supports	Guidance for experts who develop and revise standards and specifications on potential sources of bodily harm to children from products they use or are likely to

	come into contact with, even if the products are not intended for children; intentional and non-physical harm are out of scope.
Limits	Abstract only; written for standards developers, not for sites; sets no thresholds.

S52 · ISO/IEC Guide 71:2014 Guide for addressing accessibility in standards

Publisher	International Organization for Standardization
Link	https://www.iso.org/standard/57385.html
Jurisdiction	International guidance for standards writers
Type	ISO/IEC guide (public scope page)
Edition / date	Edition 2, 2014-12 (reviewed and confirmed in 2021)
Retrieved	2026-10-20
Access	Public scope page only
What it supports	Guidance to standards developers on addressing accessibility requirements and recommendations in standards for products, services and built environments.
Limits	Not a site requirement; text not audited.

S53 · ISO 7010:2019 Graphical symbols — Safety colours and safety signs — Registered safety signs

Publisher	International Organization for Standardization
Link	https://www.iso.org/standard/72424.html
Jurisdiction	International voluntary standard (applies where adopted or referenced)
Type	International standard (public scope page)
Edition / date	Edition 3, 2019-07, with amendments 1 to 11 (2020–2026); a revision is in progress
Retrieved	2026-10-20
Access	Public scope page only
What it supports	Prescribes registered safety signs for accident prevention, fire protection, health hazard information and emergency evacuation, for all locations where safety issues related to people need to be addressed.
Limits	Sign catalogue not reviewed; national sign rules and languages may differ. A sign warns; it does not control a hazard.

S54 · Statement for World Day for Safety and Health at Work 2025 (ILO Office for Türkiye)

Publisher	International Labour Organization
Link	https://www.ilo.org/resource/statement/we-need-come-together-renew-our-commitment-occupational-safety-and-health
Jurisdiction	International (ILO member States)
Type	ILO official statement
Edition / date	2025-04-28
Retrieved	2026-10-20
Access	Full page read
What it supports	States that in 2022 the International Labour Conference amended the ILO Declaration to add a safe and healthy working environment as a fifth fundamental principle, and that Conventions No. 155 and No. 187 are now considered fundamental conventions.
Limits	A statement about the 2022 decision, not the Declaration itself; national ratification and law vary.

S55 · Injury surveillance guidelines

Publisher	World Health Organization (with experts from the U.S. Centers for Disease Control and Prevention)
Link	https://www.who.int/publications/i/item/9241591331
Jurisdiction	Global
Type	Intergovernmental technical guidance
Edition / date	2001-03-16 (ISBN 9241591331)
Retrieved	2026-10-20
Access	Publication page read; manual not reviewed in full
What it supports	Practical advice for researchers and practitioners on developing information systems that collect systematic injury data, including where resources, staff or equipment are limited.
Limits	2001 guidance; does not cover retail exposure measures or current privacy law.

S56 · Web Content Accessibility Guidelines (WCAG) 2.2

Publisher	World Wide Web Consortium (W3C)
Link	https://www.w3.org/TR/WCAG22/
Jurisdiction	International technical standard (referenced by many laws and policies)
Type	W3C Recommendation
Edition / date	2024-12-12
Retrieved	2026-10-20
Access	Status and selected success criteria read
What it supports	Success criteria for accessible web content, including 2.2.2 Pause, Stop, Hide and 2.3.3 Animation from Interactions, which shaped this workspace's motion controls.
Limits	This package has not been audited for conformance; automated scans cover only some criteria.

Decisions that still need local professionals, authorities, evidence or signatures

Decision	Who decides	Gate	Why
Adopted building, fire and accessibility rules, editions and local amendments for the actual site	Code professional; authority having jurisdiction	G2	Editions depend on adoption and timing (S17, S18, S6)
Permit and inspection pathway for any physical change	Building and fire officials	G2/G4	Only the authority can decide within its remit
ADA and state access obligations (U.S.) or provincial accessibility and human-rights obligations (Canada)	Accessibility professional; counsel	G2/G3	Coverage and stricter local rules (S28, S29, S18, S27)
Fire classification of floor elements and of padding on walls or fixtures	Code professional; fire official	G2/G3	Different provisions apply to different elements (S11)
Food-zone surface requirements under the adopted food code	Health authority	G2	Model code adoption varies (S4)
Customer premises-liability duties, claims notice and evidence preservation	Local counsel; insurer	G2	State/provincial law and policy terms
Worker-safety regime and any stricter state or provincial rule	Safety lead; counsel	G1/G2	Federal OSHA, state plans and provinces differ (S3, S16)
Landlord consent and allocation of responsibilities	Property owner; counsel	G2	Must be in the binding lease or contract
Acceptance methods and thresholds for the actual installed system	Competent specialists (traction, access, fire, hygiene, materials)	G3	No universal pass values exist (S10)
Independent test reports for the as-installed assembly	Independent or accredited laboratory	G3	Reports must match the configuration
Privacy determination: fields, sharing, retention and any footage use	Privacy officer; counsel	G1	Applicable privacy law varies (S13, S42)

Decision	Who decides	Gate	Why
Research-ethics determination for any structured study, participant testing or secondary data research	Institutional REB/IRB	G1/G3	Pilot studies can be research (S22, S41)
Sample size and analysis plan for any effectiveness claim	Independent statistician	G1/G5	Rare events need large exposure (document 35)
Insurance notice, conditions and any premium recognition	Insurer, in writing	G2/G6	A broker conversation is not a commitment
Eligibility for any accessibility tax credit or deduction	Tax adviser	Before budget recognition	Eligibility rules apply (S23)
Funding awards	Funder, by written award	Before committed budget	Proposals are not awards
Signed charter, contracts, releases, go/no-go and scale decisions	Authorized signatories, in controlled systems	G0/G3/G4/G6	Workspace checkboxes are not signatures
Accessibility and browser compatibility of this workspace in your own environment	Your accessibility and IT staff	Before organizational reliance	Only Chromium was tested here (TEST-REPORT.md)
Which translated versions may be used, and who reviewed them	Program owner and a qualified native-speaker reviewer	Before distribution	The French and Spanish briefs (documents 51 and 52) are draft translations that no native speaker has reviewed

Zero Harm & Anti-Coercion. These materials exist to prevent injury and widen access. Do not use them to blame or surveil caregivers, children, workers or disabled visitors, to pressure anyone into taking part, or to hide unfavourable findings. This page makes no network connections and contains no tracking.

Child-Safer Spaces · version 4.0 · 2026-10-20.