11-11 第1篇

阅读理解（议论文） Should Basic First-Aid Be Part of Every Middle-School Timetable?

① Last Wednesday morning, during the 09:30 break, a Grade 8 student in our school suddenly fell to the ground in the corridor. He had been laughing at a joke and, a second later, he was not breathing. Three classmates stood frozen for eight long seconds before a teacher ran past. The student is fine now; the hospital later said it was a **choking incident** caused by a sweet. But that eight-second frozen silence haunted me for the whole week. It made me ask: **Why don't we, ourselves, know what to do in those eight seconds?** My view is that **every middle school in our city should add one short, regular first-aid lesson to the timetable** — starting from Grade 7.

② The first reason is **real numbers**. According to a 2026 national report, over **120,000 people** in China die each year from **cardiac arrest** outside hospitals, and more than one third of them happen in places where young people are near — schools, parks, playgrounds, family homes. Survival after a sudden heart stop depends on **the first 4 minutes**. If a person around the patient starts chest compressions at once, survival rate can rise from below 5% to about **30% — six times higher**. Those first four minutes are almost never the minutes when a doctor is there. They are the minutes when **we are there**.

③ The second reason is **not just heart stop**. Middle-school students, at school and at home, are often the closest witnesses to small accidents: a grandmother chokes on a piece of meat at dinner; a younger brother falls from a bicycle and bleeds; a friend burns her hand on a hot cup. A 15-minute lesson on the **Heimlich manoeuvre** (chest-pushing for choking), a 10-minute lesson on **pressing a clean cloth onto a bleeding wound**, a 5-minute lesson on **cooling a burn with running water** — each one is the difference between **useful hands and useless hands**.

④ The third reason is **quiet confidence**. A student who has practised, with her own hands, on a plastic training model, does not freeze as easily when a real incident starts. A 2024 study in Shanghai found that students who had had **six first-aid lessons** were **three times more likely** to step in during a playground emergency than those who had had none. The lesson is not only in the hands — it is in the **shoulders**. After practice, the shoulders of a fourteen-year-old drop a little lower, knowing **"if something happens in front of me, I can start while waiting for the adult."**

⑤ Some people argue, "This is the doctor's job, not a school's job." Doctors are, of course, the experts. But a doctor can only arrive after a phone call. The school's job is never to replace the doctor; it is to make sure the four minutes **before the doctor arrives**

are not empty minutes. Others say, "Students are too young to learn this." The American Heart Association has, since 2010, recommended hands-on CPR training **from age 12**. Many British and Australian schools begin even earlier. Our Grade 7 students — 13 years old — are no less capable than theirs.

⑥ A more serious worry is **time**. The timetable is already full; mathematics, English, physics, history — everyone wants their own minutes. My reply is: we do not need a whole subject. We need **one 40-minute lesson every two weeks**, a total of about **ten lessons a term**, taught in the PE or Health class. The cost is small; the return is large. No maths exam has ever asked a student to save a life; a quiet corridor at 09:30 once did.

⑦ A last worry is **fear of doing harm**. "What if a student hurts the patient while trying to help?" This is a fair concern; but a strong, well-known **Good-Samaritan clause** has been part of our national law since 2017 — students who help a stranger in good faith are **not legally responsible** for accidents. What is more, the **current teaching method**, called "Quality CPR + Safe Stop Points", makes it very clear when a student should stop and simply wait for an adult.

⑧ So what should be taught? A minimum plan of three skills: (1) **how to call 120** clearly (our address, the patient's condition, our name); (2) **hands-only CPR** (30 chest pushes at the speed of "staying alive", two short breaths — or chest pushes only, if uncomfortable with mouth-to-mouth); (3) **how to help a choking person** using the Heimlich manoeuvre. Add, over a year, bleeding control and burn cooling. That is all. Ten lessons in total. Ten lessons that any middle-school student can leave school with — as a quiet, lifelong gift from school to world.

⑨ My Grade 8 classmate is back at his desk. He laughs more quietly now, and eats his sweets more carefully. Next Monday, our health teacher will begin the first of ten new **First-Aid Fridays**. The whole class will stand in a circle around a plastic model of a person. We will press on his chest while counting "one and two and three..." Perhaps we will never need to press on a real chest in our lives. But if one of us does, our eight-second frozen silence will, this time, be replaced by **eight seconds of steady, trained hands**. That is why first-aid belongs on every middle-school timetable.

注释： first-aid 急救；cardiac arrest 心跳骤停；CPR 心肺复苏；Heimlich manoeuvre 海姆立克急救法；Good-Samaritan 好撒玛利亚人（见义勇为）

根据短文内容，选择最佳答案。

1. What caused the writer to think seriously about first-aid lessons?

A. A PE test.
B. A corridor choking incident: a Grade 8 student fell to the ground; three classmates stood frozen for eight long seconds before a teacher ran past.

C. A lecture from the headmaster.
D. A television show.

2. According to Paragraph ②, why are "the first four minutes" so important?

A. Because they are four minutes of the PE class.
B. Because survival after a sudden heart stop depends on the first 4 minutes; immediate chest compressions can raise survival rate from below 5% to about 30%, and those minutes are almost never when a doctor is present — they are when "we" are present.
C. Because hospitals close after four minutes.
D. Because classes are four minutes long.

3. How does the writer answer the worry "Students are too young to learn first-aid"?

A. By saying students should wait until university.
B. By pointing out that the American Heart Association has, since 2010, recommended hands-on CPR training from age 12, and many British and Australian schools begin even earlier; our 13-year-old Grade 7 students are no less capable than theirs.
C. By ignoring the worry.
D. By suggesting first-aid should only be taught to teachers.

4. Which of the following is NOT in the writer's "minimum plan of three skills"?

A. How to call 120 clearly, giving address, patient's condition and name.
B. Hands-only CPR: 30 chest pushes at the speed of "staying alive", two short breaths, or chest pushes only if uncomfortable.
C. How to help a choking person using the Heimlich manoeuvre.
D. How to perform surgery on a broken leg.

5. What does the writer mean at the end by "eight seconds of steady, trained hands"?

A. Students should run for eight seconds before helping.
B. Trained first-aid replaces frozen silence with immediate, competent action; if the corridor incident happens again, students will no longer stand frozen for eight seconds, but use those eight seconds to act.
C. The hand will be eight seconds faster on the clock.
D. Students should clap their hands eight times.

答案与解析

1.
【答案】B
【题型】细节理解题
【定位】第①段 "corridor ... Grade 8 student fell ... eight long seconds"
【解析】起因直引。A、C、D 均错。故选 B。

2.
【答案】B
【题型】细节理解题
【定位】第②段数据句
【解析】生存率从 5% 提升到 30%。A、C、D 均错。故选 B。

3.
【答案】B
【题型】细节理解题
【定位】第⑤段末 "American Heart Association ... from age 12 ... British and Australian"
【解析】正面反驳。A、C、D 均错。故选 B。

4.
【答案】D
【题型】细节理解题（否定）
【定位】第⑧段三条核心技能
【解析】A、B、C 均在文中；D 为手术，超出范围。故选 D。

5.
【答案】B
【题型】推理判断题
【定位】第⑨段末与第①段"八秒呆滞"对照
【解析】训练取代呆滞。A、C、D 均偏离。故选 B。