Lab Number : 30 Date:2026/03/16

Title: User & Group Adminstration

1.Create group for each department:



Command:

```
root@localhost:~# groupadd production
root@localhost:~# groupadd marketing
root@localhost:~# groupadd sales
```

Output:

```
root@localhost:~# cat /etc/group
root:x:0:
bin:x:1:
daemon:x:2:
sys:x:3:
adm:x:4:
tty:x:5:
disk:x:6:
lp:x:7:
mem:x:8:
kmem:x:9:
wheel:x:10:amir
dnsmasq:x:986:
sshd:x:74:
chrony:x:985:
tcpdump:x:72:
plocate:x:984:
gnome-remote-desktop:x:983:
pipewire:x:982:
amir:x:1000:
student:x:1001:
production:x:1002:
marketing:x:1003:
sales:x:1004:
```

2. Create user account (user1 to user 6 , boss , manager) for each employee assigning their respective group

Command:

```
root@localhost:~# useradd -g production user1
root@localhost:~# useradd -g production user2
root@localhost:~# useradd -g marketing user3
root@localhost:~# useradd -g marketing user4
root@localhost:~# useradd -g sales user5
root@localhost:~# useradd -g sales user6
root@localhost:~# useradd manager
root@localhost:~# useradd boss
```

3.Create common directory (/root/production , /root/marketing & /root/sales) for each department

Command:

```
root@localhost:~# mkdir /root/production
root@localhost:~# mkdir /root/marketing
root@localhost:~# mkdir /root/sales
```

4.Change ownership of group directories such that boss will become the owner of respective groups will be group owner

Command:

```
root@localhost:~# chown boss:production /root/production
root@localhost:~# chown boss:marketing /root/marketing
root@localhost:~# chown boss:sales /root/sales
```

5.Change the permission of the group directory such that only the owner & group member will get full permission & other

Command:

```
root@localhost:~# chmod 770 /root/production
root@localhost:~# chmod 770 /root/marketing
root@localhost:~# chmod 770 /root/sales
```