Programming Evaluation for:

PHP

Catalyst IT Australia

Open Source Technologists

Version 1.6

March 2024

Commercial in Confidence







S2, Level 5, 99 Creek Str, Brisbane City, QLD, 4000 PO Box 1480, Deewhy, NSW, 2099 +61 2 8203 9777 // info@catalyst-au.net // www.catalyst-au.net

Table of Contents

| 1 |
|---|
| 1 |
| 1 |
| 2 |
| 2 |
| 2 |
| 3 |
| 3 |
| 3 |
| 3 |
| |

| Revision History | | | |
|------------------|------------|---------|--|
| Modified by | Date | Version | Change |
| Matt Porritt | 15/9/2014 | 0.1 | Initial draft |
| Matt Porritt | 18/9/2014 | 1.0 | Review Updates |
| Matt Porritt | 9/9/2015 | 1.1 | Updates |
| Matt Porritt | 5/8/2016 | 1.2 | Defining PHP version |
| Matt Porritt | 17/7/2017 | 1.3 | PHP and Ubuntu version update |
| Arjen Lentz | 14/6/2019 | 1.4 | PHP, Ubuntu, MySQL version update. Proofread and template fixups |
| Dmitrii Metelkin | 23.03.2023 | 1.5 | PHP, Ubuntu, MySQL version update. |
| Ghada El-Zoghbi | 20/12/2023 | 1.6 | Al Usage. |



1. Script Task

Create a PHP script, that is executed from the command line, which accepts a CSV file as input (see command line directives below) and processes the CSV file. The parsed file data is to be inserted into a MySQL database. A CSV file is provided as part of this task that contains test data, the script must be able to process this file appropriately.

The PHP script will need to correctly handle the following criteria:

- CSV file will contain user data and have three columns: name, surname, email (see table definition below)
- CSV file will have an arbitrary list of users
- Script will iterate through the CSV rows and insert each record into a dedicated MySQL database into the table "users"
- The users database table will need to be created/rebuilt as part of the PHP script. This will be defined
 as a Command Line directive below
- Name and surname field should be set to be capitalised e.g. from "john" to "John" before being inserted into DB
- Emails need to be set to be lower case before being inserted into DB
- The script should validate the email address before inserting, to make sure that it is valid (valid means that it is a legal email format, e.g. "xxxx@asdf@asdf" is not a legal format). In case that an email is invalid, no insert should be made to database and an error message should be reported to STDOUT.

We are looking for a script that is robust and gracefully handles errors/exceptions.

The PHP script command line argument definition is outlined in 1.4 Script Command Line Directives . However, user documentation will be looked upon favourably.

If you elect to utilise AI, please specify your the list of questions and at which point you customised the code.

1.1 Source Control

The code for the test is to be managed using "git" as the Version Control System, with the repository made available via online repository: GitHub (github.com), bitbucket (bitbucket.org) etc. This will be how the sample code is to be delivered to Catalyst at the completion of development.

A repository with only one commit is not acceptable. Showing the development process is just as important as the task itself.

1.2 Assumptions

- The deliverable will be a running PHP script it will be executed on an Ubuntu 22.04 instance
- PHP version is: 8.1.x
- Catalyst would like to see your development process history in git not just a completed script
- There may be some libraries that need to be installed via apt-get, pear or composer. This is fine but these dependencies should be outlined in provided install documentation



- MySQL database server is already installed and is version 5.7 (higher versions are fine, as is MariaDB 10.x) DB user details should be configurable
- PHP script will be called user_upload.php
- CSV file will be called users.csv and is provided with this document.

If there are any unclear details here, you are welcome to make assumptions as long as they are clearly stated and documented as part of the deliverables.

1.3 User Table Definition

The MySQL table should contain at least these fields:

- name
- surname
- email (email should be set to a UNIQUE index).

1.4 Script Command Line Directives

The PHP script should include these command line options (directives):

- --file [csv file name] this is the name of the CSV to be parsed
- --create_table this will cause the MySQL users table to be built (and no further
- action will be taken)
- --dry_run this will be used with the --file directive in case we want to run the script but not insert into the DB. All other functions will be executed, but the database won't be altered
- -u MySQL username
- -p MySQL password
- -h MySQL host
- --help which will output the above list of directives with details.

Example running from the command line:

• php user_upload.php --help

1.5 Questions

The aim of this task is to test both your development skills as well as simulate a real world project task. Guidance can be sought regarding the requirements and deliverables of this task. Questions on "how to do it" won't be accepted.



2. Logic Test

Create a PHP script that is executed form the command line. The script should:

- Output the numbers from 1 to 100
- Where the number is divisible by three (3) output the word "foo"
- Where the number is divisible by five (5) output the word "bar"
- Where the number is divisible by three (3) and (5) output the word "foobar"
- Only be a single PHP file

If you elect to utilise AI, please specify your the list of questions and at which point you customised the code.

2.1 Example

An example output of the script would look like:

1, 2, foo, 4, bar, foo, 7, 8, foo, bar, 11, foo, 13, 14, foobar ...

2.2 Deliverable

The deliverable for this task is a PHP script called foobar.php. Please include in the same source control project as the Script task.

2.3 Questions

The aim of this task is to test your development skills. Guidance can be sought regarding the requirements and deliverables of this task. Questions on "how to do it" won't be accepted.

