PAYLOAD ANALYSIS

QXtend

1/16/2017

Regoti, Sujata

QXtend

1. From payload get end point

<qcom:propertyName>EndpointURI/qcom:propertyName>

<qcom:propertyValue>

http://heuqa.tcc.etn.com:8081/heu1qxi163/services/QdocWebService</qcom:pr

In the above endpoint URI, nhaqxi163 represents nha QXtend Inbound. For outbound : nhaqxo163


Use Link: http://heuqa.tcc.etn.com:8081/heu1qxi163

2. Get wsaTo Property

<ns2:propertyName>wsaTo</ns2:propertyName>
<ns2:propertyValue> urn:services-qad com:heuqueryqxi</ns2:propertyValue>

Here outbound receiver heuqueryqxi.

3. Open above URI. Go to Configuration->Receivers->Outbound




Under receivers find above receiver name.

We can check whether receiver specified in payload is available in Outbound Receiver list or not.

4. If found, Click on View.

```
<part name="body">


<querySoaltemHyd> → Receiver QDocName
```



Check Version as specified in payload.

<ns2:propertyName>version</ns2:propertyName>
<ns2:propertyValue>eB_1/ns2:propertyValue>

5. In outbound, Under Business Object find response provided in payload.



Under Business Object, we get Table and All its fields details.

Regoti, Sujata WCE, Sangli Intern@Eaton