

MDEMG — Windows Installation Guide

Windows equivalent of:

```
brew tap reh3376/mdemg && brew install mdemg
```

Prerequisites

Requirement	Version	Install
PowerShell	7.0+	<code>winget install Microsoft.PowerShell</code>
Docker Desktop	latest	docker.com/products/docker-desktop or <code>winget install Docker.DockerDesktop</code>
OpenAI API key	—	platform.openai.com — or use Ollama for local-only

Python 3.12+ and `uv` are optional but recommended for some ingest features.

Installation

Option A — Standalone installer (no package manager needed)

Open **PowerShell 7** and run:

```
irm https://raw.githubusercontent.com/reh3376/mdemg-windows/main/Install-MDEMG.ps
```

This will:

- Check prerequisites (Docker, Python, uv, Git)
- Download the MDEMG CLI (native binary if available, otherwise PowerShell wrapper)
- Add `mdemg` to your user PATH
- Set up tab-completion in your PowerShell profile

Option B — Scoop (recommended if you use Scoop)

```
scoop bucket add mdemg https://github.com/reh3376/mdemg-windows
scoop install mdemg
```

Option C — Manual

```
# Clone this repo
git clone https://github.com/reh3376/mdemg-windows.git
cd mdemg-windows

# Run installer
.\Install-MDEMG.ps1

# Verify
mdemg version
```

Quick Start

Option A: One command

```
$env:OPENAI_API_KEY = "sk-..."
mdemg init --quick
```

Creates config, starts Neo4j, starts the server, applies migrations, and confirms readiness.

Option B: Step by step

```
mdemg init           # Interactive wizard
mdemg db start       # Start Neo4j container
mdemg start --auto-migrate # Start server with migrations
mdemg status         # Verify everything is running
mdemg ingest --path . # Ingest your codebase
```

Commands

Command	Description

<code>mdemg init</code>	Interactive setup wizard (<code>--defaults</code> / <code>--quick</code>)
<code>mdemg version</code>	Print version, platform, build info
<code>mdemg start</code>	Start server in background
<code>mdemg stop</code>	Stop the running server
<code>mdemg restart</code>	Restart the server
<code>mdemg status</code>	Show server, database, and embedding status
<code>mdemg serve</code>	Run server in foreground (development)
<code>mdemg logs [-Follow]</code>	View server logs
<code>mdemg db start</code>	Start Neo4j container
<code>mdemg db stop</code>	Stop Neo4j container
<code>mdemg db status</code>	Show container and schema status
<code>mdemg db migrate</code>	Apply pending schema migrations
<code>mdemg db shell</code>	Open interactive cypher-shell
<code>mdemg db backup</code>	Trigger or list backups
<code>mdemg db remove</code>	Remove Neo4j container
<code>mdemg ingest --path .</code>	Ingest a codebase into the knowledge graph
<code>mdemg watch --path .</code>	Watch a directory and auto-ingest on changes
<code>mdemg consolidate</code>	Run hidden layer clustering
<code>mdemg decay</code>	Apply temporal decay to learning edges
<code>mdemg prune</code>	Prune weak edges, tombstone orphans
<code>mdemg embeddings check</code>	Verify embedding provider connectivity
<code>mdemg config show</code>	Display effective configuration
<code>mdemg config validate</code>	Validate config and probe connectivity
<code>mdemg config set-secret K V</code>	Store secret in Windows Credential Manager

<code>mdemg hooks install</code>	Install git post-commit hook
<code>mdemg mcp</code>	Run MCP server for IDE integration
<code>mdemg space list export import</code>	Manage memory spaces
<code>mdemg demo</code>	Run interactive demo
<code>mdemg upgrade</code>	Self-update to latest release

Configuration

Priority chain (lowest → highest):

defaults → %USERPROFILE%\mdemg\config.yaml → Credential Manager → .env → environ

Secrets

Use `.env` in your project root (gitignored) or Windows Credential Manager:

```
# .env file (recommended for development)
OPENAI_API_KEY=sk-...
MDEMG_NEO4J_PASSWORD=your-password

# Or Windows Credential Manager (for production / shared machines)
mdemg config set-secret OPENAI_API_KEY sk-...
```

View effective config

```
mdemg config show
mdemg config validate
```

Troubleshooting

Problem	Fix
<code>mdemg</code> not found after install	Restart terminal; or run <code>\$env:PATH += ";\$HOME\mdemg"</code>

Docker not running	Start Docker Desktop from the taskbar
Neo4j port conflict	<code>mdemg db start --port 7688</code>
Missing OpenAI key	Add <code>OPENAI_API_KEY=sk-...</code> to <code>.env</code>
Neo4j won't start	<code>docker logs mdemg-neo4j-<folder-name></code>
Server won't start	<code>mdemg logs</code> or <code>cat \$HOME\.mdemg\logs\mdemg.log</code>
Embedding check fails	<code>mdemg embeddings check</code> — verify key and model in config
Script execution policy	<code>Set-ExecutionPolicy -Scope CurrentUser RemoteSigned</code>

Upgrading

```
mdemg upgrade
mdemg start --auto-migrate # apply any new migrations
```

Uninstall

```
# Stop everything
mdemg stop
mdemg db stop --remove

# Remove Docker volumes
docker volume rm $(docker volume ls -q --filter name=mdemg)

# Uninstall CLI
.\Install-MDEMG.ps1 -Uninstall

# (Optional) Remove config and data
Remove-Item "$HOME\.mdemg" -Recurse -Force
```

macOS equivalent reference

macOS (Homebrew)	Windows (PowerShell)
brew tap reh3376/mdemg	scoop bucket add mdemg ... or .\Install-MDEMG.ps1
brew install mdemg	scoop install mdemg or .\Install-MDEMG.ps1
brew upgrade mdemg	mdemg upgrade or scoop update mdemg
brew uninstall mdemg	.\Install-MDEMG.ps1 -Uninstall or scoop uninstall mdemg
~/mdemg/config.yaml	%USERPROFILE%\mdemg\config.yaml
keychain secrets	Windows Credential Manager via mdemg config set-secret

Links

- [Source Code \(MDEMG\)](#)
- [macOS Homebrew tap](#)
- [Issues](#)