

1 Autoplay on Trial: An Online Experiment on the Suspect 1
2 Behind Excessive Screen Time 2

3 Reha Tuncer* 3

4 July 2, 2025 4

5 **Abstract** 5

6 Interface design can be strategically employed to ‘nudge’ consumers to take certain ac- 6
7 tions and is suspected of promoting addictive online behavior. A prevalent interface 7
8 element across numerous popular social media and streaming platforms is the default 8
9 autoplay feature. In this study, we present an incentivized online experiment to inves- 9
10 tigate whether the autoplay feature alone can cause an unwarranted increase in desired 10
11 viewing times. While controlling for content, we demonstrate that the autoplay feature, 11
12 in isolation, does not override participants’ previously indicated preferences for media 12
13 consumption. We discuss the our findings in terms of what actually renders online plat- 13
14 forms addictive. Our results have direct policy implications for the proposed blanket 14
15 ban on autoplay by the US Congress (SMART Act). 15

*I am grateful to Ernesto Reuben and Kerstin Bongard-Blanchy for their guidance in the design and conception of this experiment, to Sophie Doublet for her help in interface design, to Suvadeep Mukherjee for his guidance in building web experiments. I am also thankful for the invaluable comments from the Behavioral Economics Summer School at the University of Copenhagen, the doctoral workshop at UC Louvain, the Experiments Workshop Soletto at Sapienza University Rome, Samuel Greiff, Manuel Munoz Herrera, Hande Erkut and countless colleagues.

1 Introduction

The rise of social media and streaming platforms have generated discussion around potential societal benefits and concerns about harms such as addiction and self-control issues. A number of recent economic studies have found convincing evidence that people spend significantly more time than they would like to on their smartphones in general (Hoong, 2021) and on social media (Allcott, Gentzkow, & Song, 2022), and social media use was associated with decreased subjective well being (Allcott, Braghieri, Eichmeyer, & Gentzkow, 2020). The reason behind such findings need not be elusive. Online content serving platforms, like Facebook or Netflix, monetize consumer attention and have the ability to control the setting in which consumption decisions occur (e.g., format of information, presentation of choices). Such firms are potentially incentivized to increase the ‘addictiveness’ of their platforms by altering the content and design provided to users, as occupying more of consumers’ free time can lead to higher revenues (Ichihashi & Kim, 2023; Kleinberg, Mullainathan, & Raghavan, 2022). Designing for addiction, in turn, would lead to increased content consumption but decreased utility from consumption, as implied by the extensive literature on present bias (see Ericson and Laibson (2019) for a review). Wary policymakers across both sides of the Atlantic have already made efforts to restrain the negative effects such incentives could have on consumer welfare (see SMART Act by US Congress and Digital Services Act by EU). Both acts are attempts to regulate the increasingly relevant digital environments which contain effective ways to solicit consumers’ attention and influence them to make transactional decisions that may go against their best interests (Lupiáñez-Villanueva et al., 2022). Although both regulators and scientists alike successfully identify the problem, it remains to be seen what specific aspects of such online platforms are problematic, as a blanket regulation over the entire landscape of digital services could offset the many benefits users derive from them. Our study constitutes the first such attempt to our knowledge in disentangling the many interrelated features online platforms have and pinpoints to what specifically requires the attention of the regulators. Relevant to our experimental setting is the

proposed ban on defaults regarding media player controls, where the platform serves content “without an express, separate prompt by the user (such as pushing a button or clicking an icon)”.

Interface designers and computer scientists have already documented the many ways in which interface design can be instrumentalized to ‘nudge’ users in practice (see [Caraban, Karapanos, Gonçalves, and Campos \(2019\)](#) for a review). Nudge theory suggests knowledge about systematic biases in decision-making can be leveraged to support people in making better decisions for themselves ([Thaler & Sunstein, 2009](#)). Much of the existing literature is dedicated to improving decision-making in the context of benevolent government-sponsored nudges (see [Mertens, Herberz, Hahnel, and Brosch \(2022\)](#) for a review). More recently, however, discussions also extended to private sector interventions. This branch of the literature addresses the implications of changing behavior for ‘better’ decisions from the firm’s point of view ([Beggs, 2016](#); [Mills, 2023](#); [Smith, Goldstein, & Johnson, 2013](#)). When firms nudge, there should be a distinction between whether the firm or the recipient of the nudge benefits from it. In other words, nudges can become problematic if the objective of the intervention is to maximize the benefit received by the firm instead of the decision-maker. Media player defaults, such as autoplay, are potentially one such example that could be driving the concerning results attested by literature. If these defaults are conceived to increase welfare of consumers instead, they should be preferred to active decisions or other alternatives. [Carroll, Choi, Laibson, Madrian, and Metrick \(2009\)](#) make a similar comparison between defaults and active decisions in the context of saving decisions, with a focus on modelling decision cost attached to making explicit choices.

The understudied ‘autoplay’ feature, is an interface nudge prevalent across social media and streaming platforms that automatically transitions users to the next video content without providing an explicit opportunity to discontinue consumption. Unless opted-out by users, platforms including Facebook, Netflix, YouTube and TikTok provide autoplay as the *default* media player configuration as of mid-2023. Defaults are effective because they (i) reduce effort, (ii) imply endorsement, and (iii) work hand in hand with

cognitive biases such as loss aversion (Smith et al., 2013). In case of autoplay, the default makes watching successive videos more salient as it removes the opportunity from users to decide whether or not to continue watching. Studies have shown that media player design promotes “mindless” content consumption and reduces user agency (Lukoff et al., 2021). Removing the opportunity to decide whether or not to continue watching leads to increased watching times in children (Hiniker, Heung, Hong, & Kientz, 2018), known to exhibit less self-control than adults. If indeed autoplay promotes digital addiction as suggested by the proposed legislation and the literature, we would expect it to alter the decisions of viewers with self control issues even when proposed content is kept same. We therefore hypothesize that holding content constant, autoplay should result in increased viewing times compared to the control group making active decisions. Further, the concerns of addiction could be verified by contrasting actual watching choices to participants’ previous commitment choices regarding how much they initially wanted to watch videos across conditions. In sum, we conceptualize autoplay as facilitating continuous watching, and compare it in an incentivized experiment to a ‘neutral’ setting where users must actively select videos to watch them.

To determine whether autoplay alters viewers’ past commitment choices, we designed an online experiment where participants spent 20 minutes on a higher-paying real effort task (retyping CAPTCHAs)¹ or a lower-paying leisure task (watching videos). In the treatment condition, videos played automatically, while in the control condition, participants had to click to watch each video. To investigate the effects of autoplay on viewers with heterogeneous self-control issues, we included an additional task to elicit self control issues in our sample. In this task, participants visited the experiment website one day before the 20 minute session and practiced both the real effort task and the leisure task for 2 minutes in a so-called “practice session”. Participants were already randomly assigned to the treatment during the practice session and were able to

¹Charness, Gneezy, and Henderson (2018) categorize CAPTCHAs as a decoding task similar to Augenblick, Niederle, and Sprenger (2015) with the following useful properties: Low difficulty of implementation, small differences regarding the skill required to accomplish the task, and limited learning opportunities to improve at accomplishing the task.

familiarize themselves with the tasks and the media player treatment. After the practice session, participants decided how long they would like to spend on the next day for each task with the help of a slider indicating their payoffs. This decision was reminded to the participants on the second day, but it was not binding for most.² In a separate data collection with a smaller sample, we also measured the demand for a commitment device using a multiple price list to see if participants would pay to turn off the autoplay feature. Our two task experimental setup was inspired by [Kool and Botvinick \(2014\)](#), while the real effort task is akin to [Augenblick et al. \(2015\)](#), and the leisure task resembles [Bonein and Denant-Boémont \(2015\)](#). The contribution of our study is on its novel experimental design which allows testing both established and recent theories on societally relevant topics such as digital addiction. The entire task interface is constructed from scratch with the help of professional designers, and it aims to mimic the user experience on a social media platform. The design brings together extensive possibilities of data collection on behavior with the ease of scaling, while holding internal validity at a high standard. In sum, our design welcomes a plethora of new research questions that can be studied through economic experiments.

2 Design

2.1 Overview

To explore the relationship between default video player settings and self-control, we designed a choice environment that captures the tension between productive effort and immediate gratification. Our experimental setup is centered around two competing tasks: A primary typing task that is tedious and offers limited learning opportunities, and a secondary video-watching task that provides immediate entertainment value. This design mirrors real-world situations where individuals must allocate time between effortful productive activities and readily available leisure alternatives.

²5% of participants who are excluded from the main analysis were bound by the choice they made on the first day to add weight to the decision.

The key feature in our design is the manipulation of autoplay setting in the video interface. Participants can switch between tasks at any time, but the ease of continuing with the leisure activity varies systematically across treatment conditions. This allows us to isolate the causal effect of interface design on time allocation decisions while holding constant individual time preferences and other task characteristics.

2.2 Timeline and Session Structure

We conducted a two-day online experiment to examine how autoplay features affect time allocation between productive and leisure tasks. The multi-day structure allowed us to measure the gap between stated preferences and actual behavior under two different video interface conditions. Participants completed two separate data collection sessions with a cooling-off period of 24 hours (up to 48 hours) between sessions.

Day 1 sessions included a practice session to familiarize participants with the experimental interface, followed by preference elicitation measures. Day 2 featured the main 20-minute work session where participants made actual time allocation decisions. We conducted two waves of data collection during May 2023, as described in Table 1.

Table 1: Summary of experimental design and timeline

	Practice Session	Time Choice	Main Session	Multiple Price List	Decision Horizon
Day 1 (May 10)	✓	✓			24-hour
Day 2 (May 11)			✓		immediate
Day 1 (May 18)	✓	✓		✓	24-hour
Day 2 (May 19)			✓		immediate

Note: This table shows the experimental components administered across two data collection waves, with columns ordered chronologically within each day. The first wave (May 10-11) established baseline treatment effects, while the second wave (May 18-19) incorporated the Multiple Price List treatment to measure demand for commitment devices. Decision horizon refers to the time between preference elicitation and the main experimental session.

139 2.3 Payment Structure and Incentives 139

140 We implemented a performance-based payment system to ensure participants faced 140
141 meaningful trade-offs between tasks. We based payment directly on the seconds par- 141
142 ticipants actively spent on each task, with different compensation rates for the typing 142
143 and video-watching activities. This created clear opportunity costs for time allocation 143
144 decisions while avoiding any completion bonuses that might distort behavior. 144

145 Participants who completed all required elements of the experiment received payment 145
146 within seven days after the second session.³ To maintain data quality, participants who 146
147 failed to meet specified quality criteria for the typing task were not compensated for 147
148 time spent on that task. 148

149 2.4 Technical Implementation and Interface Design 149

150 We designed the experimental platform to provide precise control over the testing envi- 150
151 ronment while maintaining ecological validity. We presented both tasks within a single 151
152 web page using distinct tabs, allowing participants to switch between activities seam- 152
153 lessly while preserving progress. The typing task always served as the default upon 153
154 session initiation, requiring an active choice to switch to the video-watching alternative. 154

155 Our interface incorporated several key features to track behavior precisely. A progress 155
156 bar and timer provided real-time feedback on session duration. We logged all critical 156
157 interactions including tab switches, keystrokes during typing, video controls, and cursor 157
158 movements outside the experimental window. This granular tracking enabled us to 158
159 construct detailed measures of attention and engagement across tasks. 159

160 2.5 Internal Validity Controls 160

161 Online experiments present unique challenges for maintaining experimental control, in- 161
162 cluding participant multitasking, technical disruptions, and environmental variation. We 162

³Prolific policy gives researchers 21 days to transfer funds to participants. The typical delay between study completion and payment is however only a couple of days on average, as indicated on the Prolific website ([link](#)).

163 implemented comprehensive measures to address these concerns and ensure data quality. 163

164 **Participant and Technology Screening:** We selectively admitted participants 164
165 using multiple screening criteria to ensure stable experimental conditions. Internet speed 165
166 requirements filtered out participants with unstable connections (minimum 30 Mbps on 166
167 day 1, 25 Mbps on day 2). We restricted participation to users with Windows, Linux, 167
168 or Mac operating systems using Chromium-based browsers exclusively. We excluded 168
169 Safari and Mozilla Firefox due to restrictive autoplay configurations. Mobile devices 169
170 and tablets were prohibited to standardize the user experience. 170

171 **Platform Controls:** The experimental website enforced linear navigation, prevent- 171
172 ing participants from moving backward through the experiment. We disabled right-click 172
173 functions and keyboard shortcuts. Any attempt to navigate backward reset progress 173
174 to the landing page. We clearly communicated these restrictions to participants at the 174
175 experiment’s outset. 175

176 **Attention and Engagement Monitoring:** We implemented real-time tracking 176
177 of participant attention using JavaScript packages to detect interface visibility disrup- 177
178 tions.⁴ This system captured actions such as minimizing the browser, switching between 178
179 web pages, or launching other applications. The tracking provided second-by-second 179
180 accountability of participant engagement. 180

181 **Post-Experiment Validation:** After completing the experiment, participants re- 181
182 ported any connectivity disruptions and confirmed their genuine engagement with the 182
183 video-watching task. We combined these self-reports with our objective tracking mea- 183
184 sures to identify and filter data potentially compromised by distractions or divided at- 184
185 tention. 185

186 2.6 Tasks 186

187 The experiment centers on participants’ time allocation decisions between two distinct 187
188 activities that differ substantially in their cognitive demands and entertainment value. 188
189 Both the Typing and Watching Tasks were presented to participants twice: First during 189

⁴For more information about the package, see [here](#).

the Practice Session to familiarize participants with the interface and task mechanics, and second during the Main Session where performance determined compensation. In both sessions, depending on the randomized assignment to conditions, the key experimental manipulation occurs in the Watching Task.

2.6.1 Typing Task

The Typing Task requires retyping successive CAPTCHAs. CAPTCHAs are computer-generated images that contain random uppercase and lowercase letters as well as randomly placed white spaces.⁵ Each CAPTCHA has a total length of 35 characters, including the white spaces.

We designed the images to be blurred and distorted by lines and dots added on top to increase comprehension difficulty.⁶ The interface always presents these CAPTCHA images with a text box and a submit button. When the submit button is clicked, the next CAPTCHA image appears and the text input for the previous one is stored. The task is identical across all conditions, as illustrated in Figure 1.

We established easy-to-meet quality requirements to ensure participants remained active. These requirements include an overall typing accuracy of at least 70 percent in submitted CAPTCHAs⁷ and a minimum of one CAPTCHA submission per minute spent on the task.


Participants must meet these quality requirements to receive compensation for the Typing Task. We remunerated the Typing Task at 0.38 pennies per second participants worked on it. A hidden timer recorded each second participants kept the Typing Task in the visible part of their screen. Participants in both conditions spent on average 41

⁵White spaces were added to improve readability after pretests. The number of white spaces was limited to a maximum of 5 instances per CAPTCHA to control the typing time per image.

⁶The randomization procedure to generate CAPTCHAs is available [here](#).

⁷We use Python's `difflib` string-matching algorithm to measure accuracy. It consists of finding the longest common substring and then finding recursively the number of matching characters in the non-matching regions on both sides of the longest common substring. Overall accuracy of 70 percent implies an average of 10.5 ($0.3 * 35$) mistakes across all submitted CAPTCHAs.

Figure 1: Typing Task tab



Note: This figure describes the typing interface tab. As participants always begin in the “Type” tab by default, there is a banner that reminds participants to click the tab buttons to switch tasks. This banner disappeared as soon as participants switched tasks once.

213 2.6.2 Watching Task 213

214 In this task, participants watch successive short videos in a customized media player. 214
 215 Since we are interested in isolating the media player’s default settings, the video content 215
 216 and the order in which videos appear to participants are identical across conditions. 216
 217 We completely disabled the media player controls: Participants cannot skip videos (user 217

scrolling is disabled) or use the media player’s slider to advance or go back in a particular video. We remunerated the Watching Task at 0.33 pennies per second participants worked on it.


The conditions differ in their autoplay functionality. In the **Autoplay** condition, videos play automatically when the Watching tab is visible and pause with a click anywhere on the video. While the Watching task is visible, the media player keeps scrolling to the next videos and continues playing them unless interrupted. In the **Control** condition, participants need to have the Watching tab visible and click on each consecutive video to play them. At the end of each video, the scrolling animation brings the next video, but the new video only starts playing when the participant clicks on it. Figure 2 illustrates the video tab in the **Control** condition.

We curated videos from YouTube and TikTok, using tags such as “funny animal videos/short” and “cute animal videos/shorts”. We manually selected videos to isolate the difference in the media player design and help avoid algorithmic biases resulting from the recommender system’s personalized suggestions. We chose animal videos because of their popularity during pilot studies.⁸

We manually reviewed the selected videos to ensure that they did not contain any harmful or violent actions toward the animals involved. We kept the videos short to maximize the frequency of experiencing the autoplay feature during the watching session.

⁸During the pilots, the experiment was followed by a separate questionnaire asking participants to rate the videos they had seen and suggest what types of videos they would have liked to see more of.

Figure 2: Watching Task tab



Note: This figure describes the “Watch” tab in the **Control** condition. Before the first video is clicked upon to be played, there is a banner that reminds participants that the video won’t play without clicking. This banner was not present in the **Autoplay** condition and videos started playing as soon as participants clicked on the “Watch” button seen up on the right.

2.7 Practice Session

The experiment consists of two sessions during which participants interact with the tasks described above. The first session is the Practice Session on day one. It comes right after the written descriptions of each task and serves to familiarize participants with

the tasks and the interface. Participants are assigned to either **Autoplay** or **Control** condition before the Practice Session, so that they experience the same video interace on both the Practice and Main Sessions.

During the practice session, each task was available for only 60 seconds and participants were not allowed to switch between tasks. On the first tab, participants were required to retype CAPTCHAs. The 60-second period was enough to submit one CAPTCHA and see the second CAPTCHA image. After 60 seconds, a pop-up appeared on the screen blocking any other interaction and taking participants to the second page.

Participants were required to close this pop-up to advance to the second task. The rationale behind the pop-up was to ensure participants spent equal time on both tasks. Whether or not this pop-up was closed was verified to check participant activity and served as an additional attention check.⁹ Once closed, the Watching Task began for 60 seconds, enabling participants to watch 4 to 5 short videos depending on whether they were assigned to the **Autoplay** or the **Control** condition. In the **Autoplay** condition, videos played continuously, while in the **Control** condition, videos required manual start.

We did not remunerate participants for the time they spent here because the purpose of the practice session was to understand the difficulty and pacing of the tasks, as well as navigation within the interface.

2.8 Multiple Price List

After the Practice Session on day one, participants in the Multiple Price List (**MPL**) condition made 9 binary decisions (see Figure 3). They chose between their preferred media player setting (Autoplay off or on) and a bonus payment. We introduced the MPL condition after the initial data collection phase. We determined its bonuses by the per-second earning differences across tasks, multiplied by the observed time differences between the Autoplay and control groups.

Specifically, the average difference between the Autoplay and control treatments,

⁹All participants closed this pop-up and switched to the Watching Task.

in terms of time spent across tasks, was approximately 60 seconds (as shown in Table 3). This resulted in an average earning difference of $60 * (0.38 - 0.33) = 3$ pennies. To capture this in the MPL choices offered, we set the symmetric bonuses accordingly: $\pounds[0.05, 0.1, 0.25, 0.5]$.

Once these decisions were completed, participants received information on the media player setting for day two—specifically whether Autoplay would be on or off—and the associated bonus. This information was displayed on the next page. With this knowledge, they then decided on their Time Choice. Participants who were not in the MPL condition proceeded directly to the Time Choice page after their Practice Session. More details on the Time Choice can be found in the subsequent section.

Figure 3: Multiple Price List page

Autoplay on or off?

In the practice session videos played automatically with **Autoplay**. There is another version **where you need to click on videos to play them**.

You need to make 9 decisions about Autoplay. One of your decisions will be randomly chosen and implemented. **You will receive a bonus payment and watch videos with the chosen Autoplay setting.**

For example, if you choose Autoplay for the first decision and it is implemented, you will have Autoplay and receive an additional £0.5 bonus payment.

▶ AUTOPLAY +£0.5	⏮ NO AUTOPLAY +£0
▶ AUTOPLAY +£0.25	⏮ NO AUTOPLAY +£0
▶ AUTOPLAY +£0.1	⏮ NO AUTOPLAY +£0
▶ AUTOPLAY +£0.05	⏮ NO AUTOPLAY +£0
▶ AUTOPLAY +£0	⏮ NO AUTOPLAY +£0
▶ AUTOPLAY +£0	⏮ NO AUTOPLAY +£0.05
▶ AUTOPLAY +£0	⏮ NO AUTOPLAY +£0.1
▶ AUTOPLAY +£0	⏮ NO AUTOPLAY +£0.25
▶ AUTOPLAY +£0	⏮ NO AUTOPLAY +£0.5

⚠ Please pick your favorite option for each row.

CONTINUE

Note: This figure describes the MPL page where participants made 9 binary choices between their preferred autoplay setting and bonus payments. Each row presents a choice between “Autoplay” (left) and “No Autoplay” (right) with associated bonus amounts ranging from £0.05 to £0.5. The interface required participants to select one option in each row before proceeding. One of these 9 decisions was randomly selected for implementation in the Main Session, determining both the autoplay setting and any bonus payment for day two.

278

279

280

2.9 Time Choice

Following the Practice Session, participants transitioned to the Time Choice section. This section required them to specify their preferred time allocation between the two

278

279

280

281 tasks for the main 20-minute session scheduled for the following day. Participants knew 281
282 the main session would be 20 minutes long and they were free to choose corner solutions, 282
283 even if that meant focusing solely on one task. 283

284 We designed a slider tool with 20-second steps for participants to indicate their time 284
285 allocation preferences. Initially, the slider appeared grayed out and required a click 285
286 to activate. This design aimed to ensure participants considered their choices in an 286
287 active manner. The click-to-activate design had two benefits: It guaranteed participants 287
288 interacted with the slider and helped participants understand the task-related payoff 288
289 structure. 289

290 To emphasize the importance of this decision, we made the choices of 5 percent of 290
291 participants binding in the main session. Binding choices led to payments based on 291
292 the initial Time Choice, but only if participants met the quality standards described 292
293 under Section 2.6.1. We excluded data from these participants from the final dataset 293
294 accordingly. We informed participants whether their allocation was binding with their 294
295 Time Choice reminder on day two, right before the start of the main session. 295

296 The Time Choice served as a benchmark for participants, and participants accord- 296
297 ingly received a textual reminder of it on day two. The Time Choice section offers 297
298 insights into participants' informed time preferences allows gauging their commitment 298
299 to these choices after the 24-hour cooling period. 299

Figure 4: Time Choice page

Time Choice

Now decide how long you would like to spend **tomorrow** on **Typing** and on **Watching Videos**.

Tomorrow you will have **20 minutes** for both tasks.

1 out of every 20 participant will be **bound** by the choice they made today.

Please **click on the slider** and indicate your **Time Choice**:

i You choose to spend **10 minutes 0 seconds** to **Type**.
 You choose to spend **10 minutes 0 seconds** to **Watch Videos**.
 You would earn **£4.25**.

Tomorrow you will learn whether your **Time Choice** is binding.

CONTINUE

Note: This figure shows the Time Choice interface with a slider tool allowing participants to allocate time between the two experimental tasks for the following day’s 20-minute Main Session. The slider initially appears grayed out and requires a click to activate. Real-time feedback shows the selected allocation (here, 10 minutes each) and expected earnings (£4.25). The interface informs participants that 1 out of 20 (5 percent) will be bound by their choice and that they will learn whether their choice is binding on day two.

300 2.10 Main Session 300

301 The Main Session took place on day two, approximately 24 hours after the Time Choice. 301
 302 We began by reminding participants of their previous day’s allocation and informing 302
 303 them whether their choice was binding or whether they were free to allocate their time 303
 304 as they preferred. 304

305 The session lasted exactly 20 minutes. Participants could freely switch between the 305
 306 Typing and Watching Tasks at any time using the tab interface. Unlike the Practice 306
 307 Session, there were no time restrictions on individual tasks, and participants had com- 307

plete autonomy over their time allocation decisions. The interface maintained real-time tracking of time spent on each task, and participants could monitor their progress and potential earnings through the progress bar and timer.

We implemented the experimental treatment during this session through the media player’s autoplay functionality. Participants assigned to the **Autoplay** condition experienced automatic video playback when the Watching tab was visible, while those in the **Control** condition required manual clicks to start each video. All other task mechanics remained identical to the Practice Session.

Payment was calculated based on actual time spent on each task, with compensation rates of 0.38 pennies per second for Typing and 0.33 pennies per second for Watching. Participants needed to meet the established quality requirements for the Typing Task to receive compensation for time spent on that activity. The session concluded automatically after 20 minutes, and participants received their final payment calculation before completing the experiment.

2.11 Theoretical Framework and Hypotheses

2.11.1 Basic Work-Leisure Allocation Model

We begin with a standard time allocation framework where participants maximize utility over consumption and leisure. Each participant has a fixed time endowment $\bar{T} = 1200$ seconds that must be allocated between work (typing task) and leisure (watching task):

$$\max_a U(wa/p, \bar{T} - a) \quad (1)$$

where a represents time spent working (typing), $\bar{T} - a$ is leisure time (watching), w is the wage rate per second, and p is the price of consumption goods. In our experimental context, we set $w_{typing} = 0.38$ pennies/second and $w_{watching} = 0.33$ pennies/second, creating a clear opportunity cost structure favoring productive work.

Under standard assumptions, the first-order condition yields the familiar result that the marginal rate of substitution between consumption and leisure equals the real wage.

333 However, this framework assumes that all decisions reflect stable, consistent prefer- 333
 334 ences—an assumption we relax through the introduction of dual-system decision-making. 334

335 2.11.2 Dual-System Framework with Content Characteristics 335

336 Following Kleinberg et al. (2022), we model participants as having two decision-making 336
 337 systems that can conflict during leisure consumption. We decompose leisure utility to 337
 338 account for sequential content consumption with potential self-control failures: 338

$$\max_a U\left(\frac{wa}{p}, E[\text{Leisure Utility}]\right) \quad (2)$$

339 where expected leisure utility is characterized by three key parameters: 339

$$E[\text{Leisure Utility}] = \max\left(\frac{v-w}{1-q} - \frac{p \cdot w}{1-p}, 0\right) \quad (3)$$

340 The parameters capture distinct aspects of content: 340

- 341 • **v : Value** — System 2’s intrinsic utility per unit of leisure content 341
- 342 • **q : Span** — Probability that System 2 wants to continue after consuming each 342
 343 content item 343
- 344 • **p : Moreishness** — Probability that System 1 takes automatic control, continuing 344
 345 consumption regardless of System 2’s preferences 345

346 The opportunity cost w represents forgone earnings from not engaging in the typing 346
 347 task. System 2 derives utility $v-w$ during intended leisure consumption, but experiences 347
 348 disutility $-w$ during periods when System 1 maintains control beyond System 2’s desired 348
 349 stopping point. 349

350 2.11.3 Autoplay Treatment Effect 350

351 Our experimental manipulation targets the moreishness parameter through interface 351
 352 design. We implement two conditions: 352

$$\text{Control condition: } p = p_{\text{base}} \quad (4)$$

$$\text{Autoplay condition: } p = p_{\text{base}} + \Delta p \quad (5)$$

The curated video content in our watching task—short, entertaining animal videos from YouTube and TikTok—likely represents content with elevated baseline moreishness p_{base} due to its bite-sized, immediately gratifying nature. The autoplay feature further increases moreishness by reducing opportunities for System 2 to regain control between videos, as noted by Kleinberg et al. (2022): autoplay “decreases the likelihood that system 2 will regain control.”

2.11.4 Two-Period Decision Structure

Our experimental design separates planning from execution across two time periods:

Day 1 (System 2 Planning): Participants make time allocation choices based on expected utility:

$$a_{\text{planned}}^* = \arg \max U \left(\frac{wa}{p}, E[\text{Leisure Utility} | E[p], E[q], E[v]] \right) \quad (6)$$

Day 2 (System 1 Interference): Actual allocation deviates due to realized treatment effects:

$$a_{\text{actual}} = a_{\text{planned}}^* + \text{System 1 deviation}(p_{\text{realized}}) \quad (7)$$

2.11.5 Hypotheses

Building on this theoretical framework, we formulate our preregistered hypotheses:

Hypothesis 1: The autoplay condition will lead to increased time spent watching videos compared to the control condition. This follows directly from $\frac{\partial E[\text{Leisure Time}]}{\partial p} > 0$: higher moreishness increases the expected duration of leisure sessions through more frequent System 1 takeovers.

Hypothesis 2: No significant difference is expected in initial time allocation decisions (Time Choice) between treatment groups. Since treatment assignment occurs

after the Time Choice task, System 2’s planning should be unaffected by the subsequent
 autoplay manipulation: $E[a_{\text{planned}}^*|\text{Autoplay}] = E[a_{\text{planned}}^*|\text{Control}]$.

Hypothesis 3: Participants in the autoplay condition will show greater deviation
 from their initial Time Choice toward watching videos. The increased moreishness should
 amplify System 1 interference, leading to larger deviations from intended allocations:
 $E[|a_{\text{actual}} - a_{\text{planned}}^*||\text{Autoplay}] > E[|a_{\text{actual}} - a_{\text{planned}}^*||\text{Control}]$.

Hypothesis 4: There will be positive demand for a commitment device to disable
 autoplay. Sophisticated System 2 agents should recognize the utility loss from excessive
 moreishness and be willing to pay to avoid it: $E[U|\text{Control}] - E[U|\text{Autoplay}] > 0$,
 generating positive willingness-to-pay for autoplay removal.

These hypotheses collectively test whether interface design features can systemati-
 cally distort optimal time allocation through their effect on the psychological parameters
 governing content consumption, even when participants face clear monetary incentives
 favoring productive work.¹⁰ Our preregistration included hypotheses 1 and 4. We have
 added supporting hypotheses 2 and 3 regarding our expectations about the Time Choice
 section later.

3 Sample and Procedures

The experiment was run entirely online, using widely available open-source tools.¹¹ We
 drew the sample from the Prolific participant pool, an online recruitment platform com-
 monly used for academic research, targeting adult British residents. We further imposed
 the following criteria: Fluency in English, balanced gender representation, and having
 a stable internet connection (> 30 Mbps on the first and > 25 Mbps on the second day
 of the experiment). We did not allow mobile devices and restricted access to the experi-
 ment to Chromium-based browsers to enhance the internal validity of the experiment as
 previously discussed in Section 2.5. Only participants who succeeded on both attention
 checks, reported not having engaged in other activities, and did not have connection

¹⁰To access the preregistered hypotheses, click [here](#).

¹¹We used the [MERN stack](#) to develop and host the website in an entirely free way.

399 issues during the experiment were included in the final dataset. 399

400 For the first stage of data collection, that is to say excluding the MPL treatment, 400

401 we preregistered a two-sample parallel design using our prototype data and tested for 401

402 equality of means across treatments. We found that the required sample size to test 402

403 [Hypothesis 1](#) with the usual parameter values ($\alpha = .05$, $\beta = .2$) would be 114 per treat- 403

404 ment, with an effect size of 65 seconds calculated by the difference in the average time 404

405 spent between conditions ($\mu_{Autoplay} - \mu_{Control}$) and population standard deviation of 165 405

406 seconds. Since attrition in longitudinal experiments is commonplace, we invited 301 par- 406

407 ticipants on the first day. On day two, we invited the same 301 participants and received 407

408 276 complete responses. No participants failed the attention checks more than twice, 408

409 and therefore were not removed from the dataset as per [Prolific policy](#). We dropped 17 409

410 participants who self-reported having connection issues and 24 additional participants 410

411 who stated having engaged in other activities. We also removed 11 participants who 411

412 had their Time Choice enforced randomly. Finally, we removed 40 participants that 412

413 were detected to spend more than 20 consecutive seconds away from our experimental 413

414 platform and the final dataset on which we base the analysis consisted of 184 individuals. 414

415 Table 2 shows the demographic characteristics of the observed individuals. 415

Table 2: Descriptive statistics for the full sample

	Autoplay	Control	<i>p</i>
	N = 79	N = 105	[A = C]
<i>Gender</i>			
Female	48 (46.15%)	54 (45.00%)	0.510
<i>Age</i>			
Mean (SD)	40.56 (11.66)	40.24 (10.98)	0.725
<i>Employment</i>			
Employed (full time)	62 (59.62%)	67 (55.83%)	0.718
Employed (part time/self)	28 (26.92%)	28 (23.33%)	0.417
Not employed	11 (10.58%)	18 (15.00%)	0.167
<i>Income</i>			
Low (0-15)	28 (26.92%)	34 (28.33%)	0.989
Middle (15-30)	30 (28.85%)	36 (30.00%)	0.505
High (50+)	15 (14.42%)	13 (10.83%)	0.325
<i>Marital Status</i>			
Married/Partnership	56 (53.85%)	60 (50.00%)	0.510
Single	42 (40.38%)	52 (43.33%)	0.534
Previously married	6 (5.77%)	8 (6.67%)	0.927

Note: This table presents demographic characteristics for the final sample of 184 participants across treatment conditions. Income categories are presented in thousands of British pounds (£). Employment categories: “Not employed” includes unemployed (looking and not looking) and homemaker. “Previously married” includes divorced, widowed, and separated. *p*-values for binary outcomes are from two-sample tests of proportions; for continuous variables, from two-sample *t*-tests. For employment, part-time and self-employed are together as one category. The sample demonstrates successful randomization with balanced participant characteristics across the conditions.

417 60 participants on day one. On day two, we received 56 complete answers. Once again, 417
418 no participant failed the attention checks. No participant reported having connection 418
419 issues. This improvement is likely because we had implemented higher network speed 419
420 requirements (> 35 Mbps on the first and > 30 Mbps on the second day). We dropped 420
421 5 participants who reported having engaged in other activities. As we were interested 421
422 in the demand for a commitment device, participants did not have their Time Choice 422
423 enforced in this treatment. We therefore ended up with 51 individuals in the final 423
424 dataset. 424

425 4 Results 425

426 We begin summarizing variables of interest from the main 20-minute session in Table 3. 426
427 Two sample t -tests show no significant differences in any of the outcome variables. This 427
428 suggests that **Autoplay** condition had no impact on the watching behavior observed 428
429 in the experiment. Further, we find that participants spend more time typing when 429
430 compared to their Time Choice on day 1 (206.8 seconds, $t(183) = 8.92$, $p < 0.001$), 430
431 which indicates that this decision environment cannot be characterized by hyperbolic 431
432 discounting and/or present biased individuals on average. 432

Table 3: Sample statistics for variables of interest

	Autoplay	Control	<i>p</i>
	N = 79	N = 105	[A = C]
<i>Time Choice</i>			
Mean (SD)	572.41 (366.62)	525.14 (396.87)	0.410
Median [Min, Max]	600.00 [0.00, 1200.00]	600.00 [0.00, 1200.00]	
<i>Type time</i>			
Mean (SD)	797.43 (375.68)	718.16 (405.81)	0.178
Median [Min, Max]	883.00 [3.00, 1212.00]	695.00 [3.00, 1314.00]	
<i>Nb. of sessions</i>			
Mean (SD)	5.76 (4.98)	4.89 (5.09)	0.246
Median [Min, Max]	4.00 [1.00, 18.00]	3.00 [1.00, 28.00]	
<i>Session length</i>			
Mean (SD)	456.11 (383.22)	546.35 (411.53)	0.131
Median [Min, Max]	314.75 [68.17, 1212.00]	418.67 [44.93, 1314.00]	
<i>Nb. of retyping submissions</i>			
Mean (SD)	19.76 (12.11)	17.21 (11.62)	0.150
Median [Min, Max]	19.00 [0.00, 53.00]	15.00 [0.00, 45.00]	
<i>Nb. of videos watched</i>			
Mean (SD)	31.33 (26.34)	32.72 (26.39)	0.723
Median [Min, Max]	25.00 [0.00, 80.00]	34.00 [0.00, 77.00]	
<i>Content rating</i>			
Mean (SD)	6.96 (2.18)	6.62 (2.45)	0.327
Median [Min, Max]	7.00 [2.00, 10.00]	7.00 [0.00, 10.00]	

Note: This table presents key outcome variables from the Main Session. “Time Choice” refers to participants’ stated preferences for typing on day 1, while “Type time” represents the actual time spent on typing task during the 20-minute Main Session on day 2. Both are measured in seconds. Nb. of sessions is the number of typing or watching sessions participants completed and Session length represents the mean duration of individual sessions in seconds. Content rating reflects participants’ evaluation of video content on a 0-10 scale. *p*-values are from two-sample *t*-tests comparing experimental conditions.

4.1 Time Choice

We begin with participant's Time Choices. These were their incentivized time allocation on how much they would like to spend on the Typing task for the 20-minute main session 24 hours before. In Figure 5 pick up from here.




Figure 5: Distribution of Time Choice across treatments

4.2 Does Autoplay increase time spent watcing videos? (H1)

Our primary hypothesis was investigating whether the Autoplay feature influences the time participants spend on watching videos. We scrutinized this using two distinct measures.

The first one considered the time span participants allocated to the Watching Task, captured through second-by-second logs during the 20-minute main session: A technical glitch with the countdown timer inadvertently caused most participants to spend an additional 30 to 60 seconds on the session. A deeper dive into this issue unveiled that the timer *slowed down* in the absence of user interactions, such as clicks, cursor movements or typing. To understand the overall implications of this glitch on our experiment, we analyzed the distribution of the total time spent across the two treatments, visualized in Figure 6. Herein, the x-axis delineates the total time allocated to both tasks, while the y-

axis depicts its frequency. The distribution of ending times appears roughly symmetrical for both treatments on the histogram, and a Mann-Whitney U test confirms that the glitch affected both conditions uniformly ($U = 6331, p = 0.85$). Finally, post-experiment feedback reassures us that participants remained unaware of this anomaly.




Figure 6: Distribution of main session ending time across treatments

To remedy for the differences in time spent across tasks resulting from the glitch and standardize our data, we calculated the observed time spent at task data using the logged ending time. We calculate first the proportion of time spent Typing and then standardize it for our sample:

$$x = \frac{type_{time}}{end_{time}}, z_{type} = (x - \bar{X}_i) / \sigma_i \quad (8)$$

where $\bar{X}_i$ and σ_i are the average of network means and standard deviations for the sample.

Figure 7a shows the distribution of the standardized time spent on watching videos across treatments. We test and reject Hypothesis 1.1 using the Mann-Whitney U test ($U = 5825, p = 0.39$), meaning Autoplay treatment did not result in an increased time

462 spent watching videos. We then proceed with [Hypothesis 1.2](#), focusing on the number of 462
 463 videos each participant watched across treatments. Figure 7b shows the distribution of 463
 464 the number of videos watched per condition. Using a Mann-Whitney U test again, we 464
 465 reject that Autoplay treatment increased the number of videos watched ($U = 6494, p =$ 465
 466 0.599). 466




Figure 7: Distributions of variables relating to watching time across treatments

467 4.3 Effects of Autoplay on deviations from Time Choice (H3) 467

468 We then move on to the [Hypothesis 3](#), which suggests participants in the Autoplay 468
 469 condition would deviate more towards watching videos from their initial Time Choice. 469
 470 To assess this hypothesis, we transformed the Time Choice variable by normalizing 470
 471 to percentages and calculated the deviation by subtracting the percentage of actual 471
 472 time spent on the Typing Task from it. Figure 8 shows the distribution of deviations 472
 473 from Time Choice across treatments which appears left-skewed, suggesting increases in 473
 474 actual typing instead. Specifically, negative values in the figure represent increases in 474
 475 typing, whereas positive values are increases in watching. Applying the Mann-Whitney 475
 476 U test, our data ($U = 6134, p = 0.827$) did not support a significant deviation for 476
 477 the Autoplay condition towards watching. Further descriptive statistics reveal a mean 477

478 deviation of -11.73 , a median of -8.46 , and a mode of 0 , emphasizing the observed left 478
479 skew. To strengthen our findings, we used the Wilcoxon Signed-Rank test to compare the 479
480 distribution of deviations to a 0 median distribution, and rejected the null ($W = 5152$, 480
481 $p < 0.001$). In summary, contrary to our hypothesis, participants generally spent more 481
482 time on the Typing Task than they initially intended regardless of treatment. 482




Figure 8: Distribution of the deviation from initial Time Choice in percentages across treatments

483 4.3.1 Demand for the commitment device (H4) 483

484 [Hypothesis 4](#) suggests participants would choose to turn Autoplay off when given the 484
485 possibility, meaning there is positive demand for the commitment device. We assess 485
486 this demand by comparing the share of participants choosing to turn Autoplay on or off 486
487 along with the associated bonus payments for each of the nine decisions in the price list. 487
488 Figure 9 shows the percentages of participants preferring Autoplay in blue and those 488
489 preferring to turn Autoplay off in orange. Distributions clearly show that when given a 489
490 choice, participants have a preference for Autoplay. Specifically, more than 75 percent 490
491 of participants chose Autoplay without bonus, 12 percent chose Autoplay if it meant 491

492 giving up £0.05, and 7 percent chose Autoplay if it meant giving up £0.1.

492




Figure 9: Distribution of Autoplay preferences in percentages

493 5 Discussion

493

494 There are two ways to interpret our findings. We begin our discussion first with a sim- 494
 495 plistic understanding of the results and build up for a more nuanced explanation. The 495
 496 straightforward conclusion based on the lack of support for [Hypothesis 1](#) is that Autoplay 496
 497 does not have a distinct impact on participants' actualized decisions when contrasted 497
 498 to active decisions. Combined with the lack of support for [Hypothesis 3](#) on deviations 498
 499 from how long participants wanted to watch videos initially and the actual preference for 499
 500 Autoplay in [Hypothesis 4](#) further supports the idea that Autoplay is a 'harmless' default 500
 501 when it comes to media control settings and does not provoke increased consumption. 501
 502 Our findings allow for this conclusion, and show instead that users actually prefer au- 502
 503 topay to active decisions when there is money at stake. This would contradict the 503
 504 presumed welfare benefits of the proposed ban in the [SMART Act](#) by the US Congress. 504
 505 However, this 'simple' interpretation of results does not consider the complexity of the 505
 506 issue at hand and leaves out a crucial design choice: The content of videos. To reassure, 506
 507 how the content was perceived by participants in our experiment was controlled by a 507

508 survey question which asked them to rate the content of the videos. The median re- 508
 509 sponse was a 7 out of 10 rating across conditions for the content (see Table 3 for sample 509
 510 statistics).¹² Yet, the selection (manual) and the presentation (randomized order) of the 510
 511 content are clearly different from the algorithmically curated personalized experience 511
 512 participants are accustomed to have on daily basis. To have a clear understanding of 512
 513 the implications of the experiment, it is preferable to look at the larger context in which 513
 514 content and design together shape the digital environment where decisions are made. 514




Figure 10: Density distribution of content ratings across treatments

515 In order to take into account this interplay between the content and the design, 515
 516 we rely on the insights from a recent model on media consumption (Kleinberg et al., 516
 517 2022) where firms optimize over a large set of potential content and interface designs 517
 518 parametrized by their underlying features. Consumers optimize utility for their two 518
 519 selves: The impulsive and myopic one (self 1) and the forward-looking and thoughtful 519
 520 one (self 2). Content is consumed so long as self 1 derives some positive utility, and only 520
 521 after self 1 receives negative utility can system 2 make the decision to stop consuming 521

¹²Using Shapiro-Wilk tests we cannot reject the null that distributions are significantly different from a normal distribution for both autoplay ($W = 0.932$, $p < 0.001$) and control ($W = 0.933$, $p < 0.001$) treatments. A Mann-Whitney U test between treatments cannot reject the null that distributions are significantly different from one another ($U = 6894$, $p = 0.173$), although there is some indication (see Figure 10 for the density distribution) that participants in autoplay condition gave higher ratings to the content.

content in case system 2 was already receiving negative utility. In this model, autoplay, a feature that facilitates seamless content consumption, has heterogeneous effects over different types of content. The intuition is as follows: If the existing content already is such that it has a low probability that utility for impulsive self 1 is larger than zero, autoplay has little impact on the user behavior. In other words, on a content landscape with low addictiveness, autoplay would have minimal impact on engagement. Applying this to our setting implies that the content provided for the experiment, although itself curated from social media, is much less interesting for the impulsive self 1 of participants.

Further, when a user is actively engaged and desires to consume more content, the autoplay feature aligns with the user’s intent. This supports the preference for autoplay found in the [MPL condition](#) regarding [Hypothesis 4](#), implying that participants were aware of their actual content consumption and desired to consume more content. This is entirely in accordance with the inference on the selection of videos not being tempting enough. In other words, because videos were not tempting, participants were in control of their consumption and could end sessions whenever their system 2 received negative utility from videos. In this setting, autoplay is actually helpful to participants in achieving their desired session length as it reduces decisions costs attached to it, fully aligned with previous the modelization of active decisions compared to defaults by [Carroll et al. \(2009\)](#). Putting the dual insights of the model together builds a coherent picture in terms of the policy implications of the present study, and we present convincing evidence that autoplay itself does not promote addiction in the absence of engaging content. Our findings go contrary to the proposed legislation which implicitly assumes all autplayed content is equally addictive and welfare decreasing.

6 Limitations and Conclusion

EXPERIMENTAL DEMAND EFFECTS AND SOCIAL IMAGE CONCERNS. THE EXPERIMENT IS SET AS A WORKING ENVIRONMENT. PARTICIPANTS PERCEIVED THE DECISION AS ONE TO WORK AS MUCH AS POSSIBLE.

References

- Allcott, H., Braghieri, L., Eichmeyer, S., & Gentzkow, M. (2020). The welfare effects of social media. *American Economic Review*, 110(3), 629–76.
- Allcott, H., Gentzkow, M., & Song, L. (2022). Digital addiction. *American Economic Review*, 112(7), 2424–2463.
- Augenblick, N., Niederle, M., & Sprenger, C. (2015). Working over time: Dynamic inconsistency in real effort tasks. *The Quarterly Journal of Economics*, 130(3), 1067–1115.
- Beggs, J. N. (2016). Private-sector nudging: the good, the bad, and the uncertain. In *Nudge theory in action: Behavioral design in policy and markets* (pp. 125–158). Springer.
- Bonein, A., & Denant-Boèmont, L. (2015). Self-control, commitment and peer pressure: a laboratory experiment. *Experimental Economics*, 18, 543–568.
- Caraban, A., Karapanos, E., Gonçalves, D., & Campos, P. (2019). 23 ways to nudge: A review of technology-mediated nudging in human-computer interaction. In *Proceedings of the 2019 chi conference on human factors in computing systems* (pp. 1–15).
- Carroll, G. D., Choi, J. J., Laibson, D., Madrian, B. C., & Metrick, A. (2009). Optimal defaults and active decisions. *The quarterly journal of economics*, 124(4), 1639–1674.
- Charness, G., Gneezy, U., & Henderson, A. (2018). Experimental methods: Measuring effort in economics experiments. *Journal of Economic Behavior & Organization*, 149, 74–87.
- Ericson, K. M., & Laibson, D. (2019). *Intertemporal choice, vol. 2, chap. 1*. Elsevier.
- Hiniker, A., Heung, S. S., Hong, S., & Kientz, J. A. (2018). Coco’s videos: an empirical investigation of video-player design features and children’s media use. In *Proceedings of the 2018 chi conference on human factors in computing systems* (pp. 1–13).

577 Hoong, R. (2021). Self control and smartphone use: An experimental study of soft 577
 578 commitment devices. *European Economic Review*, 140, 103924. 578
 579 Ichihashi, S., & Kim, B.-C. (2023). Addictive platforms. *Management Science*, 69(2), 579
 580 1127–1145. 580
 581 Kleinberg, J., Mullainathan, S., & Raghavan, M. (2022). The challenge of understanding 581
 582 what users want: Inconsistent preferences and engagement optimization. *arXiv* 582
 583 *preprint arXiv:2202.11776*. 583
 584 Kool, W., & Botvinick, M. (2014). A labor/leisure tradeoff in cognitive control. *Journal* 584
 585 *of experimental psychology. General*, 143(1), 131. 585
 586 Lukoff, K., Lyngs, U., Zade, H., Liao, J. V., Choi, J., Fan, K., ... Hiniker, A. (2021). 586
 587 How the design of youtube influences user sense of agency. In *Proceedings of the* 587
 588 *2021 chi conference on human factors in computing systems* (pp. 1–17). 588
 589 Lupiáñez-Villanueva, F., Boluda, A., Bogliacino, F., Liva, G., Lechardoy, L., & de las 589
 590 Heras Ballell, T. R. (2022). *Behavioural study on unfair commercial practices in the* 590
 591 *digital environment: dark patterns and manipulative personalisation*. Publications 591
 592 Office of the European Union. 592
 593 Mertens, S., Herberz, M., Hahnel, U. J., & Brosch, T. (2022). The effectiveness of 593
 594 nudging: A meta-analysis of choice architecture interventions across behavioral 594
 595 domains. *Proceedings of the National Academy of Sciences*, 119(1), e2107346118. 595
 596 Mills, S. (2023). Nudge/sludge symmetry: on the relationship between nudge and 596
 597 sludge and the resulting ontological, normative and transparency implications. 597
 598 *Behavioural Public Policy*, 7(2), 309–332. 598
 599 Smith, N. C., Goldstein, D. G., & Johnson, E. J. (2013). Choice without awareness: 599
 600 Ethical and policy implications of defaults. *Journal of Public Policy & Marketing*, 600
 601 32(2), 159–172. 601
 602 Thaler, R. H., & Sunstein, C. R. (2009). *Nudge: Improving decisions about health,* 602
 603 *wealth, and happiness*. Penguin. 603